




Model
2 ARTICULATED BOOM
VR85

Logbook code
7881871.0
Edition
06/2019



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity	Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)			238	5630006-1.0	1	JIB ARM		
215	820 EBB - EN 12000 - A3					240	5490007-1.0	1	1st EXTENSION (JIB)		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)			241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)			242	5590100-2.0	1	ACTUATIONS FOR 1S		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)			244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)			245	5530006-1.0	1	2nd EXTENSION		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)			246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X			247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			249	5780017-1.0	1	Coupling (Articulated extension)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			252	6430131-1.0	1	Articulation Hydraulic jack		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)			256	5400335-1.0	1	Support (Articulated extension)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)			257	820 CIA				
235	7892206-1.0	1	Wireless control kit (Hz.AUS)			258	5552096-1.0	1	1st ACTIVATION FOR 1S		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)			259	5552096-2.0	1	1st ACTIVATION FOR 1S		
237	820 5S - JIB 2S										

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7881871.0

Sheet

1/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5501428-1.0	1	Plate kit (Version)		
12	5501641-1.0	1	Plate kit (Version)		
13	5420076-1.0	1	BASE		
15	5420084-1.0	1	FULL BASEMENT		
17	5420093-1.0	1	BASE		
18	6240122-1.0	1	SLEWING ASS'Y (2 Engines)		
20	7880731-1.0	1	SLEWING ASS'Y (3° Engine)		
21	5460078-2.0	1	COME REVOLVING ELECTROHYDRAULIC		
23	5460121-1.0	1	COME REVOLVING ELECTROHYDRAULIC		
25	5411317-1.0	1	ROTATION CONTROL (EN12999-A3)		
26	5760150-1.0	1	Stabilizer connecting rods extra-extensible		
27	5411204-16.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
28	5411204-15.0	1	STABILITY CONTROL (EN12999-A3)		
29	5411053-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
30	5411035-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
32	5411079-1.0	1	SLEWING ASS'Y B.I. (STABILISER RAM)		
33	5411036-1.0	1	SLEWING ASS'Y B.I. (STABILISER RAM)		
35	5380036-1.0	1	HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC		
36	6400252-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (1st EXTENSION)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
37	6400253-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (2nd EXTENSION)		
38	6400253-1.1	1	ROD EXSTENSION HYDRAULIC CYLINDER (2nd EXTENSION)		
39	5760150-2.0	1	Stabilizer connecting rods extra-extensible		
40	5760150-3.0	1	HYDRAULIC SYSTEM EXTRA- EXTENSIBLE (STABILISER RAM)		
41	5760150-4.0	1	HYDRAULIC SYSTEM EXTRA- EXTENSIBLE (STABILISER RAM)		
42	6200254-1.0	1	HYDRAULIC SYSTEM (STABILISER RAM)		
43	6400254-1.0	1	Stabilizer Hydraulic jack		
44	6200261-1.0	1	HYDRAULIC SYSTEM (STABILISER RAM B.I.)		
45	6400261-1.0	1	STABILISER RAM B.I.		
46	5400791-1.0	1	CONTROLS (stabilizers standard)		
48	5220346-1.0	1	STABILIZER CONTROL VALVE		
49	5400791-2.0	1	Switch (stabilizers standard)		
51	5400791-3.0	1	HYDRAULIC SYSTEM (CONTROLS FOR STABILIZERS)		
53	5400791-4.0	1	HYDRAULIC SYSTEM (CONTROLS FOR STABILIZERS)		
54	5220814-1.0	1	Control valve (4 section)		
56	5400925-1.0	1	CONTROLS		
57	5400925-2.0	1	CONTROLS		
58	5400925-3.0	1	CONTROLS		
59	7885015-1.0	1	Pilot lamp		
60	7892143-1.0	1	Wireless control kit (CAN BUS)		

Table index

Logbook code

7881871.0

Sheet

2/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
61	7892142-1.0	1	Wireless control kit (CAN BUS)		
62	7892235-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
63	7892234-1.0	1	Wireless control kit (CAN BUS)		
64	5401704-1.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
65	5401704-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
66	5401704-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
67	5400789-1.0	1	Hydraulic oil tank		
69	3180176-1.0	1	Oil filter		
70	7888014-1.0	1	Heat exchange unit (12V)		
71	7888014-2.0	1	Heat exchange unit (12V)		
72	7888015-1.0	1	Heat exchange unit (24V)		
73	7888015-2.0	1	Heat exchange unit (24V)		
74	5400790-1.0	1	High pressure filter		
75	5400790-2.0	1	High pressure filter (Hydraulic system)		
76	5460078-1.0	1	Column		
78	5360017-1.0	1	COLUMN CONNECTING RODS		
79	6230169-1.0	1	LIFTING HYDRAULIC CYLINDER (Hydraulic system)		
80	6430169-1.0	1	LIFTING HYDRAULIC CYLINDER		
82	5470087-1.0	1	1ST BOOM		
83	5360018-1.0	1	Linkage 1th e 2nd boom		

Page	Table code	Q.ty	Table heading	Vers.	Validity
84	6230170-1.0	1	Articulation Hydraulic jack (Hydraulic system)		
85	6430170-1.0	1	Articulation Hydraulic jack		
87	5480090-1.0	1	2nd BOOM		
89	5480197-1.0	1	2nd BOOM		
91	5490086-1.0	1	1st EXTENSION		
92	6210372-1.0	1	1st EXSTENSION HYDRAULIC (Hydraulic system)		
94	6410372-1.0	1	1st EXSTENSION HYDRAULIC		
95	5650005-1.0	1	2nd EXTENSION		
96	5650008-1.0	1	2nd EXTENSION		
97	5650008-2.0	1	Coupling (Hook)		
98	6210472-1.0	1	2nd EXTENSION HYDRAULIC JACK (Hydraulic system)		
99	6210373-1.0	1	2nd EXTENSION HYDRAULIC JACK (Hydraulic system)		
100	6410373-1.0	1	2nd EXTENSION HYDRAULIC JACK		
101	5540053-1.0	1	3rd EXTENSION		
103	6210374-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
104	6410374-1.0	1	3rd and 4th extension hydraulic cylinder		
105	5560039-1.0	1	4th EXTENSION		
107	5560052-1.0	1	4th EXTENSION		
109	5560052-2.0	1	Coupling (Hook)		
110	6210375-1.0	1	4th extension Hydraulic jack (Hydraulic system)		

Table index

Logbook code

7881871.0

Sheet

3/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
111	5570017-1.0	1	5th EXTENSION		
113	6410375-1.0	1	5TH , 6TH AND 8TH EXTENSION HYDRAULIC CYLINDER		
114	6210376-1.0	1	5th extension Hydraulic jack (Hydraulic system)		
115	5580013-1.0	1	6th EXTENSION		
116	5580019-1.0	1	6th EXTENSION		
117	5580019-2.0	1	Coupling (Hook)		
118	6210377-1.0	1	6th extension Hydraulic jack (Hydraulic system)		
119	5330006-1.0	1	7th EXTENSION		
121	6410376-1.0	1	7th extension Hydraulic jack		
122	6210378-1.0	1	7th extension Hydraulic jack (Hydraulic system)		
123	5320005-1.0	1	8th EXTENSION		
124	6210379-1.0	1	8th extension Hydraulic jack (Hydraulic system)		
125	5190001-1.0	1	9th extension		
126	6210380-1.0	1	9th extension Hydraulic jack (Hydraulic system)		
127	6410377-1.0	1	9rd and 10th extension hydraulic cylinder		
128	5100001-1.0	1	10TH EXTENSION		
129	6210381-1.0	1	10th extension Hydraulic jack (Hydraulic system)		
130	7800368-1.0	1	Manual extension (1st)		
131	7800369-1.0	1	Manual extension (2nd)		
132	7800370-1.0	1	Manual extension		

Page	Table code	Q.ty	Table heading	Vers.	Validity
133	7800371-1.0	1	Manual extension (2nd)		
134	7800372-1.0	1	Manual extension		
135	7800367-1.0	1	Manual extension (1st)		
136	7881381-1.0	1	LOAD INDICATION SYSTEM		
137	5741007-1.0	1	ACTUATIONS FOR		
139	5741007-2.0	1	ACTUATIONS FOR		
141	5400925-4.0	1	CONTROLS		
142	7900327-1.0	1	ATTACHEMENT FOR WINCH		
143	7900321-1.0	1	ATTACHEMENT FOR WINCH		
144	7880682-1.0	1	GUIDE ROPE KIT		
145	7834224-1.0	1	Winch (HYDRAULIC SYSTEM)		
147	7880592-1.0	1	Assembly kit		
149			VR85 JIB 6S		
150	5780043-1.0	1	ATTACHEMENT FOR (JIB)		
151	5630009-1.0	1	JIB ARM		
153	5360020-1.0	1	KIT CONNECTING ROD		
154	6430174-1.0	1	Articulation Hydraulic jack (Internal)		
155	6430184-1.0	1	Articulation Hydraulic jack (External)		
156	5411056-1.0	1	HYDRAULIC SYSTEM (ARTICULATION HYDRAULIC JACK)		
157	5490091-1.0	1	1st EXTENSION		

Table index

Logbook code

Sheet





7881871.0

4/4








Page	Table code	Q.ty	Table heading	Vers.	Validity
158	6210385-1.0	1	1st EXSTENSION HYDRAULIC (Hydraulic system)		
159	6410385-1.0	1	1th and 2nd extension hydraulic cylinder		
160	5650007-1.0	1	2nd EXTENSION		
161	6210386-1.0	1	2nd extension hydraulic cylinder (Hydraulic system)		
162	5660003-1.0	1	3rd EXTENSION		
163	6210387-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
164	6410387-1.0	1	3rd and 4th extension hydraulic cylinder		
165	5340011-1.0	1	4th EXTENSION		
167	6210388-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
168	5570021-1.0	1	5th EXTENSION		
169	6210389-1.0	1	5th extension Hydraulic jack (Hydraulic system)		
170	6410388-1.0	1	5th extension Hydraulic jack		
171	5580015-1.0	1	6th EXTENSION		
173	6210390-1.0	1	6th extension Hydraulic jack (Hydraulic system)		
174	6410245-2.0	1	6th extension Hydraulic jack		
175	7900326-1.0	1	ATTACHEMENT FOR WINCH		
176	5400925-5.0	1	CONTROLS		
177	5401704-4.0	1	CONTROLS (RDC EBB-X TCU- ECM4)		
178	7834222-1.0	1	WINCH KIT		
179	5740233-1.0	1	Winch (HYDRAULIC SYSTEM)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------

R	Pos.	Variant Code	Q.ty	Description
1	5502000	1	kit	Standard instructions sticker
2	5813851	4	Label (Stabilizer connecting rods)	



mod. VR 85



R	Pos.	Variant Code	Q.ty	Description
2		5501428	1	
2 A		5812846	2	
2 B		5812733	2	
3		5501427	1	
3 A		5812844	2	
3 B		5812732	2	
4		5501426	1	
4 A		5812843	2	
4 B		5812730	2	
5		5501425	1	
5 A		5812842	2	
5 B		5812729	2	
6		5501231	1	
6 A		5812841	2	
6 B		5812728	2	
7		5501227	1	
7 A		5810829	2	
7 B		5810828	2	
8		5501820	1	
8 A		5813943	2	

R	Pos.	Variant Code	Q.ty	Description
8 B	5813942		2	

mod. VR 85














Plate kit (Version)

Table code

Sheet


5501641-1.0

1/1




mod. VR 85 F/M


R	Pos.	Variant Code	Q.ty	Description
	2	5501641	1	
	2 A	5813388	2	
	2 B	5813389	2	
	3	5501645	1	
	3 A	5813390	2	
	4	5501830	1	kit model sticker
	4 A	5813714	2	Load diagram
	4 B	5813668	2	Load diagram
	5	5501551	1	
	5 A	5813392	2	
	5 B	5813393	2	
	6	5501640	1	
	6 A	5813359	2	
	6 B	5813374	2	



R	Pos.	Variant Code	Q.ty	Description
	1	5060166	1	Base
	2	5001444	2	Adjuster (Narrow)
	3	5001582	6	Adjuster (Up)
	4	3040529	8	Ring nut
	5	5140795	2	Insert (Turnsbasket)
	6	5001755	2	Plate (Backlash)
RC	7	3060056	4	Split lock washer [D=10 C72 ZC]
	8	3020096	4	Socket head cap screw [M10X25 8.8 ZC UNI 5931]
	9	5001934	2	Insert (Thickness)
	10	3040519	2	Stopnut
	11	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	12	5001681	2	Handle (Hook)
	13	W102116	2	Spacer
RC	14	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	15	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	16	3190283	2	Knob (Ball)
	17	5000966	2	Hook (Stabilizers rods)
RC	18	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	19	3070148	4	Seeger
	20	5140714	4	Washer (Nylon)


R	Pos.	Variant Code	Q.ty	Description
	21	5150601	2	Pin assembly
	22	3060932	2	Spring (Hook (latch))






R	Pos.	Variant Code	Q.ty	Description
	1	5060171	1	Base
	2	5001444	2	Adjuster (Narrow)
	3	5001582	6	Adjuster (Up)
	4	3040529	8	Ring nut
	5	5140795	2	Insert (Turnsbasket)
	6	5001755	2	Plate (Backlash)
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3020096	4	Socket head cap screw [M10X25 8.8 ZC UNI 5931]
	9	5001934	2	Insert (Thickness)
	10	3040519	2	Stopnut
	11	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	12	5001681	2	Handle (Hook)
	13	W102116	2	Spacer
RC	14	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	15	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	16	3190283	2	Knob (Ball)
	17	5000966	2	Hook (Stabilizers rods)
RC	18	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	19	3070148	4	Seeger
	20	5140714	4	Washer (Nylon)

R	Pos.	Variant Code	Q.ty	Description
	21	5150601	2	Pin assembly
	22	3060932	2	Spring (Hook (latch))





R	Pos.	Variant Code	Q.ty	Description
	1	5060175	1	Base
	2	5001919	1	
	3	3060018	2	Flat washer [D.12 UNI 6592 ZC]
	4	3010369	2	Hex screw [M12X25 8.8 ZC UNI 5739]
	5	5001923	2	Door (Base)
RC	6	3060914	20	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3010352	20	Hex screw [M10X12 8.8 ZC UNI 5739]
	8	3040012	48	Tall headed nut
	9	3040089	48	Lock nut


SLEWING ASS'Y (2 Engines)

Table code

Sheet

6240122-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5720255	1	Slewing ring
	2	3020962	93	Socket head cap screw [M20X150 12.9 SPEC. UNI 5931]
	3	5720260	2	Gear motor
	4	3020963	16	Socket head cap screw [M14X50 8.8 ZC UNI 5931]
	5	3060050	16	Split lock washer [D=14 C72 ZC]
	6	3101307	2	Straight pipe fitting [RACC. DIR.12X1.5 ZN92 LEGG.]
	7	5232283	1	
	8	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	5392286	1	
	10	3101044	4	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	11	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	12	5232282	1	
	13	3120600	1	
	14	3120302	1	Tee fitting [RACC.T 9/16JIC M/MGAS1/4"]
	15	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	16	5392289	1	
	17	5392290	1	
	18	5392288	2	
	19	3120112	2	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	20	5221036	1	Valve (Slewing/Brake)


SLEWING ASS'Y (2 Engines)

Table code


Sheet

6240122-1.0


2/2




R	Pos.	Variant Code	Q.ty	Description
	21	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	22	3100066	1	90° Connection [90° 1/4"CON.-8 ZN94-8LR]
RC	23	3060055	1	Split lock washer [D=8.4 C72 ZC]
	24	3010032	1	Hex screw [M8X45 8.8 ZC UNI 5737]
	25	5232285	1	
	26	3110041	2	Female plug
	27	3101224	1	Cap
	28	3110040	1	Female plug [TAPPO F JIC 9/16 -18]
	29	3060019	45	Flat washer [D.20 C50 UNI 5714 ZC]
	30	3040012	45	Tall headed nut
	31	3040089	45	Lock nut
	32	5280804	2	Flexible hose [Fixed]
	33	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	34	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	35	3060145	1	Sealing washer [BSP 1/2"]
	36	5720284	2	Breather (Oil)
	37	5720285	2	Sealing washer (Aluminium)




R	Pos.	Variant Code	Q.ty	Description
	1	5720260	1	Gear motor
	2	3060172	8	Schnorr washer [D.14 UNI 3545]
	3	3020963	8	Socket head cap screw [M14X50 8.8 ZC UNI 5931]
	4	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	5	3101307	1	Straight pipe fitting [RACC. DIR.12X1.5 ZN92 LEGG.]
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5232284	1	Bonderized tube
	8	5392287	1	Bonderized tube
	9	5392292	1	Bonderized tube
	10	5392291	1	Bonderized tube
	11	3100952	1	Nut
	12	3100956	1	Ring (Tightening)
	13	5720284	1	Breather (Oil)
	14	5720285	1	Sealing washer (Aluminium)



R	Pos.	Variant Code	Q.ty	Description
1	5721047		1	COME REVOLVING ELECTROHYDRAULIC
2	3311137		1	Coupling (Electric)
3	5160048		2	Microswitch (Wire assembly)
4	3020019		2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
5	5001900		1	Microswitch support
6	3060003		4	Flat washer [D.4 UNI 6592 ZC]
7	3040518		2	Stopnut [STOP M4]
8	5001899		1	Stop (Microswitch)
9	5001998		1	Support (Electric box)
10	3010369		6	Hex screw [M12X25 8.8 ZC UNI 5739]
11	3060057		6	Split lock washer [D=12 C72 ZC]
12	5001798		1	Rod Strut
13	3101041		2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
14	3120315		1	Tee fitting
15	3120067		1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
16	3060146		2	Sealing washer [BSP 3/4"]
17	3110072		2	Plug
18	3101057		1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
19	3101233		1	Straight pipe fitting [1"5/16-J 1"1/4-G]
20	3101305		1	Straight pipe fitting [1"1/4G -1"5/8JIC]




R	Pos.	Variant Code	Q.ty	Description
	21	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	22	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	23	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	24	5260429	1	Flexible hose
	25	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	26	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	27	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]



VALIDO DA Agosto 2011

VALID FROM August 2011


R	Pos.	Variant Code	Q.ty	Description
	1	5721047	1	COME REVOLVING ELECTROHYDRAULIC
	2	3311243	1	Coupling (Electric)
	3	5160048	2	Microswitch (Wire assembly)
	4	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	5	5001900	1	Microswitch support
	6	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	7	3040518	2	Stopnut [STOP M4]
	8	5001899	1	Stop (Microswitch)
	9	5411076	1	Unit (Rotation limiting device)
	10	3010369	6	Hex screw [M12X25 8.8 ZC UNI 5739]
	11	3060057	6	Split lock washer [D=12 C72 ZC]
	12	5001798	1	Rod Strut
	13	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	14	3120315	1	Tee fitting
	15	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	16	3060146	2	Sealing washer [BSP 3/4"]
	17	3110072	2	Plug
	18	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	19	3101305	1	Straight pipe fitting [1"1/4G -1"5/8JIC]
	20	3101233	1	Straight pipe fitting [1"5/16-J 1"1/4-G]



R	Pos.	Variant Code	Q.ty	Description
	21	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	22	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	23	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	24	5260429	1	Flexible hose

VALIDO DA Agosto 2011

VALID FROM August 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311322		1	
2	5701014		1	
3	3040372		5	Stopnut [M6-70 UNI7473 NORM. ZC.]
4	3060005		3	Flat washer [D.6.4 UNI 6592 ZC]
5	3010015		2	Hex screw [M6X20 8.8 ZC UNI 5739]
6	5002036		1	
7	3060019		1	Flat washer [D.20 C50 UNI 5714 ZC]
8	3040504		1	Self-locking ringnut [M20X1 NORMALE ZC]
9	5141090		2	
10	5091302		1	
11	3010450		3	Hex screw [M14X20 8.8 ZC UNI 5739]
12	3060050		3	Split lock washer [D=14 C72 ZC]
13	5150949		1	
14	3010386		1	Hex screw [M6X90 8.8 ZC UNI 5737]
15	5050121		1	
16	3311398		1	
17	3311323		1	
18	3311466		1	


Stabilizer connecting rods extra-extensible

Table code


Sheet

5760150-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070372	1	Stabilizer rod
	2	5070371	1	Stabilizer rod
RC	3	5140777	12	Button (Backlash)
	4	3060703	1	Cotter pin
	5	5150770	1	Pin
	6	3190189	1	Knob
	7	5150833	1	Pin
	8	5000674	1	Keep plate
RC	9	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	10	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	11	5140795	1	Insert (Turnsbasket)
	12	5001834	1	
	13	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	14	3190210	2	Insulator
	15	3020500	2	TSEI screw [M10X35 8.8 ZC UNI 5933]
	16	5001934	3	Insert (Thickness)




R	Pos.	Variant Code	Q.ty	Description
	1	3311352	1	Electric wiring (Assembly)
	2	3311356	2	Wire assembly (Microswitch)
	3	3311353	1	Electric wiring
RC	4	3311354	1	Lighting (Audible alarm)
	5	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	6	3040518	4	Stopnut [STOP M4]
	7	3310431	1	Connector (Electric)
	8	3310432	1	Connector (Electric)
	9	3060003	4	Flat washer [D.4 UNI 6592 ZC]

VALIDO DA Agosto 2011

VALID FROM August 2011

STABILIZZATORI SUPPLEMENTARI
ADDITIONAL CROSS-BEAMS



R	Pos.	Variant Code	Q.ty	Description
	1	5091299	2	
	2	5002060	2	
RC	3	3311311	2	Proximity switch (Position sensor)
RC	4	3311313	2	Sensor unit (Encoder)
	5	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	6	3040518	6	Stopnut [STOP M4]
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	9	3311465	3	Electric wiring
	10	3311335	1	
	11	5000453	1	Support (Proximity switch)
RC	12	3311312	1	Proximity switch
	13	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	14	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	15	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	16	3060053	2	Split lock washer [D=6.4 C72 ZC]
	17	3311405	1	
	18	3311325	2	
	19	3311418	1	
	20	3311461	1	


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411053-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		5091089	1	
2		3070017	1	Seeger
3		3060996	1	Grub screw
4		3040089	1	Lock nut
5		5150902	1	
6		5091090	1	
7		3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]
8		5001907	1	
9		3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411035-1.0

1/2



VALIDO DA MATRICOLA VALID FROM S/N	26822 26822
VALIDO DA MATRICOLA VALID FROM S/N	99248 99248
VALIDO DA MATRICOLA VALID FROM S/N	200346 200346

R	Pos.	Variant Code	Q.ty	Description
	1	5091241	1	
	2	3070017	1	Seeger
	3	3060996	1	Grub screw
	4	3040089	1	Lock nut
	5	5150902	1	
	6	5091239	1	
	7	5150921	1	Pin (Strut)
	8	5001944	1	
	9	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	10	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	11	3060055	1	Split lock washer [D=8.4 C72 ZC]
	12	5141065	1	Bushing [D=30 L=20]
	13	5141066	1	Bushing [D=25 L=20]
	14	5150912	1	
	15	3060908	1	Cotter pin [D.3.7 L.30 UNI1336]
	16	3060706	1	Cotter pin
	17	5150913	1	
	18	3010325	1	Hex screw [M6X16 8.8 ZC UNI 5739]
	19	W270401103	1	
	20	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]

SLEWING ASS'Y (STABILISER RAM)


Table code

Sheet

5411035-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5091240	1	
	22	3060929	2	Ring



VALIDO DA MATRICOLA VALID FROM S/N	26822 26822
VALIDO DA MATRICOLA VALID FROM S/N	99248 99248
VALIDO DA MATRICOLA VALID FROM S/N	200346 200346


SLEWING ASS'Y B.I. (STABILISER RAM)

Table code

Sheet

5411079-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		5091208	1	
2		3070017	1	Seeger
3		3060996	1	Grub screw
4		3040089	1	Lock nut
5		5150902	1	
6		5091209	1	
7		3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]
8		5001907	1	
9		3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]


SLEWING ASS'Y B.I. (STABILISER RAM)

Table code

Sheet

5411036-1.0

1/2



VALIDO DA MATRICOLA VALID FROM S/N	26822 26822
VALIDO DA MATRICOLA VALID FROM S/N	99248 99248
VALIDO DA MATRICOLA VALID FROM S/N	200346 200346

R	Pos.	Variant Code	Q.ty	Description
	1	5091247	1	
	2	3070017	1	Seeger
	3	3060996	1	Grub screw
	4	3040089	1	Lock nut
	5	5150902	1	
	6	5091239	1	
	7	5150921	1	Pin (Strut)
	8	5001944	1	
	9	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	10	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	11	3060055	1	Split lock washer [D=8.4 C72 ZC]
	12	5141065	1	Bushing [D=30 L=20]
	13	5141066	1	Bushing [D=25 L=20]
	14	5150912	1	
	15	3060908	1	Cotter pin [D.3.7 L.30 UNI1336]
	16	3060706	1	Cotter pin
	17	5150913	1	
	18	3010325	1	Hex screw [M6X16 8.8 ZC UNI 5739]
	19	W270401103	1	
	20	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]

SLEWING ASS'Y B.I. (STABILISER RAM)


Table code

Sheet

5411036-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5091248	1	
	22	3060929	2	Ring



VALIDO DA MATRICOLA VALID FROM S/N	26822 26822
VALIDO DA MATRICOLA VALID FROM S/N	99248 99248
VALIDO DA MATRICOLA VALID FROM S/N	200346 200346


HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)

Table code

Sheet

5380036-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400252	1	Extension jacks
	2	6400253	1	Extension jacks
	3	5392281	1	Bonderized tube
	4	5150855	1	Pin assembly
	5	3070017	4	Seeger
	6	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	7	3190025	1	Clamp
	8	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	5392280	1	Bonderized tube
	10	5150854	1	Pin assembly
	11	3010016	1	Hex screw [M6X30 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	14	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]


ROD EXTENSION HYDRAULIC CYLINDER (1st EXTENSION)

Table code

Sheet

6400252-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070563	1	Cylinder
	2	3450117	1	O-ring joint
	3	3460255	1	Anti-extrusion ring
	4	6040298	1	Close nipple
	5	3400055	1	Seal
	6	3420018	1	W-ring
	7	6030810	1	Rod unit
	8	6050312	1	Piston
	9	3450078	1	
	10	3460078	2	
	11	3400505	1	Seal
RC	12	5550772	1	Seal kit


ROD EXTENSION HYDRAULIC CYLINDER (2nd EXTENSION)

Table code

Sheet

6400253-1.0

1/1



VALIDO FINO a Novembre 2012

VALID UNTIL November 2012

R	Pos.	Variant Code	Q.ty	Description
	1	6070564	1	Cylinder
	2	3450067	1	O-ring joint
	3	3460067	1	Anti-extrusion ring
	4	6040302	1	Close nipple
	5	3400029	1	Seal
	6	3420011	1	Seal
	7	6030811	1	Rod unit
	8	3450006	1	O-ring joint
	9	6050142	1	Piston
	10	3400503	1	Seal
	11	3040306	1	Stopnut [Dado Stop M14-70 Norm]
RC	12	5550709	1	Seal kit


ROD EXTENSION HYDRAULIC CYLINDER (2nd EXTENSION)

Table code

Sheet

6400253-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070564	1	Cylinder
	2	3450067	1	O-ring joint
	3	3460067	1	Anti-extrusion ring
	4	6040302	1	Close nipple
	5	3400029	1	Seal
	6	3420011	1	Seal
	7	6030811	1	Rod unit
	8	3450006	1	O-ring joint
	9	6050142	1	Piston
	10	3400503	1	Seal
	11	3040306	1	Stopnut [Dado Stop M14-70 Norm]
RC	12	5550709	1	Seal kit
	13	5141151	2	


Stabilizer connecting rods extra-extensible

Table code

Sheet

5760150-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091013	1	Piping mounting (Internal)
	2	3020081	2	Socket head cap screw [M10X35 12.9 ZC UNI 5931]
	3	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	4	3070017	4	Seeger
	5	5150855	2	Pin assembly
	6	5141027	2	
	7	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	8	3060052	4	Split lock washer [D=5.5 C72 ZC]
	9	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	10	3310939	1	


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)

Table code

Sheet

5760150-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5392267	1	
	2	5392268	1	
	3	3101176	1	Tee fitting
	4	5271822	1	
	5	5271823	1	
	6	5392279	1	
	7	5392278	1	
	8	3020914	2	TSEI screw [M8X35 10.9 ZC UNI 5933]
	9	5000077	2	Clamp (Rigid Pipe)
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	3120323	2	Wall-through pipe fitting
	12	5271873	2	Flexible hose
	13	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)

Table code

Sheet

5760150-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5392270	1	
	2	5271823	1	
	3	5271822	1	
	4	5392278	1	
	5	5392279	1	
	6	3020914	2	TSEI screw [M8X35 10.9 ZC UNI 5933]
	7	5000077	2	Clamp (Rigid Pipe)
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5271873	2	Flexible hose
	10	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	11	3120323	2	Wall-through pipe fitting


HYDRAULIC SYSTEM (STABILISER RAM)

Table code


Sheet

6200254-1.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6400254	1	Stabilizer Hydraulic jack
	2	3101127	4	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	3	5392333	1	
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	6	5220653	1	Holding valve
	7	5392332	1	Bonderized tube
	8	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]




R	Pos.	Variant Code	Q.ty	Description
	1	6070565	1	
	2	3450228	1	O-ring joint
	3	3460228	1	Anti-extrusion ring
	4	6040297	1	Close nipple
	5	3400169	1	
	6	3420046	1	
	7	3020315	1	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	8	3400521	1	Seal
	9	6050311	1	Piston
	10	3450208	1	O-ring joint
	11	6030812	1	
	12	3080512	1	Grease nipple [M8X1.25 (45°)]
	13	5091207	1	Support base
	14	4160490	2	Locking ring
	15	3060627	1	Spring pin
	16	5411078	1	ARTICULATED JOINT TANG (Assembly)
	17	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	18	4160511	1	Tang
RC	19	5550771	1	Seal kit




R	Pos.	Variant Code	Q.ty	Description
	1	6400261	1	Stabilizer Hydraulic jack
	2	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	5392375	1	Bonderized tube
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	6	5220653	1	Holding valve
	7	5392332	1	Bonderized tube
	8	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]



R	Pos.	Variant Code	Q.ty	Description
	1	6070600	1	
	2	3450228	1	O-ring joint
	3	3460228	1	Anti-extrusion ring
	4	6040297	1	Close nipple
	5	3400169	1	
	6	3420046	1	
	7	3020315	1	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	8	3400521	1	Seal
	9	6050311	1	Piston
	10	3450208	1	O-ring joint
	11	6030897	1	
	12	3080512	1	Grease nipple [M8X1.25 (45°)]
	13	5091207	1	Support base
	14	4160490	2	Locking ring
	15	3060627	1	Spring pin
	16	5411078	1	ARTICULATED JOINT TANG (Assembly)
	17	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	18	4160511	1	Tang
RC	19	5550771	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
1	5091129		1	
2	3190197		4	Knob (Black)
3	5220209		3	Lever rod [ASTA LEVA L=210 mm]
4	3190217		2	Knob (Red)
5	3040303		3	Stopnut [M8-70 UNI7473 NORM. ZC.]
6	3010325		2	Hex screw [M6X16 8.8 ZC UNI 5739]
7	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
8	3010035		3	Hex screw [M8X60 8.8 ZC UNI 5737]
9	5091101		1	
10	3010323		4	Hex screw [M6X10 8.8 ZC UNI 5739]
11	3060053		5	Split lock washer [D=6.4 C72 ZC]
12	3010415		2	Hex screw [M10X55 8.8 ZC UNI 5737]
13	3010022		1	Hex screw [M6X25 8.8 ZC UNI 5739]
14	5220346		1	Control valve ass'y
15	5090957		1	Support
16	5091099		3	
17	3300431		6	Fork
18	3040045		6	Nut [M8 NORM.6S UNI5588 GEOMET]
19	3300451		6	Fork clip
20	5150787		1	Pin



R	Pos.	Variant Code	Q.ty	Description
	21	5000670	2	Ring
	22	3060233	2	Grub screw
	23	3080500	3	Grease nipple
	24	5140737	2	Bushing
	25	5091168	3	Control lever
	26	5090958	1	Protective guard
	27	3010356	4	Hex screw [M10X30 8.8 ZC UNI 5739]
	28	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	29	5001920	1	


STABILIZER CONTROL VALVE

Table code

Sheet

5220346-1.0

1/1



8	TENERA
9	MEDIA
10	DURA

R	Pos.	Variant Code	Q.ty	Description
	1	5220346	1	Control valve ass'y
	2	5225022	5	Rubber protective boot
	3	5225261	5	Unit (Control lever)
	4	5225258	4	Slider
	5	5225480	1	
	6	5225257	1	
	7	5225268	5	
	8	5225479	5	
	9	5225281	5	
	10	5225285	5	
RC	11	5225263	1	Seal kit


Switch (stabilizers standard)

Table code


Sheet

5400791-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220599	1	Flow diverter
	2	5001170	1	Pin (Switch)
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	6	3300453	2	Fork clip
	7	3300433	2	Fork
	8	5090954	1	Rod (Short)
	9	5091100	1	
	10	3190214	2	Cable lead (Rubber)
	11	3040047	2	Nut
	12	3190213	2	Handle
	13	5392277	1	
	14	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	15	5220712	1	
	16	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	17	3101045	1	Straight pipe fitting [3/4-16 3/4"CIL. D12]
	18	3120303	1	Tee fitting [RACC.T 3/4-16JIC MJ MGAS3/8]
	19	3120074	1	Straight pipe fitting
	20	5220542	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	22	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	23	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	24	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
RC	25	3060055	2	Split lock washer [D=8.4 C72 ZC]
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	3110061	2	Plug [BSP 3/8"]
	28	3060144	2	Sealing washer [BSP 3/8"]
	29	5001159	1	Exhaust manifold
	30	3120379	1	45° Connection


HYDRAULIC SYSTEM (CONTROLS FOR STABILIZERS)

Table code

Sheet

5400791-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5392270	1	
	2	5392271	1	
	3	5392269	1	
	4	5000077	2	Clamp (Rigid Pipe)
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5261089	1	Flexible hose
	8	5271872	1	Flexible hose
	9	5271868	1	Flexible hose
	10	5271870	1	Flexible hose
	11	5261090	1	Flexible hose
	12	5280801	1	Flexible hose
	13	5392267	1	
	14	5392266	1	
	15	5392268	1	
	16	5271869	1	Flexible hose
	17	5271871	1	Flexible hose
	18	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	19	3120352	1	Straight pipe fitting
	20	3060144	7	Sealing washer [BSP 3/8"]


HYDRAULIC SYSTEM (CONTROLS FOR STABILIZERS)

Table code


Sheet

5400791-3.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	22	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	23	3110061	4	Plug [BSP 3/8"]
	24	3101176	1	Tee fitting
	25	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	26	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	27	5220965	1	Holding valve
	28	3060143	1	Sealing washer [BSP 1/4"]
	29	3110108	1	Reducing fitting
	30	5392275	1	
	31	5392274	1	
	32	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	33	3020029	2	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	34	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]



R	Pos.	Variant Code	Q.ty	Description
	1	5392268	1	
	2	5392266	1	
	3	5392267	1	
	4	5000077	2	Clamp (Rigid Pipe)
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	3020029	2	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	8	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	9	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	10	3060143	1	Sealing washer [BSP 1/4"]
	11	3110108	1	Reducing fitting
	12	3101176	1	Tee fitting
	13	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	14	5220965	1	Holding valve
	15	5392272	1	
	16	5392273	1	
	17	5271822	1	
	18	5271823	1	


Control valve (4 section)

Table code

Sheet

5220814-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5225398	4	Form (PVB DISTR. DANFOSS 157B6203)
	3	5225512	1	Outlet manifold
	4	5225596	1	Inlet manifold
	5	5225533	1	Solenoid valve (12V)
	6	5225510	1	Solenoid valve (24V)
	7	3310238	1	Solenoid (12V)
	8	3310242	1	Solenoid (24V)
	9	5225859	4	lever kit new PVG32 11046724
	10	5225397	4	MECHANICAL CONTROL LEVER SIDE
	11	5225368	1	Slider (PVG32 157B7122)
	12	5225367	1	Slider
	13	5225559	1	Slider
	14	5225734	1	Slider
	15	5225508	1	Slider (PVG32 157B7022)
	16	5225858	4	LEVER KIT OLD PVG32 11046146
RC	17	5225570	4	Seal kit (Control valve)
RC	18	5225568	1	Seal kit (Control valve)
RC	19	5225572	1	Seal kit (Control valve)
RC	20	5225571	4	Seal kit (Control valve)

Control valve (4 section)


Table code


Sheet

5220814-1.0


2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225569	3	Seal kit (Control valve)
	22	5226006	4	KIT LEVA PVG32 11107587 New2014






R	Pos.	Variant Code	Q.ty	Description
	1	5091128	1	Protective guard
	2	5001821	1	Support (Casing)
	3	5091130	1	Distributor support
RC	4	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	5	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	6	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	7	3060056	3	Split lock washer [D=10 C72 ZC]
RC	8	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
	9	5091131	1	Casing (Control valve)
	10	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	11	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	13	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	14	3310819	1	
	15	3310809	1	
	16	3060053	7	Split lock washer [D=6.4 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
1	3310853		1	Electric box
2	3311090		1	Electric box
3	3020022		6	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
4	3010323		3	Hex screw [M6X10 8.8 ZC UNI 5739]
5	3060030		3	Flat washer [D.6.6X18 UNI 6593 ZC]
6	3020024		2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
7	3040392		2	Stopnut [Dado Stop M5-70 norm.]
8	3310612		1	Pressure sensor
9	5160001		1	Electric wiring
10	5225534		7	Electric control (PVEA-DI PER PVG32)
11	3310606		1	Moment limiting device
12	5160043		1	Electric wiring

R	Pos.	Variant Code	Q.ty	Description
1		3310662	1	
2		5160002	1	Electric wiring
3		5160042	1	



VALIDO FINO a Luglio 2011

VALID UNTIL July 2011


Pilot lamp

Table code

Sheet


7885015-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001662	1	
	2	3310811	1	
	3	3310812	1	
	4	3310810	1	
	5	3310818	3	
	6	3310813	3	
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	9	3310911	1	

KIT CAN-BUS



R	Pos.	Variant Code	Q.ty	Description
	1	3311057	1	
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3310057	1	
	15	3311091	1	
	16	3310924	1	Key (Red)
	17	3311158	1	

KIT CAN-BUS




R	Pos.	Variant Code	Q.ty	Description
	1	3311030	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3310056	1	
	15	3311091	1	
	16	3310924	1	Key (Red)
	17	3311158	1	

SCANRECO
RC 400 G2B

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311529	1	
	2	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3311242	1	Extension terminal (Aerial)
	5	3311528	1	
	6	3190226	1	Belt (Transmitter)
RC	7	3310483	2	Battery (Wireless control)
	8	3310471	1	Battery charger
	9	3311535	1	
	10	3310445	6	Control lever
	11	3311275	1	Aerial (RADIO)
	12	3311532	1	Display
	13	3311534	1	
	14	3060052	4	Split lock washer [D=5.5 C72 ZC]
	15	3060004	4	Flat washer [D.5 UNI 6592 ZC]


CAN-BUS

EN - 12999 - A3




R	Pos.	Variant Code	Q.ty	Description
	1	3311429	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	13	3310861	1	Aerial (Wireless control)
	14	3311433	1	Receiver
	15	3311091	1	
	16	3310924	1	Key (Red)
	17	3311158	1	

R	Pos.	Variant Code	Q.ty	Description
	1	5091128	1	Protective guard
	2	5001821	1	Support (Casing)
	3	5091130	1	Distributor support
RC	4	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	5	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	6	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	7	3060056	3	Split lock washer [D=10 C72 ZC]
RC	8	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
	9	5091131	1	Casing (Control valve)
	10	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	11	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	5160003	1	Electric wiring
	13	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	14	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	15	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	16	3060053	7	Split lock washer [D=6.4 C72 ZC]
	17	3311159	1	Signal Columns




VALIDO DA Agosto 2011
VALID FROM August 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311395		1	
2	3311405		1	
3	3020022		8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
4	3010323		3	Hex screw [M6X10 8.8 ZC UNI 5739]
5	3060030		3	Flat washer [D.6.6X18 UNI 6593 ZC]
6	3020024		2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
7	3040392		2	Stopnut [Dado Stop M5-70 norm.]
8	3310612		1	Pressure sensor
9	5160084		1	Electric wiring
10	5225534		7	Electric control (PVEA-DI PER PVG32)
11	3311421		1	Moment limiting device [SUPERATO]
12	5160087		1	

R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]



VALIDO DA Agosto 2011

VALID FROM August 2011

Hydraulic oil tank







Table code	Sheet
5400789-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5091153	1	Oil tank
RC	2	3180099	3	Oil level indicator
RC	3 A	3180176	1	Oil filter
RC	3 B	3180070	1	Oil filter
RC	4	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	5	3060056	4	Split lock washer [D=10 C72 ZC]
	6	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	7	3180189	1	Clogging indicator (Pressure gauge)
	8	3180193	1	oil filler components
	9	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	10	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	11	3060153	1	Sealing washer [BSP 1"1/2]
	12	3110079	1	Reducing fitting
	13	3101305	1	Straight pipe fitting [1"1/4G -1"5/8JIC]
	14	3010369	6	Hex screw [M12X25 8.8 ZC UNI 5739]
	15	3060057	6	Split lock washer [D=12 C72 ZC]
	16	5220710	1	Draincock (Ball)
	17	3060150	1	Sealing washer [BSP 1"]
	18	3110064	1	Close nipple
RC	19	3180221	1	Thermometer

R	Pos.	Variant Code	Q.ty	Description
	20	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180176	1	Oil filter
RC	2	3180203	1	Filtering cartridge
	3	3180189	1	Clogging indicator (Pressure gauge)
RC	4	3180070	1	Oil filter
RC	5	3180071	1	Filtering cartridge




Heat exchange unit (12V)

Table code

Sheet

7888014-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710083	1	Heat exchange unit
	2	3101305	3	Straight pipe fitting [1"1/4G -1"5/8JIC]
	3	5310031	1	Flexible hose
	4	5310032	1	Flexible hose
	5	3310190	1	
	6	W437005	2	Device (Ignition)
	7	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	8	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	9	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	10	5091151	1	Support (Heat exchange unit)
	11	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
	13	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	14	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	15	5710089	2	Electric fan (Heat exchange unit)

Heat exchange unit (12V)


Table code


Sheet

7888014-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5710083	1	Heat exchange unit
	2	3101305	3	Straight pipe fitting [1"1/4G -1"5/8JIC]
	3	5310031	1	Flexible hose
	4	5310032	1	Flexible hose
	5	3311790	1	Device (Ignition)
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	9	5091151	1	Support (Heat exchange unit)
RC	10	3060056	4	Split lock washer [D=10 C72 ZC]
	11	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	12	5710089	2	Electric fan (Heat exchange unit)





R	Pos.	Variant Code	Q.ty	Description
	1	5710084	1	Heat exchange unit
	2	3101305	3	Straight pipe fitting [1"1/4G -1"5/8JIC]
	3	5310031	1	Flexible hose
	4	5310032	1	Flexible hose
	5	3310190	1	
	6	W437005	2	Device (Ignition)
	7	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	8	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	9	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	10	5091151	1	Support (Heat exchange unit)
	11	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
	13	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	14	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	15	5710090	2	Electric fan (24V)

Heat exchange unit (24V)


Table code

Sheet

7888015-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5710084	1	Heat exchange unit
	2	3101305	3	Straight pipe fitting [1"1/4G -1"5/8JIC]
	3	5310031	1	Flexible hose
	4	5310032	1	Flexible hose
	5	3311790	1	Device (Ignition)
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	9	5091151	1	Support (Heat exchange unit)
RC	10	3060056	4	Split lock washer [D=10 C72 ZC]
	11	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	12	5710090	2	Electric fan (24V)



High pressure filter


Table code

Sheet

5400790-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	3180194	1	Oil filter
RC	2	3180213	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3060153	2	Sealing washer [BSP 1"1/2]
	5	3110187	2	Reducing fitting [RACC.RID. MBSP1"1/2/F3/4"]
	6	3101133	2	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
RC	7	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	3	Split lock washer [D=10 C72 ZC]
	9	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]




High pressure filter (Hydraulic system)

Table code


Sheet

5400790-2.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5392276	1	
	2	5310038	1	Flexible hose
	3	5290184	1	Flexible hose
	4	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	5	3101135	1	90° Connection [90° ORIENT.1"5/16J-3/4"CIL]
	6	5290171	1	



R	Pos.	Variant Code	Q.ty	Description
1	5040112		1	Column
2	3040513		2	Self-locking ringnut
3	5140975		2	Bushing
4	3080512		1	Grease nipple [M8X1.25 (45°)]
5	5001758		1	Spacer (Bushing)
6	5150858		1	Pin assembly
7	3061017		2	Pin [Spina B h11 D=14 L=120]
8	3190239		1	Plug
9	5150856		1	Pin assembly
10	5141035		1	Flange (hole)
11	3060009		2	Flat washer [D.15X28X2.5 UNI 6592 ZC]
12	3010450		2	Hex screw [M14X20 8.8 ZC UNI 5739]
13	5001884		1	Hoses support
14	5001895		1	Spacer (Profile)
15	5001883		4	Small pipe (Spacer)
RC 16	3060055		5	Split lock washer [D=8.4 C72 ZC]
17	3010036		4	Hex screw [M8X65 8.8 ZC UNI 5739]
18	3010029		1	Hex screw [M8X30 8.8 ZC UNI 5737]
19	5001963		1	Cover
20	3060030		4	Flat washer [D.6.6X18 UNI 6593 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	3020022	4	Socket head cap screw [M5X10 8.8 ZC UNI 5931]




COLUMN CONNECTING RODS

Table code


Sheet

5360017-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150860	1	
	2	5091077	1	
	3	3020131	2	Socket head cap screw [M16X50 12.9 ZC UNI 5931]
	4	3060059	2	Split lock washer [D=16 C72 ZC]
	5	5001756	1	Retainer (Pin)
	6	5141036	2	
	7	3080501	2	Grease nipple [M8X1.25]
	8	5091079	2	
	9	5091078	1	
	10	3040531	1	Self-locking ringnut




R	Pos.	Variant Code	Q.ty	Description
	1	6430169	1	Lifting jack [Fixed]
	2	5220954	1	Antishock valve
	3	3010033	6	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	4	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	5	3101131	2	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	6	5280803	1	Flexible hose [Fixed]
	7	5280805	1	Flexible hose [Fixed]
	8	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	10	3060145	1	Sealing washer [BSP 1/2"]



R	Pos.	Variant Code	Q.ty	Description
	1	6070573	1	
	2	5140975	2	Bushing
	3	5001736	1	
	4	3080501	2	Grease nipple [M8X1.25]
	5	3390600	1	
	6	6050325	1	
	7	3450418	1	
	8	3460418	1	
	9	3450188	1	
	10	6040306	1	
	11	3381800	1	
	12	3390504	1	
	13	3420077	1	
	14	3361030	7	
	15	5001737	1	
	16	5141024	2	
	17	6030826	1	Rod unit [Fixed]
	18	3460176	2	
	19	3450176	1	
RC	20	5550791	1	Seal kit

R	Pos.	Variant Code	Q.ty	Description
	21	3363001	2	




1ST BOOM

Table code


Sheet

5470087-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030284	1	Main boom
	2	5140975	6	Bushing
	3	3080501	3	Grease nipple [M8X1.25]
	4	5001760	2	
	5	3061017	3	Pin [Spina B h11 D=14 L=120]
	6	5150859	1	
	7	5150857	1	
	8	5150864	1	
	9	3040513	3	Self-locking ringnut



R	Pos.	Variant Code	Q.ty	Description
	1	5091080	1	
	2	5150862	1	
	3	3061017	1	Pin [Spina B h11 D=14 L=120]
	4	5001759	1	
	5	3040513	1	Self-locking ringnut
	6	5091081	1	
	7	3040531	1	Self-locking ringnut
	8	5141024	2	
	9	5091082	2	
	10	3080501	2	Grease nipple [M8X1.25]
	11	5150861	1	
	12	5001756	1	Retainer (Pin)
	13	3060059	2	Split lock washer [D=16 C72 ZC]
	14	3020131	2	Socket head cap screw [M16X50 12.9 ZC UNI 5931]


Articulation Hydraulic jack (Hydraulic system)

Table code


Sheet

6230170-1.0

1/1





R	Pos.	Variant Code	Q.ty	Description
	1	6430170	1	Articulation Hydraulic jack [Fixed]
	2	5392306	1	Bonderized tube
	3	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	4	5220665	1	Holding valve
RC	5	3060055	3	Split lock washer [D=8.4 C72 ZC]
	6	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	7	3101051	4	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	5280808	1	Flexible hose [Fixed]
	9	5280809	1	Flexible hose [Fixed]
	10	5392368	1	Bonderized tube
	11	5392369	1	Bonderized tube
	12	3190172	4	Clamp (Set of hoses)
	13	3190204	2	Plate (Collar)
	14	2510005	2	Threaded rod [M8(MA)L=125]
	15	5281131	2	Flexible hose [Fixed]
	16	3060145	1	Sealing washer [BSP 1/2"]
	17	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	18	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	1	6070575	1	Cylinder
	2	5140975	2	Bushing
	3	5001741	1	
	4	3080501	2	Grease nipple [M8X1.25]
	5	3390601	1	Seal (Piston)
	6	6050326	1	
	7	3450415	1	O-ring joint
	8	3460415	1	Anti-extrusion ring
	9	3450189	1	
	10	6040307	1	
	11	3381800	1	
	12	3390504	1	
	13	3420077	1	
	14	3361030	7	
	15	5001737	1	
	16	5141024	2	
	17	6030830	1	Rod unit [Fixed]
	18	3460176	2	
	19	3450176	1	
RC	20	5550792	1	Seal kit


R	Pos.	Variant Code	Q.ty	Description
	21	3363002	2	Guide ring






R	Pos.	Variant Code	Q.ty	Description
	1	5030285	1	Secondary boom
	2	5140975	4	Bushing
	3	3080501	2	Grease nipple [M8X1.25]
	4	5001761	2	Spacer
	5	3061017	2	Pin [Spina B h11 D=14 L=120]
	6	5150863	2	Pin assembly
	7	3070045	1	Seeger
	8	5001824	1	Roller
	9	3040529	8	Ring nut
	10	5001582	7	Adjuster (Up)
	11	5001444	1	Adjuster (Narrow)
RC	12	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	13	3060056	4	Split lock washer [D=10 C72 ZC]
RC	14	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	15	5001253	2	Button (Sliding block)
RC	16	5141028	2	Sliding block
RC	17	5000827	4	Button
	18	3040513	2	Self-locking ringnut
	19	3060999	2	Washer
	20	3060902	2	Cotter pin


R	Pos.	Variant Code	Q.ty	Description
	21	5150865	1	Pin assembly
	22	3040308	1	Stopnut
	23	3020143	1	Socket head cap screw [M18X60 8.8 ZC UNI 5931]
	24	5141062	1	





R	Pos.	Variant Code	Q.ty	Description
	1	5030113	1	Secondary boom
	2	5140975	4	Bushing
	3	3080501	2	Grease nipple [M8X1.25]
	4	5001761	2	Spacer
	5	3061017	2	Pin [Spina B h11 D=14 L=120]
	6	5150863	2	Pin assembly
	7	3070045	1	Seeger
	8	5000503	1	Roller
	9	3040529	8	Ring nut
	10	5001582	7	Adjuster (Up)
	11	5001444	1	Adjuster (Narrow)
RC	12	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	13	3060056	4	Split lock washer [D=10 C72 ZC]
RC	14	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	15	5001253	2	Button (Sliding block)
RC	16	5141028	2	Sliding block
RC	17	5000827	4	Button
	18	3040513	2	Self-locking ringnut
	19	3060999	2	Washer
	20	3060902	2	Cotter pin

R	Pos.	Variant Code	Q.ty	Description
	21	5150865	1	Pin assembly
	22	3040308	1	Stopnut
	23	3020143	1	Socket head cap screw [M18X60 8.8 ZC UNI 5931]
	24	5140142	1	Bushing




1st EXTENSION

Table code

Sheet

5490086-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020505	1	Extension
	2	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	3	5001442	2	Slide
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	12	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3060956	1	Grub screw
	8	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	4	Ring nut
	10	5001582	4	Adjuster (Up)
	11	5150866	1	Pin
RC	12	5001253	4	Button (Sliding block)
RC	13	5000827	8	Button
RC	14	5141029	2	Sliding block
	15	5001443	2	Block (Extension Hydraulic jack)
	16	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	17	5001764	1	Collar
	18	3061000	2	Grub screw
RC	19	5141028	2	Sliding block


1st EXSTENSION HYDRAULIC (Hydraulic system)

Table code

Sheet

6210372-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410372	1	Extension Hydraulic jack [Fixed]
	2	5220800	1	Valve
	3	5001837	1	Support (Valve)
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	5	3060056	2	Split lock washer [D=10 C72 ZC]
RC	6	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3190021	4	Clamp [104-138 12.2 ABA]
	8	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	9	3101132	3	90° Connection [90° ORIENT.1"1/16-12-1/2"CIL]
	10	3101058	3	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	11	3120336	1	90° Connection [90° ORIENT.1"1/16-12-MJ/FJ]
	12	5392308	1	Bonderized tube
	13	5392307	1	Bonderized tube
	14	5290175	2	Flexible hose [Fixed]
	15	5392366	1	Bonderized tube
	16	5392367	1	Bonderized tube
	17	3010096	1	Hex screw [M8X85 8.8 PF ZC UNI 5737]
RC	18	3060055	1	Split lock washer [D=8.4 C72 ZC]
	19	3190221	1	Small plate (Collar)
	20	3190222	6	Collar (Flexible hose)

1st EXSTENSION HYDRAULIC (Hydraulic system)


Table code

Sheet

6210372-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5290194	2	Flexible hose [Fixed]
	22	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	23	3060145	1	Sealing washer [BSP 1/2"]




1st EXSTENSION HYDRAULIC

Table code


Sheet

6410372-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030816	1	Rod unit [Fixed]
	2	3420036	1	
	3	3361029	4	Seal
	4	3370160	1	Seal
	5	6040305	1	Close nipple
	6	3460154	1	Anti-extrusion ring
	7	3450154	1	O-ring joint
	8	6050324	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400516	1	Seal
	11	3360014	1	Seal
	12	3450104	1	O-ring joint
	13	3460104	2	Anti-extrusion ring
	14	6070566	1	Cylinder
RC	15	5550790	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020506	1	Extension
	2	3020450	8	TSEI screw [M8X12 10.9 ZC UNI 5933]
	3	5001442	2	Slide
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	8	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3060956	1	Grub screw
	8	3040046	1	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	2	Ring nut
	10	5001582	2	Adjuster (Up)
	11	5150911	1	Pin
RC	12	5140974	2	Slide shoe
RC	13	5001253	4	Button (Sliding block)
RC	14	5141029	4	Sliding block
RC	15	5000827	8	Button
RC	16	5140789	4	Button



**Solo per versione 2S
2S version only**

R	Pos.	Variant Code	Q.ty	Description
	1	5020506	1	Extension
	2	3020450	8	TSEI screw [M8X12 10.9 ZC UNI 5933]
	3	5001442	2	Slide
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060920	8	Tooth lock washer [D.10 TIPO A]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3060956	1	Grub screw
	8	3040046	1	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	2	Ring nut
	10	5001582	2	Adjuster (Up)
	11	5150911	1	Pin
RC	12	5140974	2	Slide shoe
RC	13	5001253	4	Button (Sliding block)
RC	14	5141029	4	Sliding block
RC	15	5000827	8	Button
RC	16	5140789	4	Button


Coupling (Hook)

Table code

Sheet

5650008-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200075	1	Swivel hook
	2	3200072	1	Shackles
	3	3190010	1	Knob
	4	5150045	1	
	5	5090042	1	
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

**SOLO PER 2S
ONLY FOR 2S**


2nd EXTENSION HYDRAULIC JACK (Hydraulic system)

Table code

Sheet

6210472-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410373	1	Extension Hydraulic jack [Fixed]
	2	5392310	1	Bonderized tube
	3	5392434	1	
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	3190021	2	Clamp [104-138 12.2 ABA]
	6	3101133	2	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	7	5140133	2	Piping mounting
	8	5220692	1	Sequence valve [1/2" 140bar.]
	9	5392433	1	
	10	3101058	2	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]

**PER VERSIONE DA 2S.....4S
FOR VERSION 2S.....4S**


2nd EXTENSION HYDRAULIC JACK (Hydraulic system)

Table code

Sheet

6210373-1.0

1/1



**PER VERSIONE DA 6S.....10S
FOR VERSION 6S.....10S**

R	Pos.	Variant Code	Q.ty	Description
	1	6410373	1	Extension Hydraulic jack [Fixed]
	2	5392310	1	Bonderized tube
	3	5392309	1	Bonderized tube
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	3190021	2	Clamp [104-138 12.2 ABA]
	6	3101133	2	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	7	5140133	2	Piping mounting


2nd EXTENSION HYDRAULIC JACK

Table code

Sheet

6410373-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030820	1	Rod unit [Fixed]
	2	3420036	1	
	3	3361029	4	Seal
	4	3370160	1	Seal
	5	6040305	1	Close nipple
	6	3460154	1	Anti-extrusion ring
	7	3450154	1	O-ring joint
	8	6050324	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400516	1	Seal
	11	3360014	1	Seal
	12	3450104	1	O-ring joint
	13	3460104	2	Anti-extrusion ring
	14	6070569	1	Cylinder
RC	15	5550790	1	Seal kit

3rd EXTENSION





Table code	Sheet
5540053-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5020507	1	Extension
RC	2	5140789	4	Button
RC	3	5001253	4	Button (Sliding block)
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	12	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3040529	4	Ring nut
	8	5001582	2	Adjuster (Up)
	9	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
RC	10	5140974	2	Slide shoe
RC	11	5141030	2	Sliding block
RC	12	5000827	8	Button
	13	5150866	1	Pin
	14	3060956	1	Grub screw
	15	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	16	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	17	5001443	1	Block (Extension Hydraulic jack)
	18	5001764	1	Collar
	19	3061000	2	Grub screw
	20	3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3060012	5	Flat washer [D.21X37X3 UNI 6592 ZC]
	22	5001844	1	Support (Pusher)
	23	3061001	1	Spring
	24	5150870	1	Pin
	25	5001444	2	Adjuster (Narrow)
RC	26	5141029	2	Sliding block


3rd extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210374-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410374	1	Extension Hydraulic jack [Fixed]
	2	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	3	3190021	2	Clamp [104-138 12.2 ABA]
	4	5392312	1	Bonderized tube
	5	5392311	1	Bonderized tube
	6	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]
	7	5140133	2	Piping mounting


3rd and 4th extension hydraulic cylinder

Table code

Sheet

6410374-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030822	1	Rod unit [Fixed]
	2	3420036	1	
	3	3361029	4	Seal
	4	3370160	1	Seal
	5	6040305	1	Close nipple
	6	3460154	1	Anti-extrusion ring
	7	3450154	1	O-ring joint
	8	6050324	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400516	1	Seal
	11	3360014	1	Seal
	12	3450104	1	O-ring joint
	13	3460104	2	Anti-extrusion ring
	14	6070570	1	Cylinder
RC	15	5550790	1	Seal kit


4th EXTENSION

Table code

Sheet


5560039-1.0


1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020508	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	12	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	5001582	2	Adjuster (Up)
	9	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	10	5150866	1	Pin
RC	11	5000827	8	Button
RC	12	5001253	4	Button (Sliding block)
RC	13	5141031	2	Sliding block
RC	14	5140974	2	Slide shoe
	15	5001443	2	Block (Extension Hydraulic jack)
	16	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	17	5001764	1	Collar
	18	3061000	2	Grub screw
	19	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	20	3060956	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141030	2	Sliding block






Solo per versione 4S
4S version only

R	Pos.	Variant Code	Q.ty	Description
	1	5020508	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	4	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	5001582	2	Adjuster (Up)
	9	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	10	5150866	1	Pin
RC	11	5000827	8	Button
RC	12	5001253	4	Button (Sliding block)
RC	13	5141031	2	Sliding block
RC	14	5140974	2	Slide shoe
	15	5001443	2	Block (Extension Hydraulic jack)
	16	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	17	5001764	1	Collar
	18	3061000	2	Grub screw
	19	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	20	3060956	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141030	2	Sliding block
RC	22	3060920	8	Tooth lock washer [D.10 TIPO A]



**Solo per versione 4S
4S version only**


Coupling (Hook)

Table code

Sheet

5560052-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200075	1	Swivel hook
	2	3200072	1	Shackles
	3	3190010	1	Knob
	4	5150044	1	
	5	5090041	1	
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

**SOLO PER 4S
ONLY FOR 4S**


4th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210375-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410374	1	Extension Hydraulic jack [Fixed]
	2	5140133	2	Piping mounting
	3	3190021	2	Clamp [104-138 12.2 ABA]
	4	5392314	1	Bonderized tube
	5	3010035	1	Hex screw [M8X60 8.8 ZC UNI 5737]
	6	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	7	3060056	2	Split lock washer [D=10 C72 ZC]
	8	3101056	3	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	9	5001843	1	Valve support
	10	5220960	1	Valve (Stop)
	11	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	12	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	13	W102116	2	Spacer
	14	5001807	1	Pusher
	15	3010037	1	Hex screw [M8X70 8.8 UNI 5737 ZC]
	16	5392313	1	Bonderized tube
	17	5392315	1	Bonderized tube
	18	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]

5th EXTENSION





Table code	Sheet
5570017-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5020509	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	8	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	12	Split lock washer [D=10 C72 ZC]
RC	6	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
RC	9	5001253	4	Button (Sliding block)
RC	10	5141032	2	Sliding block
RC	11	5000827	8	Button
RC	12	5140974	2	Slide shoe
	13	5150769	1	Pin (Extensions)
	14	3060956	1	Grub screw
	15	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	16	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	17	5001443	2	Block (Extension Hydraulic jack)
	18	5001765	1	Collar (Mobile)
	19	3061000	2	Grub screw
	20	5001582	2	Adjuster (Up)

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141031	2	Sliding block




5TH , 6TH AND 8TH EXTENSION HYDRAULIC CYLINDER

Table code

Sheet

6410375-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030824	1	Rod unit [Fixed]
	2	3420032	1	W-ring
	3	3361008	4	Seal
	4	3370144	1	Seal
	5	6040294	1	Plug
	6	3460253	1	Anti-extrusion ring
	7	3450150	1	O-ring joint
	8	6050306	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400514	1	Seal
	11	3360012	1	Seal
	12	3450049	1	O-ring joint
	13	3460049	2	Anti-extrusion ring
	14	6070571	1	Cylinder
RC	15	5550766	1	Seal kit


5th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210376-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6410375	1	Extension Hydraulic jack [Fixed]
	2	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	3	5392316	1	Bonderized tube
	4	3190021	2	Clamp [104-138 12.2 ABA]
	5	5140133	2	Piping mounting
	6	5392317	1	Bonderized tube
	7	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]



R	Pos.	Variant Code	Q.ty	Description
	1	5020510	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	6	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	8	Split lock washer [D=10 C72 ZC]
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	9	5001582	2	Adjuster (Up)
	10	5150769	1	Pin (Extensions)
	11	3060956	1	Grub screw
	12	3040046	3	Nut [M10 8G UNI 5588 ZC.]
RC	13	5001253	4	Button (Sliding block)
RC	14	5141033	4	Slide shoe
RC	15	5000827	6	Button
RC	16	5140974	2	Slide shoe
	17	5001443	2	Block (Extension Hydraulic jack)
	18	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	19	5001765	1	Collar (Mobile)
	20	3061000	2	Grub screw

**Solo per versione 6S
6S version only**



R	Pos.	Variant Code	Q.ty	Description
	1	5020542	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	4	Split lock washer [D=10 C72 ZC]
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	9	5001582	2	Adjuster (Up)
	10	5150769	1	Pin (Extensions)
	11	3060956	1	Grub screw
	12	3040046	3	Nut [M10 8G UNI 5588 ZC.]
RC	13	5001253	4	Button (Sliding block)
RC	14	5141033	2	Slide shoe
RC	15	5000827	4	Button
RC	16	5140974	2	Slide shoe
RC	17	5141032	2	Sliding block

Coupling (Hook)


Table code

Sheet

5580019-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200075	1	Swivel hook
	2	3200072	1	Shackles
	3	3190010	1	Knob
	4	5150900	1	Pin (Handle)
	5	5091186	1	
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)



**SOLO PER 6S
ONLY FOR 6S**

6th extension Hydraulic jack (Hydraulic system)


Table code


Sheet

6210377-1.0

1/1


R	Pos.	Variant Code	Q.ty	Description
	1	6410375	1	Extension Hydraulic jack [Fixed]
	2	3190021	2	Clamp [104-138 12.2 ABA]
	3	5140133	2	Piping mounting
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	5392318	1	Bonderized tube
	6	5392319	1	Bonderized tube
	7	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]





R	Pos.	Variant Code	Q.ty	Description
	1	5020511	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	8	Split lock washer [D=10 C72 ZC]
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	9	5001582	2	Adjuster (Up)
RC	10	5001253	4	Button (Sliding block)
RC	11	5140996	2	Slide shoe
RC	12	5000827	4	Button
RC	13	5140974	2	Slide shoe
	14	5150769	1	Pin (Extensions)
	15	3060956	1	Grub screw
	16	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	17	5001443	2	Block (Extension Hydraulic jack)
	18	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	19	5001765	1	Collar (Mobile)
	20	3061000	2	Grub screw

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141033	2	Slide shoe




7th extension Hydraulic jack

Table code

Sheet

6410376-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030824	1	Rod unit [Fixed]
	2	3420032	1	W-ring
	3	3361008	4	Seal
	4	3370144	1	Seal
	5	6040294	1	Plug
	6	3460253	1	Anti-extrusion ring
	7	3450150	1	O-ring joint
	8	6050306	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400514	1	Seal
	11	3360012	1	Seal
	12	3450049	1	O-ring joint
	13	3460049	2	Anti-extrusion ring
	14	6070572	1	Cylinder
RC	15	5550766	1	Seal kit


7th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210378-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410376	1	Extension Hydraulic jack [Fixed]
	2	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	3	5392320	1	Bonderized tube
	4	3190021	2	Clamp [104-138 12.2 ABA]
	5	5392321	1	Bonderized tube
	6	3101133	2	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]



R	Pos.	Variant Code	Q.ty	Description
	1	5020512	1	Extension
	2	3040529	4	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	8	Split lock washer [D=10 C72 ZC]
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	5150769	1	Pin (Extensions)
	9	3060956	1	Grub screw
	10	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	11	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	12	5001582	2	Adjuster (Up)
RC	13	5001253	4	Button (Sliding block)
RC	14	5140996	4	Slide shoe
RC	15	5000827	4	Button
RC	16	5140974	2	Slide shoe
	17	5001443	2	Block (Extension Hydraulic jack)
	18	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	19	5001765	1	Collar (Mobile)
	20	3061000	2	Grub screw


8th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210379-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410375	1	Extension Hydraulic jack [Fixed]
	2	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	3	5392323	1	Bonderized tube
	4	3101058	2	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	5	5220688	1	Sequence valve
	6	3190021	2	Clamp [104-138 12.2 ABA]
	7	5392322	1	Bonderized tube
	8	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]
	9	5392324	1	Bonderized tube



R	Pos.	Variant Code	Q.ty	Description
	1	5020513	1	Extension
	2	3040529	2	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	8	Split lock washer [D=10 C72 ZC]
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	6	Button
RC	8	5001253	4	Button (Sliding block)
RC	9	5140998	4	Sliding block
RC	10	5000827	4	Button
	11	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	12	5001443	2	Block (Extension Hydraulic jack)
RC	13	5140974	2	Slide shoe
	14	5150769	1	Pin (Extensions)
	15	3060956	1	Grub screw
	16	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	17	5001818	1	Collar (Mobile)
	18	3061000	2	Grub screw
	19	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]


9th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210380-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410377	1	Extension Hydraulic jack [Fixed]
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392325	1	Bonderized tube [TuboFe360 -16x2.57/8-14L3270]
	4	3190021	2	Clamp [104-138 12.2 ABA]
	5	5392326	1	Bonderized tube [TuboFe360 -16x2.57/8-14L1530]
	6	3101134	2	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	7	5140133	2	Piping mounting


9rd and 10th extension hydraulic cylinder

Table code

Sheet

6410377-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030828	1	Rod unit [Fixed]
	2	3420030	1	W-ring
	3	3361006	4	Seal
	4	3390502	1	Seal
	5	6040299	1	Close nipple (Hydraulic jack)
	6	3460149	1	Anti-extrusion ring
	7	3450149	1	O-ring joint
	8	6050307	1	Piston (Hydraulic jack)
	9	3060249	1	Grub screw
	10	3400513	1	Seal (Piston)
	11	3361011	1	Seal
	12	3450049	1	O-ring joint
	13	3460049	2	Anti-extrusion ring
	14	6070574	1	Cylinder
RC	15	5550767	1	Seal kit


10TH EXTENSION

Table code

Sheet

5100001-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020514	1	Extension
	2	3040529	2	Ring nut
	3	5001444	2	Adjuster (Narrow)
RC	4	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	5	3060056	2	Split lock washer [D=10 C72 ZC]
RC	6	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	5140789	4	Button
	8	5150769	1	Pin (Extensions)
	9	3060956	1	Grub screw
	10	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	11	5001818	1	Collar (Mobile)
	12	3061000	2	Grub screw
RC	13	5001253	2	Button (Sliding block)
RC	14	5140998	2	Sliding block
RC	15	5000827	2	Button


10th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210381-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6410377	1	Extension Hydraulic jack [Fixed]
	2	3190021	2	Clamp [104-138 12.2 ABA]
	3	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	5392327	1	Bonderized tube [TuboFe360 -16x2.57/8-14L2820]
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	5392328	1	Bonderized tube [TuboFe360 -16x2.57/8-14L1390]
	7	5140133	2	Piping mounting




PER VERSIONE 6S
FOR VERSION 6S

R	Pos.	Variant Code	Q.ty	Description
	1	5010345	1	Manual extension
	2	3190010	1	Knob
	3	5150900	1	Pin (Handle)
	4	3060753	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5141033	2	Slide shoe
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	9	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	10	5001253	2	Button (Sliding block)
	11	5000640	1	Block (Manual extension)
	12	3200067	1	Shackles [T6.5]
	13	3200028	1	Swivel hook [T8]



PER VERSIONE 6S
FOR VERSION 6S


R	Pos.	Variant Code	Q.ty	Description
	1	5010346	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060753	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5140996	2	Slide shoe
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	9	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)



3° SFILO MANUALE PER 6S
3rd MANUAL EXTENSION FOR 6S


1° SFILO MANUALE PER 8S
1st MANUAL EXTENSION FOR 8S

R	Pos.	Variant Code	Q.ty	Description
	1	5010347	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060703	1	Cotter pin
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	9	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]



PER VERSIONE 8S
FOR VERSION 8S

R	Pos.	Variant Code	Q.ty	Description
	1	5010348	1	Manual extension
	2	3190010	1	Knob
	3	5150806	1	Pin (Handle)
	4	3060753	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	9	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]




R	Pos.	Variant Code	Q.ty	Description
	1	5010349	1	Manual extension
	2	3190010	2	Knob
	3	5150396	1	Pin (Handle)
	4	3060703	1	Cotter pin
	5	3060753	1	Cotter pin (Locking ring)
	6	5150893	1	
	7	5001906	1	
	8	3200067	1	Shackles [T6.5]
	9	3200028	1	Swivel hook [T8]
	10	5000640	1	Block (Manual extension)

3° SFILO MANUALE PER 8S
3rd MANUAL EXTENSION FOR 8S


1° SFILO MANUALE PER 10S
1st MANUAL EXTENSION FOR 10S

PER VERSIONE JIB 6S
FOR VERSION JIB 6S




PARTIC. A


R	Pos.	Variant Code	Q.ty	Description
	1	5010351	1	Manual extension
	2	3190010	2	Knob
	3	5150895	1	Pin (Handle)
	4	3060753	1	Cotter pin (Locking ring)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	5150905	1	Pin (Handle)
	7	5001932	1	Brace (Hook coupling)
	8	3060924	1	Cotter pin (B)
	9	5000640	1	Block (Manual extension)
	10	3200067	1	Shackles [T6.5]
	11	3200028	1	Swivel hook [T8]




R	Pos.	Variant Code	Q.ty	Description
	1	5730503	1	
	2	3200050	1	Shackles
	3	5091008	1	
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	7	W289016	1	
	8	3311083	1	
	9	5160016	1	Electric wiring
	10	W236508	1	




R	Pos.	Variant Code	Q.ty	Description
	1	5090940	1	Slide (Actuations)
	2	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]
	3	5001676	1	Pipe (Spacer)
	4	3010102	1	Hex screw [M8X170 8.8GEOMET UNI5737PF]
	5	3020030	12	Socket head cap screw [M5X25 8.8 ZC UNI 5931]
	6	3040392	12	Stopnut [Dado Stop M5-70 norm.]
RC	7	3060056	6	Split lock washer [D=10 C72 ZC]
	8	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	5140980	2	Ring (Spacer)
	10	3020903	6	TSEI screw [M8X30 ZC UNI 5933]
	11	3310635	1	Pipes carrier
	12	5091121	1	
	13	3010358	11	Hex screw [M10X40 8.8 ZC UNI 5739]
	14	3040304	13	Stopnut [M10-70 NORM.8G ZC.]
	15	5091122	1	
	16	5091123	1	
	17	3310633	2	Pipes carrier
	18	3010409	1	Hex screw [M10X50 10.9 ZC UNI 5739]
	19	5001915	1	
	20	5091213	1	



R	Pos.	Variant Code	Q.ty	Description
	21	5001916	1	
	22	5140999	2	Roller (Turnsbasket)
	23	3070017	1	Seeger
RC	24	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	25	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	26	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	27	5091124	1	
	28	5091214	1	
	29	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	30	3010480	2	Hex screw [M20X50 8.8 ZC UNI 5739]
	31	3010046	2	Hex screw [M10X45 8.8 ZC UNI 5737]
RC	32	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	33	5001943	1	




R	Pos.	Variant Code	Q.ty	Description
	1	3101051	4	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	2	3110113	4	Straight pipe fitting [M/F BSP 1/2"H=25]
	3	3060145	4	Sealing washer [BSP 1/2"]
	4	W560304300	4	
	5	3010018	4	Hex screw [M6X40 8.8 ZC UNI 5737]
RC	6	3060055	12	Split lock washer [D=8.4 C72 ZC]
	7	5392358	1	
	8	5280853	4	Flexible hose [Fixed]
	9	5392354	4	
	10	5392357	1	
	11	3010030	12	Hex screw [M8X35 8.8 ZC UNI 5737]
	12	5000047	12	Clamp (Rigid Pipe)
	13	5280854	4	
	14	5392356	1	
	15	5392355	1	
	16	5281133	4	
	17	3040372	20	Stopnut [M6-70 UNI7473 NORM. ZC.]
	18	5001502	10	Keep plate (Flexible hose)
	19	3020915	18	TSEI screw [M6X40 10.9 ZC UNI 5933]
	20	5281132	10	




R	Pos.	Variant Code	Q.ty	Description
	21	3120313	5	Wall-through pipe fitting [MJ 7/8 -14]
	22	3120067	5	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	23	3110541	5	Quick coupling
	24	3190288	1	Sheath (Pipes guard)
	25	3120315	1	Tee fitting
	26	5280851	1	


R	Pos.	Variant Code	Q.ty	Description
	1	5160004	1	WIRING FOR WINCH
	2	5160013	1	Plug (Winch)



R	Pos.	Variant Code	Q.ty	Description
	1	5091185	1	Plates (Pulley)
	2	5150900	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)




**Solo per versione 6S
6S version only**




**Solo per versione 10S
10S version only**

R	Pos.	Variant Code	Q.ty	Description
1		5091179	1	
2		3060750	2	Cotter pin (Ring)
3		5150894	1	
4		3190010	1	Knob
5		5150893	1	
6		3060704	1	Cotter pin
7		3040090	2	Lock nut

R	Pos.	Variant Code	Q.ty	Description
	1	5091103	1	Support (Pulley)
	2	5141022	2	Pulley (GUIDE ROPE KIT)
	3	5150851	2	Pin (Handle)
	4	3190188	2	Knob
	5	5141052	4	Bushing
	6	3060753	2	Cotter pin (Locking ring)
	7	3010402	2	Hex screw [M14X60 10.9 ZC UNI 5737]
	8	3060009	2	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	9	3040306	2	Stopnut [Dado Stop M14-70 Norm]





R	Pos.	Variant Code	Q.ty	Description
	1	3101058	2	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	2	3060145	1	Sealing washer [BSP 1/2"]
	3	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	4	3190204	3	Plate (Collar)
	5	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6A	5290193	2	Flexible hose [Fixed]
	6B	5290234	2	Flexible hose [Marine]
	7	5392364	1	Bonderized tube
	8	5392363	1	Bonderized tube
	9	3190222	6	Collar (Flexible hose)
	10	2510005	3	Threaded rod [M8(MA)L=125]
	11	5392365	1	Bonderized tube
	12	3190172	6	Clamp (Set of hoses)
	13	5141057	3	Spacer
	14A	5280855	1	Flexible hose [Fixed]
	14B	5280908	1	Flexible hose [Marine]
	15A	5290183	1	Flexible hose [Fixed]
	15B	5290220	1	Flexible hose [Marine]
	16	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	17A	5290182	1	Flexible hose [Fixed]


Winch (HYDRAULIC SYSTEM)

Table code

Sheet

7834224-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	17B	5290221	1	Flexible hose [Marine]
	18	3101051	1	Straight pipe fitting [7/8-14 1/2"CL. D16]
	19	3020315	4	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	20	5001817	1	Flange (Winch)
	21	3060012	4	Flat washer [D.21X37X3 UNI 6592 ZC]
	22	3010424	4	Hex screw [M20X50 UNI 5739 10.9 ZC]
	23	5720175	1	Winch
	24	3190288	1	Sheath (Pipes guard)
	25A	5280736	1	Flexible hose [Fixed]
	25B	5280910	1	Flexible hose [Marine]
	26	5730142	1	Top Roller
	27	5730143	1	Counterweight
	28	3200028	1	Swivel hook [T8]


Assembly kit

Table code

Sheet

7880592-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001767	4	Bracket (Lower)
	2	3040532	32	Nut [M39X3 10K GEOMET UNI5588]
	3	5001766	16	Bracket (Upper)
	4	5150869	4	Tie rod (Threaded rod) [M39X3 39NiCrMo3 int.file.]
	5	5150868	4	Tie rod (Threaded rod) [M39X3 39NiCrMo3 int.file.]
	6	3190293	8	Tip (Rubber protection)





VR85 JIB 6S


ATTACHEMENT FOR (JIB)

Table code


Sheet

5780043-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091110	1	Plates (JIB)
RC	2	5140681	4	Button (Slide shoe)
	3	5001582	2	Adjuster (Up)
	4	3040529	2	Ring nut
	5	3060753	1	Cotter pin (Locking ring)
	6	5150900	1	Pin (Handle)
	7	3190010	1	Knob
	8	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	9	3040508	1	Self-locking ringnut [M55X2 NORMALE ZC]
	10	5140060	2	Bushing
	11	5001815	1	Spacer
	12	5150877	1	Pin assembly
	13	3060939	1	Spring pin
	14	5000614	1	Base (Clamp)
RC	15	3010354	1	Hex screw [M10X20 8.8 ZC UNI 5739]
	16	5000037	1	Clamp (Up)
	17	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	1	5030292	1	JIB ARM
	2	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	3	3040508	1	Self-locking ringnut [M55X2 NORMALE ZC]
	4	3080501	1	Grease nipple [M8X1.25]
	5	5150878	1	Pin assembly
	6	3060939	2	Spring pin
	7	5150876	1	Pin assembly
RC	8	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	9	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	11	5000827	2	Button
RC	12	5140743	2	Slide shoe
RC	13	5001253	2	Button (Sliding block)
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	15	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	16	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	17	5000771	2	Adjusting screw [M20 L=35]
	18	3040089	2	Lock nut
	19	5001109	2	Block (Extension Hydraulic jack)
	20	3020037	4	Socket head cap screw [M6X25 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
RC	21	5140757	2	Sliding block (Brass)
	22	5140060	2	Bushing
	23	5001816	1	Spacer
	24	5000614	1	Base (Clamp)
RC	25	3010354	1	Hex screw [M10X20 8.8 ZC UNI 5739]
	26	5000037	1	Clamp (Up)
	27	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	28	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	29	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	30	3040305	4	Stopnut [M12-70 NORM. ZC]
	31	5001112	4	Washer (Insulator)
	32	3190100	4	Insulator
	33	5001111	2	Washer (Insulator) [D.13X75X3 FE360 ZC]
	34	5001935	1	Plate (Stop)
	35	3020073	2	Socket head cap screw [M10X30 8.8 GEOMET UNI5739]


KIT CONNECTING ROD

Table code

Sheet

5360020-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091112	1	Rod Strut
	2	5150875	1	Threaded pin
	3	5141043	2	Bushing
	4	5091113	2	Long connecting rod
	5	3040503	2	Self-locking ringnut [M70X2 NORMALE ZC]
	6	5150874	1	Threaded pin
	7	3040507	2	Self-locking ringnut
	8	5001814	1	Spacer (Short connecting rod)
	9	3080501	2	Grease nipple [M8X1.25]
	10	5001813	1	Spacer (Short connecting rod)
	11	5140060	2	Bushing


Articulation Hydraulic jack (Internal)

Table code

Sheet

6430174-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070579	1	Cylinder
	2	5140124	2	Bushing
	3	6030840	1	Rod unit
	4	5141043	1	Bushing
	5	3080501	2	Grease nipple [M8X1.25]
	6	3370500	1	Seal
	7	3370151	1	Seal
	8	3380700	1	Seal
	9	6040268	1	Close nipple
	10	3460229	1	Anti-extrusion ring
	11	3450229	1	O-ring joint
	12	3361010	2	Seal
	13	3361009	1	Seal
	14	3400522	1	Seal
	15	3450127	1	O-ring joint
	16	6050274	1	Piston
	17	3040507	1	Self-locking ringnut
	18	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]
RC	19	5550741	1	Seal kit


Articulation Hydraulic jack (External)

Table code

Sheet

6430184-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070599	1	Cylinder
	2	5140124	2	Bushing
	3	6030840	1	Rod unit
	4	5141043	1	Bushing
	5	3080501	2	Grease nipple [M8X1.25]
	6	3370500	1	Seal
	7	3370151	1	Seal
	8	3380700	1	Seal
	9	6040268	1	Close nipple
	10	3460229	1	Anti-extrusion ring
	11	3450229	1	O-ring joint
	12	3361010	2	Seal
	13	3361009	1	Seal
	14	3400522	1	Seal
	15	3450127	1	O-ring joint
	16	6050274	1	Piston
	17	3040507	1	Self-locking ringnut
	18	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]
RC	19	5550741	1	Seal kit


HYDRAULIC SYSTEM (ARTICULATION HYDRAULIC JACK)

Table code

Sheet

5411056-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220964	1	Valve (Articulation Hydraulic jack articulated extension)
	2	5000694	1	Valve support
	3	5001927	1	Protective guard
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	6	3010414	2	Hex screw [M8X90 8.8 ZC UNI 5737]
	7	5390065	1	
	8	3101051	7	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	5390064	1	
	10	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	11	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	12	3190026	2	Clamp
	13	5390067	1	
	14	5390066	1	
	15	3110062	4	Plug
	16	3060143	4	Sealing washer [BSP 1/4"]
	17	5280864	1	Flexible hose
	18	5280862	1	Flexible hose
	19	5280865	1	Flexible hose

1st EXTENSION




Table code		Sheet
5490091-1.0		1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5020520	1	Extension
	2	5000771	4	Adjusting screw [M20 L=35]
	3	3040089	4	Lock nut
	4	W370400700	4	Button (Coupling backlash)
RC	5	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	5000827	4	Button
RC	9	5140743	4	Slide shoe
RC	10	5001253	4	Button (Sliding block)
	11	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150649	1	Pin
	13	3060911	1	Cotter pin
	14	5001105	4	Ring (Reduction)
	15	3060941	4	Grub screw
	16	3040519	4	Stopnut


1st EXSTENSION HYDRAULIC (Hydraulic system)

Table code

Sheet

6210385-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410385	1	Extension Hydraulic jack
	2	3190023	4	Clamp
	3	5001196	1	Valve support
	4	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	6	5390069	1	Bonderized tube
	7	5390068	1	Bonderized tube
	8	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	9	5220654	1	regenerative valve (Manual pump)
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	3020901	2	Socket head cap screw [M8X60 ZC UNI 5931]
	12	5280863	2	
	13	5140133	2	Piping mounting


1th and 2nd extension hydraulic cylinder

Table code


Sheet

6410385-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070580	1	
	2	3460047	2	Anti-extrusion ring
	3	6050255	1	Piston
	4	3400510	1	Seal
	5	3450047	1	O-ring joint
	6	3450136	1	O-ring joint
	7	3460136	1	Anti-extrusion ring
	8	6040258	1	Close nipple
	9	3370135	1	Seal
	10	3420023	1	W-ring
	11	6030842	1	
	12	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
RC	13	5550780	1	Seal kit
	14	3070150	2	Seeger



R	Pos.	Variant Code	Q.ty	Description
	1	5020521	1	Extension
	2	5000771	4	Adjusting screw [M20 L=35]
	3	3040089	4	Lock nut
	4	W370400700	4	Button (Coupling backlash)
RC	5	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	5000827	4	Button
RC	9	5140743	4	Slide shoe
RC	10	5001253	4	Button (Sliding block)
	11	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150649	1	Pin
	13	3060911	1	Cotter pin
	14	5001105	4	Ring (Reduction)
	15	3060941	4	Grub screw
	16	3040519	4	Stopnut
	17	3070150	2	Seeger
	18	5001897	1	Collar (Mobile)

2nd extension hydraulic cylinder (Hydraulic system)


Table code

Sheet

6210386-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6410385	1	Extension Hydraulic jack
	2	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	3	5390070	1	Bonderized tube
	4	5390071	1	Bonderized tube
	5	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	6	3190023	2	Clamp
	7	5140133	2	Piping mounting




3rd EXTENSION

Table code

Sheet

5660003-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020522	1	Extension
	2	5000771	4	Adjusting screw [M20 L=35]
	3	3040089	4	Lock nut
	4	W370400700	4	Button (Coupling backlash)
RC	5	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	5000827	4	Button
RC	9	5140743	4	Slide shoe
RC	10	5001253	4	Button (Sliding block)
	11	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150649	1	Pin
	13	3060911	1	Cotter pin
	14	5001105	4	Ring (Reduction)
	15	3060941	4	Grub screw
	16	3040519	4	Stopnut
	17	3070150	2	Seeger
	18	5001161	1	Collar (Mobile)


3rd extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210387-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410387	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	3	5390072	1	Bonderized tube
	4	5390073	1	Bonderized tube
	5	3190023	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting


3rd and 4th extension hydraulic cylinder

Table code

Sheet


6410387-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070581	1	Cylinder
	2	3070150	2	Seeger
	3	6030844	1	Rod unit
	4	3420021	1	W-ring
	5	3370136	1	Seal
	6	6040259	1	Close nipple
	7	3460132	1	Anti-extrusion ring
	8	3450132	1	O-ring joint
	9	6050275	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400509	1	Seal
	12	3450047	1	O-ring joint
	13	3460047	2	Anti-extrusion ring
	14	6040269	1	Ring nut
	15	3060248	1	Grub screw
RC	16	5550781	1	Seal kit

R	Pos.	Variant Code	Q.ty	Description
	21	5001905	1	
	22	3010044	3	Hex screw [M10X35 8.8 ZC UNI 5737]
	23	3040305	2	Stopnut [M12-70 NORM. ZC]




4th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210388-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410387	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	3	5390074	1	Bonderized tube
	4	5390075	1	Bonderized tube
	5	3190023	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting



R	Pos.	Variant Code	Q.ty	Description
	1	5020524	1	Extension
	2	5000771	2	Adjusting screw [M20 L=35]
	3	3040089	2	Lock nut
	4	W370400700	4	Button (Coupling backlash)
RC	5	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	5000827	4	Button
RC	9	5140733	4	Slide shoe
RC	10	5001253	4	Button (Sliding block)
	11	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150649	1	Pin
	13	3060911	1	Cotter pin
	14	5001105	4	Ring (Reduction)
	15	3060941	4	Grub screw
	16	3040519	4	Stopnut
	17	3070150	2	Seeger
	18	5001106	1	Collar (Mobile)


5th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210389-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410388	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	3	5390076	1	Bonderized tube
	4	5390077	1	Bonderized tube
	5	3190023	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting


5th extension Hydraulic jack

Table code


Sheet

6410388-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070459	1	Cylinder
	2	3070150	2	Seeger
	3	6030846	1	Rod unit
	4	3420018	1	W-ring
	5	3370137	1	Seal
	6	6040254	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050290	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400507	1	Seal
	12	3450047	1	O-ring joint
	13	3460047	2	Anti-extrusion ring
	14	6040269	1	Ring nut
	15	3060248	1	Grub screw
RC	16	5550783	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020525	1	Extension
	2	5000771	2	Adjusting screw [M20 L=35]
	3	3040089	2	Lock nut
	4	W370400700	2	Button (Coupling backlash)
RC	5	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	5000827	2	Button
RC	9	5140733	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
	11	3060938	3	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150649	1	Pin
	13	3060911	1	Cotter pin
	14	5001105	4	Ring (Reduction)
	15	3060941	4	Grub screw
	16	3040519	4	Stopnut
	17	3070150	2	Seeger
	18	5001106	1	Collar (Mobile)
	19	5001925	1	Protective guard (Rigid Pipe)
RC	20	3060006	2	Flat washer [D.8 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	22	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]




6th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210390-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410245	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	3	5390078	1	Bonderized tube
	4	5390079	1	Bonderized tube
	5	3190023	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting


6th extension Hydraulic jack

Table code

Sheet

6410245-2.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070460	1	Cylinder
	2	3070150	2	Seeger
	3	6030618	1	Rod unit
	4	3420015	1	W-ring
	5	3370138	1	Seal
	6	6040270	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050289	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400507	1	Seal
RC	12	5550784	1	Seal kit

**Solo per versione J6S
J6S version only**


R	Pos.	Variant Code	Q.ty	Description
	1	5091184	1	
	2	5150905	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	5	3060924	1	Cotter pin (B)




R	Pos.	Variant Code	Q.ty	Description
	1	3310751	1	
	2	5160042	1	
	3	5160016	1	Electric wiring
	4	5160015	1	Electric wiring
	5	5160001	1	Electric wiring
	6	3310612	1	Pressure sensor


VALIDO FINO a Luglio 2011

VALID UNTIL July 2011




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160096	1	
	5	5160080	1	Plug (Electric components)
	6	5002108	1	Support plate (Tiltmeter)
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	10	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	11	3060065	2	Split lock washer [D=4.1 C72 ZC]
	12	3060003	2	Flat washer [D.4 UNI 6592 ZC]






R	Pos.	Variant Code	Q.ty	Description
	1	5720159	1	
	2	5730094	1	
	3	5150907	1	
	4	5001924	2	
	5	5730093	1	
	6	5141052	2	Bushing
	7	3060753	4	Cotter pin (Locking ring)
	8	5141022	1	Pulley (GUIDE ROPE KIT)
	9	5150908	1	
	10	5730069	1	Top Roller
	11	5730076	1	Counterweight
	12	3200028	1	Swivel hook [T8]



R	Pos.	Variant Code	Q.ty	Description
	1	3101058	2	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	2	3060145	1	Sealing washer [BSP 1/2"]
	3	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	4	3190204	3	Plate (Collar)
	5	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5290193	3	Flexible hose [Fixed]
	7	5392364	1	Bonderized tube
	8	5392363	1	Bonderized tube
	9	3190222	6	Collar (Flexible hose)
	10	2510005	3	Threaded rod [M8(MA)L=125]
	11	5392365	1	Bonderized tube
	12	3190172	6	Clamp (Set of hoses)
	13	5141057	3	Spacer
	14	5280855	1	Flexible hose [Fixed]
	15	5290203	1	
	16	3101056	2	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	17	3120336	1	90° Connection [90° ORIENT. 1"1/16-12-MJ/FJ]
	18	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	19	5271889	1	Flexible hose
	20	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]



R	Pos.	Variant Code	Q.ty	Description
	21	3120315	1	Tee fitting
	22	5280852	1	
	23	5720159	1	
	24	3020315	4	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	25	3060061	4	Split lock washer [D=20 C72 ZC]
	26	3060019	4	Flat washer [D.20 C50 UNI 5714 ZC]
	27	5091182	1	
	28	3040502	2	Self-locking ringnut [M25X1.5 NORMALE ZC]
	29	5150897	1	
	30	5091183	1	
	31	3060010	4	Flat washer [D.17X30X3 UNI 6592 ZC]
	32	3060059	4	Split lock washer [D=16 C72 ZC]
	33	3010463	4	Hex screw [M16X40 8.8 ZC UNI 5739]
	34	3060753	1	Cotter pin (Locking ring)
	35	3190288	1	Sheath (Pipes guard)



RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7881871.0

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw	5225570	Seal kit (Control valve)		
3010336	Hex screw	5225571	Seal kit (Control valve)		
3010353	Hex screw	5225572	Seal kit (Control valve)		
3010354	Hex screw	5550709	Seal kit		
3020080	Socket head cap screw	5550741	Seal kit		
3020875	Socket head cap screw	5550766	Seal kit		
3060006	Flat washer	5550767	Seal kit		
3060055	Split lock washer	5550771	Seal kit		
3060056	Split lock washer	5550772	Seal kit		
3060914	Flat washer	5550780	Seal kit		
3060918	Tooth lock washer	5550781	Seal kit		
3060920	Tooth lock washer	5550783	Seal kit		
3180070	Oil filter	5550784	Seal kit		
3180071	Filtering cartridge	5550790	Seal kit		
3180099	Oil level indicator	5550791	Seal kit		
3180176	Oil filter	5550792	Seal kit		
3180194	Oil filter				
3180203	Filtering cartridge				
3180213	Filtering cartridge				
3180221	Thermometer				
3310483	Battery (Wireless control)				
3310641	Battery (Wireless control)				
3311150	Inclination sensor 360°				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311313	Sensor unit (Encoder)				
3311354	Lighting (Audible alarm)				
5000827	Button				
5001253	Button (Sliding block)				
5140681	Button (Slide shoe)				
5140733	Slide shoe				
5140743	Slide shoe				
5140757	Sliding block (Brass)				
5140777	Button (Backlash)				
5140789	Button				
5140974	Slide shoe				
5140996	Slide shoe				
5140998	Sliding block				
5141028	Sliding block				
5141029	Sliding block				
5141030	Sliding block				
5141031	Sliding block				
5141032	Sliding block				
5141033	Slide shoe				
5225263	Seal kit				
5225568	Seal kit (Control valve)				
5225569	Seal kit (Control valve)				