




Model
**TELESCOPIC 1 BOOM
601T**

Logbook code
7881795.1
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7881795.1

Sheet

1/2

Page	Table code	Q.ty	Table heading	Vers.	Validity
7	5502000-3.0	1	Plate kit (Generic Gru)		
8	W520151200-1.1	1	Base		
9	W520151200-2.0	1	Base (" BST ")		
10	W520151300-1.1	1	Base		
11	W520151300-2.0	1	Base (" BSC ")		
12	W051101-1.0	1	Slewing		
14	W520152000-1.0	1	Stabilizer rod		
15	W5201019-1.0	1	BASE WITH 1 CROSSBAR (" BPS ")		
16	W520451200-1.0	1	Stabilizers rods (Fixed - Mechanic)		
18	W520451100-1.0	1	Stabilizers rods (Fixed)		
20	5411029-3.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
21	W520450100-1.0	1	Stabilizer Hydraulic jack		
22	W520450100-1.1	1	Stabilizer Hydraulic jack		
23	W520451000-1.0	1	Stabilizers rods (Revolving)		
25	W360450200-1.1	1	Stabilizer Hydraulic jack (Hydraulic system)		
26	W360450100-1.5	1	Stabilizer Hydraulic jack		
27	W520451000-2.0	1	Stabilizers rods (Revolving)		
28	W360450200-1.2	1	Stabilizer Hydraulic jack (Hydraulic system)		
29	W360450100-1.6	1	Stabilizer Hydraulic jack		
30	W5204510LU-1.0	1	Stabilizer connecting rods extra-extensible revolving		

Page	Table code	Q.ty	Table heading	Vers.	Validity
31	6200273-1.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
32	6400273-1.0	1	Stabilizer Hydraulic jack		
33	W510551000-1.0	1	Dashboard		
34	W338034-1.0	1	Control valve		
35	W338034-3.0	1	Control valve (4 section)		
36	W520555100-1.0	1	Motor pump (Electrical equipment)		
37	W051501-1.0	1	Manual pump		
38	W510551400-1.0	1	Kit (Pressure gauge)		
39	W530551000-1.1	1	Hydraulic oil tank		
40	W530551000-2.1	1	Hydraulic oil tank		
41	W530551000-1.0	1	Hydraulic oil tank (CE)		
42	W530551000-2.0	1	Hydraulic oil tank (CE)		
43	W350017-1.0	1	Oil filter		
44	W051201-1.0	1	Column		
45	W510250400-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
46	W510250300-1.0	1	Lifting hydraulic cylinder		
47	W052204-1.0	1	1st Boom		
48	W520251400-1.1	1	1st Extension		
49	W520251500-1.1	1	2nd extension		
50	W520250500-1.1	1	1th and 2nd extension hydraulic cylinder		

Table index

Logbook code





Sheet

7881795.1
2/2


Page	Table code	Q.ty	Table heading	Vers.	Validity
51	W510251000-1.0	1	Telescopic element (1st)		
52	W520251600-1.0	1	Manual extension ("A")		
53	W520251700-1.0	1	Manual extension ("B")		
54	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
55	W444252-1.0	1	Set of hoses		
56	W051001-1.0	1	Completion parts		
57	7834258-1.0	1	WINCH KIT		
58	7834258-2.0	1	ACTUATION FOR WINCH		
59			601T RDC		
60	5400483-1.0	1	CONTROLS		
62	5220416-1.0	1	Control valve (4 section)		
64	5400483-2.0	1	CONTROLS		
66	5402246-1.0	1	Control unit (RDC / NOCE)		
68	5220416-2.0	1	Control valve (4 section)		
70	5400814-1.0	1	High pressure filter		
71	5400482-2.0	1	ELECTRICS CONTROLS		
72	5402259-1.0	1	ELECTRICS CONTROLS (ETR)		
73	3310183-1.0	1	Kit (Wireless control)		
75	7892500-4.0	1	Complete wireless control (ETR)		
77	7920056-2.0	1	HYDRAULIC SYSTEM GAUGE		

Page	Table code	Q.ty	Table heading	Vers.	Validity
78	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
79	7834068-1.0	1	WINCH KIT		
80	7834068-2.0	1	ACTUATION FOR WINCH		
81	7834068-3.0	1	WINCH KIT (Electrical equipment)		

R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)



R	Pos.	Variant Code	Q.ty	Description
	1	W520101100	1	
	2	W010000100	8	
	3	3060022	16	Flat washer
	4	3040052	16	Tall headed nut
	5	3040088	16	Lock nut
	6	W738018	8	Tie rod
	7	W050000200	4	Anchoring bracket



VALIDO FINO A GENNAIO 2011
VALID UNTIL JANUARY 2011


Base (" BST ")

Table code

Sheet

W520151200-2.0

1/1




R	Pos.	Variant Code	Q.ty	Description
1		W520101100	1	
2		5000084	16	Small plate
3		3060022	16	Flat washer
4		3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
5		3190289	8	Tip (Rubber protection)
6		W738018	8	Tie rod
7		W050000200	4	Anchoring bracket
8		W560402000	2	Adjuster (Button) [M24X2 By Nylon]
9		3040251	2	Lock nut [M24 8.G basso UNI 5589]
10		3060026	2	Spring pin
11		W360451200	2	Kit (Spring)
12		3060685	2	Spring (Block)
13		3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
14		3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

VALIDO DA Febbraio 2011


VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	W520101200	1	
	2	W010000100	8	
	3	3060022	16	Flat washer
	4	3040052	16	Tall headed nut
	5	3040088	16	Lock nut
	6	W738018	8	Tie rod
	7	W050000200	4	Anchoring bracket



VALIDO FINO A GENNAIO 2011


VALID UNTIL JANUARY 2011




R	Pos.	Variant Code	Q.ty	Description
1		W520101200	1	
2		5000084	16	Small plate
3		3060022	16	Flat washer
4		3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
5		3190289	8	Tip (Rubber protection)
6		W738018	8	Tie rod
7		W050000200	4	Anchoring bracket
8		W560402000	2	Adjuster (Button) [M24X2 By Nylon]
9		3040251	2	Lock nut [M24 8.G basso UNI 5589]
10		3060026	2	Spring pin
11		W360451200	2	Kit (Spring)
12		3060685	2	Spring (Block)
13		3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
14		3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

VALIDO DA Febbraio 2011

VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	1	W510100300	1	
	2	W510100400	1	
	3	3080636	1	
	4	3020099	2	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	5	3060018	2	Flat washer [D.12 UNI 6592 ZC]
	6	W568102	2	
	7	3060028	1	Flat washer [D.50X31X4 ZC]
	8	3040529	2	Ring nut
	9	W102184	1	
	10	W102181	1	
	11	W510100800	1	
	12	W510100900	1	
	13	3080500	3	Grease nipple
	14	3020967	3	TCC screw [A. forante 4,8x16 UNI 27049 ZC]
	15	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	16	3190287	1	Sheath (Protective cover)
	17	3190021	1	Clamp [104-138 12.2 ABA]
	18	3101041	2	Straight pipe fitting [9/16-18 1/2" CIL. D10]
	19	W510101000	1	
	20	W664203	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3040008	1	Tall headed nut
	22	3020085	1	Socket head cap screw [M12X100 8.8 ZC UNI 5931]


Stabilizer rod

Table code

Sheet

W520152000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520400800	1	
	2	W370400700	4	Button (Coupling backlash)
	3	W520101400	1	
	4	W520401300	1	
	5	W520401400	1	
	6	W520401500	1	
	7	3070032	1	Seeger
	8	3040335	8	Stopnut
	9	3020500	8	TSEI screw [M10X35 8.8 ZC UNI 5933]
	10	W101326	1	
	11	W662003	1	


BASE WITH 1 CROSSBAR (" BPS ")

Table code

Sheet

W5201019-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W520101900	1	Tubular (Rod)
2		W520102000	1	Counter-flange
3		3040251	1	Lock nut [M24 8.G basso UNI 5589]
4		W560402000	1	Adjuster (Button) [M24X2 By Nylon]
5		3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
6		3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
7		3060685	1	Spring (Block)
8		3060026	1	Spring pin
9		W520452000	1	Kit (Spring)


Stabilizers rods (Fixed - Mechanic)

Table code

Sheet


W520451200-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W662003	1	
	2	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
RC	3	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040335	4	Stopnut
	5	W456098	2	
	6	3101080	2	Tee fitting
	7	W520401000	2	
	8	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	9	3060055	3	Split lock washer [D=8.4 C72 ZC]
	10	5000077	3	Clamp (Rigid Pipe)
	11	W456858	2	
	12	W520400700	1	
	13	W370400700	8	Button (Coupling backlash)
	14	5220048	1	Valve (Cock)
	15	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	16	W370401500	1	
	17	W520401100	1	
	18	W520400500	1	
RC	19	3020080	1	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	20	W520450100	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3110053	2	Plug




Stabilizers rods (Fixed)

Table code

Sheet

W520451100-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
RC	1	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	2	W520400400	1	
	3	W520400500	1	
	4	W370400700	8	Button (Coupling backlash)
	5	W520401100	2	
	6	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	W456858	2	
	8	W456859	2	Flexible hose
	9	5220048	2	Valve (Cock)
	10	W370401500	2	
	11	W664018	2	Handle (Polyvinyl chloride)
	12	W520450100	2	
	13	W456098	2	
	14	W520401800	2	
	15	3101080	2	Tee fitting
	16	W520401000	2	
	17	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	18	3060918	3	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	19	5000077	3	Clamp (Rigid Pipe)
	20	W370401800	2	Handle (Rod)

Stabilizers rods (Fixed)


Table code

Sheet

W520451100-1.0

2/2


R	Pos.	Variant Code	Q.ty	Description
	21	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	22	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]



CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5411029-3.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3060053	4	Split lock washer [D=6.4 C72 ZC]
	7	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]

Stabilizer Hydraulic jack


Table code

Sheet

W520450100-1.0

1/1

VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W520400200	1	
	2	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W359013	1	
	6	W360003	1	
	7	W360022	1	
	8	W304016	1	
	9	W358002	1	Seal
	10	W361012	1	Seal (Oil seal)
	11	W120065	1	
	12	W520400300	1	
RC	13	W365084	1	Seal kit




Stabilizer Hydraulic jack

Table code

Sheet

W520450100-1.1

1/1



VALIDO da LUGLIO 2010
VALID FROM JULY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W520400200	1	
	2	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W359013	1	
	6	W360003	1	
	7	W360022	1	
	8	W304016	1	
	9	W358002	1	Seal
	10	W361012	1	Seal (Oil seal)
	11	W120065	1	
	12	W520401900	1	
RC	13	W365084	1	Seal kit


Stabilizers rods (Revolving)

Table code
W520451000-1.0

Sheet
1/2


R	Pos.	Variant Code	Q.ty	Description
	1	W360450200	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	

VALIDO FINO A GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	21	5000078	2	Swash -plate

VALIDO FINO A GIUGNO 2010
VALID UNTIL JUNE 2010




Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

W360450200-1.1


1/1



VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010

R	Pos.	Variant Code	Q.ty	Description
1		W360450100	1	
2		W470053	1	Manually operated valve
3		3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
4		W360501600	1	
5		3060143	1	Sealing washer [BSP 1/4"]
6		3080500	1	Grease nipple

VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W360400400	1	
	2	W360400500	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit

Stabilizers rods (Revolving)


Table code

Sheet

W520451000-2.0

1/1

VALIDO da LUGLIO 2010
VALID FROM JULY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W360450200	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	


Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

W360450200-1.2

1/1



VALIDO da LUGLIO 2010
VALID FROM JULY 2010

R	Pos.	Variant Code	Q.ty	Description
1		W360450100	1	
2		W470053	1	Manually operated valve
3		3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
4		W360501600	1	
5		3060143	1	Sealing washer [BSP 1/4"]
6		3080500	1	Grease nipple


Stabilizer Hydraulic jack

Table code

Sheet

W360450100-1.6

1/1



VALIDO da LUGLIO 2010
VALID FROM JULY 2010

R	Pos.	Variant Code	Q.ty	Description
	1	W360400400	1	
	2	W360401000	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit


Stabilizer connecting rods extra-extensible revolving

Table code

Sheet

W5204510LU-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200273	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	

Stabilizer Hydraulic jack (Hydraulic system)


Table code

Sheet

6200273-1.0


1/1

**VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA**



R	Pos.	Variant Code	Q.ty	Description
	1	6400273	1	Stabilizer Hydraulic jack
	2	W470053	1	Manually operated valve
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	5390208	1	Iron pipe
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3080500	1	Grease nipple

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA



R	Pos.	Variant Code	Q.ty	Description
	1	6070617	1	Cylinder
	2	6030134	1	Rod unit (Support base)
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit

Dashboard


Table code

Sheet

W510551000-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W510550100	1	Dashboard
	2	W510550200	1	Dashboard
	3	W510500200	1	Electric wiring
	4	W510500100	1	Electric wiring
	5	3310080	1	Microswitch
	6	5225770	1	Solenoid valve
	7	3310238	1	Solenoid (12V)
	8	3310242	1	Solenoid (24V)



Control valve



Table code

Sheet

W338034-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	4	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	10	3110150	1	Reducing fitting
	11	3060144	1	Sealing washer [BSP 3/8"]
	12	W520502500	1	Cover (Control valve)



Control valve (4 section)


Table code

Sheet

W338034-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W338034	1	Control valve ass'y
	2	5225689	4	Rubber protective boot
	3	WVA0110	4	Control lever
	4	WVA0116	3	Slider
	5	5226090	1	Max pressure valve
	6	WVA0117	1	Slider
	7	5225781	1	Seal kit
	8	5225959	1	Bushing
	9	5225960	4	Socket head cap screw [SDM080 TIPO "A"]
	10	5225786	3	cover with spring
	11	5225957	1	Bushing
	12	5226093	1	cover with spring
	13	5226061	1	Close nipple




Motor pump (Electrical equipment)

Table code

Sheet


W52055100-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W318009	1	Hydraulic power unit
2		W318010	1	Hydraulic power unit
3		W370503200	1	Electric cable (positive pole)
4		W520501600	1	Electric wiring
5		W520502300	1	Electric cable
6		W264401	1	Switch
7		5710088	1	Relay (12V)
8		W370503300	1	Electric cable (negative pole)
9		3310080	1	Microswitch
10		W510550100	1	Dashboard
11		5710096	1	Relay (24V)
12		3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
13		W370504500	1	Support bracket (Switch)
14		W510550200	1	Dashboard

R	Pos.	Variant Code	Q.ty	Description
	1	W510250300	1	Lifting hydraulic cylinder
	2	3120385	2	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	3	W449023	1	
	4	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	W470047	1	
	6	W456096	1	
	7	W390503	1	
	8	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]




Kit (Pressure gauge)

Table code

Sheet


W510551400-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3020950	3	Special screw
RC	2	3180150	1	Pressure gauge
	3	5090991	1	Support (Pressure gauge)
	4	3040081	2	Lock nut [M6 6S UNI 5589 ZC]
	5	5300090	1	Pipe (Pressure gauge)
	6	3101194	1	90° Connection [90° ORIENT. 7/16-20 -1/4\"CIL.]
RC	7	5220300	1	Hose burst valve (Sleeve)
	8	3060143	1	Sealing washer [BSP 1/4\"]
	9	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4\"]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	11	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]

Hydraulic oil tank




VALIDO FINO a Settembre 2010
VALID UNTIL September 2010

Table code		Sheet
W530551000-1.1		1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	2	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Hydraulic oil tank



Valido da Matricola : 29279

Valid from S / N : 29279

Table code
W530551000-2.1

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	1	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8\"CIL. D12]
	10	3110072	1	Plug
	11	3060146	1	Sealing washer [BSP 3/4"]

Hydraulic oil tank (CE)


Table code

Sheet

W530551000-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110065	1	Plug [BSP 1/2"]
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer



Hydraulic oil tank (CE)

Table code

Sheet

W530551000-2.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110072	1	Plug
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer
	15	3060146	1	Sealing washer [BSP 3/4"]

VALIDO DA LUGLIO 2010
VALID FROM JULY 2010

Valido da Matricola : 29279

Valid from S / N : 29279



Oil filter


Table code


Sheet

W350017-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	W350017	1	Oil filter (return line)
RC	2	W350717	1	Filter cartridge





R	Pos.	Variant Code	Q.ty	Description
	1	W510200700	1	
	2	W102150	2	Bushing [MB3025 DU D.34 d.30 L.25mm]
	3	W101368	1	Pin [Perno "C" D.30 L.94]
	5	3070027	2	Seeger [Seeger x alberi D.30]
	9	W510100700	1	
RC	10	W102182	1	Bushing [PM8550 DX D.90 d.85 L.50]
RC	11	W102183	1	Bushing [PM9040 DX D.95 d.90 L.40]
RC	12	W510200800	1	Thrust bearing ring
	13	3060509	1	Grub screw
	14	W510100200	1	
	15	3020104	2	Socket head cap screw [M12X50 8.8 ZC UNI 5931]
	16	3020094	6	Socket head cap screw [M12X40 8.8 ZC UNI 5931]

051201-1-0


Lifting hydraulic cylinder (Hydraulic system)

Table code

Sheet

W510250400-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W510250300	1	Lifting hydraulic cylinder
	2	W470003	1	Valve [VALV.VBS0-SE-NBA-38-35-1:3]
	3	3101175	1	Tee fitting
	4	3120317	1	Tee fitting
	5	3101040	2	Straight pipe fitting [9/16-18 3/8"Cl. D10]
	6	W370501500	1	Iron pipe [Tubo FE 10x1.5 zc]
	7	W360501400	1	Iron pipe [Tubo FE 10x1.5 zc]
	9	W102150	4	Bushing [MB3025 DU D.34 d.30 L.25mm]
	10	W360200700	2	Spacer [DIST. D=36 SP=1 L=13 Fe360]
	11	3110040	1	Female plug [TAPPO F JIC 9/16-18]


Lifting hydraulic cylinder

Table code

Sheet

W510250300-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W510201000	1	Cylinder
	2	W510200300	1	Rod unit
	3	W120111	1	Head (Rod)
	4	W105105	1	Piston
	5	3040322	1	Stopnut [M20 8.G basso UNI 7474]
	6	W359016	1	Seal
	7	W360019	1	O-ring joint
	8	W360024	1	O-ring joint
	9	W358030	1	Seal
	10	W361013	1	Seal (Oil seal)
	11	W304015	1	Anti-extrusion ring
	12	3070215	1	Snap ring
	13	3070052	1	Seeger
	14	W102149	1	Bushing
	15	3450075	1	O-ring joint
RC	16	W365137	1	Seal kit

510250300-1-0


1st Boom

Table code

Sheet

W052204-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202000	1	Main boom
	2	W101255	2	Pin assembly
	3	3070211	4	Snap ring
RC	4	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	W370300900	2	Slide shoe
RC	7	W370300800	4	Button (Control board)
	8	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	9	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	10	3060683	2	Spring (Backlash)


1st Extension

Table code

Sheet

W520251400-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202100	1	
	2	W101218	1	Pin assembly
	3	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	4	3040498	2	Self-locking ringnut
RC	5	W370300900	4	Slide shoe
RC	6	W370300800	8	Button (Control board)
RC	7	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	8	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	9	W101213	1	Pin assembly
	10	3040318	1	Stopnut [Dado Stop M14 basso]
	11	W520250500	1	
	12	W470017	1	Valve
	13	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	15	W520202700	1	
	16	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	17	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]


2nd extension

Table code

Sheet

W520251500-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202200	1	
RC	2	W520202500	4	Slide shoe
RC	3	3060683	2	Spring (Backlash)
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	6	W520250500	1	
	7	W101213	1	Pin assembly
	8	W101218	1	Pin assembly
	9	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	10	3040498	2	Self-locking ringnut
	11	W470853	1	Sequence valve
	12	3120065	1	Straight pipe fitting
	13	3101040	1	Straight pipe fitting [9/16-18 3/8"CL. D10]
	14	W520202800	1	
	15	W520202900	1	


1th and 2nd extension hydraulic cylinder

Table code

Sheet

W520250500-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540201800	1	Extension
	2	W520201900	1	
	3	W105058	1	Piston
	4	W120061	1	Close nipple
	5	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	6	W360070	1	O-ring joint
	7	W359035	1	Seal
	8	W360010	1	
	9	W304004	1	Anti-extrusion ring
	10	W358022	1	Seal
	11	W361011	1	Seal (Oil seal)
RC	12	W365064	1	Seal kit


Telescopic element (1st)

Table code

Sheet

W510251000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W510200900	1	
RC	2	W370300900	2	Slide shoe
RC	3	W370300800	4	Button (Control board)
	4	W510201100	2	
	5	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	6	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
RC	7	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	8	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	9	W101046	1	Pin
	10	3060753	1	Cotter pin (Locking ring)
	11	W664003	1	Knob (Control lever)

Manual extension ("A")


Table code

Sheet

W520251600-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520202400	1	Manual extension [1^X315A1]
	2	3060753	1	Cotter pin (Locking ring)
	3	W101324	1	Pin
	4	W664003	1	Knob (Control lever)



Manual extension ("B")


Table code

Sheet


W520251700-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520202300	1	Manual extension [1^X315A2 - 2^X315A1]
	2	W664003	2	Knob (Control lever)
	3	W101046	1	Pin
	4	3060753	3	Cotter pin (Locking ring)
	5	W101324	1	Pin
	6	W101080	1	Pin assembly
	7	W599005	1	Swivel hook
	8	W130302900	2	Guide bushing (Hook)
	9	W520201600	1	Hook coupling
	10	W370400700	4	Button (Coupling backlash)



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	




Set of hoses

Table code

Sheet

W444252-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260774	2	Flexible hose
	2	5260773	2	Flexible hose
	3	5260775	2	Flexible hose
	4	5000047	5	Clamp (Rigid Pipe)
	5	3060101	5	Tooth lock washer [D.6 TIPO A]
	6	3010016	5	Hex screw [M6X30 8.8 ZC UNI 5737]
	7	3190198	2,7m	Sheath (Flexible hose)

444252 -1 - 0

Completion parts


Table code

Sheet

W051001-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520050100	1	Assembly kit
	1.1	3010481	4	Hex screw [M20x70 10.9 ZC UNI 5738]
	1.2	3060012	8	Flat washer [D.21X37X3 UNI 6592 ZC]
	1.3	3040379	4	Stopnut
	2	W170304700	1	Guide bushing (Hook)
	3	W599002	1	Swivel hook
	4	W101151	1	Pin assembly
	5	3060753	1	Cotter pin (Locking ring)
	6A1	W572224	1	
	6A2	W572225	1	




WINCH KIT

Table code

Sheet

7834258-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5720063	1	
	2	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
RC	3	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040326	4	Stopnut
	5	W664003	1	Knob (Control lever)
	6	W101324	1	Pin
	7	3060753	2	Cotter pin (Locking ring)
	8	3060014	4	Flat washer [D.25X44X4 UNI 6592 ZC]
	9	W101163	2	Pin
	10	W530500500	1	
	11	W101169	1	
	12	W317004	1	Pulley
	13	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	14	5730010	mt27	
	15	W380502700	1	Counterweight (Rope tightener)
	16	W101350	1	Pin assembly
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3040081	2	Lock nut [M6 6S UNI 5589 ZC]
	19	3060757	2	Cotter pin (Locking ring)


ACTUATION FOR WINCH

Table code

Sheet

7834258-2.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	3101042	2	Straight pipe fitting [3/4-16 1/4"CIL. D12]
	3	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	5	5000077	2	Clamp (Rigid Pipe)
	6	W340501400	2	Support (Clamp)
	7	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]



601T RDC



R	Pos.	Variant Code	Q.ty	Description
	1	5091139	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES


Control valve (4 section)

Table code

Sheet


5220416-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225846	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225768	8	
	12	5225755	1	
	13	5225760	1	
	14	5225724	3	
	15	5225757	3	
	16	5225818	1	
RC	17	5225733	1	Seal kit
	18	5225732	1	8 elements unit fixing
	19	5225843	1	5 elements unit fixing stud
	20	5225715	1	Slider (CC)

R	Pos.	Variant Code	Q.ty	Description
21	5225722	5	Control lever	
22	5225723	4		
23	5225727	1	Cylinder head (Closing)	
24	5225730	1	6 elements unit fixing stud	
25	5225731	1	7 elements unit fixing stud	
26	5225716	3	Slider (CA)	







Table code	Sheet
5400483-2.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5091139	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES


Control unit (RDC / NOCE)

Table code

Sheet


5402246-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091453	1	Guard (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES




Control valve (4 section)

Table code

Sheet


5220416-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225887	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225881	2	Control valve element
	12	5225886	2	Control valve element
	13	5225878	2	Control valve element
	14	5225883	2	Control valve element
	15	5225802	1	Knob (Red)
RC	16	5225733	1	Seal kit
	17	5225732	1	8 elements unit fixing
	18	5225843	1	5 elements unit fixing stud
	19	5225715	2	Slider (CC)
	20	5225800	5	Control lever

R	Pos.	Variant Code	Q.ty	Description
21		5225801	4	Knob (Black)
22		5225727	1	Cylinder head (Closing)
23		5225730	1	6 elements unit fixing stud
24		5225731	1	7 elements unit fixing stud
25		5225716	2	Slider (CA)




High pressure filter

Table code


Sheet

5400814-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	5	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	6	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3110041	1	Female plug



R	Pos.	Variant Code	Q.ty	Description
	1	5090016	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220415 (12V)	1	
	6 B	5220429 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)



R	Pos.	Variant Code	Q.ty	Description
	1	5091456	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)


Kit (Wireless control)

Table code

Sheet


3310183-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		4	Stopnut [Dado Stop M5-70 norm.]
7	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310183		1	
14	3310908		1	
15	3311152		1	
16	3310688		1	
17	3310852		1	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	1	
	22	3310754	1	
	23	3311195	5	
	24	3311197	6	
	25	3311196	1	




Complete wireless control (ETR)

Table code

Sheet


7892500-4.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311510		1	Electric wiring (ETR)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




HYDRAULIC SYSTEM GAUGE

Table code

Sheet


7920056-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	1	Pressure gauge
	2	3020950	3	Special screw
	3	W458458	1	Connecting pipe (Pressure gauge)
	4	3120200	1	Reducing fitting
	5	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	5260337	1	Flexible hose
	7	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3060143	1	Sealing washer [BSP 1/4"]

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	




WINCH KIT

Table code


Sheet

7834068-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W484041	1	
	2	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
RC	3	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040326	4	Stopnut
	5	W664003	1	Knob (Control lever)
	6	W101324	1	Pin
	7	3060753	4	Cotter pin (Locking ring)
	8	3060014	4	Flat washer [D.25X44X4 UNI 6592 ZC]
	9	W101163	2	Pin
	10	W530500500	1	
	11	W101169	1	
	12	W317004	1	Pulley
	13	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	14	W597018	1	
	15	W380502700	1	Counterweight (Rope tightener)
	16	W101083	1	Pin
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3040081	2	Lock nut [M6 6S UNI 5589 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	3101042	2	Straight pipe fitting [3/4-16 1/4"CIL. D12]
	3	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	5	5000077	2	Clamp (Rigid Pipe)
	6	W340501400	2	Support (Clamp)
	7	W648005	2	
	8	3040039	2	Tall headed nut


WINCH KIT (Electrical equipment)

Table code

Sheet

7834068-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311206	1	
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	4	3310884	1	WIRING FOR WINCH
	5	3310665	1	
	6	3310664	1	
	7	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	8	3010025	6	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	10	W440509500	2	Microswitch support (Lifting)
	11	W251013	1	Microswitch (Stop)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	14	W440509600	1	Sensor (Stop)
	15	W128034	4	Collar (Flexible hose)
	16	W537102	2	
	17	3040372	7	Stopnut [M6-70 UNI7473 NORM. ZC.]





RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7881795.1

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010055	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3060006	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060683	Spring (Backlash)				
3060914	Flat washer				
3060918	Tooth lock washer				
3180138	Oil filter				
3180139	Filtering cartridge				
3180150	Pressure gauge				
3311354	Lighting (Audible alarm)				
5220300	Hose burst valve (Sleeve)				
5225733	Seal kit				
W102182	Bushing				
W102183	Bushing				
W350017	Oil filter (return line)				
W350717	Filter cartridge				
W365064	Seal kit				
W365084	Seal kit				
W365137	Seal kit				
W370300800	Button (Control board)				
W370300900	Slide shoe				
W510200800	Thrust bearing ring				
W520202500	Slide shoe				