




Model
TELESCOPIC 1 BOOM
602T

Logbook code
7881796.1
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity	Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)			238	5630006-1.0	1	JIB ARM		
215	820 EBB - EN 12000 - A3					240	5490007-1.0	1	1st EXTENSION (JIB)		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)			241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)			242	5590100-2.0	1	ACTUATIONS FOR 1S		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)			244	6410160-1.0	1	1st EXTENSION HYDRAULIC		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)			245	5530006-1.0	1	2nd EXTENSION		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)			246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X			247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			249	5780017-1.0	1	Coupling (Articulated extension)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			252	6430131-1.0	1	Articulation Hydraulic jack		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)			255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
233	7892193-1.0	1	Wireless control kit (Hz EU)			256	5400335-1.0	1	Support (Articulated extension)		
234	7892194-1.0	1	Wireless control kit (Hz USA)			257	820 CIA				
235	7892206-1.0	1	Wireless control kit (Hz AUS)			258	5550096-1.0	1	1st ACTIVATION FOR 1S		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)			259	5550096-2.0	1	1st ACTIVATION FOR 1S		
237	820 5S - JIB 2S										

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

Sheet

7881796.1
1/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	W520151200-1.1	1	Base		
11	W520151200-2.0	1	Base (" BST ")		
12	W520151300-1.1	1	Base		
13	W520151300-2.0	1	Base (" BSC ")		
14	W052101-1.0	1	SLEWING ASS'Y		
16	W520152000-1.0	1	Stabilizer rod		
17	W5201019-1.0	1	BASE WITH 1 CROSSBAR (" BPS ")		
18	5405041-1.0	1	Kit CE (STABILITY CONTROL)		
19	W520451200-1.0	1	Stabilizers rods (Fixed - Mechanic)		
21	W520451100-1.0	1	Stabilizers rods (Fixed)		
23	5411029-3.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
24	5405040-2.0	1	Kit CE (STABILITY CONTROL)		
26	W520450100-1.0	1	Stabilizer Hydraulic jack		
27	W520450100-1.1	1	Stabilizer Hydraulic jack		
28	W520451000-1.0	1	Stabilizers rods (Revolving)		
30	W360450200-1.1	1	Stabilizer Hydraulic jack (Hydraulic system)		
31	W360450100-1.5	1	Stabilizer Hydraulic jack		
32	W520451000-2.0	1	Stabilizers rods (Revolving)		
33	W360450200-1.2	1	Stabilizer Hydraulic jack (Hydraulic system)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
34	W360450100-1.6	1	Stabilizer Hydraulic jack		
35	W5204510LU-1.0	1	Stabilizer connecting rods extra-extensible revolving		
36	6200273-1.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
37	6400273-1.0	1	Stabilizer Hydraulic jack		
38	W520554600-1.0	1	Moment limiting device		
39	5405038-1.0	1	Moment limiting device (CE)		
40	W338000-1.0	1	Control valve		
41	W338034-3.0	1	Control valve (4 section)		
42	W338035-1.0	1	Control valve (CE)		
43	W520552300-1.0	1	Motor pump (Electrical equipment)		
44	W520555300-1.0	1	Motor pump (Electrical equipment)		
45	W530551000-1.1	1	Hydraulic oil tank		
46	W530551000-2.1	1	Hydraulic oil tank		
47	W530551000-1.0	1	Hydraulic oil tank (CE)		
48	W530551000-2.0	1	Hydraulic oil tank (CE)		
49	W350017-1.0	1	Oil filter		
50	W444205-1.0	1	Set of hoses		
51	W052201-1.2	1	Column		
52	W520250400-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
53	W520250300-1.0	1	Lifting hydraulic cylinder		

Table index

Logbook code

7881796.1

Sheet

2/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
54	W052204-1.0	1	1st Boom		
55	W520251400-1.1	1	1st Extension		
56	W520251500-1.1	1	2nd extension		
57	W520250500-1.1	1	1th and 2nd extension hydraulic cylinder		
58	W520251600-1.0	1	Manual extension ("A")		
59	W520251700-1.0	1	Manual extension ("B")		
60	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
61	W052003-1.0	1	Completion parts		
63			602T RDC		
64	5400483-1.0	1	CONTROLS		
66	5402246-1.0	1	Control unit (RDC / NOCE)		
68	5220416-1.0	1	Control valve (4 section)		
70	5400814-1.0	1	High pressure filter		
71	7892099-2.0	1	Complete wireless control (not CE)		
73	7892500-1.0	1	Complete wireless control (PTO)		
75	5400482-1.0	1	ELECTRICS CONTROLS		
76	5402259-1.0	1	ELECTRICS CONTROLS (ETR)		
77	7920056-1.0	1	HYDRAULIC SYSTEM GAUGE		
78	5405017-2.0	1	Moment limiting device		
79	3310183-1.0	1	Kit (Wireless control)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
81	7892500-4.0	1	Complete wireless control (ETR)		
83	5405017-1.0	1	Auxiliary wiring		
84	3310822-1.0	1	Light column		
85	5405017-3.0	1	Auxiliary wiring (Limiting device)		
86	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
87	7834068-1.0	1	WINCH KIT		
88	7834068-2.0	1	ACTUATION FOR WINCH		
89	7834068-3.0	1	WINCH KIT (Electrical equipment)		
91			602T RDC EN12999-A3		
92	5401470-1.0	1	Control unit (RDC)		
94	5402252-1.0	1	Control unit (RDC / CE)		
96	5220416-2.0	1	Control valve (4 section)		
98	5405050-3.0	1	Kit CE (STABILITY CONTROL)		
100	5405050-5.0	1	STABILITY CONTROL (EN12999-A3)		
101	5405046-1.0	1	Moment limiting device (CE)		
103	5405046-3.0	1	Moment limiting device (CE)		
104	7892099-3.0	1	Kit (Wireless control)		
106	7892500-2.0	1	Complete wireless control (PTO)		
108	5401528-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		
110	5402262-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		

Table index

Logbook code

Sheet





7881796.1
3/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
112	5405050-4.0	1	Kit CE (STABILITY CONTROL)		
114	5405050-6.0	1	STABILITY CONTROL (EN12999-A3)		
115	5405046-2.0	1	Moment limiting device (CE)		
116	5405046-4.0	1	Moment limiting device (EN12999-A3)		
117	7892099-5.0	1	Kit (Wireless control)		
119	7892500-3.0	1	Complete wireless control (EN12999-A3)		


Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------



R	Pos.	Variant Code	Q.ty	Description
1	5502000	1	kit	Standard instructions sticker
2	5813851	4	Label (Stabilizer connecting rods)	



R	Pos.	Variant Code	Q.ty	Description
	1	W520101100	1	
	2	W010000100	8	
	3	3060022	16	Flat washer
	4	3040052	16	Tall headed nut
	5	3040088	16	Lock nut
	6	W738018	8	Tie rod
	7	W050000200	4	Anchoring bracket



VALIDO FINO A GENNAIO 2011
VALID UNTIL JANUARY 2011


Base (" BST ")

Table code

Sheet

W520151200-2.0

1/1




VALIDO DA Febbraio 2011

VALID FROM February 2011


R	Pos.	Variant Code	Q.ty	Description
1		W520101100	1	
2		5000084	16	Small plate
3		3060022	16	Flat washer
4		3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
5		3190289	8	Tip (Rubber protection)
6		W738018	8	Tie rod
7		W050000200	4	Anchoring bracket
8		W560402000	2	Adjuster (Button) [M24X2 By Nylon]
9		3040251	2	Lock nut [M24 8.G basso UNI 5589]
10		3060026	2	Spring pin
11		W360451200	2	Kit (Spring)
12		3060685	2	Spring (Block)
13		3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
14		3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
	1	W520101200	1	
	2	W010000100	8	
	3	3060022	16	Flat washer
	4	3040052	16	Tall headed nut
	5	3040088	16	Lock nut
	6	W738018	8	Tie rod
	7	W050000200	4	Anchoring bracket



VALIDO FINO A GENNAIO 2011

VALID UNTIL JANUARY 2011



R	Pos.	Variant Code	Q.ty	Description
1		W520101200	1	
2		5000084	16	Small plate
3		3060022	16	Flat washer
4		3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
5		3190289	8	Tip (Rubber protection)
6		W738018	8	Tie rod
7		W050000200	4	Anchoring bracket
8		W560402000	2	Adjuster (Button) [M24X2 By Nylon]
9		3040251	2	Lock nut [M24 8.G basso UNI 5589]
10		3060026	2	Spring pin
11		W360451200	2	Kit (Spring)
12		3060685	2	Spring (Block)
13		3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
14		3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

VALIDO DA Febbraio 2011

VALID FROM February 2011


SLEWING ASS'Y

Table code

Sheet

W052101-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W520100200	1	
	2	W520100300	1	
	3	3080513	1	Grease nipple
	4	W379008	1	
	5	3020099	2	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	6	3060018	10	Flat washer [D.12 UNI 6592 ZC]
	7	3010375	8	Hex screw
	8	3110062	2	Plug
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	W568302	1	
RC	11	W360092	1	O-ring joint
	12	3070038	1	Seeger
	13	W540101500	1	
	14	3450084	1	O-ring joint
	15	3070208	1	Seeger
	16	W520101000	1	
RC	17	W102170	1	Bushing
RC	18	W360071	1	O-ring joint
RC	19	W520100400	1	Thrust bearing ring
RC	20	W520101500	1	Shim ring

SLEWING ASS'Y


Table code

Sheet

W052101-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141047	1	Bushing
	22	W545002	2	
	23	W102134	1	Bushing
	24	3101041	2	Straight pipe fitting [9/16-18 1/2"CL. D10]
	25	3110061	1	Plug [BSP 3/8"]
	26	3060144	1	Sealing washer [BSP 3/8"]




Stabilizer rod

Table code

Sheet

W520152000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520400800	1	
	2	W370400700	4	Button (Coupling backlash)
	3	W520101400	1	
	4	W520401300	1	
	5	W520401400	1	
	6	W520401500	1	
	7	3070032	1	Seeger
	8	3040335	8	Stopnut
	9	3020500	8	TSEI screw [M10X35 8.8 ZC UNI 5933]
	10	W101326	1	
	11	W662003	1	


BASE WITH 1 CROSSBAR (" BPS ")

Table code

Sheet

W5201019-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W520101900	1	Tubular (Rod)
2		W520102000	1	Counter-flange
3		3040251	1	Lock nut [M24 8.G basso UNI 5589]
4		W560402000	1	Adjuster (Button) [M24X2 By Nylon]
5		3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
6		3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
7		3060685	1	Spring (Block)
8		3060026	1	Spring pin
9		W520452000	1	Kit (Spring)


Kit CE (STABILITY CONTROL)

Table code

Sheet

5405041-1.0

1/1



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5000193	1	
	8	3311341	1	
	9	3311339	1	Dashboard
	10	3311350	1	Electric wiring
	11	3311342	2	Electric wiring
	12	W520501900	1	
RC	13	3311311	2	Proximity switch (Position sensor)
	14	5000420	1	Support (Proximity switch)
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	17	5150033	1	
	18	5000422	1	Support (Proximity switch)
	19	3311344	1	
	20	3040251	1	Lock nut [M24 8.G basso UNI 5589]


Stabilizers rods (Fixed - Mechanic)

Table code

Sheet


W520451200-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W662003	1	
	2	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
RC	3	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040335	4	Stopnut
	5	W456098	2	
	6	3101080	2	Tee fitting
	7	W520401000	2	
	8	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	9	3060055	3	Split lock washer [D=8.4 C72 ZC]
	10	5000077	3	Clamp (Rigid Pipe)
	11	W456858	2	
	12	W520400700	1	
	13	W370400700	8	Button (Coupling backlash)
	14	5220048	1	Valve (Cock)
	15	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	16	W370401500	1	
	17	W520401100	1	
	18	W520400500	1	
RC	19	3020080	1	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	20	W520450100	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3110053	2	Plug




Stabilizers rods (Fixed)

Table code

Sheet

W520451100-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
RC	1	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	2	W520400400	1	
	3	W520400500	1	
	4	W370400700	8	Button (Coupling backlash)
	5	W520401100	2	
	6	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	W456858	2	
	8	W456859	2	Flexible hose
	9	5220048	2	Valve (Cock)
	10	W370401500	2	
	11	W664018	2	Handle (Polyvinyl chloride)
	12	W520450100	2	
	13	W456098	2	
	14	W520401800	2	
	15	3101080	2	Tee fitting
	16	W520401000	2	
	17	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	18	3060918	3	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	19	5000077	3	Clamp (Rigid Pipe)
	20	W370401800	2	Handle (Rod)

Stabilizers rods (Fixed)


Table code

Sheet

W520451100-1.0

2/2


R	Pos.	Variant Code	Q.ty	Description
	21	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	22	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]



CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5411029-3.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3060053	4	Split lock washer [D=6.4 C72 ZC]
	7	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]

Kit CE (STABILITY CONTROL)


Table code

Sheet

5405040-2.0

1/2

VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5000193	1	
	8	3311341	1	
	9	3311339	1	Dashboard
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	5150033	1	
	18	5000422	2	Support (Proximity switch)
	19	3311344	1	
	20	W520501900	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]

VALIDO DA Gennaio 2011

VALID FROM January 2011



Stabilizer Hydraulic jack


Table code

Sheet

W520450100-1.0

1/1

VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W520400200	1	
	2	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W359013	1	
	6	W360003	1	
	7	W360022	1	
	8	W304016	1	
	9	W358002	1	Seal
	10	W361012	1	Seal (Oil seal)
	11	W120065	1	
	12	W520400300	1	
RC	13	W365084	1	Seal kit




Stabilizer Hydraulic jack

Table code

Sheet

W520450100-1.1

1/1



VALIDO da LUGLIO 2010
VALID FROM JULY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W520400200	1	
	2	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W359013	1	
	6	W360003	1	
	7	W360022	1	
	8	W304016	1	
	9	W358002	1	Seal
	10	W361012	1	Seal (Oil seal)
	11	W120065	1	
	12	W520401900	1	
RC	13	W365084	1	Seal kit

Stabilizers rods (Revolving)

Table code


Sheet

W520451000-1.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	W360450200	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	

VALIDO FINO A GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	21	5000078	2	Swash -plate

VALIDO FINO A GIUGNO 2010
VALID UNTIL JUNE 2010




Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

W360450200-1.1


1/1



VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010

R	Pos.	Variant Code	Q.ty	Description
1		W360450100	1	
2		W470053	1	Manually operated valve
3		3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
4		W360501600	1	
5		3060143	1	Sealing washer [BSP 1/4"]
6		3080500	1	Grease nipple

VALIDO FINO a GIUGNO 2010
VALID UNTIL JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W360400400	1	
	2	W360400500	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit

Stabilizers rods (Revolving)


Table code

Sheet

W520451000-2.0

1/1

VALIDO da LUGLIO 2010
VALID FROM JULY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W360450200	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	


Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

W360450200-1.2

1/1



VALIDO da LUGLIO 2010
VALID FROM JULY 2010

R	Pos.	Variant Code	Q.ty	Description
	1	W360450100	1	
	2	W470053	1	Manually operated valve
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	W360501600	1	
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3080500	1	Grease nipple


Stabilizer Hydraulic jack

Table code

Sheet

W360450100-1.6

1/1




VALIDO da LUGLIO 2010
VALID FROM JULY 2010

R	Pos.	Variant Code	Q.ty	Description
	1	W360400400	1	
	2	W360401000	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit

Stabilizer connecting rods extra-extensible revolving

Table code
W5204510LU-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200273	2	Stabilizer Hydraulic jack
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070041	2	Seeger
	5	W080400300	2	Pin
	6	W559501	2	Cotter pin
	7	W520400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W520401800	2	
	11	3101080	2	Tee fitting
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	W664018	2	Handle (Polyvinyl chloride)
	17	W370400700	10	Button (Coupling backlash)
	18	W360400100	1	
	19	W456858	2	
	20	W520401000	2	

Stabilizer Hydraulic jack (Hydraulic system)


Table code

Sheet

6200273-1.0


1/1

**VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA**



R	Pos.	Variant Code	Q.ty	Description
	1	6400273	1	Stabilizer Hydraulic jack
	2	W470053	1	Manually operated valve
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	5390208	1	Iron pipe
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3080500	1	Grease nipple

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA



R	Pos.	Variant Code	Q.ty	Description
	1	6070617	1	Cylinder
	2	6030134	1	Rod unit (Support base)
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105068	1	
	5	W360003	1	
	6	W359013	1	
	7	W360022	1	
	8	W304016	1	
	9	W120065	1	
	10	W358002	1	Seal
	11	W361012	1	Seal (Oil seal)
	12	3080500	1	Grease nipple
RC	13	W365084	1	Seal kit

Moment limiting device


Table code

Sheet

W520554600-1.0

1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1		W520550700	1	Dashboard (Electric)
2		W520503100	1	
3		W520503000	1	
4		3310080	2	Microswitch
5		W242002	1	
6		W287002	1	
7		W470619	1	
8		3310238	1	Solenoid (12V)
9		3310242	1	Solenoid (24V)
10		W520501900	1	
11		3040010	2	Tall headed nut
12		3060003	2	Flat washer [D.4 UNI 6592 ZC]
13		3020954	2	


Moment limiting device (CE)

Table code

Sheet

5405038-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311339		1	Dashboard
2	3311344		1	
3	3311340		1	Electric wiring
4	3020954		2	
5	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
6	3310612		1	Pressure sensor
7	5225770		1	Solenoid valve
8	3310238		1	Solenoid (12V)
9	3310242		1	Solenoid (24V)
10	W520501900		1	
11	3040041		2	Nut
12	3060003		2	Flat washer [D.4 UNI 6592 ZC]
13	3020019		2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
14	5002055		1	Manifold (Pick-up)
15	3060143		2	Sealing washer [BSP 1/4"]
16	3110078		1	Bolt (banjo bolt)
17	5160001		1	Electric wiring



Control valve

Table code


Sheet

W338000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	W520502500	1	Cover (Control valve)
	10	W520550700	1	Dashboard (Electric)



33800A-1-1

Control valve (4 section)


Table code

Sheet

W338034-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W338034	1	Control valve ass'y
	2	5225689	4	Rubber protective boot
	3	WVA0110	4	Control lever
	4	WVA0116	3	Slider
	5	5226090	1	Max pressure valve
	6	WVA0117	1	Slider
	7	5225781	1	Seal kit
	8	5225959	1	Bushing
	9	5225960	4	Socket head cap screw [SDM080 TIPO "A"]
	10	5225786	3	cover with spring
	11	5225957	1	Bushing
	12	5226093	1	cover with spring
	13	5226061	1	Close nipple




Control valve (CE)

Table code


Sheet

W338035-1.0


1/1



VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	10	3110150	1	Reducing fitting
	11	3060144	1	Sealing washer [BSP 3/8"]
	12	3311339	1	Dashboard




Motor pump (Electrical equipment)

Table code

Sheet

W520552300-1.0

1/1



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
1		W318009	1	Hydraulic power unit
2		W318010	1	Hydraulic power unit
3		W370503200	1	Electric cable (positive pole)
4		W520501600	1	Electric wiring
5		W520502300	1	Electric cable
6		W264401	1	Switch
7		5710088	1	Relay (12V)
8		W370503300	1	Electric cable (negative pole)
9		3310080	1	Microswitch
10		W520550700	1	Dashboard (Electric)
11		5710096	1	Relay (24V)
12		3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
13		W370504500	1	Support bracket (Switch)


Motor pump (Electrical equipment)

Table code

Sheet


W52055300-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W318009	1	Hydraulic power unit
2		W318010	1	Hydraulic power unit
3		W370503200	1	Electric cable (positive pole)
4		W520501600	1	Electric wiring
5		W520502300	1	Electric cable
6		W264401	1	Switch
7		5710088	1	Relay (12V)
8		W370503300	1	Electric cable (negative pole)
9		3310080	1	Microswitch
10		3311339	1	Dashboard
11		5710096	1	Relay (24V)
12		3101042	1	Straight pipe fitting [3/4-16 1/4"CIL. D12]
13		W370504500	1	Support bracket (Switch)
14		3311340	1	Electric wiring
15		3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
16		5701014	1	Casing (Power pack)

Hydraulic oil tank




VALIDO FINO a Settembre 2010
VALID UNTIL September 2010

Table code	Sheet
W530551000-1.1	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	2	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Hydraulic oil tank



Valido da Matricola : 29279

Valid from S / N : 29279

Table code	Sheet
W530551000-2.1	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	1	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3110072	1	Plug
	11	3060146	1	Sealing washer [BSP 3/4"]

Hydraulic oil tank (CE)


Table code

Sheet

W530551000-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110065	1	Plug [BSP 1/2"]
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer



Hydraulic oil tank (CE)

Table code

Sheet

W530551000-2.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110072	1	Plug
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer
	15	3060146	1	Sealing washer [BSP 3/4"]

VALIDO DA LUGLIO 2010
VALID FROM JULY 2010

Valido da Matricola : 29279

Valid from S / N : 29279



Oil filter


Table code

Sheet

W350017-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	W350017	1	Oil filter (return line)
RC	2	W350717	1	Filter cartridge



Set of hoses


Table code


Sheet

W444205-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	5260774	2	Flexible hose
	3	5260773	2	Flexible hose





052201-1-2

R	Pos.	Variant Code	Q.ty	Description
	1	W520200400	1	
	2	W101255	1	Pin assembly
	3	W509305	2	
	4	W102150	2	Bushing [MB3025 DU D.34 d.30 L.25mm]
	5	W128038	1	
	6	3010016	3	Hex screw [M6X30 8.8 ZC UNI 5737]
	7	3060101	3	Tooth lock washer [D.6 TIPO A]
	8	W742003	2,7m	
	9	W732001	1	Anti-vibrating support
	10	5140788	1	Roller (Turnsbasket)
	11	5001111	1	Washer (Insulator) [D.13X75X3 FE360 ZC]


Lifting hydraulic cylinder (Hydraulic system)

Table code

Sheet

W520250400-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520250300	1	Lifting hydraulic cylinder
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	W520201500	1	Bonderized tube
	4	W470052	1	Valve (Overcenter)
	5	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	9	3060144	1	Sealing washer [BSP 3/8"]


Lifting hydraulic cylinder

Table code

Sheet

W520250300-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520201000	1	Cylinder
	2	W102150	4	Bushing [MB3025 DU D.34 d.30 L.25mm]
	3	W520201100	1	Spacer
	4	3040381	1	Stopnut
	5	W105001	1	Piston
	6	W102133	1	Bushing
	7	W370200700	1	Ring nut
	8	W370200500	1	Cylinder head (Cylinder)
	9	W520200900	1	Rod unit
	10	W360200700	1	Spacer [DIST. D=36 SP=1 L=13 Fe360]
RC	11	W365059	1	Seal kit

1st Boom


Table code

Sheet

W052204-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520202000	1	Main boom
	2	W101255	2	Pin assembly
	3	3070211	4	Snap ring
RC	4	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	W370300900	2	Slide shoe
RC	7	W370300800	4	Button (Control board)
	8	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	9	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	10	3060683	2	Spring (Backlash)




1st Extension

Table code

Sheet

W520251400-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202100	1	
	2	W101218	1	Pin assembly
	3	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	4	3040498	2	Self-locking ringnut
RC	5	W370300900	4	Slide shoe
RC	6	W370300800	8	Button (Control board)
RC	7	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	8	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	9	W101213	1	Pin assembly
	10	3040318	1	Stopnut [Dado Stop M14 basso]
	11	W520250500	1	
	12	W470017	1	Valve
	13	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	15	W520202700	1	
	16	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	17	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]


2nd extension

Table code

Sheet

W520251500-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202200	1	
RC	2	W520202500	4	Slide shoe
RC	3	3060683	2	Spring (Backlash)
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	6	W520250500	1	
	7	W101213	1	Pin assembly
	8	W101218	1	Pin assembly
	9	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	10	3040498	2	Self-locking ringnut
	11	W470853	1	Sequence valve
	12	3120065	1	Straight pipe fitting
	13	3101040	1	Straight pipe fitting [9/16-18 3/8"CL. D10]
	14	W520202800	1	
	15	W520202900	1	


1th and 2nd extension hydraulic cylinder

Table code

Sheet

W520250500-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540201800	1	Extension
	2	W520201900	1	
	3	W105058	1	Piston
	4	W120061	1	Close nipple
	5	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	6	W360070	1	O-ring joint
	7	W359035	1	Seal
	8	W360010	1	
	9	W304004	1	Anti-extrusion ring
	10	W358022	1	Seal
	11	W361011	1	Seal (Oil seal)
RC	12	W365064	1	Seal kit

Manual extension ("A")


Table code

Sheet

W520251600-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520202400	1	Manual extension [1^X315A1]
	2	3060753	1	Cotter pin (Locking ring)
	3	W101324	1	Pin
	4	W664003	1	Knob (Control lever)




Manual extension ("B")

Table code

Sheet


W520251700-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W520202300	1	Manual extension [1^X315A2 - 2^X315A1]
	2	W664003	2	Knob (Control lever)
	3	W101046	1	Pin
	4	3060753	3	Cotter pin (Locking ring)
	5	W101324	1	Pin
	6	W101080	1	Pin assembly
	7	W599005	1	Swivel hook
	8	W130302900	2	Guide bushing (Hook)
	9	W520201600	1	Hook coupling
	10	W370400700	4	Button (Coupling backlash)

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	



Completion parts


Table code

Sheet

W052003-1.0

1/1


R	Pos.	Variant Code	Q.ty	Description
1		W520050100	1	Assembly kit
1/1		3010481	4	Hex screw [M20x70 10.9 ZC UNI 5738]
1/2		3060012	8	Flat washer [D.21X37X3 UNI 6592 ZC]
1/3		3040379	4	Stopnut
2		W572165	1	
3		W599002	1	Swivel hook
4		W101151	1	Pin assembly
5		3060753	1	Cotter pin (Locking ring)
6		W170304700	1	Guide bushing (Hook)








602T RDC



R	Pos.	Variant Code	Q.ty	Description
	1	5091139	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES


Control unit (RDC / NOCE)

Table code

Sheet


5402246-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091453	1	Guard (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES




Control valve (4 section)

Table code

Sheet

5220416-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225846	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225768	8	
	12	5225755	1	
	13	5225760	1	
	14	5225724	3	
	15	5225757	3	
	16	5225818	1	
RC	17	5225733	1	Seal kit
	18	5225732	1	8 elements unit fixing
	19	5225843	1	5 elements unit fixing stud
	20	5225715	1	Slider (CC)


Control valve (4 section)

Table code

Sheet

5220416-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225722	5	Control lever
	22	5225723	4	
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225716	3	Slider (CA)


High pressure filter

Table code


Sheet

5400814-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	5	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2" CIL.]
	6	3101044	1	Straight pipe fitting [3/4-16 1/2" CIL. D12]
	7	3110041	1	Female plug



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		8	Stopnut [Dado Stop M5-70 norm.]
7	3020023		8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310860		1	
14	3310908		1	
15	3310688		1	
16	3310852		1	
17	3310862		2	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	




Complete wireless control (PTO)

Table code

Sheet


7892500-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311509		1	Electric wiring (Wireless control)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5090016	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220415 (12V)	1	
	6 B	5220429 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)



R	Pos.	Variant Code	Q.ty	Description
	1	5091456	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)

HYDRAULIC SYSTEM GAUGE

Table code


Sheet

7920056-1.0

1/1

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	1	Pressure gauge
	2	3020950	3	Special screw
	3	W458458	1	Connecting pipe (Pressure gauge)
	4	3120200	1	Reducing fitting
	5	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	5260337	1	Flexible hose
	7	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3060143	1	Sealing washer [BSP 1/4"]

Moment limiting device

Table code


Sheet

5405017-2.0

1/1

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	2	3120309	1	Wall-through pipe fitting [MJ 9/16-18]
	3	3060009	1	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	4	5260337	1	Flexible hose
	5	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
RC	6	5220300	1	Hose burst valve (Sleeve)
	7	3060143	1	Sealing washer [BSP 1/4"]


Kit (Wireless control)

Table code

Sheet


3310183-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		4	Stopnut [Dado Stop M5-70 norm.]
7	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310183		1	
14	3310908		1	
15	3311152		1	
16	3310688		1	
17	3310852		1	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	1	
	22	3310754	1	
	23	3311195	5	
	24	3311197	6	
	25	3311196	1	




Complete wireless control (ETR)

Table code

Sheet


7892500-4.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311510		1	Electric wiring (ETR)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring


Table code

Sheet

5405017-1.0

1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3310876		1	
2	3310879		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020880		2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
10	3310822		1	
11	3310823		1	
12	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
13	W370508000		1	Support (Flashing light)
14	3040392		4	Stopnut [Dado Stop M5-70 norm.]
15	3310873		1	Pressure monitor


Light column

Table code

Sheet

3310822-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

Auxiliary wiring (Limiting device)

Table code

Sheet

5405017-3.0

1/1


Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712


VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3311169		1	
2	3311168		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020881		2	[M3X8 UNI7687 ZC TAGLIO CR.]
10	3311159		1	Signal Columns
11	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	W370508000		1	Support (Flashing light)
13	3040392		4	Stopnut [Dado Stop M5-70 norm.]
14	3310873		1	Pressure monitor

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236508	1	
	4	3311542	1	




WINCH KIT

Table code


Sheet

7834068-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W484041	1	
	2	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
RC	3	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040326	4	Stopnut
	5	W664003	1	Knob (Control lever)
	6	W101324	1	Pin
	7	3060753	4	Cotter pin (Locking ring)
	8	3060014	4	Flat washer [D.25X44X4 UNI 6592 ZC]
	9	W101163	2	Pin
	10	W530500500	1	
	11	W101169	1	
	12	W317004	1	Pulley
	13	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	14	W597018	1	
	15	W380502700	1	Counterweight (Rope tightener)
	16	W101083	1	Pin
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3040081	2	Lock nut [M6 6S UNI 5589 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	3101042	2	Straight pipe fitting [3/4-16 1/4"CIL. D12]
	3	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	5	5000077	2	Clamp (Rigid Pipe)
	6	W340501400	2	Support (Clamp)
	7	W648005	2	
	8	3040039	2	Tall headed nut


WINCH KIT (Electrical equipment)

Table code

Sheet

7834068-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311206	1	
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	4	3310884	1	WIRING FOR WINCH
	5	3310665	1	
	6	3310664	1	
	7	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	8	3010025	6	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	10	W440509500	2	Microswitch support (Lifting)
	11	W251013	1	Microswitch (Stop)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	14	W440509600	1	Sensor (Stop)
	15	W128034	4	Collar (Flexible hose)
	16	W537102	2	
	17	3040372	7	Stopnut [M6-70 UNI7473 NORM. ZC.]





602T RDC EN12999-A3


Control unit (RDC)

Table code

5401470-1.0

Sheet

1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091324	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

Control unit (RDC)


Table code

Sheet

5401470-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	W370508300	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091452	1	Protective guard (Control valve)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	5091488	1	Cover (Moment limiting device)
	26	3011000	2	Handwheel
	27	5091548	1	Protective guard (Control levers)


Control valve (4 section)

Table code

Sheet

5220416-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225887	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225881	2	Control valve element
	12	5225886	2	Control valve element
	13	5225878	2	Control valve element
	14	5225883	2	Control valve element
	15	5225802	1	Knob (Red)
RC	16	5225733	1	Seal kit
	17	5225732	1	8 elements unit fixing
	18	5225843	1	5 elements unit fixing stud
	19	5225715	2	Slider (CC)
	20	5225800	5	Control lever


Control valve (4 section)

Table code


Sheet

5220416-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	4	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225716	2	Slider (CA)


VALIDO DA Gennaio 2011**VALID FROM January 2011**

R	Pos.	Variant Code	Q.ty	Description
RC	1	5000426	1	Support (Proximity switch)
	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5001842	1	Microswitch support
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	5000422	2	Support (Proximity switch)
	19	3040391	1	Hexagonal nut (Normal)
	20	3060223	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]


VALIDO DA Gennaio 2011

VALID FROM January 2011



2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	2	Support (Proximity switch)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5000422	2	Support (Proximity switch)
	15	3040251	2	Lock nut [M24 8.G basso UNI 5589]

Moment limiting device (CE)


Table code

Sheet

5405046-1.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]

VALIDO DA Gennaio 2011

VALID FROM January 2011




Moment limiting device (CE)

Table code

Sheet

5405046-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311634		1	Electric wiring
2	3311541		1	Moment limiting device
3	3040392		4	Stopnut [Dado Stop M5-70 norm.]
4	3311159		1	Signal Columns
5	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
6	3060004		2	Flat washer [D.5 UNI 6592 ZC]
7	5160001		1	Electric wiring
8	5002055		1	Manifold (Pick-up)
9	3060143		2	Sealing washer [BSP 1/4"]
10	3110078		1	Bolt (banjo bolt)
11	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
12	3310612		1	Pressure sensor
13	3311632		1	Electric wiring
14	3020885		2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
15	3040518		2	Stopnut [STOP M4]
16	3312280		1	Push-button panel box (Assembly)
17	3312281		1	key switch


Kit (Wireless control)

Table code

Sheet

7892099-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311385		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (PTO)

Table code

Sheet

7892500-2.0

1/2





2.4 GHz

VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013


R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311633		1	Electric wiring
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]






R	Pos.	Variant Code	Q.ty	Description
	1	5090134	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469 (12V)	1	
	6 B	5220470 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091457	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	25	3311659	1	Relay (12V)
	26	3310348	1	Relay (24V)
	27	3311883	1	Electric wiring (Emergency)

Kit CE (STABILITY CONTROL)

Table code


Sheet

5405050-4.0

1/2

VALIDO DA Gennaio 2011


VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5002103	1	
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	5000422	2	Support (Proximity switch)
	19	3040391	1	Hexagonal nut (Normal)
	20	3060225	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]

VALIDO DA Gennaio 2011
VALID FROM January 2011





R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	2	Support (Proximity switch)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5000422	2	Support (Proximity switch)
	15	3040251	2	Lock nut [M24 8.G basso UNI 5589]

Moment limiting device (CE)


Table code

Sheet

5405046-2.0

1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311448		1	
2	3311386		1	
3	5001842		1	Microswitch support
4	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
5	3040392		2	Stopnut [Dado Stop M5-70 norm.]
6	3020879		2	
7	3310885		1	Microswitch (Electric)
8	3040516		2	Stopnut [STOP M3]
9	3060223		1	Grub screw
10	3311159		1	Signal Columns
11	3020023		2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	3040391		1	Hexagonal nut (Normal)
13	5160001		1	Electric wiring
14	5002055		1	Manifold (Pick-up)
15	3060143		2	Sealing washer [BSP 1/4"]
16	3110078		1	Bolt (banjo bolt)
17	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
18	3310612		1	Pressure sensor
19	3311384		1	


Moment limiting device (EN12999-A3)

Table code

Sheet

5405046-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311640	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	5160001	1	Electric wiring
	7	5002055	1	Manifold (Pick-up)
	8	3060143	2	Sealing washer [BSP 1/4"]
	9	3110078	1	Bolt (banjo bolt)
	10	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	11	3310612	1	Pressure sensor
	12	3311632	1	Electric wiring
	13	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	14	3040518	2	Stopnut [STOP M4]
	15	3312281	1	key switch
	16	3312280	1	Push-button pannel box (Assembly)


Kit (Wireless control)

Table code

Sheet

7892099-5.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311447		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-5.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (EN12999-A3)

Table code

Sheet

7892500-3.0

1/2




2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

**VERSIONE ETR
ETR VERSION**

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311639	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

**VERSIONE ETR
ETR VERSION**



RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7881796.1

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010055	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3060006	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060683	Spring (Backlash)				
3060914	Flat washer				
3060918	Tooth lock washer				
3180138	Oil filter				
3180139	Filtering cartridge				
3180150	Pressure gauge				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311354	Lighting (Audible alarm)				
5141047	Bushing				
5220300	Hose burst valve (Sleeve)				
5225733	Seal kit				
W102170	Bushing				
W350017	Oil filter (return line)				
W350717	Filter cartridge				
W360071	O-ring joint				
W360092	O-ring joint				
W365059	Seal kit				
W365064	Seal kit				
W365084	Seal kit				
W370300800	Button (Control board)				
W370300900	Slide shoe				
W520100400	Thrust bearing ring				
W520101500	Shim ring				
W520202500	Slide shoe				