




Model
**TELESCOPIC 1 BOOM
604T**

Logbook code
7881798.1
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7881798.1

Sheet

1/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	W540151000-1.0	1	Base		
11	W540151000-2.0	1	Base (" BST ")		
12	W054101-1.0	1	Slewing		
14	W540451200-1.0	1	Stabilizers rods (Fixed - Mechanic)		
16	W540451100-1.0	1	Stabilizers rods (Fixed)		
18	W5401019-1.0	1	BASE WITH 1 CROSSBAR (" BPS ")		
19	5405041-2.0	1	Kit CE (STABILITY CONTROL)		
20	5411029-3.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
21	5405040-1.0	1	Kit CE (STABILITY CONTROL)		
23	W370450300-1.6	1	STABILISER RAM		
24	W370450300-1.7	1	STABILISER RAM		
25	W540451000-1.0	1	Stabilizers rods (Revolving)		
26	W370450200-1.0	1	Hydraulic system (STABILISER RAM)		
27	W370450100-1.5	1	Stabilizer Hydraulic jack		
28	W540451000-2.0	1	Stabilizers rods (Revolving)		
29	W370450200-1.1	1	Hydraulic system (STABILISER RAM)		
30	W370450100-1.6	1	Stabilizer Hydraulic jack		
31	W520554600-1.0	1	Moment limiting device		
32	5405038-1.0	1	Moment limiting device (CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
33	W338000-1.0	1	Control valve		
34	W338034-3.0	1	Control valve (4 section)		
35	W338035-1.0	1	Control valve (CE)		
36	W520552300-1.0	1	Motor pump (Electrical equipment)		
37	W520555300-1.0	1	Motor pump (Electrical equipment)		
38	W530551000-1.1	1	Hydraulic oil tank		
39	W530551000-2.1	1	Hydraulic oil tank		
40	W530551000-1.0	1	Hydraulic oil tank (CE)		
41	W530551000-2.0	1	Hydraulic oil tank (CE)		
42	W350017-1.0	1	Oil filter		
43	W444204-1.0	1	Set of hoses		
44	W054201-1.2	1	Column		
45	W540250200-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
46	W540250100-1.0	1	Lifting hydraulic cylinder		
47	W054202-1.1	1	1st Boom		
48	W054203-1.0	1	1st Extension		
49	W540250600-1.0	1	Extension jacks (Assembly)		
50	W540250300-1.1	1	1st Extension hydraulic		
51	W540251500-1.2	1	2nd extension		
52	W540250400-1.2	1	2nd EXTENSION HYDRAULIC JACK		

Table index

Logbook code

Sheet

7881798.1
2/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
53	W540251100-1.0	1	3rd extension		
55	W540250500-1.0	1	3rd extension Hydraulic jack		
56	W540551400-1.1	1	1st ACTIVATION FOR A3		
58	W530551100-1.1	1	1st ACTIVATION FOR A2		
60	W540251200-1.0	1	Manual extension ("A")		
61	W540251300-1.0	1	Manual extension ("B")		
62	W540251400-1.1	1	Manual extension ("C")		
63	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
64	W054003-1.0	1	Completion parts		
65	W054003-2.0	1	Completion parts		
67			604T RDC		
68	5400483-1.0	1	CONTROLS		
70	5402246-1.0	1	Control unit (RDC / NOCE)		
72	5220416-1.0	1	Control valve (4 section)		
74	5400814-1.0	1	High pressure filter		
75	7892099-2.0	1	Complete wireless control (not CE)		
77	7892500-1.0	1	Complete wireless control (PTO)		
79	5400482-1.0	1	ELECTRICS CONTROLS		
80	5402259-1.0	1	ELECTRICS CONTROLS (ETR)		
81	7920056-1.0	1	HYDRAULIC SYSTEM GAUGE		

Page	Table code	Q.ty	Table heading	Vers.	Validity
82	5405017-2.0	1	Moment limiting device		
83	3310183-1.0	1	Kit (Wireless control)		
85	7892500-4.0	1	Complete wireless control (ETR)		
87	5405017-1.0	1	Auxiliary wiring		
88	3310822-1.0	1	Light column		
89	5405017-3.0	1	Auxiliary wiring (Limiting device)		
90	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
91	7834068-1.0	1	WINCH KIT		
92	7834068-2.0	1	ACTUATION FOR WINCH		
93	7834068-3.0	1	WINCH KIT (Electrical equipment)		
95			604T RDC EN12999-A3		
96	5401470-1.0	1	Control unit (RDC)		
98	5402252-1.0	1	Control unit (RDC / CE)		
100	5220416-2.0	1	Control valve (4 section)		
102	5405050-1.0	1	Kit CE (STABILITY CONTROL)		
104	5405050-7.0	1	STABILITY CONTROL (EN12999-A3)		
105	5405046-1.0	1	Moment limiting device (CE)		
107	5405046-3.0	1	Moment limiting device (CE)		
108	7892099-3.0	1	Kit (Wireless control)		
110	7892500-2.0	1	Complete wireless control (PTO)		

Table index

Logbook code

Sheet

7881798.1

3/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
112	5401528-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		
114	5402262-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		
116	5405050-2.0	1	Kit CE (STABILITY CONTROL)		
118	5405050-8.0	1	STABILITY CONTROL (EN12999-A3)		
119	5405046-2.0	1	Moment limiting device (CE)		
120	5405046-4.0	1	Moment limiting device (EN12999-A3)		
121	7892099-5.0	1	Kit (Wireless control)		
123	7892500-3.0	1	Complete wireless control (EN12999-A3)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------



Plate kit (Generic Gru)





Table code


Sheet

5502000-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)





R	Pos.	Variant Code	Q.ty	Description
	1	W540101400	1	BASE
	2	3040088	16	Lock nut
	3	3040052	16	Tall headed nut
	4	W010000100	8	
	5	W738018	8	Tie rod
	6	3060022	16	Flat washer
	7	W050000200	4	Anchoring bracket

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010


Base (" BST ")

Table code

Sheet

W540151000-2.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540101400	1	BASE
	2	3190289	8	Tip (Rubber protection)
	3	3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
	4	5000084	16	Small plate
	5	W738018	8	Tie rod
	6	3060022	16	Flat washer
	7	W050000200	4	Anchoring bracket
	8	W560402000	2	Adjuster (Button) [M24X2 By Nylon]
	9	3040251	2	Lock nut [M24 8.G basso UNI 5589]
	10	3060026	2	Spring pin
	11	W360451200	2	Kit (Spring)
	12	3060685	2	Spring (Block)
	13	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	14	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

VALIDO DA Gennaio 2011


VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	W540100100	1	
	2	W540100400	1	
	3	3080500	1	Grease nipple
	4	W379008	1	
	5	3020099	2	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	6	3060018	10	Flat washer [D.12 UNI 6592 ZC]
	7	3010372	8	Hex screw [M12X50 8.8 ZC UNI 5740]
	8	3110062	2	Plug
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	W568302	1	
	11	W545002	2	
	12	3070038	1	Seeger
	13	W540101500	1	
	14	3450084	1	O-ring joint
	15	3070208	1	Seeger
	16	W540101600	1	
RC	17	W102171	1	Bushing
RC	18	W360107	1	O-ring joint
RC	19	W540101000	1	Thrust bearing ring
RC	20	W540101700	1	Centering ring

654161-1.4

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141048	1	Bushing
	22	W102134	1	Bushing
	23	3101041	2	Straight pipe fitting [9/16-18 1/2"Cl. D10]
	24	3110061	1	Plug [BSP 3/8"]
	25	3060144	1	Sealing washer [BSP 3/8"]
RC	26	W360108	1	O-ring joint



654101-1.0


Stabilizers rods (Fixed - Mechanic)

Table code


Sheet

W540451200-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W662003	1	
	2	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
RC	3	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040335	4	Stopnut
	5	W456098	2	
	6	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	7	W540400800	2	
	8	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	9	3060918	3	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	10	5000077	3	Clamp (Rigid Pipe)
	11	W456868	2	Flexible hose
	12	W540400700	1	
	13	W370400700	10	Button (Coupling backlash)
	14	5220048	2	Valve (Cock)
	15	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	16	W540401000	1	
	17	W540400900	1	
	18	W540400400	1	
RC	19	3020080	1	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	20	W370450300	1	




R	Pos.	Variant Code	Q.ty	Description
	22	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	23	W101326	1	
	24	W520401400	1	
	25	W520401300	1	
	26	W520401500	1	
	27	3070032	1	Seeger
	28	3020500	8	TSEI screw [M10X35 8.8 ZC UNI 5933]

Stabilizers rods (Fixed)

Table code
W540451100-1.0


Sheet
1/2



540451100-1.0

R	Pos.	Variant Code	Q.ty	Description
RC	1	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	2	W540400300	1	
	3	W540400400	1	
	4	W370400700	10	Button (Coupling backlash)
	5	W540400900	2	
	7	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	W456868	2	Flexible hose
	9	W456859	2	Flexible hose
	10	5220048	2	Valve (Cock)
	11	W540401000	2	
	12	5000078	2	Swash -plate
	13	W370450300	2	
	14	W456098	2	
	15	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	16	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	17	W540400800	2	
	18	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	19	3060918	3	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	20	5000077	3	Clamp (Rigid Pipe)
	21	W370401800	2	Handle (Rod)

R	Pos.	Variant Code	Q.ty	Description
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]



540451100-1.0


BASE WITH 1 CROSSBAR (" BPS ")

Table code

Sheet

W5401019-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W540101900	1	Tubular (Rod)
2		W540102000	1	Counter-flange
3		3040251	1	Lock nut [M24 8.G basso UNI 5589]
4		W560402000	1	Adjuster (Button) [M24X2 By Nylon]
5		3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
6		3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
7		3060685	1	Spring (Block)
8		3060026	1	Spring pin
9		W520452000	1	Kit (Spring)


Kit CE (STABILITY CONTROL)

Table code

Sheet

5405041-2.0

1/1




VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5000193	1	
	8	3311341	1	
	9	3311339	1	Dashboard
	10	3311350	1	Electric wiring
	11	3311342	2	Electric wiring
	12	W520501900	1	
RC	13	3311311	2	Proximity switch (Position sensor)
	14	5000420	1	Support (Proximity switch)
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	17	5150033	1	
	18	5000422	1	Support (Proximity switch)
	19	3311344	1	
	20	3040251	1	Lock nut [M24 8.G basso UNI 5589]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5411029-3.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3060053	4	Split lock washer [D=6.4 C72 ZC]
	7	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]

Kit CE (STABILITY CONTROL)


Table code

Sheet

5405040-1.0

1/2


VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5000193	1	
	8	3311341	1	
	9	3311339	1	Dashboard
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	5150033	1	
	18	5000422	2	Support (Proximity switch)
	19	3311344	1	
	20	W520501900	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]

VALIDO DA Gennaio 2011
VALID FROM January 2011





STABILISER RAM

Table code


Sheet

W370450300-1.6

1/1



VALIDO FINO a MAGGIO 2010
VALID UNTIL MAY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	2	W105056	1	
	3	W360076	1	O-ring joint
	4	W359015	1	
	5	W370400400	1	
	6	W358015	1	
	7	W304003	1	
	8	W360023	1	
	9	6040303	1	Close nipple
	10	W361014	1	
	11	W370400800	1	
RC	12	W365065	1	Seal kit

370450300 -1-5



STABILISER RAM

Table code


Sheet

W370450300-1.7

1/1



VALIDO da GIUGNO 2010
VALID FROM JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	2	W105056	1	
	3	W360076	1	O-ring joint
	4	W359015	1	
	5	W370402400	1	Rod unit
	6	W358015	1	
	7	W304003	1	
	8	W360023	1	
	9	6040303	1	Close nipple
	10	W361014	1	
	11	W370400800	1	
RC	12	W365065	1	Seal kit

Stabilizers rods (Revolving)


Table code

Sheet

W540451000-1.0

1/1

VALIDO FINO A MAGGIO 2010
VALID UNTIL MAY 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W370450200	2	Stabilizer Hydraulic jack (ROTATING)
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070052	2	Seeger
	5	W101219	2	Pin (Handle)
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W540400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W540400800	2	
	11	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	W456098	2	
	13	5000077	1	Clamp (Rigid Pipe)
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	1	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	5000078	2	Swash -plate
	17	W370400700	8	Button (Coupling backlash)
	18	W540400200	1	Stabilizer rod (Short)
	19	W456869	2	

W540451000-1-1

Hydraulic system (STABILISER RAM)


Table code

Sheet

W370450200-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W370450100	1	Stabilizer Hydraulic jack
	2	W370501800	1	
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	W470053	1	Manually operated valve




Stabilizer Hydraulic jack

Table code

Sheet

W370450100-1.5

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W370400300	1	Cylinder
	2	W370400400	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105056	1	
	5	W360076	1	O-ring joint
	6	W359015	1	
	7	W360023	1	
	8	W304003	1	
	9	6040303	1	Close nipple
	10	W358015	1	
	11	W361014	1	
	12	3080500	1	Grease nipple
RC	13	W365065	1	Seal kit

Stabilizers rods (Revolving)


Table code

Sheet

W540451000-2.0

1/1

VALIDO da GIUGNO 2010
VALID FROM JUNE 2010



R	Pos.	Variant Code	Q.ty	Description
	1	W370450200	2	Stabilizer Hydraulic jack (ROTATING)
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	W370401800	2	Handle (Rod)
	4	3070052	2	Seeger
	5	W101219	2	Pin (Handle)
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W540400100	1	Stabilizer rod (Long)
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W456860	2	
	10	W540400800	2	
	11	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	W456098	2	
	13	5000077	3	Clamp (Rigid Pipe)
	14	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	15	3060918	3	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	16	5000183	2	Ring (Spacer)
	17	W370400700	10	Button (Coupling backlash)
	18	W540400200	1	Stabilizer rod (Short)
	19	W456869	2	

5.4045.1000.1-1


Hydraulic system (STABILISER RAM)

Table code

Sheet

W370450200-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W370450100	1	Stabilizer Hydraulic jack
	2	W370501800	1	
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	W470053	1	Manually operated valve
	5	3060143	1	Sealing washer [BSP 1/4"]

VALIDO da GIUGNO 2010

VALID FROM JUNE 2010


Stabilizer Hydraulic jack

Table code

Sheet

W370450100-1.6

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W370400300	1	Cylinder
	2	W370402400	1	Rod unit
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	6050322	1	Piston
	5	6040303	1	Close nipple
	6	3080500	1	Grease nipple
RC	7	W365065	1	Seal kit

Moment limiting device


Table code

Sheet

W520554600-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W520550700	1	Dashboard (Electric)
	2	W520503100	1	
	3	W520503000	1	
	4	3310080	2	Microswitch
	5	W242002	1	
	6	W287002	1	
	7	W470619	1	
	8	3310238	1	Solenoid (12V)
	9	3310242	1	Solenoid (24V)
	10	W520501900	1	
	11	3040010	2	Tall headed nut
	12	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	13	3020954	2	




Moment limiting device (CE)

Table code

Sheet

5405038-1.0

1/1



VALIDO DA Gennaio 2011

VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
1	3311339	1	Dashboard	
2	3311344	1		
3	3311340	1	Electric wiring	
4	3020954	2		
5	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]	
6	3310612	1	Pressure sensor	
7	5225770	1	Solenoid valve	
8	3310238	1	Solenoid (12V)	
9	3310242	1	Solenoid (24V)	
10	W520501900	1		
11	3040041	2	Nut	
12	3060003	2	Flat washer [D.4 UNI 6592 ZC]	
13	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]	
14	5002055	1	Manifold (Pick-up)	
15	3060143	2	Sealing washer [BSP 1/4"]	
16	3110078	1	Bolt (banjo bolt)	
17	5160001	1	Electric wiring	


Control valve

Table code

Sheet

W338000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	W520502500	1	Cover (Control valve)
	10	W520550700	1	Dashboard (Electric)

Control valve (4 section)


Table code

Sheet

W338034-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W338034	1	Control valve ass'y
	2	5225689	4	Rubber protective boot
	3	WVA0110	4	Control lever
	4	WVA0116	3	Slider
	5	5226090	1	Max pressure valve
	6	WVA0117	1	Slider
	7	5225781	1	Seal kit
	8	5225959	1	Bushing
	9	5225960	4	Socket head cap screw [SDM080 TIPO "A"]
	10	5225786	3	cover with spring
	11	5225957	1	Bushing
	12	5226093	1	cover with spring
	13	5226061	1	Close nipple





Control valve (CE)

Table code


Sheet

W338035-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	10	3110150	1	Reducing fitting
	11	3060144	1	Sealing washer [BSP 3/8"]
	12	3311339	1	Dashboard




Motor pump (Electrical equipment)

Table code

Sheet

W520552300-1.0

1/1



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
1		W318009	1	Hydraulic power unit
2		W318010	1	Hydraulic power unit
3		W370503200	1	Electric cable (positive pole)
4		W520501600	1	Electric wiring
5		W520502300	1	Electric cable
6		W264401	1	Switch
7		5710088	1	Relay (12V)
8		W370503300	1	Electric cable (negative pole)
9		3310080	1	Microswitch
10		W520550700	1	Dashboard (Electric)
11		5710096	1	Relay (24V)
12		3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
13		W370504500	1	Support bracket (Switch)


Motor pump (Electrical equipment)

Table code

Sheet


W52055300-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W318009	1	Hydraulic power unit
2		W318010	1	Hydraulic power unit
3		W370503200	1	Electric cable (positive pole)
4		W520501600	1	Electric wiring
5		W520502300	1	Electric cable
6		W264401	1	Switch
7		5710088	1	Relay (12V)
8		W370503300	1	Electric cable (negative pole)
9		3310080	1	Microswitch
10		3311339	1	Dashboard
11		5710096	1	Relay (24V)
12		3101042	1	Straight pipe fitting [3/4-16 1/4"CIL. D12]
13		W370504500	1	Support bracket (Switch)
14		3311340	1	Electric wiring
15		3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
16		5701014	1	Casing (Power pack)

Hydraulic oil tank




VALIDO FINO a Settembre 2010
VALID UNTIL September 2010

Table code	Sheet
W530551000-1.1	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	2	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Hydraulic oil tank



Valido da Matricola : 29279

Valid from S / N : 29279

Table code
W530551000-2.1

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	1	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3110072	1	Plug
	11	3060146	1	Sealing washer [BSP 3/4"]

Hydraulic oil tank (CE)


Table code

Sheet

W530551000-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110065	1	Plug [BSP 1/2"]
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer



Hydraulic oil tank (CE)

Table code

Sheet

W530551000-2.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110072	1	Plug
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer
	15	3060146	1	Sealing washer [BSP 3/4"]

VALIDO DA LUGLIO 2010
VALID FROM JULY 2010

Valido da Matricola : 29279

Valid from S / N : 29279



Oil filter


Table code

Sheet

W350017-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	W350017	1	Oil filter (return line)
RC	2	W350717	1	Filter cartridge



Set of hoses


Table code

Sheet

W444204-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5260774	2	Flexible hose
	2	5260773	2	Flexible hose
	3	5260777	2	Flexible hose
	4	5260776	2	Flexible hose



444204-1.0


Column

Table code

Sheet

W054201-1.2

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540200200	1	
	2	W101321	1	Pin assembly
	3	3070210	2	Snap ring
	4	W102135	2	Bushing
	5	5000047	4	Clamp (Rigid Pipe)
	6	3020037	4	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	7	3060101	4	Tooth lock washer [D.6 TIPO A]
	8	3190198	2.7m	Sheath (Flexible hose)
	9	W732001	1	Anti-vibrating support
	10	5140788	1	Roller (Turnsbasket)
	11	5001111	1	Washer (Insulator) [D.13X75X3 FE360 ZC]


Lifting hydraulic cylinder (Hydraulic system)

Table code

Sheet

W540250200-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540250100	1	Lifting hydraulic cylinder
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	W540201000	1	Bonderized tube
	4	W470052	1	Valve (Overcenter)
	5	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	9	3060144	1	Sealing washer [BSP 3/8"]


Lifting hydraulic cylinder

Table code

Sheet

W540250100-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540200800	1	Cylinder
	2	W102135	4	Bushing
	3	W400200600	1	Spacer
	4	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	5	W105074	1	Piston
	6	W102136	1	Self-lubricating bushing
	7	W380200400	1	Ring nut (Printed)
	8	W380200200	1	Cylinder head (Hydraulic cylinder)
	9	W540200900	1	Rod unit
	10	W400200700	1	Spacer
RC	11	W365104	1	Seal kit


1st Boom

Table code

Sheet

W054202-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540200300	1	Main boom
	2	W101225	2	Pin assembly
	3	3070210	4	Snap ring
	4	5000077	2	Clamp (Rigid Pipe)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	W340501400	2	Support (Clamp)
	7	W530202100	2	Bonderized tube
RC	9	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	11	5140248	2	Slide shoe
RC	12	W370300800	4	Button (Control board)
	13	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	14	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	15	3060684	2	Plate (Thickness)
RC	16	3060055	2	Split lock washer [D=8.4 C72 ZC]
	17	W370400700	2	Button (Coupling backlash)


1st Extension

Table code

Sheet

W054203-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540200400	1	Extension
RC	2	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	3	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	4	W380300700	2	Slide shoe
RC	5	W370300800	4	Button (Control board)
	6	W101244	1	Pin assembly
	7	W101214	1	Pin assembly
	8	3040498	4	Self-locking ringnut
	9	3060010	4	Flat washer [D.17X30X3 UNI 6592 ZC]
	10	3040214	1	Lock nut
	11	W540250300	1	Extension Hydraulic jack


Extension jacks (Assembly)

Table code

Sheet

W540250600-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W470017	1	Valve
	2	3101175	2	Tee fitting
	3	W540250300	1	Extension Hydraulic jack
	4	W530201900	1	Bonderized tube
	5	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	6	W530202400	1	Bonderized tube
	7	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]

540250600-1.0

1st Extension hydraulic


Table code

Sheet

W540250300-1.1

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W540201200	1	Cylinder
	2	3040378	1	Stopnut
	3	W105099	1	Piston
	4	W120054	1	Close nipple
	5	W540201300	1	Rod unit
RC	6	W365119	1	Seal kit




2nd extension

Table code

Sheet

W540251500-1.2

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540201700	1	Extension
RC	2	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	3	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	4	W370300900	4	Slide shoe
RC	5	W370300800	8	Button (Control board)
	6	3040498	2	Self-locking ringnut
	7	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	8	W101218	1	Pin assembly
	9	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	11	3060684	2	Plate (Thickness)
	12	W530201800	1	Bonderized tube
	13	W530201700	1	Bonderized tube
	14	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	15	W470853	1	Sequence valve
	16	3120065	1	Straight pipe fitting
	17	W101214	1	Pin assembly
	18	W540250400	1	Extension hydraulic jack

1-1-005130173

2nd EXTENSION HYDRAULIC JACK


Table code

Sheet

W540250400-1.2

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W540201400	1	Cylinder
	2	3040377	1	Stopnut
	3	W105061	1	Piston
	4	W120058	1	Close nipple
	5	W540201500	1	Rod unit
RC	6	W365061	1	Seal kit



3rd extension




Table code	Sheet
W540251100-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	W540201800	1	Extension
	2	W540250500	1	Extension hydraulic jack
	3	3010362	2	Hex screw [M10X100 8.8 ZC UNI 5737]
	4	W540202000	1	Bonderized tube
RC	5	W360300400	4	Slide shoe
RC	6	W370300800	8	Button (Control board)
	10	W470017	1	Valve
	11	3120065	1	Straight pipe fitting
	12	5220573	1	Sequence valve
	13	3101175	2	Tee fitting
	14	5260999	1	Flexible hose
	15	5261133	1	Flexible hose
	16	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	17	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	18	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	19	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
	20	W101218	1	Pin assembly
	21	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	22	3040498	2	Self-locking ringnut
	23	3040335	2	Stopnut


3rd extension

Table code

Sheet

W540251100-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	24	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	25	3060684	2	Plate (Thickness)
	27	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	28	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	29	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]


3rd extension Hydraulic jack

Table code

Sheet

W540250500-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540201900	1	Cylinder
	2	3040377	1	Stopnut
	3	W105061	1	Piston
	4	W120058	1	Close nipple
	5	W540201500	1	Rod unit
RC	6	W365061	1	Seal kit

1st ACTIVATION FOR A3




Table code	Sheet
W540551400-1.1	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	W530500400	1	
	2	W530500100	1	
	3	W530500300	2	
	4	W530500200	1	
	5	W456882	6	
	6	W520501300	6	
	7	W520501200	2	
	8	5000077	8	Clamp (Rigid Pipe)
	9	3110053	2	Plug
	10	W456899	2	
	11	W128039	3	
	12	W340501400	2	Support (Clamp)
	14	3040524	8	Stopnut
RC	15	3060006	22	Flat washer [D.8 UNI 6592 ZC]
	16	W340501300	2	
RC	17	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	18	3060918	16	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	19	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	20	3010066	6	Hex screw [M8X30 8.8 ZC UNI 5739]
	21	3020037	3	Socket head cap screw [M6X25 8.8 ZC UNI 5931]

1st ACTIVATION FOR A3


Table code

Sheet

W540551400-1.1

2/2

R	Pos.	Variant Code	Q.ty	Description
	22	3060101	3	Tooth lock washer [D.6 TIPO A]




1st ACTIVATION FOR A2

Table code

Sheet

W530551100-1.1

1/2



SCALE 1:10-1:1

R	Pos.	Variant Code	Q.ty	Description
	1	W530500400	1	
	2	W530500100	1	
	3	W530500300	1	
	4	W530500200	1	
	5	W456882	4	
	6	W520501300	4	
	7	W520501200	2	
	8	5000077	6	Clamp (Rigid Pipe)
	10	3110053	2	Plug
	11	W456899	2	
	12	W128039	3	
	13	W340501400	2	Support (Clamp)
	15	3040524	6	Stopnut
RC	16	3060006	16	Flat washer [D.8 UNI 6592 ZC]
	17	W340501300	2	
RC	18	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	19	3060918	12	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	20	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	21	3010066	4	Hex screw [M8X30 8.8 ZC UNI 5739]
	22	3020037	3	Socket head cap screw [M6X25 8.8 ZC UNI 5931]

1st ACTIVATION FOR A2


Table code

Sheet

W530551100-1.1

2/2

R	Pos.	Variant Code	Q.ty	Description
	23	3060101	3	Tooth lock washer [D.6 TIPO A]



SCALE 1:10-1:1


Manual extension ("A")

Table code

Sheet

W540251200-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540201100	1	Manual extension [1^X330A1]
RC	2	W370300800	4	Button (Control board)
RC	3	W370300900	2	Slide shoe
RC	4	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	5	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
	6	W101046	1	Pin
	7	W664003	1	Knob (Control lever)
	8	3060753	2	Cotter pin (Locking ring)
	9	W101084	1	Pin assembly
	10	W130302900	2	Guide bushing (Hook)
	11	W599005	1	Swivel hook

540251200-1.0


Manual extension ("B")

Table code

Sheet

W540251300-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W540200600	1	Manual extension [1^X330A2]
RC	2	W370300800	4	Button (Control board)
RC	3	W370300900	2	Slide shoe
RC	4	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	5	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
	6	W101046	1	Pin
	7	W664003	1	Knob (Control lever)
	8	3060753	2	Cotter pin (Locking ring)
	9	W101079	1	Pin assembly
	10	W540202100	2	Guide bushing (Lifting hook)
	11	W599005	1	Swivel hook


Manual extension ("C")

Table code

Sheet

W540251400-1.1


1/1



R	Pos.	Variant Code	Q.ty	Description
1		W540201600	1	Manual extension [1^X330A3]
2		W664003	1	Knob (Control lever)
3		W101046	1	Pin
4		3060753	3	Cotter pin (Locking ring)
5		W101324	1	Pin
6		W101080	1	Pin assembly
7		W599005	1	Swivel hook
8		W130302900	2	Guide bushing (Hook)
9		W520201600	1	Hook coupling

540251400-1-1

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	




Completion parts

Table code

Sheet

W054003-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W540050100	1	Assembly kit
1.1		3040228	8	Lock nut
1.2		3040227	8	Tall headed nut
1.3		3060020	8	Flat washer [D.22 UNI 6592 ZC]
1.4		W738026	4	Tie rod
2A1		W572161	1	kit model sticker
2A2		W572162	1	kit model sticker
2A3		W572160	1	kit model sticker
3		W599003	1	Swivel hook
4		W101084	1	Pin assembly
5		3060753	1	Cotter pin (Locking ring)
6		W540202100	1	Guide bushing (Lifting hook)


Completion parts

Table code

Sheet

W054003-2.0

1/1




R	Pos.	Variant Code	Q.ty	Description
1		W540050100	1	Assembly kit
1.1		3040228	4	Lock nut
1.2		3040227	4	Tall headed nut
1.3		3060020	8	Flat washer [D.22 UNI 6592 ZC]
1.4		3010441	4	Hex screw [M22X80 10.9 ZC UNI 5712]
1.5		3060067	4	Lock washer [Nord-Lock]
2A1		W572161	1	kit model sticker
2A2		W572162	1	kit model sticker
2A3		W572160	1	kit model sticker
3		W599003	1	Swivel hook
4		W101084	1	Pin assembly
4b		W101079	1	Pin assembly
5		3060753	1	Cotter pin (Locking ring)
6		W390301000	1	Guide bushing (Lifting hook)
6b		W540202100	2	Guide bushing (Lifting hook)






604T RDC



R	Pos.	Variant Code	Q.ty	Description
	1	5091139	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES


Control unit (RDC / NOCE)

Table code

Sheet


5402246-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091453	1	Guard (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES




Control valve (4 section)

Table code

Sheet

5220416-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225846	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225768	8	
	12	5225755	1	
	13	5225760	1	
	14	5225724	3	
	15	5225757	3	
	16	5225818	1	
RC	17	5225733	1	Seal kit
	18	5225732	1	8 elements unit fixing
	19	5225843	1	5 elements unit fixing stud
	20	5225715	1	Slider (CC)


Control valve (4 section)

Table code

Sheet

5220416-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225722	5	Control lever
	22	5225723	4	
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225716	3	Slider (CA)


High pressure filter

Table code

Sheet

5400814-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	5	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	6	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3110041	1	Female plug


Complete wireless control (not CE)

Table code

Sheet


7892099-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		8	Stopnut [Dado Stop M5-70 norm.]
7	3020023		8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310860		1	
14	3310908		1	
15	3310688		1	
16	3310852		1	
17	3310862		2	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	




Complete wireless control (PTO)

Table code

Sheet


7892500-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311509		1	Electric wiring (Wireless control)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010




R	Pos.	Variant Code	Q.ty	Description
	1	5090016	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6 A	5220415 (12V)	1	
	6 B	5220429 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)



R	Pos.	Variant Code	Q.ty	Description
	1	5091456	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	1	Pressure gauge
	2	3020950	3	Special screw
	3	W458458	1	Connecting pipe (Pressure gauge)
	4	3120200	1	Reducing fitting
	5	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	5260337	1	Flexible hose
	7	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3060143	1	Sealing washer [BSP 1/4"]

Moment limiting device

Table code


Sheet

5405017-2.0

1/1

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	2	3120309	1	Wall-through pipe fitting [MJ 9/16-18]
	3	3060009	1	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	4	5260337	1	Flexible hose
	5	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
RC	6	5220300	1	Hose burst valve (Sleeve)
	7	3060143	1	Sealing washer [BSP 1/4"]


Kit (Wireless control)

Table code

Sheet


3310183-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		4	Stopnut [Dado Stop M5-70 norm.]
7	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310183		1	
14	3310908		1	
15	3311152		1	
16	3310688		1	
17	3310852		1	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	1	
	22	3310754	1	
	23	3311195	5	
	24	3311197	6	
	25	3311196	1	




Complete wireless control (ETR)

Table code

Sheet


7892500-4.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311510		1	Electric wiring (ETR)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring


Table code

Sheet

5405017-1.0

1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3310876		1	
2	3310879		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020880		2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
10	3310822		1	
11	3310823		1	
12	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
13	W370508000		1	Support (Flashing light)
14	3040392		4	Stopnut [Dado Stop M5-70 norm.]
15	3310873		1	Pressure monitor


Light column

Table code

Sheet

3310822-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

Auxiliary wiring (Limiting device)

Table code

Sheet

5405017-3.0

1/1


Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712


VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3311169		1	
2	3311168		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020881		2	[M3X8 UNI7687 ZC TAGLIO CR.]
10	3311159		1	Signal Columns
11	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	W370508000		1	Support (Flashing light)
13	3040392		4	Stopnut [Dado Stop M5-70 norm.]
14	3310873		1	Pressure monitor

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	




WINCH KIT

Table code


Sheet

7834068-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W484041	1	
	2	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
RC	3	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040326	4	Stopnut
	5	W664003	1	Knob (Control lever)
	6	W101324	1	Pin
	7	3060753	4	Cotter pin (Locking ring)
	8	3060014	4	Flat washer [D.25X44X4 UNI 6592 ZC]
	9	W101163	2	Pin
	10	W530500500	1	
	11	W101169	1	
	12	W317004	1	Pulley
	13	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	14	W597018	1	
	15	W380502700	1	Counterweight (Rope tightener)
	16	W101083	1	Pin
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3040081	2	Lock nut [M6 6S UNI 5589 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	3101042	2	Straight pipe fitting [3/4-16 1/4"CIL. D12]
	3	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	5	5000077	2	Clamp (Rigid Pipe)
	6	W340501400	2	Support (Clamp)
	7	W648005	2	
	8	3040039	2	Tall headed nut


WINCH KIT (Electrical equipment)

Table code

Sheet

7834068-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311206	1	
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	4	3310884	1	WIRING FOR WINCH
	5	3310665	1	
	6	3310664	1	
	7	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	8	3010025	6	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	10	W440509500	2	Microswitch support (Lifting)
	11	W251013	1	Microswitch (Stop)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	14	W440509600	1	Sensor (Stop)
	15	W128034	4	Collar (Flexible hose)
	16	W537102	2	
	17	3040372	7	Stopnut [M6-70 UNI7473 NORM. ZC.]





604T RDC EN12999-A3


Control unit (RDC)

Table code

Sheet

5401470-1.0

1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091324	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]


Control unit (RDC)

Table code

Sheet

5401470-1.0

2/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	W370508300	1	


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091452	1	Protective guard (Control valve)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	5091488	1	Cover (Moment limiting device)
	26	3011000	2	Handwheel
	27	5091548	1	Protective guard (Control levers)


Control valve (4 section)

Table code

Sheet

5220416-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225887	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225881	2	Control valve element
	12	5225886	2	Control valve element
	13	5225878	2	Control valve element
	14	5225883	2	Control valve element
	15	5225802	1	Knob (Red)
RC	16	5225733	1	Seal kit
	17	5225732	1	8 elements unit fixing
	18	5225843	1	5 elements unit fixing stud
	19	5225715	2	Slider (CC)
	20	5225800	5	Control lever


Control valve (4 section)

Table code

Sheet

5220416-2.0


2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	4	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225716	2	Slider (CA)

VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5001842	1	Microswitch support
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	5000422	2	Support (Proximity switch)
	19	3040391	1	Hexagonal nut (Normal)
	20	3060223	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]


VALIDO DA Gennaio 2011

VALID FROM January 2011



2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	2	Support (Proximity switch)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5000422	2	Support (Proximity switch)
	15	3040251	2	Lock nut [M24 8.G basso UNI 5589]

Moment limiting device (CE)


Table code

Sheet

5405046-1.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]

VALIDO DA Gennaio 2011

VALID FROM January 2011




Moment limiting device (CE)

Table code

Sheet

5405046-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311634		1	Electric wiring
2	3311541		1	Moment limiting device
3	3040392		4	Stopnut [Dado Stop M5-70 norm.]
4	3311159		1	Signal Columns
5	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
6	3060004		2	Flat washer [D.5 UNI 6592 ZC]
7	5160001		1	Electric wiring
8	5002055		1	Manifold (Pick-up)
9	3060143		2	Sealing washer [BSP 1/4"]
10	3110078		1	Bolt (banjo bolt)
11	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
12	3310612		1	Pressure sensor
13	3311632		1	Electric wiring
14	3020885		2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
15	3040518		2	Stopnut [STOP M4]
16	3312280		1	Push-button pannel box (Assembly)
17	3312281		1	key switch


Kit (Wireless control)

Table code

Sheet

7892099-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311385		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (PTO)

Table code

Sheet

7892500-2.0

1/2




2.4 GHz


**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	


R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	1	5090134	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6 A	5220469 (12V)	1	
	6 B	5220470 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]




VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091457	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	25	3311659	1	Relay (12V)
	26	3310348	1	Relay (24V)
	27	3311883	1	Electric wiring (Emergency)

Kit CE (STABILITY CONTROL)

Table code
5405050-2.0


Sheet
1/2

VALIDO DA Gennaio 2011
VALID FROM January 2011





R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5002103	1	
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	2	Support (Proximity switch)
RC	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	5000422	2	Support (Proximity switch)
	19	3040391	1	Hexagonal nut (Normal)
	20	3060225	1	Grub screw

R	Pos.	Variant Code	Q.ty	Description
	21	3040251	2	Lock nut [M24 8.G basso UNI 5589]



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	1	Guard (Proximity switch)
	5	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	2	Support (Proximity switch)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5000422	2	Support (Proximity switch)
	15	3040251	2	Lock nut [M24 8.G basso UNI 5589]



VALIDO DA Gennaio 2011**VALID FROM January 2011**

R	Pos.	Variant Code	Q.ty	Description
1		3311448	1	
2		3311386	1	
3		5001842	1	Microswitch support
4		3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
5		3040392	2	Stopnut [Dado Stop M5-70 norm.]
6		3020879	2	
7		3310885	1	Microswitch (Electric)
8		3040516	2	Stopnut [STOP M3]
9		3060223	1	Grub screw
10		3311159	1	Signal Columns
11		3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12		3040391	1	Hexagonal nut (Normal)
13		5160001	1	Electric wiring
14		5002055	1	Manifold (Pick-up)
15		3060143	2	Sealing washer [BSP 1/4"]
16		3110078	1	Bolt (banjo bolt)
17		3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
18		3310612	1	Pressure sensor
19		3311384	1	


Moment limiting device (EN12999-A3)

Table code

Sheet

5405046-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311640		1	Electric wiring
2	3311541		1	Moment limiting device
3	3040392		2	Stopnut [Dado Stop M5-70 norm.]
4	3311159		1	Signal Columns
5	3020023		2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
6	5160001		1	Electric wiring
7	5002055		1	Manifold (Pick-up)
8	3060143		2	Sealing washer [BSP 1/4"]
9	3110078		1	Bolt (banjo bolt)
10	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
11	3310612		1	Pressure sensor
12	3311632		1	Electric wiring
13	3020885		2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
14	3040518		2	Stopnut [STOP M4]
15	3312281		1	key switch
16	3312280		1	Push-button panel box (Assembly)


Kit (Wireless control)

Table code

Sheet

7892099-5.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311447		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-5.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (EN12999-A3)

Table code

Sheet

7892500-3.0

1/2




2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

**VERSIONE ETR
ETR VERSION**

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311639	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



2.4 GHz

VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013

VERSIONE ETR
ETR VERSION



RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

Sheet

7881798.1
1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw				
3010055	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3060006	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060684	Plate (Thickness)				
3060914	Flat washer				
3060918	Tooth lock washer				
3180138	Oil filter				
3180139	Filtering cartridge				
3180150	Pressure gauge				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311354	Lighting (Audible alarm)				
5140248	Slide shoe				
5141048	Bushing				
5220300	Hose burst valve (Sleeve)				
5225733	Seal kit				
W102171	Bushing				
W350017	Oil filter (return line)				
W350717	Filter cartridge				
W360107	O-ring joint				
W360108	O-ring joint				
W360300400	Slide shoe				
W365061	Seal kit				
W365065	Seal kit				
W365104	Seal kit				
W365119	Seal kit				
W370300800	Button (Control board)				
W370300900	Slide shoe				
W380300700	Slide shoe				
W540101000	Thrust bearing ring				
W540101700	Centering ring				