




Model
**TELESCOPIC 1 BOOM
605T**

Logbook code
7880766.0
Edition
06/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

Sheet

7880766.0
1/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5420104-1.0	1	Base		
11	W390451800-1.0	1	STABILIZER ROD (standard)		
13	W390451900-1.0	1	STABILIZER ROD (Extra-extensible)		
15	5405043-1.0	1	Kit CE (STABILITY CONTROL)		
16	5411029-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
17	W390450400-1.1	1	STABILISER RAM (standard)		
18	W390450300-1.1	1	Stabilizer Hydraulic jack (ROTATING)		
19	W390450800-1.0	1	STABILISER RAM (Short)		
20	W390450700-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
21	W054101-1.1	1	Slewing		
23	W520554600-1.0	1	Moment limiting device		
24	5405038-1.0	1	Moment limiting device (CE)		
25	5411082-1.1	1	Motor pump (Electrical equipment)		
26	5411082-2.0	1	Motor pump (Electrical equipment)		
27	W338000-1.0	1	Control valve		
28	W338034-3.0	1	Control valve (4 section)		
29	W338035-1.0	1	Control valve (CE)		
30	W530551000-1.1	1	Hydraulic oil tank		
31	W530551000-2.1	1	Hydraulic oil tank		

Page	Table code	Q.ty	Table heading	Vers.	Validity
32	W530551000-1.0	1	Hydraulic oil tank (CE)		
33	W530551000-2.0	1	Hydraulic oil tank (CE)		
34	W350017-1.0	1	Oil filter		
35	5510956-1.0	1	Set of hoses		
36	5460083-1.0	1	Column		
37	6230178-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
38	6430178-1.0	1	Lifting hydraulic cylinder		
39	5470093-1.0	1	1st Boom		
40	5490092-1.0	1	1st Extension		
41	5490092-2.0	1	Extension jacks (Assembly)		
42	6410398-1.0	1	1st Extension hydraulic		
43	5530052-1.0	1	2nd extension		
44	6410399-1.0	1	2nd EXTENSION HYDRAULIC JACK		
45	5540058-1.0	1	3rd extension		
47	6210405-1.0	1	3rd extension Hydraulic jack		
48	5560046-1.0	1	4th EXTENSION		
50	6410400-1.0	1	4th extension Hydraulic jack		
51	5590247-1.0	1	1st ACTIVATION FOR 2S		
53	5590248-1.0	1	1st ACTIVATION FOR 3S		
55	7800362-1.0	1	1st mechanical extension (1S)		

Table index

Logbook code

7880766.0

Sheet

2/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
56	7800363-1.0	1	1st mechanical extension (2S)		
57	7800364-1.0	1	1st mechanical extension (3S)		
58	7800365-1.0	1	1st mechanical extension (4S)		
59	7881872-1.0	1	LOAD INDICATION SYSTEM		
60	5750385-1.0	1	Completion parts		
61	5750385-2.0	1	Completion parts		
63			605T RDC		
64	5400483-1.0	1	CONTROLS		
66	5402246-1.0	1	Control unit (RDC / NOCE)		
68	5220416-1.0	1	Control valve (4 section)		
70	5400814-1.0	1	High pressure filter		
71	7892099-2.0	1	Complete wireless control (not CE)		
73	7892500-1.0	1	Complete wireless control (PTO)		
75	5400482-1.0	1	ELECTRICS CONTROLS		
76	5402259-1.0	1	ELECTRICS CONTROLS (ETR)		
77	7920056-1.0	1	HYDRAULIC SYSTEM GAUGE		
78	5411037-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
79	5405017-2.0	1	Moment limiting device		
80	3310183-1.0	1	Kit (Wireless control)		
82	7892500-4.0	1	Complete wireless control (ETR)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
84	5405017-1.0	1	Auxiliary wiring		
85	3310822-1.0	1	Light column		
86	5405017-3.0	1	Auxiliary wiring (Limiting device)		
87	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
88	7834068-1.0	1	WINCH KIT		
89	7834068-2.0	1	ACTUATION FOR WINCH		
90	7834068-3.0	1	WINCH KIT (Electrical equipment)		
91			605T RDC EN12999-A3		
92	5401470-1.0	1	Control unit (RDC)		
94	5402252-1.0	1	Control unit (RDC / CE)		
96	5220416-2.0	1	Control valve (4 section)		
98	5405049-1.0	1	Kit CE (STABILITY CONTROL)		
99	5405049-3.0	1	STABILITY CONTROL (EN12999-A3)		
100	5405046-1.0	1	Moment limiting device (CE)		
102	5405046-3.0	1	Moment limiting device (CE)		
103	7892099-3.0	1	Kit (Wireless control)		
105	7892500-2.0	1	Complete wireless control (PTO)		
107	5401528-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		
109	5402262-1.0	1	ELECTRICS CONTROLS (EN12999-A3)		
111	5405049-2.0	1	Kit CE (STABILITY CONTROL)		

Table index

Logbook code

Sheet

7880766.0





3/3


Page	Table code	Q.ty	Table heading	Vers.	Validity
112	5405049-4.0	1	STABILITY CONTROL (EN12999-A3)		
113	5405046-2.0	1	Moment limiting device (CE)		
114	5405046-4.0	1	Moment limiting device (EN12999-A3)		
115	7892099-5.0	1	Kit (Wireless control)		
117	7892500-3.0	1	Complete wireless control (EN12999-A3)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------



R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)





R	Pos.	Variant Code	Q.ty	Description
	1	5060176	1	Base
	2	5000077	2	Clamp (Rigid Pipe)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	4	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	5	3190290	8	Tip (Rubber protection)
	6	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	7	3060023	8	Flat washer
	8	5000084	16	Small plate
	9	W738019	8	
	10	W010000200	4	Anchoring bracket (Base)
	11	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	12	W340501300	1	
	13	W340501400	1	Support (Clamp)
	14	W360451200	2	Kit (Spring)
	15	3060026	2	Spring pin
	16	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	17	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	18	3060685	2	Spring (Block)


STABILIZER ROD (standard)

Table code

Sheet

W390451800-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1		W390450400	2	Stabilizer Hydraulic jack
2		3070052	2	Seeger
3		W101219	2	Pin (Handle)
4		3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
5		W456064	2	Flexible hose
6		3101080	2	Tee fitting
7		5261119	2	Flexible hose
8		3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
9		W400400100	1	Stabilizer rod (Long)
10		W390400200	1	Stabilizer rod (Short)
11		5390209	1	
12		5390224	1	
13		W456859	2	Flexible hose
14		W370400700	14	Button (Coupling backlash)
15		W370401800	2	Handle (Rod)
16		W664018	2	Handle (Polyvinyl chloride)
17		3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
18		3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
19		5000183	2	Ring (Spacer)
20		3000018	2	GENOVESE CHAIN

STABILIZER ROD (standard)


Table code

Sheet

W390451800-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]




STABILIZER ROD (Extra-extensible)

Table code

Sheet

W390451900-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W390450400	2	Stabilizer Hydraulic jack
	2	3070052	2	Seeger
	3	W101219	2	Pin (Handle)
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	5	3101039	4	Straight pipe fitting [9/16-18 1/4\"C
	6	W390401000	2	Rod guide (Stabilizer)
	7	W456052	2	Flexible hose
	8	3101080	2	Tee fitting
	9	5261119	2	Flexible hose
	10	3000018	2	GENOVESE CHAIN
	11	3101040	2	Straight pipe fitting [9/16-18 3/8\"C
	12	W390400900	1	Stabilizer rod
	13	W390400800	1	Stabilizer rod
	14	5390209	1	
	15	5390224	1	
	16	W456872	2	Flexible hose
	17	W370400700	14	Button (Coupling backlash)
	18	W370401800	2	Handle (Rod)
	19	W664018	2	Handle (Polyvinyl chloride)
	20	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]

STABILIZER ROD (Extra-extensible)


Table code

Sheet

W390451900-1.0


2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	22	5000183	2	Ring (Spacer)
	23	3020033	1	
	24	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]



VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	2	Guard (Proximity switch)
	5	3020045	8	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	5000193	1	
	8	3311341	1	
	9	3311339	1	Dashboard
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	4	Support (Proximity switch)
RC	15	3060055	8	Split lock washer [D=8.4 C72 ZC]
	16	3020902	8	Socket head cap screw [M8X10 ZC UNI 5931]
	17	5150033	1	
	18	5091306	2	Guard (Proximity switch)
	19	3311344	1	
	20	W520501900	1	

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5411029-2.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3020436	4	TSEI screw [M6X10 ZC UNI 5933]
RC	6	3311354	1	Lighting (Audible alarm)
	7	3311356	2	Wire assembly (Microswitch)
	8	3311352	1	Electric wiring (Assembly)
	9	3310431	1	Connector (Electric)
	10	3310432	1	Connector (Electric)
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]


STABILISER RAM (standard)

Table code

Sheet

W390450400-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W390450300	1	Stabilizer Hydraulic jack (ROTATING)
2		W390506200	1	Bonderized tube
3		3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
4		W470053	1	Manually operated valve
5		3060143	1	Sealing washer [BSP 1/4"]
6		3080512	1	Grease nipple [M8X1.25 (45°)]
7		3060632	1	Spring pin
8		4160397	1	Tang
9		3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
10		4160398	1	Locking ring
11		5090815	1	Support base
12		5920002	1	ARTICULATED JOINT TANG
13		5141269	1	Swash -plate (ARTICULATED JOINT TANG)
14		5920059	1	ARTICULATED JOINT TANG


Stabilizer Hydraulic jack (ROTATING)

Table code

Sheet

W390450300-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W390400600	1	
	2	W390402900	1	
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	W105057	1	Piston
	5	W360041	1	O-ring joint
	6	W359017	1	Seal
	7	W360012	1	O-ring joint
	8	W304023	1	Anti-extrusion ring
	9	W120106	1	Close nipple
	10	W358010	1	Seal
	11	W361016	1	Seal
	12	3080500	1	Grease nipple
RC	13	W365058	1	Seal kit


STABILISER RAM (Short)

Table code

Sheet

W390450800-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W390450700	1	Stabilizer Hydraulic jack (ROTATING)
	2	3080500	1	Grease nipple
	3	3080505	1	Guard (Grease nipple)
	4	W470053	1	Manually operated valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	3060143	1	Sealing washer [BSP 1/4"]
	7	W390450800	1	Stabilizer Hydraulic jack (Assembly)
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5920059	1	ARTICULATED JOINT TANG
	16	5141269	1	Swash -plate (ARTICULATED JOINT TANG)


Stabilizer Hydraulic jack (ROTATING)

Table code


Sheet

W390450700-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	W390403700	1	Cylinder (Short)
	2	W120106	1	Close nipple
	3	W390403800	1	Rod
	4	W105057	1	Piston
	5	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
RC	6	W365058	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	W540100100	1	
	2	W540100400	1	
	3	3080500	1	Grease nipple
	4	W379008	1	
	5	3020099	2	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	6	3060018	10	Flat washer [D.12 UNI 6592 ZC]
	7	3010372	8	Hex screw [M12X50 8.8 ZC UNI 5740]
	8	3110062	2	Plug
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	W568302	1	
	11	W545002	2	
	12	3070038	1	Seeger
	13	W540101500	1	
	14	3450084	1	O-ring joint
	15	3070208	1	Seeger
	16	W540101600	1	
RC	17	W102171	1	Bushing
RC	18	W360107	1	O-ring joint
RC	19	W540101000	1	Thrust bearing ring
RC	20	W540101700	1	Centering ring

654161-1.4

R	Pos.	Variant Code	Q.ty	Description
RC	21	5141048	1	Bushing
	22	W102134	1	Bushing
	23	3101041	2	Straight pipe fitting [9/16-18 1/2"Cl. D10]
	24	3110061	1	Plug [BSP 3/8"]
	25	3060144	1	Sealing washer [BSP 3/8"]
RC	26	W360108	1	O-ring joint



654101-1.1

Moment limiting device


Table code

Sheet

W520554600-1.0

1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1		W520550700	1	Dashboard (Electric)
2		W520503100	1	
3		W520503000	1	
4		3310080	2	Microswitch
5		W242002	1	
6		W287002	1	
7		W470619	1	
8		3310238	1	Solenoid (12V)
9		3310242	1	Solenoid (24V)
10		W520501900	1	
11		3040010	2	Tall headed nut
12		3060003	2	Flat washer [D.4 UNI 6592 ZC]
13		3020954	2	


Moment limiting device (CE)

Table code

Sheet

5405038-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311339	1	Dashboard
	2	3311344	1	
	3	3311340	1	Electric wiring
	4	3020954	2	
	5	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	6	3310612	1	Pressure sensor
	7	5225770	1	Solenoid valve
	8	3310238	1	Solenoid (12V)
	9	3310242	1	Solenoid (24V)
	10	W520501900	1	
	11	3040041	2	Nut
	12	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	13	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	14	5002055	1	Manifold (Pick-up)
	15	3060143	2	Sealing washer [BSP 1/4"]
	16	3110078	1	Bolt (banjo bolt)
	17	5160001	1	Electric wiring


Motor pump (Electrical equipment)

Table code

Sheet

5411082-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5710099	1	MOTORPUMP	
2	5410882	1	Oil Tank Assembly	
3	5710098	1	Electric motor	
4	3311113	1	Relay	
5	3310144	1	Electric cable	
6	3310068	1	Electric cable (positive pole)	
7	3310067	1	Electric cable (negative pole)	
8	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]	
9	W370504500	1	Support bracket (Switch)	
10	W264401	1	Switch	
11	W520502300	1	Electric cable	
12	3310080	1	Microswitch	
13	W520550700	1	Dashboard (Electric)	

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010


Motor pump (Electrical equipment)

Table code

Sheet

5411082-2.0

1/1



NO **CE**

R	Pos.	Variant Code	Q.ty	Description
	1	5710099	1	MOTORPUMP
	2	5410882	1	Oil Tank Assembly
	3	5710098	1	Electric motor
	4	3311113	1	Relay
	5	3310144	1	Electric cable
	6	3310068	1	Electric cable (positive pole)
	7	3310067	1	Electric cable (negative pole)
	8	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	W370504500	1	Support bracket (Switch)
	10	W264401	1	Switch
	11	W520502300	1	Electric cable
	12	3310080	1	Microswitch
	13	3311339	1	Dashboard
	14	3311340	1	Electric wiring

VALIDO DA Gennaio 2011
VALID FROM January 2011



Control valve

Table code


Sheet

W338000-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	W520502500	1	Cover (Control valve)
	10	W520550700	1	Dashboard (Electric)



33800A-1-1

Control valve (4 section)


Table code

Sheet

W338034-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W338034	1	Control valve ass'y
	2	5225689	4	Rubber protective boot
	3	WVA0110	4	Control lever
	4	WVA0116	3	Slider
	5	5226090	1	Max pressure valve
	6	WVA0117	1	Slider
	7	5225781	1	Seal kit
	8	5225959	1	Bushing
	9	5225960	4	Socket head cap screw [SDM080 TIPO "A"]
	10	5225786	3	cover with spring
	11	5225957	1	Bushing
	12	5226093	1	cover with spring
	13	5226061	1	Close nipple





Control valve (CE)

Table code


Sheet

W338035-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1.1	W338036	1	
	1.2	W338037	1	
	1.3	W338034	1	Control valve ass'y
	1.4	W338035	1	
	1.5	W338032	1	
	1.6	W338033	1	
	2	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	W520501800	1	Distributor support
RC	5	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W520500600	5	Lever (Control valve)
	8	W664003	5	Knob (Control lever)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	10	3110150	1	Reducing fitting
	11	3060144	1	Sealing washer [BSP 3/8"]
	12	3311339	1	Dashboard



Hydraulic oil tank




VALIDO FINO a Settembre 2010
VALID UNTIL September 2010

Table code	Sheet
W530551000-1.1	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	2	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Hydraulic oil tank



Valido da Matricola : 29279

Valid from S / N : 29279

Table code
W530551000-2.1

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
RC	2	W350017	1	Oil filter (return line)
	3	W449009	1	Tank cap (Spill door)
	4	W370005	2	Oil level indicator
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3110065	1	Plug [BSP 1/2"]
RC	7	W350717	1	Filter cartridge
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3110072	1	Plug
	11	3060146	1	Sealing washer [BSP 3/4"]

Hydraulic oil tank (CE)


Table code

Sheet

W530551000-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110065	1	Plug [BSP 1/2"]
	8	3060145	2	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer



Hydraulic oil tank (CE)

Table code

Sheet

W530551000-2.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W438014	1	Oil tank
	2	W449009	1	Tank cap (Spill door)
RC	3	W350017	1	Oil filter (return line)
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	3110072	1	Plug
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	W370005	2	Oil level indicator
	10	5310042	1	
	11	3190009	1	Clamp
	12	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	13	W29500301	1	Bushing (Thermometer)
	14	3180097	1	Thermometer
	15	3060146	1	Sealing washer [BSP 3/4"]

VALIDO DA LUGLIO 2010
VALID FROM JULY 2010

Valido da Matricola : 29279

Valid from S / N : 29279



Oil filter


Table code

Sheet

W350017-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	W350017	1	Oil filter (return line)
RC	2	W350717	1	Filter cartridge



Set of hoses


Table code

Sheet

5510956-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5260774	2	Flexible hose
	2	5260773	2	Flexible hose
	3	5260779	2	
	4	5260778	2	




Column

Table code

Sheet

5460083-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040115	1	Column
	2	W101321	1	Pin assembly
	3	3070210	2	Snap ring
	4	W102135	2	Bushing
	5	5000047	4	Clamp (Rigid Pipe)
	6	3020037	4	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	7	3060101	4	Tooth lock washer [D.6 TIPO A]
	8	3190198	2.7m	Sheath (Flexible hose)
	9	W732001	1	Anti-vibrating support
	10	5140788	1	Roller (Turnsbasket)
	11	5000978	1	Retainer (Slewing)
	12	5001018	1	Bow (Slewing)
	13	5001111	2	Washer (Insulator) [D.13X75X3 FE360 ZC]
	14	3060506	2	Grub screw [M10X20 14.9GEOMET UNI5927]


Lifting hydraulic cylinder (Hydraulic system)

Table code

Sheet

6230178-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430178	1	Lifting hydraulic cylinder
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5390016	1	Bonderized tube
	4	W470052	1	Valve (Overcenter)
	5	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	9	3060144	1	Sealing washer [BSP 3/8"]


Lifting hydraulic cylinder

Table code

Sheet

6430178-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070585	1	Cylinder
	2	W102135	4	Bushing
	3	W400200600	1	Spacer
	4	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	5	W105074	1	Piston
	6	W102136	1	Self-lubricating bushing
	7	W380200400	1	Ring nut (Printed)
	8	W380200200	1	Cylinder head (Hydraulic cylinder)
	9	6030865	1	Rod unit
	10	W400200700	1	Spacer
RC	11	W365104	1	Seal kit


1st Boom

Table code

Sheet

5470093-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030293	1	Main boom
	2	W101225	2	Pin assembly
	3	3070210	4	Snap ring
	4	5000077	2	Clamp (Rigid Pipe)
	5	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	6	W340501400	2	Support (Clamp)
	7	W530202100	2	Bonderized tube
RC	9	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	11	5140248	2	Slide shoe
RC	12	W370300800	4	Button (Control board)
	13	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	14	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	15	5000685	2	Plate (Thickness)
RC	16	3060055	2	Split lock washer [D=8.4 C72 ZC]


1st Extension

Table code

Sheet

5490092-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020530	1	Extension
RC	2	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	3	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	4	5140249	2	Slide shoe
RC	5	W370300800	4	Button (Control board)
	6	W101244	1	Pin assembly
	7	W101214	1	Pin assembly
	8	3040498	2	Self-locking ringnut
	9	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	10	3040214	1	Lock nut
	11	6410398	1	Extension Hydraulic jack


Extension jacks (Assembly)

Table code

Sheet

5490092-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		W470017	1	Valve
2		3101175	2	Tee fitting
3		6410398	1	Extension Hydraulic jack
4		W530201900	1	Bonderized tube
5		3110040	2	Female plug [TAPPO F JIC 9/16 -18]
6		5392370	1	
7		3101039	2	Straight pipe fitting [9/16-18 1/4\"CIL. D10]

1st Extension hydraulic


Table code

Sheet

6410398-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070586	1	Cylinder
	2	3040378	1	Stopnut
	3	W105099	1	Piston
	4	W120054	1	Close nipple
	5	6030867	1	Rod unit
RC	6	W365119	1	Seal kit




2nd extension

Table code

Sheet

5530052-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020531	1	Extension
RC	2	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	3	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	4	5140248	4	Slide shoe
RC	5	W370300800	8	Button (Control board)
	6	3040498	2	Self-locking ringnut
	7	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	8	W101218	1	Pin assembly
	9	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	11	5000685	4	Plate (Thickness)
	12	5392371	1	
	13	W530201700	1	Bonderized tube
	14	3101040	1	Straight pipe fitting [9/16-18 3/8"CL. D10]
	15	W470853	1	Sequence valve
	16	3120065	1	Straight pipe fitting
	17	W101214	1	Pin assembly
	18	6410399	1	Extension Hydraulic jack

1-1-005130713

2nd EXTENSION HYDRAULIC JACK


Table code

Sheet

6410399-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070587	1	Cylinder
	2	3040377	1	Stopnut
	3	W105061	1	Piston
	4	W120058	1	Close nipple
	5	6030868	1	Rod unit
RC	6	W365061	1	Seal kit




3rd extension

Table code

Sheet

5540058-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020532	1	Extension
	2	6210405	1	Extension Hydraulic jack
	3	5020429	1	Extension
	4	5392372	1	
RC	5	W370300900	2	Slide shoe
RC	6	W370300800	8	Button (Control board)
	10	W470017	1	Valve
	11	3120065	1	Straight pipe fitting
	12	5220573	1	Sequence valve
	13	3101175	2	Tee fitting
	14	5261134	1	Flexible hose
	15	5261135	1	Flexible hose
	16	3101040	1	Straight pipe fitting [9/16-18 3/8"Cl. D10]
	17	3101039	3	Straight pipe fitting [9/16-18 1/4"Cl. D10]
RC	18	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	19	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
	20	3020436	2	TSEI screw [M6X10 ZC UNI 5933]
	21	W560304400	2	
	22	5001881	2	
	23	3040335	2	Stopnut


3rd extension

Table code

Sheet

5540058-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	24	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	25	5000685	2	Plate (Thickness)
RC	26	W360300400	2	Slide shoe
	27	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	28	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	29	3010362	2	Hex screw [M10X100 8.8 ZC UNI 5737]
	30	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	31	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]


3rd extension Hydraulic jack

Table code

Sheet

6210405-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070588	1	
	2	W360094	1	
	3	W105103	1	
	4	W359010	1	Seal
	5	W304030	2	
	6	W360049	1	O-ring joint
	7	W304018	1	Anti-extrusion ring
	8	W120058	1	Close nipple
	9	W358001	1	
	10	W361011	1	Seal (Oil seal)
	11	6030871	1	
RC	12	5550795	1	Seal kit

4th EXTENSION


Table code

Sheet

5560046-1.0


1/2

IMPORTANTE - senso di montaggio.
IMPORTANT - mounting sense.



R	Pos.	Variant Code	Q.ty	Description
	1	5020533	1	Extension
	2	3040498	2	Self-locking ringnut
	3	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	4	W101218	1	Pin assembly
	5	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	6	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
RC	7	5000685	2	Plate (Thickness)
	8	W571316	2	
	9	5140800	2	
RC	10	3020401	2	TSEI screw [M5X16 10.9 ZC UNI 5933]
	11	W380301900	1	Keep plate (Slide shoe)
	12	3020034	2	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	13	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	14	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	15	5392374	1	
	16	5392373	1	
	17	3120065	1	Straight pipe fitting
	18	W470853	1	Sequence valve
	19	3010362	2	Hex screw [M10X100 8.8 ZC UNI 5737]
RC	20	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]

IMPORTANTE - senso di montaggio.
IMPORTANT - mounting sense.



R	Pos.	Variant Code	Q.ty	Description
	21	3040335	2	Stopnut
	22	6410400	1	Extension Hydraulic jack


4th extension Hydraulic jack

Table code

Sheet

6410400-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070588	1	
	2	3040377	1	Stopnut
	3	W105061	1	Piston
	4	W359010	1	Seal
	5	W360002	1	O-ring joint
	6	W360049	1	O-ring joint
	7	W304018	1	Anti-extrusion ring
	8	W120058	1	Close nipple
	9	W358001	1	
	10	W361011	1	Seal (Oil seal)
	11	6030868	1	Rod unit
RC	12	W365061	1	Seal kit

1st ACTIVATION FOR 2S




Table code	Sheet
5590247-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5001914	1	
	2	W530500100	1	
	3	W530500300	1	
	4	W530500200	1	
	5	5260914	4	
	6	W520501300	2	
	7	5390011	2	
	8	5000077	6	Clamp (Rigid Pipe)
	9	5390012	2	
	10	3110053	2	Plug
	11	5260942	2	
	12	W128039	3	
	13	W340501400	6	Support (Clamp)
	14	3190198	1,5 m	Sheath (Flexible hose)
	15	3040524	4	Stopnut
RC	16	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	17	W340501300	2	
RC	18	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	19	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	20	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]

1st ACTIVATION FOR 2S


Table code

Sheet

5590247-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
	22	3020037	3	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	23	3060101	3	Tooth lock washer [D.6 TIPO A]
	24	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]



1st ACTIVATION FOR 3S




Table code

Sheet

5590248-1.0

1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5001914	1	
	2	W530500100	1	
	3	W530500300	2	
	4	W530500200	1	
	5	5260914	6	
	6	W520501300	2	
	7	5390011	2	
	8	5000077	8	Clamp (Rigid Pipe)
	9	5390012	4	
	10	5260942	2	
	11	W128039	3	
	12	W340501400	8	Support (Clamp)
	13	3190198	3 m	Sheath (Flexible hose)
	14	3040524	6	Stopnut
RC	15	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	16	W340501300	2	
RC	17	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	18	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	19	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
	20	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]

1st ACTIVATION FOR 3S


Table code

Sheet

5590248-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3020037	3	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	22	3060101	3	Tooth lock washer [D.6 TIPO A]
	23	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	24	3110053	2	Plug




1st mechanical extension (1S)

Table code

Sheet

7800362-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010013	1	Manual extension ("A") [1^X350A1]
	2	3060753	1	Cotter pin (Locking ring)
	3	W101046	1	Pin
	4	W101084	1	Pin assembly
	5	W599002	1	Swivel hook
	6	W390301000	1	Guide bushing (Lifting hook)
	7	W664003	1	Knob (Control lever)
RC	8	W370300900	4	Slide shoe
RC	9	W370300800	8	Button (Control board)
RC	10	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	11	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	12	3060703	1	Cotter pin


1st mechanical extension (2S)

Table code

Sheet

7800363-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010014	1	Manual extension ("B") [1^X350A2]
	2	3060753	1	Cotter pin (Locking ring)
	3	W101046	1	Pin
	4	W101084	1	Pin assembly
	5	W599002	1	Swivel hook
	6	W390301000	1	Guide bushing (Lifting hook)
	7	W664003	1	Knob (Control lever)
RC	8	W370300900	4	Slide shoe
RC	9	W370300800	8	Button (Control board)
RC	10	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	11	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	12	3060703	1	Cotter pin

1st mechanical extension (3S)


Table code

Sheet

7800364-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5010015	1	Manual extension ("C") [1^X350A3]
	2	3060703	1	Cotter pin
	3	W101046	1	Pin
	4	W101084	1	Pin assembly
	5	W599005	1	Swivel hook
	6	W390301000	1	Guide bushing (Lifting hook)
	7	3060753	1	Cotter pin (Locking ring)
	8	W664003	1	Knob (Control lever)




1st mechanical extension (4S)

Table code

Sheet


7800365-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010012	1	Manual extension ("D") [1^X350A4]
	2	W664003	2	Knob (Control lever)
	3	W101324	2	Pin
	4	3060753	2	Cotter pin (Locking ring)
	5	W520201600	1	Hook coupling
	6	W101080	1	Pin assembly
	7	W130302900	2	Guide bushing (Hook)
	8	W599005	1	Swivel hook
	9	3060703	1	Cotter pin

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	



Completion parts


Table code

Sheet


5750385-1.0

1/1

A1 - A2 - A3 - A4



VALIDO FINO A Febbraio 2011
VALID UNTIL February 2011



2/A1
2/A2
2/A3
2/A4



R	Pos.	Variant Code	Q.ty	Description
	1	W540050100	1	Assembly kit
	1/1	3040228	8	Lock nut
	1/2	3040227	8	Tall headed nut
	1/3	3060020	8	Flat washer [D.22 UNI 6592 ZC]
	1/4	W738026	4	Tie rod
	2/A1	5501244	1	
	2/A2	5501249	1	
	2/A3	5501248	1	
	2/A4	5501247	1	
	3	W599003	1	Swivel hook
	4	W101084	1	Pin assembly
	5	3060753	1	Cotter pin (Locking ring)
	6	W390301000	1	Guide bushing (Lifting hook)

Completion parts


Table code

Sheet


5750385-2.0

1/1

A1 - A2 - A3 - A4



VALIDO DA Marzo 2011
VALID FROM March 2011



2/A1
2/A2
2/A3
2/A4




R	Pos.	Variant Code	Q.ty	Description
1		W540050100	1	Assembly kit
1/1		3040228	4	Lock nut
1/2		3040227	4	Tall headed nut
1/3		3060020	8	Flat washer [D.22 UNI 6592 ZC]
1/4		3010441	4	Hex screw [M22X80 10.9 ZC UNI 5712]
2/A1		5501244	1	
2/A2		5501249	1	
2/A3		5501248	1	
2/A4		5501247	1	
3		W599003	1	Swivel hook
4		W101084	1	Pin assembly
5		3060753	1	Cotter pin (Locking ring)
6		W390301000	1	Guide bushing (Lifting hook)






605T RDC



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5091139	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES


Control unit (RDC / NOCE)

Table code

Sheet


5402246-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091453	1	Guard (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES




Control valve (4 section)

Table code

Sheet

5220416-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225846	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225768	8	
	12	5225755	1	
	13	5225760	1	
	14	5225724	3	
	15	5225757	3	
	16	5225818	1	
RC	17	5225733	1	Seal kit
	18	5225732	1	8 elements unit fixing
	19	5225843	1	5 elements unit fixing stud
	20	5225715	1	Slider (CC)


Control valve (4 section)

Table code

Sheet

5220416-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225722	5	Control lever
	22	5225723	4	
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225716	3	Slider (CA)


High pressure filter

Table code

Sheet

5400814-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	5	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	6	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3110041	1	Female plug


Complete wireless control (not CE)

Table code

Sheet


7892099-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		8	Stopnut [Dado Stop M5-70 norm.]
7	3020023		8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310860		1	
14	3310908		1	
15	3310688		1	
16	3310852		1	
17	3310862		2	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)


R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	



Complete wireless control (PTO)


Table code
7892500-1.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311509		1	Electric wiring (Wireless control)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5090016	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6 A	5220415 (12V)	1	
	6 B	5220429 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)



R	Pos.	Variant Code	Q.ty	Description
	1	5091456	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3180208	1	Oil level indicator
	15	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	16	3190179	3	Cable lead (Rubber)

HYDRAULIC SYSTEM GAUGE

Table code


Sheet

7920056-1.0

1/1

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	1	Pressure gauge
	2	3020950	3	Special screw
	3	W458458	1	Connecting pipe (Pressure gauge)
	4	3120200	1	Reducing fitting
	5	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	5260337	1	Flexible hose
	7	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3060143	1	Sealing washer [BSP 1/4"]


Lifting hydraulic cylinder (Hydraulic system)

Table code

Sheet

5411037-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430178	1	Lifting hydraulic cylinder
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5390016	1	Bonderized tube
	4	W449022	1	Spill door
	5	W470052	1	Valve (Overcenter)
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	8	3060144	1	Sealing washer [BSP 3/8"]
	9	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	10	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	11	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	12	3120065	1	Straight pipe fitting
	13	5220093	1	Non-return valve
	14	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	15	W456035	1	

Moment limiting device

Table code


Sheet

5405017-2.0

1/1

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	2	3120309	1	Wall-through pipe fitting [MJ 9/16-18]
	3	3060009	1	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	4	5260337	1	Flexible hose
	5	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
RC	6	5220300	1	Hose burst valve (Sleeve)
	7	3060143	1	Sealing washer [BSP 1/4"]


Kit (Wireless control)

Table code

Sheet


3310183-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		4	Stopnut [Dado Stop M5-70 norm.]
7	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310183		1	
14	3310908		1	
15	3311152		1	
16	3310688		1	
17	3310852		1	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
21	3310862	1		
22	3310754	1		
23	3311195	5		
24	3311197	6		
25	3311196	1		




Complete wireless control (ETR)

Table code

Sheet


7892500-4.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311510		1	Electric wiring (ETR)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring


Table code

Sheet

5405017-1.0

1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3310876		1	
2	3310879		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020880		2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
10	3310822		1	
11	3310823		1	
12	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
13	W370508000		1	Support (Flashing light)
14	3040392		4	Stopnut [Dado Stop M5-70 norm.]
15	3310873		1	Pressure monitor


Light column

Table code

Sheet

3310822-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

Auxiliary wiring (Limiting device)

Table code

Sheet

5405017-3.0

1/1


Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712


VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1	3311169		1	
2	3311168		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020881		2	[M3X8 UNI7687 ZC TAGLIO CR.]
10	3311159		1	Signal Columns
11	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	W370508000		1	Support (Flashing light)
13	3040392		4	Stopnut [Dado Stop M5-70 norm.]
14	3310873		1	Pressure monitor

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	




WINCH KIT

Table code


Sheet

7834068-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W484041	1	
	2	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
RC	3	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	4	3040326	4	Stopnut
	5	W664003	1	Knob (Control lever)
	6	W101324	1	Pin
	7	3060753	4	Cotter pin (Locking ring)
	8	3060014	4	Flat washer [D.25X44X4 UNI 6592 ZC]
	9	W101163	2	Pin
	10	W530500500	1	
	11	W101169	1	
	12	W317004	1	Pulley
	13	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	14	W597018	1	
	15	W380502700	1	Counterweight (Rope tightener)
	16	W101083	1	Pin
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3040081	2	Lock nut [M6 6S UNI 5589 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5260775	2	Flexible hose
	2	3101042	2	Straight pipe fitting [3/4-16 1/4"CIL. D12]
	3	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	5	5000077	2	Clamp (Rigid Pipe)
	6	W340501400	2	Support (Clamp)
	7	W648005	2	
	8	3040039	2	Tall headed nut


WINCH KIT (Electrical equipment)

Table code

Sheet

7834068-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311206	1	
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	4	3310884	1	WIRING FOR WINCH
	5	3310665	1	
	6	3310664	1	
	7	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	8	3010025	6	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	10	W440509500	2	Microswitch support (Lifting)
	11	W251013	1	Microswitch (Stop)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	14	W440509600	1	Sensor (Stop)
	15	W128034	4	Collar (Flexible hose)
	16	W537102	2	
	17	3040372	7	Stopnut [M6-70 UNI7473 NORM. ZC.]



605T RDC EN12999-A3


Control unit (RDC)

Table code

5401470-1.0

Sheet

1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091324	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

Control unit (RDC)


Table code

Sheet

5401470-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	W370508300	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091452	1	Protective guard (Control valve)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	5091488	1	Cover (Moment limiting device)
	26	3011000	2	Handwheel
	27	5091548	1	Protective guard (Control levers)


Control valve (4 section)

Table code

Sheet

5220416-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225887	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225881	2	Control valve element
	12	5225886	2	Control valve element
	13	5225878	2	Control valve element
	14	5225883	2	Control valve element
	15	5225802	1	Knob (Red)
RC	16	5225733	1	Seal kit
	17	5225732	1	8 elements unit fixing
	18	5225843	1	5 elements unit fixing stud
	19	5225715	2	Slider (CC)
	20	5225800	5	Control lever


Control valve (4 section)

Table code

Sheet

5220416-2.0


2/2




R	Pos.	Variant Code	Q.ty	Description
	21	5225801	4	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225716	2	Slider (CA)

VALIDO DA Gennaio 2011

VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	2	Guard (Proximity switch)
	5	3020045	8	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	5001842	1	Microswitch support
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	4	Support (Proximity switch)
RC	15	3060055	8	Split lock washer [D=8.4 C72 ZC]
	16	3020902	8	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	3060223	1	Grub screw
	19	3040391	1	Hexagonal nut (Normal)
	20	5091306	2	Guard (Proximity switch)



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	2	Guard (Proximity switch)
	5	3020045	8	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	4	Support (Proximity switch)
RC	12	3060055	8	Split lock washer [D=8.4 C72 ZC]
	13	3020902	8	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5091306	2	Guard (Proximity switch)

Moment limiting device (CE)


Table code

Sheet

5405046-1.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]

VALIDO DA Gennaio 2011

VALID FROM January 2011




Moment limiting device (CE)

Table code

Sheet

5405046-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311634		1	Electric wiring
2	3311541		1	Moment limiting device
3	3040392		4	Stopnut [Dado Stop M5-70 norm.]
4	3311159		1	Signal Columns
5	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
6	3060004		2	Flat washer [D.5 UNI 6592 ZC]
7	5160001		1	Electric wiring
8	5002055		1	Manifold (Pick-up)
9	3060143		2	Sealing washer [BSP 1/4"]
10	3110078		1	Bolt (banjo bolt)
11	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
12	3310612		1	Pressure sensor
13	3311632		1	Electric wiring
14	3020885		2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
15	3040518		2	Stopnut [STOP M4]
16	3312280		1	Push-button panel box (Assembly)
17	3312281		1	key switch


Kit (Wireless control)

Table code

Sheet

7892099-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311385		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (PTO)

Table code

Sheet

7892500-2.0

1/2





2.4 GHz

VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	


R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]






R	Pos.	Variant Code	Q.ty	Description
	1	5090134	1	
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469 (12V)	1	
	6 B	5220470 (24V)	1	
	7 A	W318009 (12V)	1	
	7 B	W318010 (24V)	1	
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]

VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5091457	1	Junction box
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3110040	2	Female plug [TAPPO F JIC 9/16-18]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3101040	8	Straight pipe fitting [9/16-18 3/8"CL. D10]
	6 A	5220469	1	MODULAR DIRECTIONAL VALVES
	6 B	5220470	1	MODULAR DIRECTIONAL VALVES
	7 A	W318009	1	Hydraulic power unit
	7 B	W318010	1	Hydraulic power unit
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5260475	8	Flexible hose
RC	10	3060055	4	Split lock washer [D=8.4 C72 ZC]
	11	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	3310067	1	Electric cable (negative pole)
	13	3310068	1	Electric cable (positive pole)
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3190179	3	Cable lead (Rubber)
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	W370508000	1	Support (Flashing light)
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	19	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	20	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	21	5002010	2	Spacer
	22	3040518	2	Stopnut [STOP M4]
	23	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	24	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	25	3311659	1	Relay (12V)
	26	3310348	1	Relay (24V)
	27	3311883	1	Electric wiring (Emergency)

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	2	Guard (Proximity switch)
	5	3020045	8	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	5002103	1	
	8	3311341	1	
	9	3311386	1	
	10	3311350	1	Electric wiring
	11	3311343	2	
	12	3311342	2	Electric wiring
RC	13	3311311	4	Proximity switch (Position sensor)
	14	5000420	4	Support (Proximity switch)
RC	15	3060055	8	Split lock washer [D=8.4 C72 ZC]
	16	3020902	8	Socket head cap screw [M8X10 ZC UNI 5931]
	17	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	18	3060225	1	Grub screw
	19	3040391	1	Hexagonal nut (Normal)
	20	5091306	2	Guard (Proximity switch)



R	Pos.	Variant Code	Q.ty	Description
	1	5000426	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	5091310	2	Guard (Proximity switch)
	5	3020045	8	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3311541	1	Moment limiting device
	8	3311350	1	Electric wiring
	9	3311636	4	Electric wiring
RC	10	3311311	4	Proximity switch (Position sensor)
	11	5000420	4	Support (Proximity switch)
RC	12	3060055	8	Split lock washer [D=8.4 C72 ZC]
	13	3020902	8	Socket head cap screw [M8X10 ZC UNI 5931]
	14	5091306	2	Guard (Proximity switch)

Moment limiting device (CE)


Table code

Sheet

5405046-2.0

1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311448		1	
2	3311386		1	
3	5001842		1	Microswitch support
4	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
5	3040392		2	Stopnut [Dado Stop M5-70 norm.]
6	3020879		2	
7	3310885		1	Microswitch (Electric)
8	3040516		2	Stopnut [STOP M3]
9	3060223		1	Grub screw
10	3311159		1	Signal Columns
11	3020023		2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	3040391		1	Hexagonal nut (Normal)
13	5160001		1	Electric wiring
14	5002055		1	Manifold (Pick-up)
15	3060143		2	Sealing washer [BSP 1/4"]
16	3110078		1	Bolt (banjo bolt)
17	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
18	3310612		1	Pressure sensor
19	3311384		1	


Moment limiting device (EN12999-A3)

Table code

Sheet

5405046-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311640	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	5160001	1	Electric wiring
	7	5002055	1	Manifold (Pick-up)
	8	3060143	2	Sealing washer [BSP 1/4"]
	9	3110078	1	Bolt (banjo bolt)
	10	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	11	3310612	1	Pressure sensor
	12	3311632	1	Electric wiring
	13	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	14	3040518	2	Stopnut [STOP M4]
	15	3312281	1	key switch
	16	3312280	1	Push-button pannel box (Assembly)


Kit (Wireless control)

Table code

Sheet

7892099-5.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311447		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-5.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (EN12999-A3)

Table code

Sheet

7892500-3.0

1/2




2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

**VERSIONE ETR
ETR VERSION**

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311639	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]





RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

Sheet

7880766.0

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw				
3010055	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3020401	TSEI screw				
3060006	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060914	Flat washer				
3060918	Tooth lock washer				
3180138	Oil filter				
3180139	Filtering cartridge				
3180150	Pressure gauge				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311354	Lighting (Audible alarm)				
5000685	Plate (Thickness)				
5140248	Slide shoe				
5140249	Slide shoe				
5141048	Bushing				
5220300	Hose burst valve (Sleeve)				
5225733	Seal kit				
5550795	Seal kit				
W102171	Bushing				
W350017	Oil filter (return line)				
W350717	Filter cartridge				
W360107	O-ring joint				
W360108	O-ring joint				
W360300400	Slide shoe				
W365058	Seal kit				
W365061	Seal kit				
W365104	Seal kit				
W365119	Seal kit				
W370300800	Button (Control board)				
W370300900	Slide shoe				
W540101000	Thrust bearing ring				
W540101700	Centering ring				