
AMCO VEBA
LIFTING BEYOND HORIZONS

SPARE PARTS CATALOGUE



Model

2 ARTICULATED BOOM
803N

Logbook code

7880779.0

Edition

05/2020

Realizzato con CrEasy©

INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A **The number of the catalog page.**

B **The code of the table.**

C **The title of the table.**

D **Section of the model variant.**




Table index

Logbook code **7880484.1** 5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215			**820 EBB - EN 12999 - A3**		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237			**820 5S - JIB 2S**		

7

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257			**820 CIA**		
258	55[illegible]0096-1.0	1	1st ACTIVATION FOR 1S		
259	55[illegible]0096-2.0	1	1st ACTIVATION FOR 1S		

A B C D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with:RE 217XXXX
17 - indicate the year XXXX - is a progressive number




Table code **5402956-3.0** 1/1

R	Pos.	Code Variant	Q.ty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5420090-1.0	1	BASE		
11	5411029-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
12	5411029-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
13	6240136-1.0	1	SLEWING ASS'Y		
14	6240181-1.0	1	SLEWING ASS'Y (Retaining ring)		
15	6240181-2.0	1	SLEWING ASS'Y (Retaining ring)		
16	6240136-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
17	5411170-1.0	1	Hydraulic system (Holding valve slewing)		
18	5760173-1.0	1	STABILIZER ROD		
19	5760173-2.0	1	Hydraulic system (stabilizers)		
20	5760174-1.0	1	STABILIZER ROD (Extra-extensible)		
21	5760174-2.0	1	Hydraulic system (extraextended stabilizers)		
22	6200262-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
23	6200262-1.1	1	Hydraulic system (Stabilizer Hydraulic jack)		
24	6200263-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
25	6200263-1.1	1	Hydraulic system (Stabilizer Hydraulic jack)		
26	6400262-1.0	1	STABILISER RAM		
27	6400262-1.1	1	STABILISER RAM		
28	5760266-1.0	1	STABILIZER ROD (standard)		
30	5760267-1.0	1	STABILIZER ROD (Extra-extensible)		
32	W370450200-1.1	1	Hydraulic system (STABILISER RAM)		
33	W370450100-1.6	1	Stabilizer Hydraulic jack		
34	5400526-1.0	1	DOUBLE CONTROLS		
36	5210020-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
38	5210021-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
40	W338077-2.0	1	Control valve		
41	5410976-1.0	1	Kit CE (NO Actuations)		
42	5410976-2.0	1	Kit CE (Actuations)		
43	5410976-3.0	1	Kit CE		
45	5430162-1.0	1	Moment limiting device		
47	5430161-1.0	1	Moment limiting device		
49	5431018-4.0	1	Kit CE (STABILITY CONTROL)		
50	5431018-5.0	1	Kit CE (STABILITY CONTROL)		
51	5431018-3.0	1	DOUBLE CONTROLS (CE)		
54	W338077-3.0	1	Control valve (Optional)		
55	5431020-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
57	5431022-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
59	5400525-1.0	1	Oil tank		
61	5460097-1.0	1	Column		


Page	Table code	Q.ty	Table heading	Vers.	Validity
62	5470100-1.0	1	1st Boom		
63	W380250400-1.1	1	Hydraulic system ()		
64	W380250400-2.1	1	Hydraulic system ()		
65	W380250300-1.0	1	Lifting And Articulation Hydraulic Cylinder		
66	5480095-1.0	1	2nd Boom		
67	W380350400-1.1	1	Hydraulic system (ARTICULATION HYDRAULIC JACK)		
68	W380350400-2.1	1	Hydraulic system (ARTICULATION HYDRAULIC JACK)		
69	5490098-1.0	1	1st Extension		
70	W380350200-1.0	1	Hydraulic system (1st Extension hydraulic)		
71	W380350100-1.6	1	1st extension hydraulic jack		
72	5530058-1.0	1	2nd Extension		
74	W370350100-1.6	1	2nd EXTENSION HYDRAULIC JACK		
75	5540065-1.0	1	3rd EXTENSION		
76	5540065-2.0	1	Hydraulic system (3rd EXTENSION)		
77	7800039-1.0	1	1st (MANUAL EXTENSION)		
78	7800041-1.0	1	1st (MANUAL EXTENSION)		
79	7800046-1.0	1	1st (MANUAL EXTENSION)		
80	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
81	5590268-1.0	1	1st ACTIVATION FOR 1S		
83	5590269-1.0	1	1st AND 2ND ACTIVATION FOR 1S		
85	5590270-1.0	1	1st ACTIVATION FOR 2S		
87	5590271-1.0	1	1st AND 2ND ACTIVATION FOR 2S		
89	5590272-1.0	1	1st ACTIVATION FOR 3S		
91	5590273-1.0	1	1st AND 2ND ACTIVATION FOR 3S		
93	7880854-1.0	1	Assembly kit		
95	[redacted]		903N		
96	5760255-1.0	1	Stabilizers rods		
98	5401136-1.0	1	CONTROLS		
100	5402239-1.0	1	Control unit (RDC / NOCE)		
102	5220410-1.0	1	Control valve (5 section)		
104	5400708-1.0	1	High pressure filter		
105	5405026-1.0	1	Moment limiting device (CE)		
106	5405026-2.0	1	Auxiliary wiring		
107	5405035-1.0	1	HYDRAULIC SYSTEM GAUGE (CE)		
108	7892099-2.0	1	Complete wireless control (not CE)		
110	7892500-1.0	1	Complete wireless control (PTO)		
112	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
113	[redacted]		903N EN 12999 - A3		
114	5401643-2.0	1	Control unit (RDC)		
116	5402292-1.0	1	Control unit (RDC / CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
118	5220410-2.0	1	Control valve (5 section)		
120	7892099-3.0	1	Kit (Wireless control)		
122	7892500-2.0	1	Complete wireless control (PTO)		
124	5405053-3.0	1	Kit CE (STABILITY CONTROL)		
126	5405053-4.0	1	Kit CE (STABILITY CONTROL)		
127	5405045-3.0	1	Moment limiting device (CE)		
129	5405045-6.0	1	Moment limiting device (EN12999-A3)		

Plate kit (Generic Gru)


Table code	Sheet
5502000-3.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5502000	1	kit Standard instructions sticker
	2	5813851	4	Label (Stabilizer connecting rods)



BASE


Table code	Sheet
5420090-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060174	1	Base
RC	2	5141009	1	Bushing (Upper)
RC	3	5141010	1	Thrust bearing ring
	4	3080532	1	Grease nipple
RC	5	5141008	1	Bushing (Lower)
	6	3040251	2	Lock nut [M24 8.G basso UNI 5589]
	7	W370400700	2	Button (Coupling backlash)
	8	3060685	2	Spring (Block)
	9	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	10	3060053	4	Split lock washer [D=6.4 C72 ZC]
	11	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	12	W061333	2	Adjusting screw
RC	13	W560306300	2	Slide shoe (Rod)
RC	14	W270303100	4	Bushing (Dolly block)
RC	15	3060029	4	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	16	3060055	4	Split lock washer [D=8.4 C72 ZC]
	17	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	18	5411184	2	Unit (Chain necklace)
	19	W360150100	2	Locking device (Rod)

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS


Table code	Sheet
5411029-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311129	1	
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
	8	3311130	1	
	9	3311144	2	
	10	3311132	1	
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS


Table code	Sheet
5411029-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3020436	4	TSEI screw [M6X10 ZC UNI 5933]
RC	6	3311354	1	Lighting (Audible alarm)
	7	3311356	2	Wire assembly (Microswitch)
	8	3311352	1	Electric wiring (Assembly)
	9	3310431	1	Connector (Electric)
	10	3310432	1	Connector (Electric)
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]

SLEWING ASS'Y

Table code	Sheet
6240136-1.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070555	2	
	2	3020093	8	Socket head cap screw [M12X35 8.8 ZC UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	3400510	2	Seal
	5	6050239	2	Piston (Assembly)
	6	5050073	1	Toothed rack
	7	3060607	2	Spring pin
RC	8	5141006	1	Sliding block (Toothed rack)
	9	5001654	1	Sliding block holder
	10	3020028	1	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
RC	11	5550697	1	Seal kit

VALIDO FINO A Aprile 2013
VALID UNTIL April 2013

SLEWING ASS'Y (Retaining ring)

Table code	Sheet
6240181-1.0	1/1




VALIDO DA Maggio 2013
VALID FROM May 2013

R	Pos.	Variant Code	Q.ty	Description
	1	6070689	2	Cylinder (Slewing)
	2	3020093	8	Socket head cap screw [M12X35 8.8 ZC UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	3400510	2	Seal
	5	6050228	2	Piston
	6	5050073	1	Toothed rack
	7	3060608	2	Spring pin
RC	8	5141006	1	Sliding block (Toothed rack)
	9	5001654	1	Sliding block holder
	10	3020028	1	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
RC	11	5550697	1	Seal kit
	12	3020075	2	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	13	6050239	2	Piston (Assembly)
	14	5002314	2	Flange (Cylinder)
	15	3070217	2	Snap ring

SLEWING ASS'Y (Retaining ring)


Table code	Sheet
6240181-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070689	2	Cylinder (Slewing)
	2	3020120	8	Socket head cap screw [M12X55 8.8 UNI 5931
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	3400510	2	Seal
	5	6050228	2	Piston
	6	5050073	1	Toothed rack
	7	3060608	2	Spring pin
RC	8	5141006	1	Sliding block (Toothed rack)
	9	5001654	1	Sliding block holder
	10	3020028	1	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
RC	11	5550697	1	Seal kit
	12	3020075	2	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	13	6050239	2	Piston (Assembly)
	14	5003361	2	Flange (Slewing)
	15	3070217	2	Snap ring

Hydraulic system (Slewing Hydraulic jack)


Table code	Sheet
6240136-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3100021	2	90° Connection [90° D.0.8mm M1/4" - M9/16J]
	2	5390091	1	
	3	5390102	1	
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]

Hydraulic system (Holding valve slewing)


Table code	Sheet
5411170-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5390531	1	
	2	5140133	1	Piping mounting
	3	3190023	1	Clamp
	4	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	3111512	1	90° Connection
	6	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	5261202	2	
	8	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	9	W470076	1	

STABILIZER ROD


Table code	Sheet
5760173-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070402	1	
	2	5070401	1	
	3	3070058	2	Seeger
	4	W370400700	16	Button (Coupling backlash)
RC	5	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	6	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]

Hydraulic system (stabilizers)


Table code	Sheet
5760173-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	W370500900	2	Bonderized tube
	3	3101080	2	Tee fitting
	4	W456063	2	Flexible hose
	5	5390197	1	Bonderized tube
	6	5390198	1	Bonderized tube
	7	W456868	2	Flexible hose
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	5000077	2	Clamp (Rigid Pipe)

STABILIZER ROD (Extra-extensible)


Table code	Sheet
5760174-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070404	1	
	2	5070403	1	
	3	3070058	2	Seeger
	4	5001976	1	
RC	5	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	6	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	7	5001977	1	
	8	3040324	1	Stopnut
	9	3060012	1	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	3060018	2	Flat washer [D.12 UNI 6592 ZC]
	11	3060057	2	Split lock washer [D=12 C72 ZC]
RC	12	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	13	W370400700	10	Button (Coupling backlash)

Hydraulic system (extraextended stabilizers)

Table code	Sheet
5760174-2.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	W370500900	2	Bonderized tube
	3	3101080	2	Tee fitting
	4	5261213	2	
	5	5390197	1	Bonderized tube
	6	5390198	1	Bonderized tube
	7	5261214	2	
	8	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	5000077	2	Clamp (Rigid Pipe)

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
6200262-1.0	1/1

VALIDO FINO AL 30.06.2010

VALID UNTIL 30.06.2010



LDC


R	Pos.	Variant Code	Q.ty	Description
	1	5220046	1	Valve (Cock)
	2	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	5390215	1	
	4	5390216	1	
	5	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	6	2110010	1	Swash -plate
	7	6400262	1	Stabilizer Hydraulic jack

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
6200262-1.1	1/1

VALIDO DAL 01.07.2010

VALID FROM 01.07.2010




LDC

R	Pos.	Variant Code	Q.ty	Description
	1	5220046	1	Valve (Cock)
	2	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	5390215	1	
	4	5390216	1	
	5	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	6	6030051	1	
	7	6400262	1	Stabilizer Hydraulic jack

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
6200263-1.0	1/1




VALIDO FINO AL 30.06.2010
VALID UNTIL 30.06.2010

R	Pos.	Variant Code	Q.ty	Description
	1	5220045	1	Valve (Cock)
	2	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	5390215	1	
	4	5390216	1	
	5	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	6	2110010	1	Swash -plate
	7	6400262	1	Stabilizer Hydraulic jack

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
6200263-1.1	1/1





VALIDO DAL 01.07.2010
VALID FROM 01.07.2010

R	Pos.	Variant Code	Q.ty	Description
	1	5220045	1	Valve (Cock)
	2	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	5390215	1	
	4	5390216	1	
	5	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	6	6030051	1	
	7	6400262	1	Stabilizer Hydraulic jack

STABILISER RAM

Table code	Sheet
6400262-1.0	1/1






VALIDO FINO AL 30.06.2010
VALID UNTIL 30.06.2010




R	Pos.	Variant Code	Q.ty	Description
	1	6070602	1	
	2	6030789	1	
	3	3450126	1	O-ring joint
	4	3460126	1	Anti-extrusion ring
	5	6040303	1	Close nipple
	6	3400067	1	Seal
	7	3420021	1	W-ring
	8	3450066	1	O-ring joint
	9	6050322	1	Piston
	10	3400507	1	Seal
	11	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
RC	12	5550788	1	Seal kit (Stabilizer)

STABILISER RAM

Table code	Sheet
6400262-1.1	1/1






VALIDO DAL 01.07.2010
VALID FROM 01.07.2010



R	Pos.	Variant Code	Q.ty	Description
	1	6070602	1	
	2	6030051	1	
	3	3450126	1	O-ring joint
	4	3460126	1	Anti-extrusion ring
	5	6040303	1	Close nipple
	6	3400067	1	Seal
	7	3420021	1	W-ring
	8	3450066	1	O-ring joint
	9	6050322	1	Piston
	10	3400507	1	Seal
	11	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
RC	12	5550788	1	Seal kit (Stabilizer)


STABILIZER ROD (standard)

Table code	Sheet
5760266-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	W370450200	2	Stabilizer Hydraulic jack (ROTATING)
	2	3070052	2	Seeger
	3	W101219	2	Pin (Handle)
	4	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	W456063	2	Flexible hose
	6	3101080	2	Tee fitting
	7	W370500900	2	Bonderized tube
	8	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	9	W380400200	1	Stabilizer rod (Long)
	10	W380400100	1	Stabilizer rod (Short)
	11	5390197	1	Bonderized tube
	12	5390198	1	Bonderized tube
	13	W456868	2	Flexible hose
	14	W370400700	12	Button (Coupling backlash)
	15	W370401800	2	Handle (Rod)
	16	W664018	2	Handle (Polyvinyl chloride)
	17	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	19	5000183	2	Ring (Spacer)
	20	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	22	5000077	2	Clamp (Rigid Pipe)




STABILIZER ROD (Extra-extensible)

Table code	Sheet
5760267-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	W370450200	2	Stabilizer Hydraulic jack (ROTATING)
	2	3070052	2	Seeger
	3	W101219	2	Pin (Handle)
	4	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	W456064	2	Flexible hose
	6	3101080	2	Tee fitting
	7	W370500900	2	Bonderized tube
	8	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	9	W380400400	1	Stabilizer rod (Long)
	10	W380400300	1	Stabilizer rod (Short)
	11	5390197	1	Bonderized tube
	12	5390198	1	Bonderized tube
	13	W456869	2	
	14	W370400700	12	Button (Coupling backlash)
	15	W370401800	2	Handle (Rod)
	16	W664018	2	Handle (Polyvinyl chloride)
	17	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	19	5000183	2	Ring (Spacer)
	20	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	22	5000077	2	Clamp (Rigid Pipe)



Hydraulic system (STABILISER RAM)

Table code	Sheet
W370450200-1.1	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	W370450100	1	Stabilizer Hydraulic jack
	2	W370501800	1	
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	W470053	1	Manually operated valve
	5	3060143	1	Sealing washer [BSP 1/4"]

VALIDO da GIUGNO 2010

VALID FROM JUNE 2010


Stabilizer Hydraulic jack

Table code	Sheet
W370450100-1.6	1/1




VALIDO da GIUGNO 2010
VALID FROM JUNE 2010

R	Pos.	Variant Code	Q.ty	Description
	1	W370400300	1	Cylinder
	2	W370402400	1	Rod unit
	3	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
	4	6050322	1	Piston
	5	6040303	1	Close nipple
	6	3080500	1	Grease nipple
RC	7	W365065	1	Seal kit




R	Pos.	Variant Code	Q.ty	Description
	1	W370500300	1	
	2	W370500100	1	
	3	W390505300	1	
	4	W664003	10	Knob (Control lever)
	5	W370502200	1	
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W101186	1	
	8	3020021	5	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	9	3300451	5	Fork clip
	10	3040393	5	Lock nut
	11	W270102703	3	
	12	3060229	3	Grub screw
	13	W338844	1	
	14	W270509000	5	Lever support (Black)
	15	5091233	5	
	16	3040081	5	Lock nut [M6 6S UNI 5589 ZC]
	17	W573283	2	Small plate (CONTROL SYMBOLS)
	18	W573282	2	Small plate (CONTROL SYMBOLS)
	19	W573280	2	Small plate (CONTROL SYMBOLS)
	20	W573279	2	Small plate (CONTROL SYMBOLS)



R	Pos.	Variant Code	Q.ty	Description
	21	W573278	2	Small plate (CONTROL SYMBOLS)
	22	W599701	2	
	23	3040372	6	Stopnut [M6-70 UNI7473 NORM. ZC.]
	24	3010044	2	Hex screw [M10X35 8.8 ZC UNI 5737]
RC	25	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	26	W370502100	4	Control lever (Diagram)
	27	W338856	4	Lever (Dual control)
RC	28	3060056	4	Split lock washer [D=10 C72 ZC]
RC	29	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
	30	W390505500	2	Tube thickness (Nylon)
	31	W390505400	1	
	32	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	33	3300431	5	Fork
	34	W734031	1	Cap (Diameter)
	35	3040524	5	Stopnut
	36	3010016	5	Hex screw [M6X30 8.8 ZC UNI 5737]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL


Table code	Sheet
5210020-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W338022	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	5	W370505400	1	Distributor support
	6	3040040	4	Lock nut [M8 6S UNI 5589 ZC]
	7	W573286	2	Small plate (CONTROL SYMBOLS)
	8	W573284	2	Small plate (CONTROL SYMBOLS)
	9	W573285	2	Small plate (CONTROL SYMBOLS)
	10	5271912	1	Flexible hose
	11	3300451	1	Fork clip
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	14	W370502100	1	Control lever (Diagram)
	15	W664003	2	Knob (Control lever)
	16	W270509000	1	Lever support (Black)
	17	3040393	1	Lock nut
	18	3020021	1	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	19	W338856	1	Lever (Dual control)
	20	5090026	1	

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL


Table code	Sheet
5210020-1.0	2/2




R	Pos.	Variant Code	Q.ty	Description
	21	3040524	1	Stopnut
	22	3300431	1	Fork
	23	W380502200	1	Bonderized tube
	24	W390506100	1	Support (Emergency)
	25	3110061	2	Plug [BSP 3/8"]
	26	3040081	1	Lock nut [M6 6S UNI 5589 ZC]

2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210021-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	W338016	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	5	W370505400	1	Distributor support
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W573286	2	Small plate (CONTROL SYMBOLS)
	8	W573284	2	Small plate (CONTROL SYMBOLS)
	9	W573285	2	Small plate (CONTROL SYMBOLS)
	10	5271912	1	Flexible hose
	11	3300451	2	Fork clip
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	14	W370502100	2	Control lever (Diagram)
	15	W664003	4	Knob (Control lever)
	16	W270509000	2	Lever support (Black)
	17	3040393	2	Lock nut
	18	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	19	W338856	2	Lever (Dual control)
	20	5090026	2	



R	Pos.	Variant Code	Q.ty	Description
	21	3040524	2	Stopnut
	22	3300431	2	Fork
	23	W380502200	1	Bonderized tube
	24	W390506100	1	Support (Emergency)
	25	3110061	4	Plug [BSP 3/8"]
	26	3040081	2	Lock nut [M6 6S UNI 5589 ZC]

Control valve


Table code	Sheet
W338077-2.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	W338077	1	
	2	WVA0447	5	
	3	W751004	10	
	4	WVA0513	5	
	5	WVA0217	1	
	6	WVA0212	1	
	7	WVA0216	1	
	8	WVA0241	5	
	9	WVA0302	5	
	10	WVA0301	5	
	11	WVA0304	5	Rubber protective boot
	12	WVA0303	5	
	13	WVA0305	10	
	14	WVA0317	1	
	15	WVA0316	2	
	16	WVA0315	2	
	17	WVA0251	1	

Kit CE (NO Actuations)


Table code	Sheet
5410976-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W264203	2	Emergency STOP button
	2	W370550200	1	Cable (Wire assembly)
	3	W222002S_CE	1	Solenoid
	4	W470603S_CE	1	Solenoid valve (Emergency)
	5	W470604S_CE	1	Solenoid valve (Emergency)
	6	3101176	1	Tee fitting
	7	5271913	1	Flexible hose
	8	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	9	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	10	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	W222003S_CE	1	Solenoid
	13	5271262	1	Flexible hose
	14	W370550400	1	Electric wiring
	15	3110041	1	Female plug





R	Pos.	Variant Code	Q.ty	Description
	1	W264203	2	Emergency STOP button
	2	W370550200	1	Cable (Wire assembly)
	3	W222002S_CE	1	Solenoid
	4	W222003S_CE	1	Solenoid
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	W470603S_CE	1	Solenoid valve (Emergency)
	7	W470604S_CE	1	Solenoid valve (Emergency)
	8	3101176	1	Tee fitting
	9	5271912	1	Flexible hose
	10	W370550400	1	Electric wiring
	11	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	12	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	13	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	14	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	15	W380502200	1	Bonderized tube
	16	5271262	1	Flexible hose
	17	3110041	1	Female plug




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	2	Pressure gauge
	2	3020950	6	Special screw
	3	3040518	6	Stopnut [STOP M4]
	4	5260989	1	
	5	3101034	2	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	6	3101231	1	Tee fitting [1/4" T F/F/F]
	7	W458458	1	Connecting pipe (Pressure gauge)
	8	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	3190022	2	Clamp
	10	5001857	1	Valve support
	11	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	13	W420506400	1	
	14	3060143	1	Sealing washer [BSP 1/4"]
RC	15	5220300	1	Hose burst valve (Sleeve)
	16	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	17	5000047	1	Clamp (Rigid Pipe)
	18	3010017	1	Hex screw [M6X35 8.8 ZC UNI 5737]
	19	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	20	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
	21	3060053	2	Split lock washer [D=6.4 C72 ZC]
	22	5300090	1	Pipe (Pressure gauge)







R	Pos.	Variant Code	Q.ty	Description
	1	W471001	1	
	2	5271913	1	Flexible hose
	3	5260989	1	
	4	W468152	1	
	5	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5390199	1	
	7	5390119	1	
	8	5260891	1	Flexible hose
RC	9	5220300	1	Hose burst valve (Sleeve)
	10	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	13	3100952	1	Nut
	14	W471002	1	
	15	3101121	1	90° Connection [90° ORIENT.1/2-20J 1/8"G]
	16	3100956	1	Ring (Tightening)
	17	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	18	3110066	1	Plug
	19	3110270	1	Straight pipe fitting
	20	3060143	2	Sealing washer [BSP 1/4"]



R	Pos.	Variant Code	Q.ty	Description
	21	W470430	1	Throttle (Worm screw)
	22	3101081	1	Tee fitting
	23	3110041	1	Female plug




R	Pos.	Variant Code	Q.ty	Description
	1	W471001	1	
	2	5271913	1	Flexible hose
	3	5260989	1	
	4	W468152	1	
	5	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5390199	1	
	7	5390119	1	
	8	5260891	1	Flexible hose
RC	9	5220300	1	Hose burst valve (Sleeve)
	10	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	13	3100952	1	Nut
	14	W471002	1	
	15	3101121	1	90° Connection [90° ORIENT.1/2-20J 1/8"G]
	16	3100956	1	Ring (Tightening)
	17	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	18	3101033	1	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	19	3110270	1	Straight pipe fitting
	20	3060143	2	Sealing washer [BSP 1/4"]



R	Pos.	Variant Code	Q.ty	Description
	21	W470430	1	Throttle (Worm screw)
	22	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	23	3101176	1	Tee fitting
	24	3120001	1	Tee fitting

Kit CE (STABILITY CONTROL)


Table code	Sheet
5431018-4.0	1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	5000426	1	Support (Proximity switch)
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	3311372	1	Electric wiring
	5	3040251	2	Lock nut [M24 8.G basso UNI 5589]
RC	6	3311311	4	Proximity switch (Position sensor)
	7	5091310	2	Guard (Proximity switch)
	8	3060053	4	Split lock washer [D=6.4 C72 ZC]
	9	3020045	4	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	10	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5000420	2	Support (Proximity switch)
	13	5000422	2	Support (Proximity switch)
	14	3311342	2	Electric wiring
	15	3311332	2	Electric wiring

Kit CE (STABILITY CONTROL)


Table code	Sheet
5431018-5.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311373	1	
	2	3311374	1	
	3	3311375	1	
	4	3311376	1	
	5	5160001	1	Electric wiring
	6	5002055	1	Manifold (Pick-up)
	7	3110078	1	Bolt (banjo bolt)
	8	3060143	2	Sealing washer [BSP 1/4"]
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	10	3310612	1	Pressure sensor




R	Pos.	Variant Code	Q.ty	Description
	1	W370500300	1	
	2	W370500100	1	
	3	W390505300	1	
	4	W664003	10	Knob (Control lever)
	5	W370502200	1	
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W101186	1	
	8	3020021	5	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	9	3300451	5	Fork clip
	10	3040393	5	Lock nut
	11	W270102703	3	
	12	3060229	3	Grub screw
	13	W338844	1	
	14	W270509000	5	Lever support (Black)
	15	5091337	3	
	16	5091332	2	
	17	W573283	2	Small plate (CONTROL SYMBOLS)
	18	W573282	2	Small plate (CONTROL SYMBOLS)
	19	W573280	2	Small plate (CONTROL SYMBOLS)
	20	W573279	2	Small plate (CONTROL SYMBOLS)



R	Pos.	Variant Code	Q.ty	Description
	21	W573278	2	Small plate (CONTROL SYMBOLS)
	22	W599701	2	
	23	3040524	11	Stopnut
	24	3010044	2	Hex screw [M10X35 8.8 ZC UNI 5737]
RC	25	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	26	W370502100	4	Control lever (Diagram)
	27	W338856	4	Lever (Dual control)
RC	28	3060056	4	Split lock washer [D=10 C72 ZC]
RC	29	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
	30	W390505500	2	Tube thickness (Nylon)
	31	5002074	1	
	32	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	33	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	34	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	35	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	36	3020035	2	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	37	3180116	2	Bubble level
	38	W570501600	2	Support (Bubble level)
	39	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	40	3300431	5	Fork

R	Pos.	Variant Code	Q.ty	Description
	41	5000431	1	
	42	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]




OPZIONALE
OPTIONALS

VALIDO DA Marzo 2011
VALID FROM March 2011

Control valve (Optional)


Table code	Sheet
W338077-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W338077	1	
	2	WVA0447	5	
	3	5225832	7	Contact terminal (Microswitch)
	4	5225830	3	Casing (Pin)
	5	WVA0217	1	
	6	WVA0212	1	
	7	WVA0216	1	
	8	WVA0241	5	
	9	WVA0302	5	
	10	WVA0301	5	
	11	WVA0304	5	Rubber protective boot
	12	WVA0303	5	
	13	WVA0305	10	
	14	WVA0317	1	
	15	WVA0316	2	
	16	WVA0315	2	
	17	WVA0251	1	
	18	5225847	2	Casing (Pin)
	19	5225874	1	Seal kit

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL


Table code	Sheet
5431020-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W338022	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	5	W370505400	1	Distributor support
	6	3040040	4	Lock nut [M8 6S UNI 5589 ZC]
	7	W573286	2	Small plate (CONTROL SYMBOLS)
	8	W573284	2	Small plate (CONTROL SYMBOLS)
	9	W573285	2	Small plate (CONTROL SYMBOLS)
	10	5271912	1	Flexible hose
	11	3300451	1	Fork clip
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010016	1	Hex screw [M6X30 8.8 ZC UNI 5737]
	14	W370502100	1	Control lever (Diagram)
	15	W664003	2	Knob (Control lever)
	16	W270509000	1	Lever support (Black)
	17	3040393	1	Lock nut
	18	3020021	1	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	19	W338856	1	Lever (Dual control)
	20	5091346	1	

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL


Table code	Sheet
5431020-1.0	2/2




R	Pos.	Variant Code	Q.ty	Description
	21	3040524	1	Stopnut
	22	3300431	1	Fork
	23	5271913	1	Flexible hose
	24	W390506100	1	Support (Emergency)
	25	3110061	2	Plug [BSP 3/8"]
	26	3040081	1	Lock nut [M6 6S UNI 5589 ZC]
	27	5225832	1	Contact terminal (Microswitch)
	28	5225830	1	Casing (Pin)
	29	WVA0447	1	
	30	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	31	3120356	1	Reducing fitting
	32	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	33	3101176	1	Tee fitting
	34	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	35	3060101	2	Tooth lock washer [D.6 TIPO A]

2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL


Table code	Sheet
5431022-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W338016	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	5	W370505400	1	Distributor support
	6	3040040	5	Lock nut [M8 6S UNI 5589 ZC]
	7	W573286	2	Small plate (CONTROL SYMBOLS)
	8	W573284	2	Small plate (CONTROL SYMBOLS)
	9	W573285	2	Small plate (CONTROL SYMBOLS)
	10	5271912	1	Flexible hose
	11	3300451	2	Fork clip
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010016	2	Hex screw [M6X30 8.8 ZC UNI 5737]
	14	W370502100	2	Control lever (Diagram)
	15	W664003	4	Knob (Control lever)
	16	W270509000	2	Lever support (Black)
	17	3040393	2	Lock nut
	18	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	19	W338856	2	Lever (Dual control)
	20	5091346	2	




R	Pos.	Variant Code	Q.ty	Description
	21	3040524	2	Stopnut
	22	3300431	2	Fork
	23	5271913	1	Flexible hose
	24	W390506100	1	Support (Emergency)
	25	3110061	4	Plug [BSP 3/8"]
	26	3040081	2	Lock nut [M6 6S UNI 5589 ZC]
	27	5225832	2	Contact terminal (Microswitch)
	28	5225830	2	Casing (Pin)
	29	WVA0447	2	
	30	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	31	3120356	1	Reducing fitting
	32	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	33	3101176	1	Tee fitting
	34	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	35	3060101	4	Tooth lock washer [D.6 TIPO A]




R	Pos.	Variant Code	Q.ty	Description
	1	W130501300	1	Oil tank
	2	W449008	1	Oil level plug
	3	W370501900	2	Support
RC	4	3060029	4	Flat washer [D.8.5X24 UNI 6593 ZC]
	5	3040524	4	Stopnut
RC	6	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	3010352	4	Hex screw [M10X12 8.8 ZC UNI 5739]
	8	3110070	1	Close nipple
	9	3100120	1	90° Connection (Insert)
	10	3110255	1	Straight pipe fitting
	11	3060150	1	Sealing washer [BSP 1"]
	12	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	13	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	14	3180199	1	Oil filter
RC	15	3180112	1	Filtering cartridge
	16	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	17	5271262	1	Flexible hose
	18	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	19	3060144	2	Sealing washer [BSP 3/8"]
	20	3110041	1	Female plug

R	Pos.	Variant Code	Q.ty	Description
RC	21	3180221	1	Thermometer
RC	22	3180147	1	Pressure gauge (Clogging indicator)
	23	W449022	1	Spill door



Column


Table code	Sheet
5460097-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040119	1	Column
	2	W101224	1	Pin assembly
	3	3070209	2	Snap ring
	4	W380300900	1	
	5	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
	6	5001898	2	Clamp (Flexible hose)
	7	W102134	2	Bushing
	8	W370200800	1	Spacer
	9	3080500	1	Grease nipple
RC	10	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	11	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	12	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	13	3070073	1	Seeger

1st Boom


Table code	Sheet
5470100-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W370200300	1	Main boom
	2	W101198	3	Pin assembly
	3	3070209	6	Snap ring
	4	3010339	5	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	5	3060006	5	Flat washer [D.8 UNI 6592 ZC]
	6	5000077	5	Clamp (Rigid Pipe)
	7	W340501400	5	Support (Clamp)

Hydraulic system ()

Table code	Sheet
W380250400-1.1	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	W380250300	1	Lifting hydraulic cylinder [Fixed]
	2	W370501700	1	Bonderized tube
	3	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	4	W470052	1	Valve (Overcenter)
RC	5	3060055	4	Split lock washer [D=8.4 C72 ZC]
	6	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	7	3060144	1	Sealing washer [BSP 3/8"]
	8	3080500	1	Grease nipple

Hydraulic system ()


Table code	Sheet
W380250400-2.1	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W380250400	1	Lifting hydraulic cylinder (Ass [Fixed]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	5260985	2	
	4	W470415	1	
	5	3110061	1	Plug [BSP 3/8"]



Lifting And Articulation Hydraulic Cylinder


Table code	Sheet
W380250300-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380200100	1	Cylinder
	2	W380200600	1	Rod unit [Fixed]
	3	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	4	W105074	1	Piston
	5	W360076	1	O-ring joint
	6	W359021	1	Seal
	7	W380200400	1	Ring nut (Printed)
	8	W360078	1	O-ring joint
	9	W380200200	1	Cylinder head (Hydraulic cylinder)
	10	W358010	1	Seal
	11	W102136	1	Self-lubricating bushing
	12	W361016	1	Seal
	13	W102134	4	Bushing
	14	W370200800	1	Spacer
	15	W370200900	1	Spacer
	16	3080500	2	Grease nipple
RC	17	W365104	1	Seal kit

2nd Boom


Table code	Sheet
5480095-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030286	1	Secondary boom
	2	W101198	1	Pin assembly
	3	W101199	1	Pin assembly
	4	3070209	4	Snap ring
RC	5	W380300600	2	Slide shoe
RC	6	W370300800	4	Button (Control board)
RC	7	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	8	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
	9	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	11	3060683	2	Spring (Backlash)
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	13	5000077	2	Clamp (Rigid Pipe)
	14	W340501400	1	Support (Clamp)
	15	W101218	1	Pin assembly
	17	3040498	2	Self-locking ringnut
	20	W102134	2	Bushing
	21	W370301200	1	Spacer (Bushing)

Hydraulic system (ARTICULATION HYDRAULIC JACK)


Table code	Sheet
W380350400-1.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380250300	1	Lifting hydraulic cylinder [Fixed]
	2	5220548	1	Holding valve
	3	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	4	W370504400	1	Bonderized tube
	5	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Hydraulic system (ARTICULATION HYDRAULIC JACK)


Table code	Sheet
W380350400-2.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380350400	1	Articulation Hydraulic jack [Fixed]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	5260986	2	
	4	W370501200	1	
	5	W370501300	1	
	6	W456909	2	
	7	W470415	1	

1st Extension


Table code	Sheet
5490098-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020534	1	Extension
	2	W101213	1	Pin assembly
	3	3040086	1	Lock nut
RC	4	W370301000	2	Slide shoe
RC	5	W370300800	4	Button (Control board)
RC	6	3060029	4	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	W101080	1	Pin assembly
	9	W599005	1	Swivel hook
	10	W370300700	1	Guide bushing
	11	3060753	1	Cotter pin (Locking ring)

Hydraulic system (1st Extension hydraulic)


Table code	Sheet
W380350200-1.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	W370501400	2	
	2	5261148	2	
	3	W380500100	1	
	4	W380500200	1	
	5	5260990	2	
	6	W380300800	1	Guide (Sliding)
	7	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	5220122	1	Valve
	9	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	W380500400	1	Bonderized tube
	12	W380500300	1	Bonderized tube
	13	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	14	5260986	2	
	15	W101213	1	Pin assembly
	16	3190012	3	Clamp
	17	5140133	1	Piping mounting
	18	3190023	1	Clamp
	19	W380350100	1	

1st extension hydraulic jack


Table code	Sheet
W380350100-1.6	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380300400	1	Cylinder
	2	W380300500	1	Rod unit [Fixed]
	3	W361012	1	Seal (Oil seal)
	4	W358002	1	Seal
	5	W120056	1	Close nipple
	6	W304018	1.	Anti-extrusion ring
	7	W360049	1	O-ring joint
	8	W359010	1	Seal
	9	W360002	1	O-ring joint
	10	W105061	1	Piston
	11	3040377	1	Stopnut
RC	12	W365060	1	Seal kit




R	Pos.	Variant Code	Q.ty	Description
	1	5020535	1	Extension
	2	3040498	2	Self-locking ringnut
	3	W101218	1	Pin assembly
	4	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
RC	7	W370300900	4	Slide shoe
RC	8	W370300800	8	Button (Control board)
	9	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	11	3060683	2	Spring (Backlash)
	12	W380500600	1	Bonderized tube
	13	W380500500	1	Bonderized tube
	14	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	15	W470853	1	Sequence valve
	16	3120065	1	Straight pipe fitting
	17A	W370350100	1	Extension Hydraulic jack [Fixed]
	17B	W360250600	1	Extension Hydraulic jack [Marine]
	18	W101213	1	Pin assembly
	19	W380300800	1	Guide (Sliding)



R	Pos.	Variant Code	Q.ty	Description
	20	3040086	1	Lock nut
	21	3190012	3	Clamp
	22	3190023	1	Clamp
	23	5140133	1	Piping mounting

2nd EXTENSION HYDRAULIC JACK


Table code	Sheet
W370350100-1.6	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W370300400	1	Cylinder
	2	W370300500	1	Rod unit [Fixed]
	3	W361011	1	Seal (Oil seal)
	4	W358022	1	Seal
	5	W120061	1	Close nipple
	6	W304004	1	Anti-extrusion ring
	7	W360010	1	
	8	W359035	1	Seal
	9	W360070	1	O-ring joint
	10	W105058	1	Piston
	11	3040306	1	Stopnut [Dado Stop M14-70 Norm]
RC	12	W365064	1	Seal kit

3rd EXTENSION


Table code	Sheet
5540065-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3020105	1	Socket head cap screw
	2	W128043	2	Clamp (Extension hydraulic jack)
	3	W380302000	2	Plate (Clamp)
	4A	W370350100	1	Extension Hydraulic jack [Fixed]
	4B	W360250600	1	Extension Hydraulic jack [Marine]
	5	3020049	2	Socket head cap screw [M6X90 8.8 ZC UNI 5931]
	6	3040498	2	Self-locking ringnut
	7	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	8	W101218	1	Pin assembly
RC	9	W380301800	2	Slide shoe
	10	W380301900	1	Keep plate (Slide shoe)
	11	3020034	2	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	5020536	1	Extension
RC	13	3020400	2	TSEI screw [M5X10 10.9 ZC UNI 5933]
RC	14	3060683	2	Spring (Backlash)
	15	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	16	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	17	3040013	2	Hexagonal nut [M5X0.8 CL.6S GEOMET]
	18	3060009	1	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	19	3060050	1	Split lock washer [D=14 C72 ZC]

Hydraulic system (3rd EXTENSION)


Table code	Sheet
5540065-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	W470017	1	Valve
	3	3060143	1	Sealing washer [BSP 1/4"]
	4	3110259	1	Reducing fitting
	5	3060144	1	Sealing washer [BSP 3/8"]
	6	W470863	1	Sequence valve
	7	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	8A	W456090	2	Flexible hose [Fixed]
	8B	5261258	2	Flexible hose [Marine]
	9	3190198	1.6 m	Sheath (Flexible hose)
	10	W380302200	1	Bonderized tube
	11	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3190012	5	Clamp
	13	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	3190023	1	Clamp
	15	5140133	1	Piping mounting

1st (MANUAL EXTENSION)


Table code	Sheet
7800039-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010359	1	Manual extension
	2	3060753	2	Cotter pin (Locking ring)
	3	W101046	1	Pin
	4	W101080	1	Pin assembly
	5	W599005	1	Swivel hook
	6	W110304400	2	
	7	W664003	1	Knob (Control lever)
RC	8	W370300900	4	Slide shoe
RC	9	W370300800	8	Button (Control board)
RC	10	3010055	8	Hex screw [M8X10 8.8 ZC UNI 5739]
	11	W575050	1	
	12	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
RC	13	3060683	2	Spring (Backlash)

1st (MANUAL EXTENSION)

Table code	Sheet
7800041-1.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5010358	1	Manual extension
	2	3060753	2	Cotter pin (Locking ring)
	3	W101324	1	Pin
	4	W101080	1	Pin assembly
	5	W599005	1	Swivel hook
	6	W130302900	2	Guide bushing (Hook)
	7	W664003	1	Knob (Control lever)
RC	8	W380301800	1	Slide shoe
	9	W380301900	1	Keep plate (Slide shoe)
	10	3020034	2	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	11	W575032	1	

1st (MANUAL EXTENSION)


Table code	Sheet
7800046-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5010338	1	Manual extension
	2	3060753	2	Cotter pin (Locking ring)
	3	W101350	1	Pin assembly
	4	W101151	1	Pin assembly
	5	W599005	1	Swivel hook
	6	W130302900	2	Guide bushing (Hook)
	7	5813190	1	



LOAD INDICATION SYSTEM (LIS/RLC)


Table code	Sheet
7881824-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	


1st ACTIVATION FOR 1S

Table code	Sheet
5590268-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	2	
	4	5261148	2	
	5	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	4	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	2	
	15	W380501600	2	Bonderized tube
	16	3190198	mt0.8	Sheath (Flexible hose)
	17	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	8	Clamp (Rigid Pipe)
	19	W380501100	1	
	20	W340501400	4	Support (Clamp)

R	Pos.	Variant Code	Q.ty	Description
	21	3110053	2	Plug




1st AND 2ND ACTIVATION FOR 1S


Table code	Sheet
5590269-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	4	
	4	5261148	2	
	5	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	6	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	6	
	15	W380500900	2	Bonderized tube
	16	3190198	mt0.8	Sheath (Flexible hose)
	17	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	4	Clamp (Rigid Pipe)
	19	W380502100	1	
	20	W340501400	4	Support (Clamp)



R	Pos.	Variant Code	Q.ty	Description
	21	W520501300	2	
	22	W380501100	1	
	23	3110053	4	Plug
	24	5260988	2	




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	2	
	4	5261148	2	
	5	3010337	3	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	6	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	4	
	15	W380500900	2	Bonderized tube
	16	3190198	mt1.6	Sheath (Flexible hose)
	17	3010035	6	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	12	Clamp (Rigid Pipe)
	19	W380501100	1	
	20	W340501400	6	Support (Clamp)




R	Pos.	Variant Code	Q.ty	Description
	21	3110053	2	Plug
	22	W380501000	2	
	23	W380501400	1	
RC	24	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	25	W380501500	1	

1st AND 2ND ACTIVATION FOR 2S

Table code	Sheet
5590271-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	4	
	4	5261148	2	
	5	3010337	3	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	6	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	10	
	15	W380500900	2	Bonderized tube
	16	3190198	mt1.6	Sheath (Flexible hose)
	17	3010035	6	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	20	Clamp (Rigid Pipe)
	19	5260988	2	
	20	W340501400	6	Support (Clamp)




R	Pos.	Variant Code	Q.ty	Description
	21	3110053	4	Plug
	22	W380501000	4	
	23	W380501400	1	
RC	24	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	25	W380501500	1	
	26	W380501100	1	
	27	W520501300	2	
	28	W380502100	2	

1st ACTIVATION FOR 3S

Table code	Sheet
5590272-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	2	
	4	5261148	2	
	5	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	8	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	6	
	15	W380500900	2	Bonderized tube
	16	3190198	mt2.4	Sheath (Flexible hose)
	17	3010035	8	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	14	Clamp (Rigid Pipe)
	19	5000204	1	
	20	W340501400	8	Support (Clamp)




R	Pos.	Variant Code	Q.ty	Description
	21	3110053	2	Plug
	22	W380501000	2	
	23	W380501400	2	
RC	24	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	25	W380501500	2	
	26	5000205	1	
	27	5390182	1	
	28	5390183	1	

1st AND 2ND ACTIVATION FOR 3S

Table code	Sheet
5590273-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	5260987	2	
	3	W370501400	4	
	4	5261148	2	
	5	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	W101241	2	
	7	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	8	W380501200	1	
	9	W380501300	1	
RC	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	3040040	8	Lock nut [M8 6S UNI 5589 ZC]
	12	W380500700	1	
	13	W380500800	1	
	14	5260981	14	
	15	W380500900	2	Bonderized tube
	16	3190198	mt2.4	Sheath (Flexible hose)
	17	3010035	8	Hex screw [M8X60 8.8 ZC UNI 5737]
	18	5000077	24	Clamp (Rigid Pipe)
	19	5260988	2	
	20	W340501400	8	Support (Clamp)



R	Pos.	Variant Code	Q.ty	Description
	21	3110053	4	Plug
	22	W380501000	4	
	23	W380501400	2	
RC	24	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	25	W380501500	2	
	26	5000204	1	
	27	W520501300	2	
	28	W380502100	2	
	29	5000205	1	
	30	5390182	2	
	31	5390183	2	

Assembly kit


Table code	Sheet
7880854-1.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5150653	4	Tie rod (Threaded rod) [M18X1.5 L=700]
	2	W738018	4	Tie rod
	3	W050000200	4	Anchoring bracket
	4	5000084	16	Small plate
	5	3040185	32	Nut [M18X1,5 norm. ZC UNI5588]
	6	3190289	8	Tip (Rubber protection)

AMCO VEBA
LIFTING BEYOND HORIZONS


903N




R	Pos.	Variant Code	Q.ty	Description
	1	W370450200	2	Stabilizer Hydraulic jack (ROTATING)
	2	3070052	2	Seeger
	3	W101219	2	Pin (Handle)
	4	3101039	6	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	W456063	2	Flexible hose
	8	3101080	2	Tee fitting
	9	W370500900	2	Bonderized tube
	10	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	11	W380400200	1	Stabilizer rod (Long)
	12	W380400100	1	Stabilizer rod (Short)
	13	W370501000	1	Bonderized tube [Tubo FE 10x1.5x1360 zc]
	14	W370501100	1	Bonderized tube [Tubo FE 10x1.5x1420 zc]
	15	W456868	2	Flexible hose
	16	W370400700	12	Button (Coupling backlash)
	17	W370401800	2	Handle (Rod)
	18	W664018	2	Handle (Polyvinyl chloride)
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	21	5000183	2	Ring (Spacer)
	22	3110114	2	Straight pipe fitting [M/F BSP 3/8"H=32]



R	Pos.	Variant Code	Q.ty	Description
	23	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	24	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	25	5000077	2	Clamp (Rigid Pipe)
	26	3060144	2	Sealing washer [BSP 3/8"]




R	Pos.	Variant Code	Q.ty	Description
	1	W370507600	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
	10	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5001703	1	Distributor support
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	23	5002013	1	Spacer (Support)
	24	3010349	2	Hex screw [M10X20 10.9 ZC UNI 5739]

Control unit (RDC / NOCE)

Table code	Sheet
5402239-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5091455	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
	10	3010356	1	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	11	3060056	5	Split lock washer [D=10 C72 ZC]
RC	12	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5001703	1	Distributor support
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	5002013	1	Spacer (Support)
	26	3010349	2	Hex screw [M10X20 10.9 ZC UNI 5739]
	27	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]

Control valve (5 section)

Table code	Sheet
5220410-1.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225720	1	
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225768	10	
	12	5225755	1	
	13	5225760	1	
	14	5225726	1	
	15	5225759	1	
	16	5225729	1	Antishock valve
	17	5225725	1	
	18	5225758	1	
	19	5225736	2	Antishock valve
	20	5225715	1	Slider (CC)



R	Pos.	Variant Code	Q.ty	Description
	21	5225800	6	Control lever
	22	5225801	5	Knob (Black)
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225732	1	8 elements unit fixing
	27	5225716	4	Slider (CA)
RC	28	5225733	1	Seal kit
	29	5225728	1	Antishock valve
	30	5225818	1	
	31	5225843	1	5 elements unit fixing stud
	32	5225724	2	
	33	5225757	2	

High pressure filter


Table code	Sheet
5400708-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
	2	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	3	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	4	5271751	1	
	5	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	7	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	W370502900	1	
RC	9	3180139	1	Filtering cartridge
	10	3180140	1	Clogging indicator
	11	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	12	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	W370500200	1	
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	15	W570501600	1	Support (Bubble level)
	16	3180116	1	Bubble level
	17	3020035	1	Socket head cap screw [M6X20 8.8 ZC UNI 5931]

Moment limiting device (CE)


Table code	Sheet
5405026-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5141020	2	Vehicle (Clamp)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010397	2	Hex screw [M6X50 8.8 ZC UNI 5737]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3120450	1	Reducing fitting
	6	W456027	1	
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]

Valido da Matricola / Valid from S/N
27611
Valido da Matricola / Valid from S/N
99888
Valido da Matricola / Valid from S/N
200712


VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311169	1	
	2	3311168	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020879	2	
	10	3311159	1	Signal Columns
	11	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	12	W370508000	1	Support (Flashing light)
	13	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	14	3310873	1	Pressure monitor

HYDRAULIC SYSTEM GAUGE (CE)


Table code	Sheet
5405035-1.0	1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3020950	3	Special screw
RC	2	3180150	1	Pressure gauge
	3	W458458	1	Connecting pipe (Pressure gauge)
	4	W456027	1	
	5	3120200	1	Reducing fitting
	6	3101067	1	90° Connection [90° M/M JIC 9/16-18]
	7	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	8	3190184	2	Clamp (Set of hoses)
	9	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	3060143	1	Sealing washer [BSP 1/4"]
RC	11	5220300	1	Hose burst valve (Sleeve)
	12	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	W570501600	2	Support (Bubble level)
	14	3180116	2	Bubble level
	15	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]

Complete wireless control (not CE)

Table code	Sheet
7892099-2.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	7	3020023	8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	8	3311071	1	Handle
	9	3310891	1	
	10	3310892	1	
	11	3310890	5	
	12	3310893	1	Battery compartment
	13	3310860	1	
	14	3310908	1	
	15	3310688	1	
	16	3310852	1	
	17	3310862	2	
	18	3310064	1	
	19	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	20	5410965	1	Kit (Magnet)



R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	

Complete wireless control (PTO)

Table code	Sheet
7892500-1.0	1/2





R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311071	1	Handle
	7	3310891	1	
	8	3310892	1	
	9	3310890	5	
	10	3310893	1	Battery compartment
	11	3311509	1	Electric wiring (Wireless control)
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

Complete wireless control (PTO)

Table code	Sheet
7892500-1.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]






R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236508	1	
	4	3311542	1	

903N EN 12999 - A3

Control unit (RDC)


Table code	Sheet
5401643-2.0	1/2




VALIDO DA Gennaio 2012
VALID FROM January 2012

OPZIONALE
OPTIONALS


R	Pos.	Variant Code	Q.ty	Description
	1	W370508100	1	Casing (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3060056	5	Split lock washer [D=10 C72 ZC]
	11	5001703	1	Distributor support
	12	5220407	1	Proportional control valve
	13	5220410	1	Proportional control valve
	14	W370507500	1	Support (Control valve)
RC	15	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	16	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	17	W370507900	1	Protective guard (Electric wiring)
	18	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	19	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	20	3060052	4	Split lock washer [D=5.5 C72 ZC]




R	Pos.	Variant Code	Q.ty	Description
	21	3060053	4	Split lock washer [D=6.4 C72 ZC]
	22	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	23	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	24	5091488	1	Cover (Moment limiting device)
	25	5002013	1	Spacer (Support)
	26	3010349	2	Hex screw [M10X20 10.9 ZC UNI 5739]
	27	3010356	1	Hex screw [M10X30 8.8 ZC UNI 5739]
	28	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	29	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	1	5091454	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
	10	3010356	1	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	11	3060056	5	Split lock washer [D=10 C72 ZC]
RC	12	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5001703	1	Distributor support
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	5091488	1	Cover (Moment limiting device)
	27	3011000	2	Handwheel
	28	5091491	1	Protective guard (Control levers)
	29	5002013	1	Spacer (Support)
	30	3010349	2	Hex screw [M10X20 10.9 ZC UNI 5739]
	31	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]




R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225876	1	Control valve element (proportional)
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225881	1	Control valve element
	12	5225886	1	Control valve element
	13	5225879	1	Control valve element
	14	5225884	1	Control valve element
	15	5225729	1	Antishock valve
	16	5225889	1	Control valve element
	17	5225885	1	Control valve element
	18	5225736	2	Antishock valve
	19	5225715	1	Slider (CC)
	20	5225800	6	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	5	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225732	1	8 elements unit fixing
	26	5225716	4	Slider (CA)
RC	27	5225733	1	Seal kit
	28	5225728	1	Antishock valve
	29	5225802	1	Knob (Red)
	30	5225843	1	5 elements unit fixing stud
	31	5225878	2	Control valve element
	32	5225883	2	Control valve element


Kit (Wireless control)

Table code	Sheet
7892099-3.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3311385	1	
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3310754	1	
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	



Complete wireless control (PTO)

Table code	Sheet
7892500-2.0	1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

Complete wireless control (PTO)


Table code	Sheet
7892500-2.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




Kit CE (STABILITY CONTROL)

Table code	Sheet
5405053-3.0	1/2




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	5000426	1	Support (Proximity switch)
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	3311372	1	Electric wiring
	5	3040251	2	Lock nut [M24 8.G basso UNI 5589]
RC	6	3311311	4	Proximity switch (Position sensor)
	7	5091310	2	Guard (Proximity switch)
	8	3060053	4	Split lock washer [D=6.4 C72 ZC]
	9	3020045	4	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	10	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5000420	2	Support (Proximity switch)
	13	5000422	2	Support (Proximity switch)
	14	3311342	2	Electric wiring
	15	3311332	2	Electric wiring
	16	3311386	1	
	17	3311341	1	
	18	5001842	1	Microswitch support
	19	3060223	1	Grub screw
	20	3040391	1	Hexagonal nut (Normal)

R	Pos.	Variant Code	Q.ty	Description
	21	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]




Kit CE (STABILITY CONTROL)

Table code	Sheet
5405053-4.0	1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	5000426	1	Support (Proximity switch)
	3	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	4	3311372	1	Electric wiring
	5	3040251	2	Lock nut [M24 8.G basso UNI 5589]
RC	6	3311311	4	Proximity switch (Position sensor)
	7	5091310	2	Guard (Proximity switch)
	8	3060053	4	Split lock washer [D=6.4 C72 ZC]
	9	3020045	4	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	10	3020902	4	Socket head cap screw [M8X10 ZC UNI 5931]
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5000420	2	Support (Proximity switch)
	13	5000422	2	Support (Proximity switch)
	14	3311636	4	Electric wiring
	15	3311541	1	Moment limiting device




R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]



Moment limiting device (EN12999-A3)

Table code	Sheet
5405045-6.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311634	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	7	5160001	1	Electric wiring
	8	5002055	1	Manifold (Pick-up)
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	3110078	1	Bolt (banjo bolt)
	11	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	12	3310612	1	Pressure sensor
	13	3311632	1	Electric wiring
	14	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	15	3040518	2	Stopnut [STOP M4]
	16	3312280	1	Push-button pannel box (Assembly)
	17	3312281	1	key switch

RECOMMENDED SPARE PARTS

Code	Description
3010055	Hex screw
3010336	Hex screw
3010353	Hex screw
3010354	Hex screw
3020080	Socket head cap screw
3020400	TSEI screw
3020875	Socket head cap screw
3060006	Flat washer
3060029	Flat washer
3060055	Split lock washer
3060056	Split lock washer
3060683	Spring (Backlash)
3060914	Flat washer
3060918	Tooth lock washer
3180112	Filtering cartridge
3180138	Oil filter
3180139	Filtering cartridge
3180147	Pressure gauge (Clogging indicator)
3180150	Pressure gauge
3180199	Oil filter
3180221	Thermometer
3311311	Proximity switch (Position sensor)
3311312	Proximity switch
3311354	Lighting (Audible alarm)
5141006	Sliding block (Toothed rack)
5141008	Bushing (Lower)
5141009	Bushing (Upper)
5141010	Thrust bearing ring
5220300	Hose burst valve (Sleeve)
5225733	Seal kit
5550697	Seal kit
5550788	Seal kit (Stabilizer)
W270303100	Bushing (Dolly block)
W365060	Seal kit
W365064	Seal kit
W365065	Seal kit
W365104	Seal kit
W370300800	Button (Control board)
W370300900	Slide shoe
W370301000	Slide shoe
W380300600	Slide shoe
W380301800	Slide shoe
W560306300	Slide shoe (Rod)