




Model
2 ARTICULATED BOOM
804 904

Logbook code
7880574.1
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7880574.1

Sheet

1/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5420058-1.0	1	BASE		
11	6240107-1.0	1	SLEWING ASS'Y		
12	6240185-1.0	1	SLEWING ASS'Y (Retaining ring)		
13	6240185-3.0	1	SLEWING ASS'Y (Double Flange)		
14	6240185-2.0	1	SLEWING ASS'Y (Retaining ring)		
15	6240107-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
16	5760111-1.0	1	Stabilizer connecting rods (standard)		
17	5760111-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
18	5760112-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
19	5760113-1.0	1	Stabilizer connecting rods (Extra-extensible)		
20	5760113-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
21	5760114-1.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
22	5411032-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
23	5411230-1.0	1	STABILITY CONTROL (standard-extra)		
24	5760117-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
26	5760270-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
28	5760117-2.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
29	5760118-1.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
30	5411193-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (SUPER)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
31	5411239-1.0	1	STABILITY CONTROL (SUPER EXTRA-EXTENSIBLE)		
32	6200155-1.0	1	Stabilizer Hydraulic jack (LEFT)		
33	6200154-1.0	1	Stabilizer Hydraulic jack (RIGHT)		
34	6400154-1.0	1	Stabilizer Hydraulic jack		
35	5760084-1.0	1	Stabilizer connecting rods (Revolving)		
36	5760084-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
37	5760107-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
38	5760085-1.0	1	Stabilizer connecting rods extra-extensible		
40	5760085-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
41	5760108-1.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
42	5760087-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
44	5760272-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
46	5760087-2.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
47	5760109-1.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
48	6200213-1.0	1	STABILISER RAM		
49	6400213-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
50	5380031-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
51	5760110-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
53	6200223-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
54	6400223-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Control valve side)		

Table index

Logbook code

Sheet

7880574.1
2/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
55	6200224-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
56	6400224-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)		
57	5380031-2.0	1	DOUBLE CONTROLS		
58	5380024-1.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
59	5380031-3.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
60	5400576-1.0	1	DOUBLE CONTROLS (CE)		
62	5220317-1.0	1	Control valve (6 section)		
63	5401363-1.0	1	DOUBLE CONTROLS (EN12999-A3)		
65	5401363-2.0	1	Control unit (STABILITY CONTROL)		
67	5220817-2.0	1	Control valve (6 section)		
68	5220479-2.0	1	Control valve (6 section)		
69	5400577-1.0	1	DOUBLE CONTROLS (not CE)		
71	5220316-1.0	1	Control valve (5 section)		
72	5440065-1.0	1	HYDRAULIC SYSTEM SOLENOID VALVE		
73	5440065-2.0	1	HYDRAULIC SYSTEM SOLENOID VALVE		
74	5430110-1.0	1	Moment limiting device (not CE)		
76	5430111-1.0	1	Moment limiting device (LIG NO CE)		
78	5410985-1.0	1	HYDRAULIC SYSTEM GAUGE		
79	5210010-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
80	5210037-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		

Page	Table code	Q.ty	Table heading	Vers.	Validity
81	5210107-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
82	5210039-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
83	3310277-1.0	1	ELECTRICS CONTROLS		
84	7880826-1.0	1	Rotation limiting device (Electric)		
85	5400575-1.0	1	Oil tank		
86	5400575-2.0	1	Oil tank		
87	5400401-1.0	1	Oil tank		
88	5400401-2.0	1	Oil tank		
89	3180103-1.0	1	Oil filter		
90	3180195-1.0	1	Oil filter		
91	5460050-1.0	1	Column		
92	6230144-1.0	1	Hydraulic system ()		
93	6430144-1.0	1	Lifting hydraulic cylinder		
94	5470070-1.0	1	1st Boom		
95	6230145-1.0	1	Hydraulic system (ARTICULATION HYDRAULIC JACK)		
96	6430145-1.0	1	ARTICULATION HYDRAULIC JACK		
97	5480073-1.0	1	2nd Boom		
98	5490074-1.0	1	1st Extension		
99	6210351-1.0	1	Hydraulic system (1st Extension hydraulic)		
101	6410304-1.0	1	1st Extension hydraulic		

Table index

Logbook code

Sheet

7880574.1
3/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
102	6210352-1.0	1	Hydraulic system (1st Extension hydraulic)		
104	6410302-1.0	1	1st Extension hydraulic		
105	6210354-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
106	5530036-1.1	1	2nd Extension		
107	6210353-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
108	5540041-1.0	1	3rd EXTENSION		
109	6210355-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
110	6210356-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
111	5560033-1.0	1	4th EXTENSION		
112	6210357-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
113	5410987-1.0	1	HOOK KIT		
114	7900376-1.0	1	ATTACHEMENT FOR (Basket)		
115	5590105-1.0	1	ACTUATIONS FOR 1S		
117	5590106-1.0	1	ACTUATIONS FOR 2S		
119	5590107-1.0	1	ACTUATIONS FOR 3S		
121	5590108-1.0	1	ACTUATIONS FOR 4S		
123	7882193-1.0	1	KIT QUICK COUPLING		
124	5740056-1.0	1	ACTUATION FOR WINCH		
126	7900278-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (1S)		
127	7900279-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (2S)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
128	7900280-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (3S)		
129	7900281-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (4S)		
130	7800347-1.0	1	Manual extension		
131	7800346-1.0	1	Manual extension		
132	7800345-1.0	1	Manual extension		
133	7800323-1.0	1	Manual extension		
134	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
135	7880371-1.0	1	Assembly kit		
137			904 RDC		
138	5760132-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
139	5400658-1.0	1	Control unit (RDC / NOCE)		
141	5402206-1.0	1	Control unit (RDC / NOCE)		
143	5220410-1.0	1	Control valve (5 section)		
145	5400657-1.0	1	High pressure filter		
146	7892099-2.0	1	Complete wireless control (not CE)		
148	7892500-1.0	1	Complete wireless control (PTO)		
150	5405003-3.0	1	Auxiliary wiring (Limiting device)		
151	5405005-1.0	1	HYDRAULIC SYSTEM GAUGE		
152	5405003-1.0	1	Moment limiting device (CE)		
153	5405003-2.0	1	Auxiliary wiring (Limiting device)		

Table index

Logbook code

7880574.1

Sheet

4/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
154	3310822-1.0	1	Light column		
155	5740202-1.0	1	ACTUATION FOR WINCH		
157	5740202-2.0	1	WIRING FOR WINCH		
158	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
159	904 RDC EN 12999-A3				
160	5401354-1.0	1	Control unit (RDC / CE)		
162	5402215-1.0	1	Control unit (RDC / CE)		
164	5220410-2.0	1	Control valve (5 section)		
166	7892099-3.0	1	Kit (Wireless control)		
168	7892500-2.0	1	Complete wireless control (PTO)		
170	5405045-1.0	1	Kit CE (STABILITY CONTROL)		
171	5405045-5.0	1	Kit CE (STABILITY CONTROL)		
172	5405045-2.0	1	Moment limiting device (CE)		
174	5405045-4.0	1	Moment limiting device (EN12999-A3)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------

Plate kit (Generic Gru)





Table code

Sheet


5502000-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)




Con Aste superextraestendibili
solo su questo lato



Con Aste standard su ambo i lati
Con Aste extraestendibili solo su questo lato
Con Aste superextraestendibili solo su questo lato

R	Pos.	Variant Code	Q.ty	Description
	1	5060154	1	Base
RC	2	5140662	1	Collar (Upper)
RC	3	5140664	1	Thrust bearing ring
RC	4	5140663	1	Collar (Lower)
	5	3080501	2	Grease nipple [M8X1.25]
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001433	2	Thickness (Roller)
	11	5001432	2	Support (Roller)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	14	5140788	2	Roller (Turnbasket)
	15	5150760	2	Pin (Roller)
	16	3070148	4	Seeger
	17	5001583	1	Block (Rod)
	18	5000625	2	Block (Rod)



R	Pos.	Variant Code	Q.ty	Description
	1	6070515	2	Cylinder [Fixed]
	2	3020099	8	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	4	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]


SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240185-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070701	2	Cylinder (Slewing) [Fixed]
	2	3020099	8	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5002221	2	Flange (Slewing)
	16	3070218	2	Snap ring

SLEWING ASS'Y (Double Flange)

Table code
6240185-3.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002221	4	Flange (Slewing)
	2	3070218	2	Snap ring
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	3020323	8	Socket head cap screw [M12X55 10.9 GEOMET UNI 50341]




SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240185-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070701	2	Cylinder (Slewing) [Fixed]
	2	3020323	8	Socket head cap screw [M12X55 10.9 GEOMET UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5003360	2	Flange (Slewing)
	16	3070218	2	Snap ring


Hydraulic system (Slewing Hydraulic jack)

Table code

Sheet

6240107-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220559	1	Holding valve
	2	3120064	3	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	3	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	4	5220093	2	Non-return valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	5392086	1	Bonderized tube
	7	5260818	2	Flexible hose
	8	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	9	5000077	1	Clamp (Rigid Pipe)
RC	10	3060055	1	Split lock washer [D=8.4 C72 ZC]
	11	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]

Stabilizer connecting rods (standard)


Table code

Sheet

5760111-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5070354	1	
	2	5070355	2	
	3	5140992	16	Button (Coupling backlash)
	4	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3070063	2	Seeger




Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760111-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760112-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260816	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260817	2	Flexible hose


Stabilizer connecting rods (Extra-extensible)

Table code

Sheet

5760113-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070356	1	Stabilizer rod
	2	5070357	1	Stabilizer rod
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	5	3070063	2	Seeger
	6	5140992	8	Button (Coupling backlash)
	7	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	5001566	6	
	9	5140990	2	
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	12	5140991	8	Slide shoe (ROUND)
	13	3060959	24	
	14	3040305	8	Stopnut [M12-70 NORM. ZC]
	15	4160279	1	
	16	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	17	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	18	5140019	1	


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760113-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261247	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261248	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760114-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260838	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5261248	2	Flexible hose


CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5411032-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]




R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760117-1.0

Sheet
1/2



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5070358	1	Stabilizer rod
	2	3070063	2	Seeger
RC	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	5	5001567	5	
	6	5140987	2	
	7	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	8	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	9	3060957	24	Washer
	10	5140988	8	
	11	5001583	1	Block (Rod)
	12	5070343	1	
	13	5070356	1	Stabilizer rod
	14	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	15	5140990	2	
	16	5001566	3	
	17	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	3040305	8	Stopnut [M12-70 NORM. ZC]
	19	3060959	24	
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)


Table code

5760117-1.0

Sheet

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	22	4160279	1	
	23	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	24	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010


Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code

5760270-1.0

Sheet

1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

EN 12999-A3

R	Pos.	Variant Code	Q.ty	Description
	1	5070358	1	Stabilizer rod
	2	3070063	2	Seeger
RC	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	5	5001567	7	
	6	5140987	2	
	7	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	8	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	9	3060957	24	Washer
	10	5140988	8	
	11	5001583	1	Block (Rod)
	12	5070343	1	
	13	5070059	1	Stabilizer rod
	14	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	15	5140990	2	
	16	5001566	6	
	17	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	3040305	8	Stopnut [M12-70 NORM. ZC]
	19	3060959	24	
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)


Table code

Sheet

5760270-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	22	4160279	1	
	23	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	24	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	25	5140989	8	
	26	5140019	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011

EN 12999-A3


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760117-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260831	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260830	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760118-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5261249	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260830	2	Flexible hose


CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5411193-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	1	Microswitch support
	4	3040041	4	Nut
	5	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	5000185	1	
	12	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	13	5000190	1	
	14	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]


STABILITY CONTROL (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5411239-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002070	1	
	2	5002071	1	
RC	3	3311311	3	Proximity switch (Position sensor)
	4	5000439	2	
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3311402	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060053	5	Split lock washer [D=6.4 C72 ZC]
	9	3060030	5	Flat washer [D.6.6X18 UNI 6593 ZC]
	10	3040391	3	Hexagonal nut (Normal)
	11	3060052	3	Split lock washer [D=5.5 C72 ZC]
	12	3060004	1	Flat washer [D.5 UNI 6592 ZC]
	13	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	14	5001583	2	Block (Rod)
	15	5002057	2	Support (Proximity switch)
	16	5002026	2	Guard (Proximity switch)
	17	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	18	3311332	2	Electric wiring



Stabilizer Hydraulic jack (LEFT)

Table code

Sheet

6200155-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220048	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200155	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG



Stabilizer Hydraulic jack (RIGHT)

Table code


Sheet

6200154-1.0

1/1



da Ottobre 2016
from October 2016



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220047	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200154	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG


Stabilizer Hydraulic jack

Table code

Sheet

6400154-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070405	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030338	1	Rod
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit


Stabilizer connecting rods (Revolving)

Table code

Sheet

5760084-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070338	1	
	2	3070052	2	Seeger
	3	5070339	1	
	4	5140992	16	Button (Coupling backlash)
	5	5000183	2	Ring (Spacer)
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	3060053	4	Split lock washer [D=6.4 C72 ZC]
	9	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	10	W101219	2	Pin (Handle)
	11	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760084-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760107-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260816	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260817	2	Flexible hose


Stabilizer connecting rods extra-extensible

Table code

Sheet

5760085-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070336	1	
	2	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	3	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	4	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	4160279	1	
	6	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	7	5140991	8	Slide shoe (ROUND)
	8	3060959	24	
	9	3040305	8	Stopnut [M12-70 NORM. ZC]
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	5140990	2	
	12	5001566	6	
	13	3070052	2	Seeger
	14	5140992	8	Button (Coupling backlash)
	15	5070337	1	
	16	5000183	2	Ring (Spacer)
	17	W664018	2	Handle (Polyvinyl chloride)
	18	W370401800	2	Handle (Rod)
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060053	4	Split lock washer [D=6.4 C72 ZC]

Stabilizer connecting rods extra-extensible


Table code

Sheet

5760085-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	W101219	2	Pin (Handle)
	22	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	23	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	24	5140019	1	




HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760085-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261247	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261248	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760108-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260838	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5261248	2	Flexible hose

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760087-1.0

Sheet
1/2



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5070342	1	
	2	3070052	2	Seeger
	3	5001567	5	
	4	5140987	2	
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	7	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	8	3060957	24	Washer
	9	5140988	8	
	10	5001583	1	Block (Rod)
	11	5140989	8	
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	13	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	15	5070343	1	
	16	5070336	1	
	17	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	18	5140990	2	
	19	5001566	6	
	20	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]


Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5760087-1.0

2/2




R	Pos.	Variant Code	Q.ty	Description
	21	5140991	8	Slide shoe (ROUND)
	22	3060959	8	
	23	3040305	8	Stopnut [M12-70 NORM. ZC]
	24	4160279	1	
	25	W370401900	2	
	26	W664018	2	Handle (Polyvinyl chloride)
	27	W370401800	2	Handle (Rod)
	28	3060053	4	Split lock washer [D=6.4 C72 ZC]
	29	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	30	101219	2	
	31	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	32	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760272-1.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5070342	1	
	2	3070052	2	Seeger
	3	5001567	5	
	4	5140987	2	
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	7	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	8	3060957	24	Washer
	9	5140988	8	
	10	5001583	1	Block (Rod)
	11	5140989	8	
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	13	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	15	5070343	1	
	16	5070058	1	
	17	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	18	5140990	2	
	19	5001566	6	
	20	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760272-1.0

Sheet
2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5140991	8	Slide shoe (ROUND)
	22	3060959	24	
	23	3040305	8	Stopnut [M12-70 NORM. ZC]
	24	4160279	1	
	25	5000183	2	Ring (Spacer)
	26	W664018	2	Handle (Polyvinyl chloride)
	27	W370401800	2	Handle (Rod)
	28	3060053	4	Split lock washer [D=6.4 C72 ZC]
	29	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	30	W101219	2	Pin (Handle)
	31	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	32	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	33	5140019	1	


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760087-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260831	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260830	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760109-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5261249	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260830	2	Flexible hose


STABILISER RAM

Table code


Sheet

6200213-1.0

1/1




10



15

da Ottobre 2016
from October 2016



17

R	Pos.	Variant Code	Q.ty	Description
	1	6400213	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3101124	1	90° Connection [90° ORIENT. 9/16-18 - 1/4"CIL.]
	4	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	5220718	1	Valve (Cock)
	6	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	5392078	1	Bonderized tube
	8	6200213	1	Stabilizer Hydraulic jack
	9	4160397	1	Tang
	10	3060632	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	4160398	1	Locking ring
	13	5090815	1	Support base
	14	3080512	1	Grease nipple [M8X1.25 (45°)]
	15	5920002	1	ARTICULATED JOINT TANG
	16	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	17	5920059	1	ARTICULATED JOINT TANG


Stabilizer Hydraulic jack (ROTATING)

Table code

Sheet

6400213-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070516	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030689	1	
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit


ROD EXTENSION HYDRAULIC CYLINDER

Table code

Sheet

5380031-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200223	1	
	2	6200224	1	
	3	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	4	3070017	2	Seeger
	5	3060010	8	Flat washer [D.17X30X3 UNI 6592 ZC]
	6	3040307	2	Stopnut [M16-70 ZC.NORM.8G]


Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code

Sheet

5760110-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070347	1	
	2	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	3	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	4	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	4160279	1	
	6	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	7	5140991	8	Slide shoe (ROUND)
	8	3060959	24	
	9	3040305	8	Stopnut [M12-70 NORM. ZC]
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	5140990	2	
	12	5001566	6	
	13	3070052	2	Seeger
	14	5140992	8	Button (Coupling backlash)
	15	5070348	1	
	16	5000183	2	Ring (Spacer)
	17	W664018	2	Handle (Polyvinyl chloride)
	18	W370401800	2	Handle (Rod)
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060053	4	Split lock washer [D=6.4 C72 ZC]

Stabilizer connecting rods extra-extensible (hydraulic lengthening)


Table code

Sheet

5760110-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	W101219	2	Pin (Handle)
	22	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	23	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]




HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code

Sheet

6200223-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400223	1	
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392236	1	
	4	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	5392104	1	

ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code	Sheet
6400223-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070536	1	
	2	6030739	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit


HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code

Sheet

6200224-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400224	1	
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392103	1	
	4	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	5392102	1	


ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)

Table code

Sheet

6400224-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070535	1	
	2	6030738	1	
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit


DOUBLE CONTROLS

Table code

Sheet

5380031-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090937	1	
	2	5220256	1	Switch (Stabilizers)
RC	3	3060056	2	Split lock washer [D=10 C72 ZC]
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	5	5001494	1	
	6	3190255	1	
	7	5150783	1	
	8	3190010	1	Knob


Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380024-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	11	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5260847	1	Flexible hose
	3	5260842	1	Flexible hose
	4	3120341	1	Tee fitting
	5	3120302	1	Tee fitting [RACC.T 9/16JIC M/MGAS1/4"]
	6	5260841	1	Flexible hose
	7	5260844	1	Flexible hose
	8	5260843	1	Flexible hose
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	3120003	3	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	5261251	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260840	1	Flexible hose
	14	5260846	1	Flexible hose
	15	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	16	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]


Hydraulic system (ROD EXSTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380031-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5260847	1	Flexible hose
	3	5260842	1	Flexible hose
	4	3120341	1	Tee fitting
	5	3120302	1	Tee fitting [RACC.T 9/16JIC M/MGAS1/4"]
	6	3110040	5	Female plug [TAPPO F JIC 9/16 -18]
	7	5260841	1	Flexible hose
	8	5260843	1	Flexible hose
	9	5260850	1	Flexible hose
	10	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	11	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	5261251	1	Flexible hose
	13	5260849	1	Flexible hose
	14	5261250	1	Flexible hose
	15	5260840	1	Flexible hose
	16	5260846	1	Flexible hose
	17	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]


DOUBLE CONTROLS (CE)

Table code

Sheet

5400576-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	5	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	5	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever

DOUBLE CONTROLS (CE)


Table code

Sheet

5400576-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220317	1	Control valve ass'y



Control valve (6 section)

Table code

Sheet


5220317-1.0

1/1

VALIDO DA MATRICOLA : 9899

VALID FROM SERIAL NUMBER : 9899

**“CE”
NO STABILITY
CONTROL**



R	Pos.	Variant Code	Q.ty	Description
	1	5225259	2	Slider
	2	5225260	2	Slider
	3	5225258	2	Slider
	4	5225262	6	cover with spring
	5	5225257	1	Valve
	6	5225261	6	Unit (Control lever)
	7	5225335	2	Control valve body
	8	5225334	3	Cartridge
	9	5225539	1	Seal kit
	10	5220317	1	Control valve ass'y


DOUBLE CONTROLS (EN12999-A3)

Table code

Sheet


5401363-1.0

1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	5	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	8	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	5	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220817	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	5002074	1	
RC	28	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	29	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
	30	5812795	2	Small plate (CONTROL SYMBOLS)
	31	5812796	2	Small plate (CONTROL SYMBOLS)
	32	5812797	2	Small plate (CONTROL SYMBOLS)
	33	5812799	2	Small plate (CONTROL SYMBOLS)
	34	5812800	2	Small plate (CONTROL SYMBOLS)


Control unit (STABILITY CONTROL)

Table code

Sheet

5401363-2.0

1/2



VALIDO DA Marzo 2011
VALID FROM March 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5000621	1	
	2	3311373	1	
	3	5090104	1	Dashboard (Casing)
	4	5002075	1	Flange
	5	5090103	1	Support (CONTROLS)
	6	5000179	1	Small plate
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3010042	2	Hex screw [M8X110 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	12	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	13	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3040518	4	Stopnut [STOP M4]
	15	3311375	1	
	16	3311376	1	
	17	3311399	1	
	18	5160001	1	Electric wiring
	19	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	20	5002096	1	


Control unit (STABILITY CONTROL)

Table code

Sheet

5401363-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3311374	1	
	23	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	24	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	25	5002095	1	
	26	5091334	1	
	27	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	28	3010390	2	Hex screw [M8X35 ZC UNI 5739]
	29	5002055	1	Manifold (Pick-up)
	30	3110078	1	Bolt (banjo bolt)
	31	3060143	2	Sealing washer [BSP 1/4"]
	32	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	33	3310612	1	Pressure sensor

VALIDO DA Marzo 2011
VALID FROM March 2011


Control valve (6 section)

Table code

Sheet

5220817-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	2	
	16	5225792	1	
RC	17	5225873	1	Seal kit (Control valve)
	18	5225830	4	Casing (Pin)
	19	5225832	8	Contact terminal (Microswitch)


Control valve (6 section)

Table code

Sheet

5220479-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220479	1	
	2	5225897	1	
	3	5225896	1	
	4	3311438	1	Solenoid (12V)
	5	3311437	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	2	
	16	5225792	1	
RC	17	5225873	1	Seal kit (Control valve)
	18	5225830	4	Casing (Pin)
	19	5225832	8	Contact terminal (Microswitch)


DOUBLE CONTROLS (not CE)

Table code

Sheet

5400577-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	5	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	9	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	5	Control lever
	20	5090434	1	Control lever
	21	5091006	1	Support (Dual control)


DOUBLE CONTROLS (not CE)

Table code

Sheet

5400577-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	22	5220316	1	
	23	5812795	2	Small plate (CONTROL SYMBOLS)
	24	5812796	2	Small plate (CONTROL SYMBOLS)
	25	5812797	2	Small plate (CONTROL SYMBOLS)
	26	5812799	2	Small plate (CONTROL SYMBOLS)
	27	5812800	2	Small plate (CONTROL SYMBOLS)

Control valve (5 section)

Table code

Sheet


5220316-1.0

1/1

VALIDO DA MATRICOLA : 10113


VALID FROM SERIAL NUMBER : 10113

R	Pos.	Variant Code	Q.ty	Description
	1	5225259	2	Slider
	2	5225260	2	Slider
	3	5225258	1	Slider
	4	5225262	5	cover with spring
	5	5225257	1	Valve
	6	5225261	5	Unit (Control lever)
	7	5225335	2	Control valve body
	8	5225334	3	Cartridge
RC	9	5225538	1	Seal kit (Control valve)
	10	5220316	1	



VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5220145	1	Solenoid valve
	2 A	3310042	1	Solenoid (12V)
	2 B	3310043	1	Solenoid (24V)
	3	3101127	1	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5271726	1	Flexible hose
	5	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	6	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	7	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	8	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	9	3120356	1	Reducing fitting
	10	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]


HYDRAULIC SYSTEM SOLENOID VALVE

Table code

Sheet

5440065-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5220182	1	Solenoid valve	
2 A	3310042	1	Solenoid (12V)	
2 B	3310043	1	Solenoid (24V)	
3	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]	
4	5271726	1	Flexible hose	
5	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]	
6	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]	
7	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]	
8	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]	
9	3120356	1	Reducing fitting	
10	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]	


Moment limiting device (not CE)

Table code

Sheet

5430110-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5280722	1	Flexible hose
	20	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]


Moment limiting device (not CE)

Table code

Sheet

5430110-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	22	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	23	5220300	1	Hose burst valve (Sleeve)
	24	3060143	1	Sealing washer [BSP 1/4"]
	25	3111583	1	Tapping point


Moment limiting device (LIG NO CE)

Table code

Sheet

5430111-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5280722	1	Flexible hose
	20	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]


Moment limiting device (LIG NO CE)

Table code

Sheet

5430111-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	22	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	23	5220300	1	Hose burst valve (Sleeve)
	24	3060143	1	Sealing washer [BSP 1/4"]
	25	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	26	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	27	5220063	1	Cock
	28	3111583	1	Tapping point


HYDRAULIC SYSTEM GAUGE

Table code

Sheet

5410985-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	2	Pressure gauge
	2	3020880	6	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	3	3040516	6	Stopnut [STOP M3]
	4	5300030	1	Small pipe (Pressure gauge)
	5	3120200	2	Reducing fitting
	6	3101080	1	Tee fitting
	7	5300057	1	Small pipe (Pressure gauge)
	8	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	9	W128034	2	Collar (Flexible hose)
	10	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	11	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	12	5001580	1	Support (Limiting device)
	13	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	14	3060143	1	Sealing washer [BSP 1/4"]
	15	5220300	1	Hose burst valve (Sleeve)
	16	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	17	5260826	1	Flexible hose
	18	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code
5210010-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3060936	1	Grub screw
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5000661	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271727	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever


1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5210037-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5220298		1	Control valve
2	3120066		1	Straight pipe fitting [FJ3/4-16GIR. MJ3/8"]
3	3101043		3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
4	5225240		1	Carry-over
5	3040045		2	Nut [M8 NORM.6S UNI5588 GEOMET]
6	3300431		2	Fork
7	3300451		2	Fork clip
8	3060936		1	Grub screw
9	3010036		1	Hex screw [M8X65 8.8 ZC UNI 5739]
10	3040303		1	Stopnut [M8-70 UNI7473 NORM. ZC.]
11	5000661		1	Control lever
12	3190197		2	Knob (Black)
13	5271727		1	Flexible hose
14	5091326		1	Rod (Dual control)
15	3080500		1	Grease nipple
16	5090433		1	Control lever
17	5225832		1	Contact terminal (Microswitch)
18	5225830		1	Casing (Pin)
19	5225262		1	cover with spring


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5210107-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040055	4	Tall headed nut
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3060936	2	Grub screw
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5000661	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271727	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet


5210039-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5220286		1	Control valve (2 section)
2	3120066		1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
3	3101043		3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
4	5225240		1	Carry-over
5	3040045		4	Nut [M8 NORM.6S UNI5588 GEOMET]
6	3300431		4	Fork
7	3300451		4	Fork clip
8	3060936		2	Grub screw
9	3010036		1	Hex screw [M8X65 8.8 ZC UNI 5739]
10	3040303		1	Stopnut [M8-70 UNI7473 NORM. ZC.]
11	5000661		2	Control lever
12	3190197		4	Knob (Black)
13	5271727		1	Flexible hose
14	5091326		2	Rod (Dual control)
15	3080500		2	Grease nipple
16	5090433		2	Control lever
17	5225832		2	Contact terminal (Microswitch)
18	5225830		2	Casing (Pin)
19	5225262		2	cover with spring

R	Pos.	Variant Code	Q.ty	Description
	1	3310277	1	Dashboard (Electric)
	2	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]




Rotation limiting device (Electric)

Table code

Sheet

7880826-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001590	1	
	2	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001589	1	
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	6	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	7	3310758	1	
	8	3020026	4	Socket head cap screw [M5X45 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]

Oil tank


Table code

Sheet

5400575-1.0

1/1

VALIDO FINO A Mat. 20592 - 03/07/32006
VALID TO S/N 20592 - 03/07/32006



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3110062	1	Plug
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	7	3060006	1	Flat washer [D.8 UNI 6592 ZC]
RC	8	3060055	1	Split lock washer [D=8.4 C72 ZC]
	9	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	3180103	1	Oil filter
RC	11	3180147	1	Pressure gauge (Clogging indicator)
RC	12	3180112	1	Filtering cartridge
RC	13	3180099	2	Oil level indicator
	14	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	15	5220597	1	Bushing (Thermometer)
	16	3180097	1	Thermometer
	17	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	18	3140305	1	Cock (Ball) [M1"+F1"]
	19	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]

Oil tank


Table code

Sheet

5400575-2.0


1/1

VALIDO DA Mat. 20593 - 03/07/32006
VALID FROM S/N 20593 - 03/07/32006



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3110062	1	Plug
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	7	3060006	1	Flat washer [D.8 UNI 6592 ZC]
RC	8	3060055	1	Split lock washer [D=8.4 C72 ZC]
	9	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	10	3180195	1	Oil filter
RC	11	3180147	1	Pressure gauge (Clogging indicator)
RC	12	3180112	1	Filtering cartridge
RC	13	3180099	2	Oil level indicator
	14	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	15	5220597	1	Bushing (Thermometer)
RC	16	3180221	1	Thermometer
	17	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	18	3140305	1	Cock (Ball) [M1"+F1"]
	19	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	20	W449009	1	Tank cap (Spill door)

VALIDO FINO A Mat. 20592 - 03/07/2006
VALID TO S/N 20592 - 03/07/2006



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3110062	1	Plug
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	7	3060006	1	Flat washer [D.8 UNI 6592 ZC]
RC	8	3060055	1	Split lock washer [D=8.4 C72 ZC]
	9	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	3180103	1	Oil filter
RC	11	3180112	1	Filtering cartridge
RC	12	3180099	2	Oil level indicator
	13	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	14	3140305	1	Cock (Ball) [M1"+F1"]
	15	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]


Oil tank

Table code

Sheet

5400401-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3110062	1	Plug
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	7	3060006	1	Flat washer [D.8 UNI 6592 ZC]
RC	8	3060055	1	Split lock washer [D=8.4 C72 ZC]
	9	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	10	3180195	1	Oil filter
RC	11	3180112	1	Filtering cartridge
RC	12	3180099	2	Oil level indicator
	13	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	14	3140305	1	Cock (Ball) [M1"+F1"]
	15	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	16	W449009	1	Tank cap (Spill door)


Oil filter

Table code

Sheet

3180103-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3180113	1	
RC	2	3180112	1	Filtering cartridge
	3	3180155	1	
	4	3180120	1	
	5	3180119	1	
	6	3180135	1	Oil filter

VALIDO FINO A Mat. 20592 - 03/07/2006

VALID TO S/N 20592 - 03/07/2006


Oil filter

Table code

Sheet

3180195-1.0

1/1



VALIDO DA Mat. 20593 - 03/07/2006
VALID FROM S/N 20593 - 03/07/2006

R	Pos.	Variant Code	Q.ty	Description
	1	3180113	1	
RC	2	3180112	1	Filtering cartridge
	3	3180155	1	
	4	3180120	1	


Column

Table code

Sheet

5460050-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040094	1	Column
	2	5150561	1	Pin assembly
	3	3070037	2	Seeger (Shaft)
	4	3070078	1	Seeger
	5	5140123	2	Bushing
	6	3080501	1	Grease nipple [M8X1.25]
	7	5091188	1	Protective guard
RC	8	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	9	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	10	3020051	1	Socket head cap screw [M8X12 ZC UNI 5931]
	11	3020062	1	Socket head cap screw [M8X70 ZC UNI 5931]
	12	W340501400	1	Support (Clamp)
	13	W128030	1	Clamp (Flexible hose)
	14	5001359	1	Spacer (Bushing)

Hydraulic system ()


Table code

Sheet

6230144-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6430144	1	Lifting hydraulic cylinder [Fixed]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391048	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10	6230144	1	Lifting hydraulic cylinder [Fixed]
	11	5260819	1	Flexible hose
	12	5261243	1	Flexible hose
	13	3080501	1	Grease nipple [M8X1.25]
	14	3080505	1	Guard (Grease nipple)




Lifting hydraulic cylinder

Table code

Sheet

6430144-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070367	1	Cylinder
	2	6030680	1	Rod unit [Fixed]
	3	5140123	4	Bushing
	4	3400102	1	Seal
	5	3420028	1	W-ring
	6	6040300	1	Close nipple
	7	6050233	1	Piston
	8	3040501	1	Self-locking ringnut [M35X1.5 NORMALE ZC]
	9	3400514	1	Seal
	10	3450214	1	O-ring joint
	11	3460330	1	Anti-extrusion ring
	12	3450114	1	O-ring joint
RC	13	5550775	1	Seal kit


1st Boom

Table code

Sheet

5470070-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030273	1	Main boom
	2	5140123	2	Bushing
	3	5150433	2	Pin assembly
	4	3070037	4	Seeger (Shaft)
	5	3080501	1	Grease nipple [M8X1.25]
	6	5000077	8	Clamp (Rigid Pipe)
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	9	5150495	2	
	10	3040501	4	Self-locking ringnut [M35X1.5 NORMALE ZC]
	11	3080505	1	Guard (Grease nipple)
	12	5001358	1	Spacer (Bushing)
	13	3190100	1	Insulator
	14	5001112	1	Washer (Insulator)

Hydraulic system (ARTICULATION HYDRAULIC JACK)


Table code

Sheet


6230145-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6430145	1	Articulation Hydraulic jack [Fixed]
	2	5220748	1	Holding valve
	3	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	4	5391697	1	Bonderized tube
	5	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	6	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	7	5270824	1	Flexible hose
	8	5392089	1	Bonderized tube
	9	5392090	1	Bonderized tube
	10	5000077	4	Clamp (Rigid Pipe)
	11	5260821	2	Flexible hose
	12	5261244	1	Flexible hose
	13	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	15	6230145	1	Articulation Hydraulic jack [Fixed]
	16	3080501	2	Grease nipple [M8X1.25]
	17	3080505	2	Guard (Grease nipple)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]



8.23.0078-1.0



R	Pos.	Variant Code	Q.ty	Description
	1	6070452	1	Cylinder
	2	6030682	1	Rod unit [Fixed]
	3	5140123	4	Bushing
	4	3400102	1	Seal
	5	3420028	1	W-ring
	6	6040300	1	Close nipple
	7	6050233	1	Piston
	8	3040501	1	Self-locking ringnut [M35X1.5 NORMALE ZC]
	9	3400514	1	Seal
	10	3450214	1	O-ring joint
	11	3460330	1	Anti-extrusion ring
	12	3450114	1	O-ring joint
RC	13	5550775	1	Seal kit


2nd Boom

Table code

Sheet

5480073-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030274	1	Secondary boom
	2	5001574	1	Roller (Arm)
	3	3060014	2	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	3070022	1	Seeger [Alberi d.25 mm]
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	8	5140656	2	Button (Backlash)
RC	9	5140722	2	Slide shoe
RC	10	5001087	2	Button (Control board)
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	13	5000685	4	Plate (Thickness)
	14	3040519	1	Stopnut
	15	3060505	1	Grub screw
	16	5150561	1	Pin assembly
	17	3070037	2	Seeger (Shaft)
RC	18	5000780	2	Plate (Thickness)


1st Extension

Table code

Sheet

5490074-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020458	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	2	Button (Control board)
RC	9	5140656	2	Button (Backlash)
RC	10	5140722	4	Slide shoe
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
RC	14	5000780	2	Plate (Thickness)
	15	5002218	4	Washer


Hydraulic system (1st Extension hydraulic)

Table code

Sheet

6210351-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410304	1	Extension hydraulic jack [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001575	1	Washer (Extension)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392092	1	Bonderized tube
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	4	Clamp
	17	5260822	1	Flexible hose
	18	5260823	1	Flexible hose
	19	5392088	2	
	20	5260821	2	Flexible hose

Hydraulic system (1st Extension hydraulic)


Table code

Sheet

6210351-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3060144	1	Sealing washer [BSP 3/8"]
	23	3190244	1	Plug (Guard)



1st Extension hydraulic


Table code

Sheet

6410304-1.0

1/1

Cilindro 1° sfilo per 1S
Cilindro 2° sfilo per 2S
Cilindro 3° sfilo per 3S
Cilindro 4° sfilo per 4S
1st cylinder extension for 1S
2nd cylinder extension for 2S
3rd cylinder extension for 3S
4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070517	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030688	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit


Hydraulic system (1st Extension hydraulic)

Table code

Sheet

6210352-1.0

1/2



Versione 2S-3S-4S
2S-3S-4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410302	1	Extension hydraulic jack [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392092	1	Bonderized tube
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	4	Clamp
	17	5260822	1	Flexible hose
	18	5260823	1	Flexible hose
	19	5392088	2	
	20	5260821	2	Flexible hose

Hydraulic system (1st Extension hydraulic)


Table code

Sheet

6210352-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3060144	1	Sealing washer [BSP 3/8"]
	23	3190244	1	Plug (Guard)



1st Extension hydraulic

Table code

Sheet

6410302-1.0

1/1

Cilindro 1° sfilo per 2S - 3S - 4S

Cilindro 2° sfilo per 3S - 4S


Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S

2nd cylinder extension for 3S - 4S

3rd cylinder extension for 4S

R	Pos.	Variant Code	Q.ty	Description
	1	6070517	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030685	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit




Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code

Sheet

6210354-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410302	1	Extension hydraulic jack [Fixed]
	1B	6410401	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001365	1	Lock washer (Control board)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392093	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3190244	1	Plug (Guard)
	12	5140133	1	Piping mounting


2nd Extension

Table code

Sheet

5530036-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020459	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140783	2	Slide shoe
RC	11	5140722	2	Slide shoe
RC	12	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	13	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	14	5001462	2	Insert (Backlash)
RC	15	5000780	2	Plate (Thickness)
	16	5002218	4	Washer


Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code

Sheet

6210353-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392093	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3190244	1	Plug (Guard)
	12	5140133	1	Piping mounting


3rd EXTENSION

Table code

Sheet

5540041-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020460	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140783	4	Slide shoe
RC	10	5140656	4	Button (Backlash)
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
RC	14	5000780	2	Plate (Thickness)
	15	5002218	4	Washer


Hydraulic system (3rd extension Hydraulic jack)

Table code

Sheet

6210355-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392095	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001575	1	Washer (Extension)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040381	1	Stopnut
	11	3190244	1	Plug (Guard)
	12	5140133	1	Piping mounting


Hydraulic system (3rd extension Hydraulic jack)

Table code

Sheet

6210356-1.0

1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1A	6410302	1	Extension hydraulic jack [Fixed]
	1B	6410401	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392095	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040381	1	Stopnut
	11	3190244	1	Plug (Guard)


4th EXTENSION

Table code

Sheet

5560033-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020461	1	Extension
RC	2	5140783	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	5001462	2	Insert (Backlash)
	9	5002218	4	Washer


4th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210357-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3101124	3	90° Connection [90° ORIENT. 9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040381	1	Stopnut
	7	5392097	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3190244	1	Plug (Guard)

HOOK KIT


Table code

Sheet

5410987-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	W390301000	1	Guide bushing (Lifting hook)
	3	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	4	5150826	1	Pin assembly
	5	3060902	2	Cotter pin




ATTACHEMENT FOR (Basket)

Table code


Sheet

7900376-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090203	1	Plates (Basket)
	2	3060753	1	Cotter pin (Locking ring)
	3	5150821	1	Pin (Handle)
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	8	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140783	4	Slide shoe
	11	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
RC	12	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	13	W110303400	2	Swash -plate (Guide)
	14	5002218	4	Washer
RC	15	5000780	2	Plate (Thickness)
	16	3190010	1	Knob
	17	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
RC	1	5001484	2	
	2	5001481	1	
	3	5140976	2	Hydraulic hose guide
	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	3010391	2	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	1	
	7	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	8	5001483	1	
RC	9	5260761	2	Flexible hose
	10	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	11	3040519	2	Stopnut
	12	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	13	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	14	5000033	2	Clamp (Pipe)
	15	5390207	1	
	16	5392105	1	
RC	17	5260766	2	Flexible hose
	18	W128030	3	Clamp (Flexible hose)
	19	3060055	5	Split lock washer [D=8.4 C72 ZC]
	20	3010031	1	Hex screw [M8X40 8.8 ZC UNI 5737]


ACTUATIONS FOR 1S

Table code

Sheet

5590105-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5392088	2	
	22	5000077	4	Clamp (Rigid Pipe)
	23	3010034	1	Hex screw [M8X55 8.8 UNI 5737 ZC]
	24	5260832	2	Flexible hose
	25	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
	26	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	27	3190198	1	Sheath (Flexible hose)
RC	28	3060920	10	Tooth lock washer [D.10 TIPO A]
RC	29	3060056	2	Split lock washer [D=10 C72 ZC]
	30	5000107	1	
	31	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	32	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	33	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	34	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	35	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	36	3110425	2	Quick coupling
	37	3110427	1	Female plug (Blue)
	38	3110426	1	Male plug (Blue)

ACTUATIONS FOR 2S




Table code		Sheet
5590106-1.0		1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5001484	3	
	2	5001481	2	
	3	5140976	4	Hydraulic hose guide
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	2	
	7	3010389	2	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	3	Clamp (Pipe)
	10	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	4	Stopnut
	12	5392105	2	
	13	5390207	2	
	14	5260760	2	Flexible hose
	15	3010388	2	Hex screw [M6X60 ZC UNI 5737]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5260761	2	Flexible hose
RC	18	3060920	16	Tooth lock washer [D.10 TIPO A]
RC	19	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	20	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]


ACTUATIONS FOR 2S

Table code

Sheet

5590106-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3190198	mt1.5	Sheath (Flexible hose)
	22	5000107	1	
	23	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	24	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	26	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	27	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	28	3110425	2	Quick coupling
	29	3110427	1	Female plug (Blue)
	30	3110426	1	Male plug (Blue)
	31	5001489	2	


ACTUATIONS FOR 3S

Table code


Sheet

5590107-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	4	
	2	5001481	2	
	3	5140976	6	Hydraulic hose guide
RC	4	3060056	6	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	3	
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	4	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	3	
	13	5390207	3	
	14	5260760	4	Flexible hose
	15	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5260761	2	Flexible hose
	18	5001482	1	
	19	3190198	mt1.5	Sheath (Flexible hose)
	20	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	22	3060920	22	Tooth lock washer [D.10 TIPO A]
	23	5000107	1	
	24	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	25	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	26	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	27	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	28	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	29	3110425	2	Quick coupling
	30	3110427	1	Female plug (Blue)
	31	3110426	1	Male plug (Blue)
	32	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]


ACTUATIONS FOR 4S

Table code


Sheet

5590108-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	5	
	2	5001481	2	
	3	5140976	8	Hydraulic hose guide
RC	4	3060056	8	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	4	
	7	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	8	5001483	1	
	9	5000033	5	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	4	
	13	5390207	4	
	14	5260760	4	Flexible hose
	15	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5260761	2	Flexible hose
	18	5001469	1	
	19	5001482	1	
	20	3190198	1	Sheath (Flexible hose)



R	Pos.	Variant Code	Q.ty	Description
	21	3010054	4	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	22	3060920	24	Tooth lock washer [D.10 TIPO A]
RC	23	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	24	5000107	1	
	25	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	26	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	27	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	28	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	29	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	30	3110425	2	Quick coupling
	31	3110427	1	Female plug (Blue)
	32	3110426	1	Male plug (Blue)


KIT QUICK COUPLING

Table code

Sheet

7882193-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3110425	2	Quick coupling
	2	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	4	3110427	1	Female plug (Blue)
	5	3110426	1	Male plug (Blue)
	6	5000107	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]


ACTUATION FOR WINCH

Table code

Sheet


5740056-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	6	5090935	1	
	7	3010406	4	Hex screw [M22X160 10.9 ZC UNI 5737]
	8	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5150752	1	Pin
	11	3040309	1	Stopnut [Dado Stop M20 Norm.]
	12	5001608	1	Plate (banjo bolt)
	13	5001607	1	Plate (Threaded hole)
	14	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	15	W128030	2	Clamp (Flexible hose)
RC	16	3060055	5	Split lock washer [D=8.4 C72 ZC]
	17	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	18	5260885	2	Flexible hose
	19	5392088	2	
	20	5000077	4	Clamp (Rigid Pipe)

R	Pos.	Variant Code	Q.ty	Description
	21	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	22	5260883	2	Flexible hose




SUPPORT FOR WINCH'S PULLEY KIT (1S)

Table code

Sheet

7900278-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001603	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob


SUPPORT FOR WINCH'S PULLEY KIT (2S)

Table code

Sheet

7900279-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001604	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob


SUPPORT FOR WINCH'S PULLEY KIT (3S)

Table code

Sheet

7900280-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001605	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob


SUPPORT FOR WINCH'S PULLEY KIT (4S)

Table code


Sheet

7900281-1.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001606	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob



R	Pos.	Variant Code	Q.ty	Description
	1	5010326	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
RC	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer



R	Pos.	Variant Code	Q.ty	Description
	1	5010327	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
RC	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer



R	Pos.	Variant Code	Q.ty	Description
	1	5010328	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer


Manual extension

Table code

Sheet


7800323-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010011	1	Manual extension
	2	5000079	2	Hook coupling
	3	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	4	5150750	2	Pin (Handle)
	5	3190010	2	Knob
	6	3060753	2	Cotter pin (Locking ring)
	7	W360350300	1	Block (Extension)
	8	3200050	1	Shackles
	9	3200027	1	Swivel hook [T5.4]

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	




Assembly kit

Table code

Sheet

7880371-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150654	4	Tie rod (Threaded rod) [M20X1.5 L=750]
	2	5150658	4	Tie rod (Threaded rod) [M20X1.5 L=900]
	3	W010000200	4	Anchoring bracket (Base)
	4	5000084	16	Small plate
	5	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	6	3190290	8	Tip (Rubber protection)





904 RDC


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760132-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392180	1	
	4	5392181	1	
	5	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6	5391287	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Control unit (RDC / NOCE)

Table code

Sheet

5400658-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W370507600	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011


Control unit (RDC / NOCE)

Table code

Sheet

5400658-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011

Control unit (RDC / NOCE)


Table code

Sheet


5402206-1.0

1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5091455	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]




Control valve (5 section)

Table code

Sheet

5220410-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225720	1	
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225768	10	
	12	5225755	1	
	13	5225760	1	
	14	5225726	1	
	15	5225759	1	
	16	5225729	1	Antishock valve
	17	5225725	1	
	18	5225758	1	
	19	5225736	2	Antishock valve
	20	5225715	1	Slider (CC)


Control valve (5 section)

Table code

Sheet

5220410-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225800	6	Control lever
	22	5225801	5	Knob (Black)
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225732	1	8 elements unit fixing
	27	5225716	4	Slider (CA)
RC	28	5225733	1	Seal kit
	29	5225728	1	Antishock valve
	30	5225818	1	
	31	5225843	1	5 elements unit fixing stud
	32	5225724	2	
	33	5225757	2	


High pressure filter

Table code

Sheet

5400657-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5001698	1	
RC	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010066	2	Hex screw [M8X30 8.8 ZC UNI 5739]
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5271751	1	
	12	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]


Complete wireless control (not CE)

Table code

Sheet


7892099-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		8	Stopnut [Dado Stop M5-70 norm.]
7	3020023		8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310860		1	
14	3310908		1	
15	3310688		1	
16	3310852		1	
17	3310862		2	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	




Complete wireless control (PTO)

Table code

Sheet


7892500-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311509		1	Electric wiring (Wireless control)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring (Limiting device)

Table code

Sheet

5405003-3.0

1/1


Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311169	1	
	2	3311168	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020881	2	[M3X8 UNI7687 ZC TAGLIO CR.]
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	W370508000	1	Support (Flashing light)
	13	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	14	3310873	1	Pressure monitor

HYDRAULIC SYSTEM GAUGE


Table code

Sheet

5405005-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3020880	3	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
RC	2	3180150	1	Pressure gauge
	3	3040516	3	Stopnut [STOP M3]
	4	W458458	1	Connecting pipe (Pressure gauge)
	5	3120200	1	Reducing fitting
	6	3101067	1	90° Connection [90° M/M JIC 9/16-18]
	7	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	8	W128034	2	Collar (Flexible hose)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	3060143	1	Sealing washer [BSP 1/4"]
RC	11	5220300	1	Hose burst valve (Sleeve)
	12	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	5260868	1	Flexible hose </td



VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011


Moment limiting device (CE)

Table code

Sheet

5405003-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5141020	2	Vehicle (Clamp)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3120450	1	Reducing fitting
	6	5260868	1	Flexible hose
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011


Auxiliary wiring (Limiting device)

Table code

Sheet

5405003-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3310876	1		
2	3310879	1		
3	3020038	2		Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005	2		Flat washer [D.6.4 UNI 6592 ZC]
5	3040372	2		Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022	2		Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694	1		
8	3310885	1		Microswitch (Electric)
9	3020880	2		TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
10	3310873	1		Pressure monitor


Light column

Table code

Sheet

3310822-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	


ACTUATION FOR WINCH

Table code

Sheet


5740202-1.0


1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	5	3120065	1	Straight pipe fitting
	6	W470863	1	Sequence valve
	7	3101040	3	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	5090935	1	
	9	3010409	4	Hex screw [M10X50 10.9 ZC UNI 5739]
	10	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5150752	1	Pin
	13	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	14	5001607	1	Plate (Threaded hole)
	15	5001608	1	Plate (banjo bolt)
	16	3040309	1	Stopnut [Dado Stop M20 Norm.]
	17	W128030	2	Clamp (Flexible hose)
RC	18	3060055	5	Split lock washer [D=8.4 C72 ZC]
	19	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	20	5260837	1	Flexible hose


R	Pos.	Variant Code	Q.ty	Description
	21	5260884	1	Flexible hose
	22	3010037	4	Hex screw [M8X70 8.8 UNI 5737 ZC]
	23	5000077	4	Clamp (Rigid Pipe)
	24	5392088	2	
	25	5260883	2	Flexible hose





R	Pos.	Variant Code	Q.ty	Description
	1	3310884	1	WIRING FOR WINCH
	2	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	3	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	5730206	1	Board (Extensimeter)
	6	5730171	1	Microswitch (Winch)
	7	3310379	1	Cable presser

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	





904 RDC EN 12999-A3


Control unit (RDC / CE)

Table code

Sheet


5401354-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W370508100	1	Casing (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]

VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	W370508300	1	

VALIDO DA Febbraio 2011
VALID FROM February 2011


Control unit (RDC / CE)

Table code


Sheet

5402215-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091454	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	5091488	1	Cover (Moment limiting device)
	27	3011000	2	Handwheel
	28	5091491	1	Protective guard (Control levers)

2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**


Control valve (5 section)

Table code

Sheet

5220410-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225876	1	Control valve element (proportional)
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225881	1	Control valve element
	12	5225886	1	Control valve element
	13	5225879	1	Control valve element
	14	5225884	1	Control valve element
	15	5225729	1	Antishock valve
	16	5225889	1	Control valve element
	17	5225885	1	Control valve element
	18	5225736	2	Antishock valve
	19	5225715	1	Slider (CC)
	20	5225800	6	Control lever


Control valve (5 section)

Table code

Sheet

5220410-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	5	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225732	1	8 elements unit fixing
	26	5225716	4	Slider (CA)
RC	27	5225733	1	Seal kit
	28	5225728	1	Antishock valve
	29	5225802	1	Knob (Red)
	30	5225843	1	5 elements unit fixing stud
	31	5225878	2	Control valve element
	32	5225883	2	Control valve element


Kit (Wireless control)

Table code

Sheet

7892099-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311385		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (PTO)

Table code

Sheet

7892500-2.0

1/2




2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**

R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]




Kit CE (STABILITY CONTROL)

Table code

Sheet

5405045-1.0

1/1



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring
	14	5002103	1	
	15	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	16	3311341	1	
	17	3060223	1	Grub screw
	18	3040391	1	Hexagonal nut (Normal)
	19	3311386	1	


Kit CE (STABILITY CONTROL)

Table code

Sheet

5405045-5.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311636	4	Electric wiring
	13	3311541	1	Moment limiting device

Moment limiting device (CE)


Table code

Sheet

5405045-2.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]

VALIDO DA Febbraio 2011

VALID FROM February 2011




Moment limiting device (EN12999-A3)

Table code

Sheet

5405045-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311634	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	7	5160001	1	Electric wiring
	8	5002055	1	Manifold (Pick-up)
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	3110078	1	Bolt (banjo bolt)
	11	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	12	3310612	1	Pressure sensor
	13	3311632	1	Electric wiring
	14	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	15	3040518	2	Stopnut [STOP M4]
	16	3312280	1	Push-button pannel box (Assembly)
	17	3312281	1	key switch



RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

Sheet

7880574.1

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3060006	Flat washer				
3060029	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060914	Flat washer				
3060918	Tooth lock washer				
3060920	Tooth lock washer				
3180099	Oil level indicator				
3180112	Filtering cartridge				
3180138	Oil filter				
3180139	Filtering cartridge				
3180147	Pressure gauge (Clogging indicator)				
3180150	Pressure gauge				
3180195	Oil filter				
3180221	Thermometer				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311354	Lighting (Audible alarm)				
5000685	Plate (Thickness)				
5000780	Plate (Thickness)				
5001087	Button (Control board)				
5140656	Button (Backlash)				
5140662	Collar (Upper)				
5140663	Collar (Lower)				
5140664	Thrust bearing ring				
5140722	Slide shoe				
5140781	Sliding block (Rack adjuster)				
5140783	Slide shoe				
5220300	Hose burst valve (Sleeve)				
5225538	Seal kit (Control valve)				
5225733	Seal kit				
5225873	Seal kit (Control valve)				
5550684	Seal kit				
5550709	Seal kit				
5550760	Seal kit				
5550761	Seal kit				
5550773	Seal kit				
5550775	Seal kit				