




Model
TELESCOPIC 1 BOOM
805T 905T

Logbook code
7881877.0
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7881877.0

Sheet

1/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5420058-1.0	1	BASE		
11	6240107-1.0	1	SLEWING ASS'Y		
12	6240185-1.0	1	SLEWING ASS'Y (Retaining ring)		
13	6240185-3.0	1	SLEWING ASS'Y (Double Flange)		
14	6240185-2.0	1	SLEWING ASS'Y (Retaining ring)		
15	6240107-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
16	5760111-1.0	1	Stabilizer connecting rods (standard)		
17	5760111-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
18	5760112-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
19	5760113-1.0	1	Stabilizer connecting rods (Extra-extensible)		
20	5760113-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
21	5760114-1.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
22	5411032-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
23	5411230-1.0	1	STABILITY CONTROL (standard-extra)		
24	5760117-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
26	5760270-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
28	5760117-2.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
29	5760118-1.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
30	5411193-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (SUPER		

Page	Table code	Q.ty	Table heading	Vers.	Validity
31	5411239-1.0	1	STABILITY CONTROL (SUPER EXTRA-EXTENSIBLE)		
32	6200155-1.0	1	Stabilizer Hydraulic jack (LEFT)		
33	6200154-1.0	1	Stabilizer Hydraulic jack (RIGHT)		
34	6400154-1.0	1	Stabilizer Hydraulic jack		
35	5760084-1.0	1	Stabilizer connecting rods (Revolving)		
36	5760084-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
37	5760107-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
38	5760085-1.0	1	Stabilizer connecting rods extra-extensible		
40	5760085-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
41	5760108-1.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic)		
42	5760087-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
44	5760272-1.0	1	Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)		
46	5760087-2.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
47	5760109-1.0	1	HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer)		
48	6200213-1.0	1	STABILISER RAM		
49	6400213-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
50	5380031-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
51	5760110-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
53	6200223-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
54	6400223-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Control valve side)		

Table index

Logbook code

Sheet

7881877.0
2/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
55	6200224-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
56	6400224-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)		
57	5380031-2.0	1	DOUBLE CONTROLS		
58	5380024-1.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
59	5380031-3.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
60	5401198-1.0	1	DOUBLE CONTROLS		
62	5220317-1.0	1	Control valve (6 section)		
63	5401462-1.0	1	DOUBLE CONTROLS (CE)		
65	5401462-2.0	1	Control unit (STABILITY CONTROL)		
67	5220817-2.0	1	Control valve (6 section)		
68	5220479-2.0	1	Control valve (6 section)		
69	5401738-2.0	1	DOUBLE CONTROLS		
71	5220316-1.0	1	Control valve (5 section)		
72	5440065-1.0	1	HYDRAULIC SYSTEM SOLENOID VALVE		
73	5440065-2.0	1	HYDRAULIC SYSTEM SOLENOID VALVE		
74	5430109-2.0	1	Moment limiting device (CE)		
76	5430110-1.0	1	Moment limiting device (not CE)		
78	5430111-1.0	1	Moment limiting device (LIG NO CE)		
80	5410985-1.0	1	HYDRAULIC SYSTEM GAUGE		
81	5210010-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		

Page	Table code	Q.ty	Table heading	Vers.	Validity
82	5210037-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
83	5210107-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
84	5210039-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
85	3310277-1.0	1	ELECTRICS CONTROLS		
86	7880826-1.0	1	Rotation limiting device (Electric)		
87	5400508-1.0	1	Oil tank (CE)		
88	5400508-2.0	1	Oil tank (CE)		
89	5400877-1.0	1	Oil tank (not CE)		
90	5400877-2.0	1	Oil tank (not CE)		
91	3180195-1.0	1	Oil filter		
92	5460050-1.0	1	Column		
93	6230144-1.0	1	Hydraulic system ()		
94	6430144-1.0	1	Lifting hydraulic cylinder		
95	5470095-1.0	1	1st Boom		
96	5490074-1.0	1	1st Extension		
97	6210352-2.0	1	Hydraulic system (1st Extension hydraulic)		
98	6410302-2.0	1	1st Extension hydraulic		
99	5530036-1.1	1	2nd Extension		
100	6210353-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
101	6210354-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		

Table index

Logbook code

7881877.0

Sheet

3/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
102	5540041-1.0	1	3rd EXTENSION		
103	6210355-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
104	6210356-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
105	5560033-1.0	1	4th EXTENSION		
106	6210357-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
107	6410304-1.0	1	1st Extension hydraulic		
108	5410987-1.0	1	HOOK KIT		
109	5590244-1.0	1	ACTUATIONS FOR 2S		
111	5590245-1.0	1	ACTUATIONS FOR 3S		
113	5590246-1.0	1	ACTUATIONS FOR 4S		
115	5600006-1.0	1	1st Additional actuation		
116	5600086-1.0	1	2nd ADDITIONAL ACTUATION		
117	7882193-1.0	1	KIT QUICK COUPLING		
118	5740165-1.0	1	ACTUATION FOR WINCH		
119	7900279-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (2S)		
120	7900280-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (3S)		
121	7900281-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT (4S)		
122	7800347-1.0	1	Manual extension		
123	7800346-1.0	1	Manual extension		
124	7800345-1.0	1	Manual extension		

Page	Table code	Q.ty	Table heading	Vers.	Validity
125	7800323-1.0	1	Manual extension		
126	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
127	7880371-1.0	1	Assembly kit		
129			805T F		
130	5420074-1.0	1	Base		
131	6240121-1.0	1	SLEWING ASS'Y		
132	6240186-1.0	1	SLEWING ASS'Y (Retaining ring)		
133	6240232-2.0	1	SLEWING ASS'Y (Double Flange)		
134	6240232-1.0	1	SLEWING ASS'Y (Retaining ring)		
135	6240121-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
136	6240233-1.0	1	Slewing Hydraulic jack (Hydraulic system)		
137	5411178-1.0	1	Wall-through pipe fitting		
138	5400310-1.0	1	CONTROLS (F / M)		
140	5430105-1.0	1	Moment limiting device		
142	5460084-1.0	1	Column		
143	6230144-2.0	1	Hydraulic system ()		
144	5470095-1.0	1	1st Boom		
145	6210352-3.1	1	Hydraulic system (1st Extension hydraulic)		
147			805T M		
148	6240131-1.0	1	SLEWING ASS'Y		

Table index

Logbook code

7881877.0

Sheet

4/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
149	6240189-1.0	1	SLEWING ASS'Y (Retaining ring)		
150	6240233-3.0	1	SLEWING ASS'Y (Double Flange)		
151	6240233-2.0	1	SLEWING ASS'Y (Retaining ring)		
152	6240131-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
153	6230522-1.0	1	Hydraulic system ()		
154	6430522-1.0	1	Lifting hydraulic cylinder (F / M)		
155	6210407-1.0	1	Hydraulic system (1st Extension hydraulic)		
157	6410401-1.0	1	1st Extension hydraulic		
158	5740242-1.0	1	ACTUATION FOR WINCH		
159	 905T				
160	5760132-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
161	5400658-1.0	1	Control unit (RDC / NOCE)		
163	5402206-1.0	1	Control unit (RDC / NOCE)		
165	5220410-1.0	1	Control valve (5 section)		
167	5400657-1.0	1	High pressure filter		
168	7892099-2.0	1	Complete wireless control (not CE)		
170	7892500-1.0	1	Complete wireless control (PTO)		
172	5405003-3.0	1	Auxiliary wiring (Limiting device)		
173	5405005-1.0	1	HYDRAULIC SYSTEM GAUGE		
174	5405003-1.0	1	Moment limiting device (CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
175	5405003-2.0	1	Auxiliary wiring (Limiting device)		
176	3310822-1.0	1	Light column		
177	5740202-3.0	1	ACTUATION FOR WINCH		
178	5740202-2.0	1	WIRING FOR WINCH		
179	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
181	 905T EN 12999-A3				
182	5401470-1.0	1	Control unit (RDC)		
184	5402252-1.0	1	Control unit (RDC / CE)		
186	5220416-2.0	1	Control valve (4 section)		
188	7892099-3.0	1	Kit (Wireless control)		
190	7892500-2.0	1	Complete wireless control (PTO)		
192	5405045-1.0	1	Kit CE (STABILITY CONTROL)		
193	5405045-5.0	1	Kit CE (STABILITY CONTROL)		
194	5405045-2.0	1	Moment limiting device (CE)		
196	5405045-4.0	1	Moment limiting device (EN12999-A3)		

Plate kit (Generic Gru)





Table code

Sheet


5502000-3.0

1/1


R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)



Con Aste superextraestendibili
solo su questo lato



R	Pos.	Variant Code	Q.ty	Description
	1	5060154	1	Base
RC	2	5140662	1	Collar (Upper)
RC	3	5140664	1	Thrust bearing ring
RC	4	5140663	1	Collar (Lower)
	5	3080501	2	Grease nipple [M8X1.25]
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001433	2	Thickness (Roller)
	11	5001432	2	Support (Roller)
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	14	5140788	2	Roller (Turnsbasket)
	15	5150760	2	Pin (Roller)
	16	3070148	4	Seeger
	17	5001583	1	Block (Rod)
	18	5000625	2	Block (Rod)



R	Pos.	Variant Code	Q.ty	Description
	1	6070515	2	Cylinder [Fixed]
	2	3020099	8	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	4	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]


SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240185-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070701	2	Cylinder (Slewing) [Fixed]
	2	3020099	8	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5002221	2	Flange (Slewing)
	16	3070218	2	Snap ring

SLEWING ASS'Y (Double Flange)

Table code
6240185-3.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002221	4	Flange (Slewing)
	2	3070218	2	Snap ring
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	3020323	8	Socket head cap screw [M12X55 10.9 GEOMET UNI 50341]




SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240185-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070701	2	Cylinder (Slewing) [Fixed]
	2	3020323	8	Socket head cap screw [M12X55 10.9 GEOMET UNI 5931]
	3	3060057	8	Split lock washer [D=12 C72 ZC]
	4	6050296	2	Piston
	5	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	2	Piston (Assembly)
RC	7	5550773	1	Seal kit
	8	3060608	2	Spring pin
	9	5050100	1	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5003360	2	Flange (Slewing)
	16	3070218	2	Snap ring


Hydraulic system (Slewing Hydraulic jack)

Table code

Sheet

6240107-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220559	1	Holding valve
	2	3120064	3	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	3	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	4	5220093	2	Non-return valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	5392086	1	Bonderized tube
	7	5260818	2	Flexible hose
	8	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	9	5000077	1	Clamp (Rigid Pipe)
RC	10	3060055	1	Split lock washer [D=8.4 C72 ZC]
	11	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]


Stabilizer connecting rods (standard)

Table code

Sheet

5760111-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070354	1	
	2	5070355	2	
	3	5140992	16	Button (Coupling backlash)
	4	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3070063	2	Seeger


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760111-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760112-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260816	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260817	2	Flexible hose


Stabilizer connecting rods (Extra-extensible)

Table code

Sheet

5760113-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070356	1	Stabilizer rod
	2	5070357	1	Stabilizer rod
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	5	3070063	2	Seeger
	6	5140992	8	Button (Coupling backlash)
	7	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	5001566	6	
	9	5140990	2	
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	12	5140991	8	Slide shoe (ROUND)
	13	3060959	24	
	14	3040305	8	Stopnut [M12-70 NORM. ZC]
	15	4160279	1	
	16	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	17	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	18	5140019	1	


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760113-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261247	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261248	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760114-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260838	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5261248	2	Flexible hose

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS


Table code
5411032-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]

**VALIDO DA Gennaio 2011
VALID FROM January 2011**




R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760117-1.0

Sheet
1/2



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010


R	Pos.	Variant Code	Q.ty	Description
	1	5070358	1	Stabilizer rod
	2	3070063	2	Seeger
RC	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	5	5001567	5	
	6	5140987	2	
	7	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	8	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	9	3060957	24	Washer
	10	5140988	8	
	11	5001583	1	Block (Rod)
	12	5070343	1	
	13	5070356	1	Stabilizer rod
	14	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	15	5140990	2	
	16	5001566	3	
	17	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	3040305	8	Stopnut [M12-70 NORM. ZC]
	19	3060959	24	
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760117-1.0

Sheet
2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	22	4160279	1	
	23	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	24	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]




VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760270-1.0

Sheet
1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

EN 12999-A3

R	Pos.	Variant Code	Q.ty	Description
	1	5070358	1	Stabilizer rod
	2	3070063	2	Seeger
RC	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	5	5001567	7	
	6	5140987	2	
	7	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	8	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	9	3060957	24	Washer
	10	5140988	8	
	11	5001583	1	Block (Rod)
	12	5070343	1	
	13	5070059	1	Stabilizer rod
	14	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	15	5140990	2	
	16	5001566	6	
	17	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	3040305	8	Stopnut [M12-70 NORM. ZC]
	19	3060959	24	
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)


Table code

Sheet

5760270-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	22	4160279	1	
	23	3020455	1	TSEI screw [M8X25 ZC UNI 5933]
RC	24	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	25	5140989	8	
	26	5140019	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011

EN 12999-A3


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760117-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260831	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260830	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760118-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5261249	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260830	2	Flexible hose

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (SUPER EXTRA-EXTENSIBLE)

Table code
5411193-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	1	Microswitch support
	4	3040041	4	Nut
	5	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	5000185	1	
	12	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	13	5000190	1	
	14	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]


STABILITY CONTROL (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5411239-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002070	1	
	2	5002071	1	
RC	3	3311311	3	Proximity switch (Position sensor)
	4	5000439	2	
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3311402	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060053	5	Split lock washer [D=6.4 C72 ZC]
	9	3060030	5	Flat washer [D.6.6X18 UNI 6593 ZC]
	10	3040391	3	Hexagonal nut (Normal)
	11	3060052	3	Split lock washer [D=5.5 C72 ZC]
	12	3060004	1	Flat washer [D.5 UNI 6592 ZC]
	13	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	14	5001583	2	Block (Rod)
	15	5002057	2	Support (Proximity switch)
	16	5002026	2	Guard (Proximity switch)
	17	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	18	3311332	2	Electric wiring



Stabilizer Hydraulic jack (LEFT)

Table code


Sheet

6200155-1.0

1/1



**da Ottobre 2016
from October 2016**



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220048	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200155	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG



Stabilizer Hydraulic jack (RIGHT)

Table code


Sheet

6200154-1.0

1/1



da Ottobre 2016
from October 2016



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220047	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200154	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG


Stabilizer Hydraulic jack

Table code

Sheet

6400154-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070405	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030338	1	Rod
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit


Stabilizer connecting rods (Revolving)

Table code

Sheet

5760084-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070338	1	
	2	3070052	2	Seeger
	3	5070339	1	
	4	5140992	16	Button (Coupling backlash)
	5	5000183	2	Ring (Spacer)
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	3060053	4	Split lock washer [D=6.4 C72 ZC]
	9	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	10	W101219	2	Pin (Handle)
	11	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760084-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760107-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260816	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260817	2	Flexible hose


Stabilizer connecting rods extra-extensible

Table code

Sheet

5760085-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070336	1	
	2	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	3	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	4	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	4160279	1	
	6	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	7	5140991	8	Slide shoe (ROUND)
	8	3060959	24	
	9	3040305	8	Stopnut [M12-70 NORM. ZC]
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	5140990	2	
	12	5001566	6	
	13	3070052	2	Seeger
	14	5140992	8	Button (Coupling backlash)
	15	5070337	1	
	16	5000183	2	Ring (Spacer)
	17	W664018	2	Handle (Polyvinyl chloride)
	18	W370401800	2	Handle (Rod)
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060053	4	Split lock washer [D=6.4 C72 ZC]

Stabilizer connecting rods extra-extensible


Table code

Sheet

5760085-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	W101219	2	Pin (Handle)
	22	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	23	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	24	5140019	1	




HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760085-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261247	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261248	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760108-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5260838	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5261248	2	Flexible hose

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760087-1.0

Sheet
1/2



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5070342	1	
	2	3070052	2	Seeger
	3	5001567	5	
	4	5140987	2	
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	7	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	8	3060957	24	Washer
	9	5140988	8	
	10	5001583	1	Block (Rod)
	11	5140989	8	
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	13	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	15	5070343	1	
	16	5070336	1	
	17	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	18	5140990	2	
	19	5001566	6	
	20	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]


Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5760087-1.0

2/2




R	Pos.	Variant Code	Q.ty	Description
	21	5140991	8	Slide shoe (ROUND)
	22	3060959	8	
	23	3040305	8	Stopnut [M12-70 NORM. ZC]
	24	4160279	1	
	25	W370401900	2	
	26	W664018	2	Handle (Polyvinyl chloride)
	27	W370401800	2	Handle (Rod)
	28	3060053	4	Split lock washer [D=6.4 C72 ZC]
	29	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	30	101219	2	
	31	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	32	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760272-1.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5070342	1	
	2	3070052	2	Seeger
	3	5001567	5	
	4	5140987	2	
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3020899	2	TSEI screw [M8X20 10.9 ZC UNI 5933]
	7	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	8	3060957	24	Washer
	9	5140988	8	
	10	5001583	1	Block (Rod)
	11	5140989	8	
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	13	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	14	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	15	5070343	1	
	16	5070058	1	
	17	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	18	5140990	2	
	19	5001566	6	
	20	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]

Stabilizer connecting rods (SUPER EXTRA-EXTENSIBLE)

Table code
5760272-1.0

Sheet
2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5140991	8	Slide shoe (ROUND)
	22	3060959	24	
	23	3040305	8	Stopnut [M12-70 NORM. ZC]
	24	4160279	1	
	25	5000183	2	Ring (Spacer)
	26	W664018	2	Handle (Polyvinyl chloride)
	27	W370401800	2	Handle (Rod)
	28	3060053	4	Split lock washer [D=6.4 C72 ZC]
	29	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	30	W101219	2	Pin (Handle)
	31	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]
	32	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	33	5140019	1	


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760087-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260831	2	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392087	2	Bonderized tube
	4	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391287	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260830	2	Flexible hose
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


HYDRAULIC SYSTEM SUPER EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code

Sheet

5760109-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	4	5261249	2	Flexible hose
	5	5392087	2	Bonderized tube
	6	3110053	2	Plug
	7	5391287	2	Bonderized tube
	8	5000077	2	Clamp (Rigid Pipe)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5260830	2	Flexible hose


STABILISER RAM

Table code


Sheet

6200213-1.0


1/1



10



da Ottobre 2016
from October 2016



R	Pos.	Variant Code	Q.ty	Description
	1	6400213	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3101124	1	90° Connection [90° ORIENT. 9/16-18 - 1/4"CIL.]
	4	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	5220718	1	Valve (Cock)
	6	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	5392078	1	Bonderized tube
	8	6200213	1	Stabilizer Hydraulic jack
	9	4160397	1	Tang
	10	3060632	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	4160398	1	Locking ring
	13	5090815	1	Support base
	14	3080512	1	Grease nipple [M8X1.25 (45°)]
	15	5920002	1	ARTICULATED JOINT TANG
	16	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	17	5920059	1	ARTICULATED JOINT TANG


Stabilizer Hydraulic jack (ROTATING)

Table code

Sheet

6400213-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070516	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030689	1	
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit


ROD EXTENSION HYDRAULIC CYLINDER

Table code

Sheet

5380031-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200223	1	
	2	6200224	1	
	3	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	4	3070017	2	Seeger
	5	3060010	8	Flat washer [D.17X30X3 UNI 6592 ZC]
	6	3040307	2	Stopnut [M16-70 ZC.NORM.8G]


Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code

Sheet

5760110-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070347	1	
	2	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	3	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	4	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	4160279	1	
	6	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	7	5140991	8	Slide shoe (ROUND)
	8	3060959	24	
	9	3040305	8	Stopnut [M12-70 NORM. ZC]
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	5140990	2	
	12	5001566	6	
	13	3070052	2	Seeger
	14	5140992	8	Button (Coupling backlash)
	15	5070348	1	
	16	5000183	2	Ring (Spacer)
	17	W664018	2	Handle (Polyvinyl chloride)
	18	W370401800	2	Handle (Rod)
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060053	4	Split lock washer [D=6.4 C72 ZC]

Stabilizer connecting rods extra-extensible (hydraulic lengthening)


Table code

Sheet

5760110-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	W101219	2	Pin (Handle)
	22	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	23	3010324	2	Hex screw [M6X12 8.8 ZC UNI 5739]




HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code

Sheet

6200223-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400223	1	
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392236	1	
	4	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	5392104	1	

ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code	Sheet
6400223-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070536	1	
	2	6030739	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit


HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code

Sheet

6200224-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400224	1	
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392103	1	
	4	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	5392102	1	


ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code

Sheet

6400224-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070535	1	
	2	6030738	1	
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit


DOUBLE CONTROLS

Table code

Sheet

5380031-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090937	1	
	2	5220256	1	Switch (Stabilizers)
RC	3	3060056	2	Split lock washer [D=10 C72 ZC]
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	5	5001494	1	
	6	3190255	1	
	7	5150783	1	
	8	3190010	1	Knob


Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380024-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	11	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5260847	1	Flexible hose
	3	5260842	1	Flexible hose
	4	3120341	1	Tee fitting
	5	3120302	1	Tee fitting [RACC.T 9/16JIC M/MGAS1/4"]
	6	5260841	1	Flexible hose
	7	5260844	1	Flexible hose
	8	5260843	1	Flexible hose
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	3120003	3	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	5261251	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260840	1	Flexible hose
	14	5260846	1	Flexible hose
	15	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	16	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]


Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380031-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5260847	1	Flexible hose
	3	5260842	1	Flexible hose
	4	3120341	1	Tee fitting
	5	3120302	1	Tee fitting [RACC.T 9/16JIC M/MGAS1/4"]
	6	3110040	5	Female plug [TAPPO F JIC 9/16 -18]
	7	5260841	1	Flexible hose
	8	5260843	1	Flexible hose
	9	5260850	1	Flexible hose
	10	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	11	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	5261251	1	Flexible hose
	13	5260849	1	Flexible hose
	14	5261250	1	Flexible hose
	15	5260840	1	Flexible hose
	16	5260846	1	Flexible hose
	17	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]


DOUBLE CONTROLS

Table code

Sheet

5401198-1.0

1/2




VALIDO FINO A Febbraio 2011

VALID UNTIL February 2011

R	Pos.	Variant Code	Q.ty	Description
1	5091007		1	Distributor support
2	3010390		5	Hex screw [M8X35 ZC UNI 5739]
3	3040303		7	Stopnut [M8-70 UNI7473 NORM. ZC.]
4	5000657		3	Control lever
5	5000659		1	Control lever
6	3190197		6	Knob (Black)
7	3190217		2	Knob (Red)
8	3060936		2	Grub screw
9	3010036		2	Hex screw [M8X65 8.8 ZC UNI 5739]
10	3010038		1	Hex screw [M8X75 8.8 ZC UNI 5737]
11	3040045		9	Nut [M8 NORM.6S UNI5588 GEOMET]
12	3300431		8	Fork
13	3300451		8	Fork clip
14	5090442		4	Rod (Dual control)
15	5150474		1	Pin
16	3060232		1	Grub screw [Grano M6X6 UNI 5927 ZC.]
17	5000670		1	Ring
18	3080500		5	Grease nipple
19	5090433		3	Control lever
20	5090434		1	Control lever

R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220317	1	Control valve ass'y



VALIDO FINO A Febbraio 2011
VALID UNTIL February 2011

Control valve (6 section)

Table code

Sheet


5220317-1.0

1/1

VALIDO DA MATRICOLA : 9899

VALID FROM SERIAL NUMBER : 9899

**“CE”
NO STABILITY
CONTROL**



R	Pos.	Variant Code	Q.ty	Description
	1	5225259	2	Slider
	2	5225260	2	Slider
	3	5225258	2	Slider
	4	5225262	6	cover with spring
	5	5225257	1	Valve
	6	5225261	6	Unit (Control lever)
	7	5225335	2	Control valve body
	8	5225334	3	Cartridge
	9	5225539	1	Seal kit
	10	5220317	1	Control valve ass'y


DOUBLE CONTROLS (CE)

Table code

Sheet

5401462-1.0

1/2



VALIDO DA Marzo 2011
VALID FROM March 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	5	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	8	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	3	Control lever
	5	5000659	1	Control lever
	6	3190197	6	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	11	3040045	9	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	8	Fork
	13	3300451	8	Fork clip
	14	5090442	4	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	4	Grease nipple
	19	5090433	3	Control lever
	20	5090434	1	Control lever


DOUBLE CONTROLS (CE)

Table code

Sheet

5401462-1.0

2/2



VALIDO DA Marzo 2011
VALID FROM March 2011

R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220817	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	5002074	1	
RC	28	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	29	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
	30	5812795	2	Small plate (CONTROL SYMBOLS)
	31	5812796	2	Small plate (CONTROL SYMBOLS)
	32	5812797	2	Small plate (CONTROL SYMBOLS)
	33	5812800	2	Small plate (CONTROL SYMBOLS)


Control unit (STABILITY CONTROL)

Table code

Sheet

5401462-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5000621	1	
	2	3311373	1	
	3	5090104	1	Dashboard (Casing)
	4	5002075	1	Flange
	5	5090103	1	Support (CONTROLS)
	6	5000179	1	Small plate
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3010042	2	Hex screw [M8X110 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	12	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	13	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3040518	4	Stopnut [STOP M4]
	15	3311375	1	
	16	3311376	1	
	17	3311399	1	
	18	5160001	1	Electric wiring
	19	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	20	5002096	1	


Control unit (STABILITY CONTROL)

Table code

Sheet

5401462-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3311374	1	
	23	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	24	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	25	5002095	1	
	26	5091334	1	
	27	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	28	3010390	2	Hex screw [M8X35 ZC UNI 5739]
	29	5002055	1	Manifold (Pick-up)
	30	3110078	1	Bolt (banjo bolt)
	31	3060143	2	Sealing washer [BSP 1/4"]
	32	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	33	3310612	1	Pressure sensor

VALIDO DA Marzo 2011
VALID FROM March 2011


Control valve (6 section)

Table code

Sheet

5220817-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	2	
	16	5225792	1	
RC	17	5225873	1	Seal kit (Control valve)
	18	5225830	4	Casing (Pin)
	19	5225832	8	Contact terminal (Microswitch)


Control valve (6 section)

Table code

Sheet

5220479-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220479	1	
	2	5225897	1	
	3	5225896	1	
	4	3311438	1	Solenoid (12V)
	5	3311437	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	2	
	16	5225792	1	
RC	17	5225873	1	Seal kit (Control valve)
	18	5225830	4	Casing (Pin)
	19	5225832	8	Contact terminal (Microswitch)


DOUBLE CONTROLS

Table code


Sheet

5401738-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	5	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	3	Control lever
	5	5000659	1	Control lever
	6	3190197	6	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	4	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	11	3040045	8	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	8	Fork
	13	3300451	8	Fork clip
	14	5090442	4	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	4	Grease nipple
	19	5090433	3	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220316	1	
	23	5812795	2	Small plate (CONTROL SYMBOLS)
	24	5812796	2	Small plate (CONTROL SYMBOLS)
	25	5812797	2	Small plate (CONTROL SYMBOLS)
	26	5812800	2	Small plate (CONTROL SYMBOLS)

Control valve (5 section)

Table code

Sheet


5220316-1.0

1/1

VALIDO DA MATRICOLA : 10113

VALID FROM SERIAL NUMBER : 10113

R	Pos.	Variant Code	Q.ty	Description
	1	5225259	2	Slider
	2	5225260	2	Slider
	3	5225258	1	Slider
	4	5225262	5	cover with spring
	5	5225257	1	Valve
	6	5225261	5	Unit (Control lever)
	7	5225335	2	Control valve body
	8	5225334	3	Cartridge
RC	9	5225538	1	Seal kit (Control valve)
	10	5220316	1	



HYDRAULIC SYSTEM SOLENOID VALVE

Table code


Sheet

5440065-1.0


1/1

VALIDO FINO A Gennaio 2011

VALID UNTIL Janaury 2011



R	Pos.	Variant Code	Q.ty	Description
1	5220145		1	Solenoid valve
2 A	3310042		1	Solenoid (12V)
2 B	3310043		1	Solenoid (24V)
3	3101127		1	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
4	5271726		1	Flexible hose
5	3120112		1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
6	3101043		2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
7	3120004		2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
8	3120066		1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
9	3120356		1	Reducing fitting
10	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]



R	Pos.	Variant Code	Q.ty	Description
1	5220182	1	Solenoid valve	
2 A	3310042	1	Solenoid (12V)	
2 B	3310043	1	Solenoid (24V)	
3	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]	
4	5271726	1	Flexible hose	
5	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]	
6	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]	
7	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]	
8	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]	
9	3120356	1	Reducing fitting	
10	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]	


Moment limiting device (CE)

Table code

Sheet

5430109-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3100956	1	Ring (Tightening)
	3	3100952	1	Nut
	4	3310242	1	Solenoid (24V)
	5	3310238	1	Solenoid (12V)
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5260829	1	Flexible hose
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5001580	1	Support (Limiting device)
	10	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	11	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	12	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	5300030	1	Small pipe (Pressure gauge)
	15	3120200	1	Reducing fitting
	16	3120001	1	Tee fitting
	17	3010399	1	Hex screw [M6X55 8.8 ZC UNI 5739]
	18	3101034	1	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	19	5260828	1	Flexible hose
	20	5260826	1	Flexible hose


Moment limiting device (CE)

Table code

Sheet

5430109-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	5220300	1	Hose burst valve (Sleeve)
	22	3060143	1	Sealing washer [BSP 1/4"]
	23	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	24	3110066	2	Plug
	25	3060142	2	Sealing washer [BSP 1/8"]
	26	3101195	3	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	27	5392099	1	
	28	5392100	2	Bonderized tube
	29	3101033	3	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	30	5001564	1	Manifold
	31	3101194	1	90° Connection [90° ORIENT.7/16-20 -1/4"CIL.]
	32	5260827	1	Flexible hose
RC	33	3180150	1	Pressure gauge
	34	5300057	1	Small pipe (Pressure gauge)


Moment limiting device (not CE)

Table code

Sheet

5430110-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5280722	1	Flexible hose
	20	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]


Moment limiting device (not CE)

Table code

Sheet

5430110-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	22	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	23	5220300	1	Hose burst valve (Sleeve)
	24	3060143	1	Sealing washer [BSP 1/4"]
	25	3111583	1	Tapping point


Moment limiting device (LIG NO CE)

Table code

Sheet

5430111-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5280722	1	Flexible hose
	20	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]


Moment limiting device (LIG NO CE)

Table code

Sheet

5430111-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	22	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	23	5220300	1	Hose burst valve (Sleeve)
	24	3060143	1	Sealing washer [BSP 1/4"]
	25	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	26	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	27	5220063	1	Cock
	28	3111583	1	Tapping point


HYDRAULIC SYSTEM GAUGE

Table code

Sheet

5410985-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	2	Pressure gauge
	2	3020880	6	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	3	3040516	6	Stopnut [STOP M3]
	4	5300030	1	Small pipe (Pressure gauge)
	5	3120200	2	Reducing fitting
	6	3101080	1	Tee fitting
	7	5300057	1	Small pipe (Pressure gauge)
	8	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	9	W128034	2	Collar (Flexible hose)
	10	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	11	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	12	5001580	1	Support (Limiting device)
	13	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	14	3060143	1	Sealing washer [BSP 1/4"]
RC	15	5220300	1	Hose burst valve (Sleeve)
	16	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	17	5260826	1	Flexible hose
	18	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code
5210010-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3060936	1	Grub screw
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5000661	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271727	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever


1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5210037-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5220298		1	Control valve
2	3120066		1	Straight pipe fitting [FJ3/4-16GIR. MJ3/8"]
3	3101043		3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
4	5225240		1	Carry-over
5	3040045		2	Nut [M8 NORM.6S UNI5588 GEOMET]
6	3300431		2	Fork
7	3300451		2	Fork clip
8	3060936		1	Grub screw
9	3010036		1	Hex screw [M8X65 8.8 ZC UNI 5739]
10	3040303		1	Stopnut [M8-70 UNI7473 NORM. ZC.]
11	5000661		1	Control lever
12	3190197		2	Knob (Black)
13	5271727		1	Flexible hose
14	5091326		1	Rod (Dual control)
15	3080500		1	Grease nipple
16	5090433		1	Control lever
17	5225832		1	Contact terminal (Microswitch)
18	5225830		1	Casing (Pin)
19	5225262		1	cover with spring


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5210107-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040055	4	Tall headed nut
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3060936	2	Grub screw
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5000661	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271727	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet


5210039-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3060936	2	Grub screw
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5000661	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271727	1	Flexible hose
	14	5091326	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	5225832	2	Contact terminal (Microswitch)
	18	5225830	2	Casing (Pin)
	19	5225262	2	cover with spring

R	Pos.	Variant Code	Q.ty	Description
	1	3310277	1	Dashboard (Electric)
	2	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]




Rotation limiting device (Electric)

Table code

Sheet

7880826-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001590	1	
	2	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001589	1	
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	6	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	7	3310758	1	
	8	3020026	4	Socket head cap screw [M5X45 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]

Oil tank (CE)

Table code


Sheet

5400508-1.0

1/1


VALIDO FINO a Settembre 2011

VALID UNTIL September 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
RC	11	3180099	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	14	3180097	1	Thermometer
	15	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	16	3140305	1	Cock (Ball) [M1"+F1"]
	17	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	W449009	1	Tank cap (Spill door)

Oil tank (CE)



VALIDO DA Ottobre 2011
VALID FROM October 2011

Table code	Sheet
5400508-2.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
	11	3180188	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
RC	14	3180221	1	Thermometer
	15	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	16	3140305	1	Cock (Ball) [M1"+F1"]
	17	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	W449009	1	Tank cap (Spill door)


Oil tank (not CE)

Table code

Sheet

5400877-1.0

1/1



VALIDO FINO a Settembre 2011

VALID UNTIL September 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
RC	11	3180099	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3110062	1	Plug
	14	3060143	1	Sealing washer [BSP 1/4"]
	15	3140305	1	Cock (Ball) [M1"+F1"]
	16	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	W449009	1	Tank cap (Spill door)


Oil tank (not CE)

Table code

Sheet

5400877-2.0

1/1



VALIDO DA Ottobre 2011
VALID FROM October 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
	11	3180188	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3110062	1	Plug
	14	3060143	1	Sealing washer [BSP 1/4"]
	15	3140305	1	Cock (Ball) [M1"+F1"]
	16	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	W449009	1	Tank cap (Spill door)


Oil filter

Table code

Sheet

3180195-1.0

1/1



VALIDO DA Mat. 20593 - 03/07/2006
VALID FROM S/N 20593 - 03/07/2006

R	Pos.	Variant Code	Q.ty	Description
	1	3180113	1	
RC	2	3180112	1	Filtering cartridge
	3	3180155	1	
	4	3180120	1	


Column

Table code

Sheet

5460050-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040094	1	Column
	2	5150561	1	Pin assembly
	3	3070037	2	Seeger (Shaft)
	4	3070078	1	Seeger
	5	5140123	2	Bushing
	6	3080501	1	Grease nipple [M8X1.25]
	7	5091188	1	Protective guard
RC	8	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	9	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	10	3020051	1	Socket head cap screw [M8X12 ZC UNI 5931]
	11	3020062	1	Socket head cap screw [M8X70 ZC UNI 5931]
	12	W340501400	1	Support (Clamp)
	13	W128030	1	Clamp (Flexible hose)
	14	5001359	1	Spacer (Bushing)

Hydraulic system ()


Table code

Sheet

6230144-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6430144	1	Lifting hydraulic cylinder [Fixed]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391048	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10	6230144	1	Lifting hydraulic cylinder [Fixed]
	11	5260819	1	Flexible hose
	12	5261243	1	Flexible hose
	13	3080501	1	Grease nipple [M8X1.25]
	14	3080505	1	Guard (Grease nipple)




Lifting hydraulic cylinder

Table code

Sheet

6430144-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070367	1	Cylinder
	2	6030680	1	Rod unit [Fixed]
	3	5140123	4	Bushing
	4	3400102	1	Seal
	5	3420028	1	W-ring
	6	6040300	1	Close nipple
	7	6050233	1	Piston
	8	3040501	1	Self-locking ringnut [M35X1.5 NORMALE ZC]
	9	3400514	1	Seal
	10	3450214	1	O-ring joint
	11	3460330	1	Anti-extrusion ring
	12	3450114	1	O-ring joint
RC	13	5550775	1	Seal kit


1st Boom

Table code

Sheet

5470095-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030296	1	Main boom
	2	5150561	1	Pin assembly
	3	3070037	2	Seeger (Shaft)
	4	5150562	1	Pin assembly
	5	3040501	2	Self-locking ringnut [M35X1.5 NORMALE ZC]
	6	5000077	4	Clamp (Rigid Pipe)
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	9	5000685	2	Plate (Thickness)
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	12	5001087	2	Button (Control board)
RC	13	5140722	2	Slide shoe
RC	14	5140656	2	Button (Backlash)
RC	15	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	16	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]


1st Extension

Table code

Sheet

5490074-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020458	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	2	Button (Control board)
RC	9	5140656	2	Button (Backlash)
RC	10	5140722	4	Slide shoe
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
RC	14	5000780	2	Plate (Thickness)
	15	5002218	4	Washer


Hydraulic system (1st Extension hydraulic)

Table code

Sheet

6210352-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410302	1	Extension hydraulic jack [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392092	1	Bonderized tube
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	4	Clamp
	17	5261080	2	Flexible hose
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3060144	1	Sealing washer [BSP 3/8"]
	20	3190244	1	Plug (Guard)

1st Extension hydraulic


Table code

Sheet

6410302-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070517	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030685	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit




2nd Extension

Table code

Sheet

5530036-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020459	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140783	2	Slide shoe
RC	11	5140722	2	Slide shoe
RC	12	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	13	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	14	5001462	2	Insert (Backlash)
RC	15	5000780	2	Plate (Thickness)
	16	5002218	4	Washer


Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code

Sheet

6210353-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392093	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3190244	1	Plug (Guard)
	12	5140133	1	Piping mounting


Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code

Sheet

6210354-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1A	6410302		1	Extension hydraulic jack [Fixed]
1B	6410401		1	Extension hydraulic jack [Marine]
2	3190025		2	Clamp
3	3040510		1	Self-locking ringnut
4	5001365		1	Lock washer (Control board)
5	3060014		1	Flat washer [D.25X44X4 UNI 6592 ZC]
6	3040390		1	Stopnut
7	3101124		3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
8	5392094		1	Bonderized tube (Iron)
9	5392093		1	Bonderized tube (Iron)
10	3101039		1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
11	3190244		1	Plug (Guard)
12	5140133		1	Piping mounting


3rd EXTENSION

Table code

Sheet

5540041-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020460	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140783	4	Slide shoe
RC	10	5140656	4	Button (Backlash)
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
RC	14	5000780	2	Plate (Thickness)
	15	5002218	4	Washer


Hydraulic system (3rd extension Hydraulic jack)

Table code

Sheet

6210355-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392095	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001575	1	Washer (Extension)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040381	1	Stopnut
	11	3190244	1	Plug (Guard)
	12	5140133	1	Piping mounting


Hydraulic system (3rd extension Hydraulic jack)

Table code

Sheet

6210356-1.0

1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1A	6410302	1	Extension hydraulic jack [Fixed]
	1B	6410401	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392095	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040381	1	Stopnut
	11	3190244	1	Plug (Guard)


4th EXTENSION

Table code

Sheet

5560033-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020461	1	Extension
RC	2	5140783	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	5001462	2	Insert (Backlash)
	9	5002218	4	Washer


4th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210357-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410304	1	Extension hydraulic jack [Fixed]
	1B	6410402	1	Extension hydraulic jack [Marine]
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040381	1	Stopnut
	7	5392097	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3190244	1	Plug (Guard)

1st Extension hydraulic


Table code

Sheet

6410304-1.0

1/1

Cilindro 1° sfilo per 1S
Cilindro 2° sfilo per 2S
Cilindro 3° sfilo per 3S
Cilindro 4° sfilo per 4S
1st cylinder extension for 1S
2nd cylinder extension for 2S
3rd cylinder extension for 3S
4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070517	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030688	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit

HOOK KIT


Table code

Sheet

5410987-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	W390301000	1	Guide bushing (Lifting hook)
	3	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	4	5150826	1	Pin assembly
	5	3060902	2	Cotter pin




ACTUATIONS FOR 2S

Table code

Sheet

5590244-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	3	
	2	5001481	2	
	3	5140976	4	Hydraulic hose guide
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	2	
	7	3010389	2	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	2	Clamp (Pipe)
	10	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	4	Stopnut
	12	5392105	2	
	13	5392106	2	
	14	5260760	2	Flexible hose
	15	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	16	5001512	4	
RC	17	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	18	5260761	2	Flexible hose
RC	19	3060920	16	Tooth lock washer [D.10 TIPO A]
RC	20	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]


ACTUATIONS FOR 2S

Table code

Sheet

5590244-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]
	22	3190198	1	Sheath (Flexible hose)
	23	5000107	1	
	24	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	25	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	26	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	27	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	28	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	29	3110425	2	Quick coupling
	30	3110427	1	Female plug (Blue)
	31	3110426	1	Male plug (Blue)
	32	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	33	5261075	2	Flexible hose

ACTUATIONS FOR 3S




Table code		Sheet
5590245-1.0		1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5001484	4	
	2	5001481	2	
	3	5140976	6	Hydraulic hose guide
RC	4	3060056	6	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	3	
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5001485	3	
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	3	
	13	5392106	3	
	14	5260760	4	Flexible hose
	15	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	16	5001512	4	
RC	17	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	18	5260761	2	Flexible hose
	19	5001482	1	
	20	3190198	1	Sheath (Flexible hose)


ACTUATIONS FOR 3S

Table code

Sheet

5590245-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	22	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	23	3060920	22	Tooth lock washer [D.10 TIPO A]
	24	5000107	1	
	25	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	26	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	27	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	28	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	29	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	30	3110425	2	Quick coupling
	31	3110427	1	Female plug (Blue)
	32	3110426	1	Male plug (Blue)
	33	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]

ACTUATIONS FOR 4S




Table code	Sheet
5590246-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5001484	5	
	2	5001481	2	
	3	5140976	8	Hydraulic hose guide
RC	4	3060056	8	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	3	
	7	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	8	5001483	1	
	9	5000033	3	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	3	
	13	5392106	3	
	14	5260760	4	Flexible hose
	15	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	16	5001512	4	
RC	17	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	18	5260761	2	Flexible hose
	19	5001469	1	
	20	5001482	1	


ACTUATIONS FOR 4S

Table code

Sheet

5590246-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3190198	1	Sheath (Flexible hose)
	22	3010054	4	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	23	3060920	24	Tooth lock washer [D.10 TIPO A]
RC	24	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	25	5000107	1	
	26	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	27	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	28	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	29	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	30	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	31	3110425	2	Quick coupling
	32	3110427	1	Female plug (Blue)
	33	3110426	1	Male plug (Blue)


1st Additional actuation

Table code

Sheet

5600006-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260761	2	Flexible hose
	2	5001512	2	
	3	5392105	2	
	4	5392106	2	
	5	5260760	2	Flexible hose
	6	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	5392088	2	
	7	3190198	1	Sheath (Flexible hose)
	8	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	9	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	10	3110425	2	Quick coupling
	11	3110427	1	Female plug (Blue)
	12	3110426	2	Male plug (Blue)
	13	5261075	2	Flexible hose
	14	5001898	1	Clamp (Flexible hose)
RC	15	3060055	1	Split lock washer [D=8.4 C72 ZC]
	16	3020062	1	Socket head cap screw [M8X70 ZC UNI 5931]

2nd ADDITIONAL ACTUATION


Table code

Sheet

5600086-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5392105	1	
	2	5390207	1	
	3	5260760	2	Flexible hose




KIT QUICK COUPLING

Table code

Sheet


7882193-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3110425	2	Quick coupling
	2	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	4	3110427	1	Female plug (Blue)
	5	3110426	1	Male plug (Blue)
	6	5000107	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]

R	Pos.	Variant Code	Q.ty	Description
	1	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	6	5090935	1	
	7	3010406	4	Hex screw [M22X160 10.9 ZC UNI 5737]
	8	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5150752	1	Pin
	11	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	12	5001607	1	Plate (Threaded hole)
	13	5001608	1	Plate (banjo bolt)
	14	3040309	1	Stopnut [Dado Stop M20 Norm.]
	15	W128030	2	Clamp (Flexible hose)
RC	16	3060055	3	Split lock washer [D=8.4 C72 ZC]
	17	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	18	3010037	1	Hex screw [M8X70 8.8 UNI 5737 ZC]
	19		2	




SUPPORT FOR WINCH'S PULLEY KIT (2S)

Table code

Sheet

7900279-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001604	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob


SUPPORT FOR WINCH'S PULLEY KIT (3S)

Table code

Sheet

7900280-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001605	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob


SUPPORT FOR WINCH'S PULLEY KIT (4S)

Table code


Sheet

7900281-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001601	1	
	2	5001602	1	
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001656	1	
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	5150826	1	Pin assembly
	7	6060938	2	
	8	3060750	3	Cotter pin (Locking ring)
	9	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	10	5150781	1	Threaded pin
	11	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	12	5001598	2	Link rod
	13	5141001	1	Spacer (Nylon)
	14	5001606	1	
	15	5001655	1	
	16	5150821	1	Pin (Handle)
	17	3190010	1	Knob




PER VERSIONE 1S / A1
FOR VERSION 1S / A1

R	Pos.	Variant Code	Q.ty	Description
	1	5010326	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
RC	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer



R	Pos.	Variant Code	Q.ty	Description
	1	5010327	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer



R	Pos.	Variant Code	Q.ty	Description
	1	5010328	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060750	1	Cotter pin (Locking ring)
	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	3200050	1	Shackles
	17	3200027	1	Swivel hook [T5.4]
	18	5002218	4	Washer


Manual extension

Table code

Sheet


7800323-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5010011	1	Manual extension	
2	5000079	2	Hook coupling	
3	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]	
4	5150750	2	Pin (Handle)	
5	3190010	2	Knob	
6	3060753	2	Cotter pin (Locking ring)	
7	W360350300	1	Block (Extension)	
8	3200050	1	Shackles	
9	3200027	1	Swivel hook [T5.4]	

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	




Assembly kit

Table code

Sheet

7880371-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150654	4	Tie rod (Threaded rod) [M20X1.5 L=750]
	2	5150658	4	Tie rod (Threaded rod) [M20X1.5 L=900]
	3	W010000200	4	Anchoring bracket (Base)
	4	5000084	16	Small plate
	5	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	6	3190290	8	Tip (Rubber protection)





805T F


Base

Table code


Sheet

5420074-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060005	1	Base
RC	2	5140663	1	Collar (Lower)
	3	3080501	4	Grease nipple [M8X1.25]
RC	4	5140662	1	Collar (Upper)
RC	5	5140664	1	Thrust bearing ring
	6	3080505	4	Guard (Grease nipple)



R	Pos.	Variant Code	Q.ty	Description
	1	6070515	4	Cylinder [Fixed]
	2	3020099	16	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]


SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240186-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070701	4	Cylinder (Slewing) [Fixed]
	2	3020099	16	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5002221	4	Flange (Slewing)
	16	3070218	4	Snap ring

SLEWING ASS'Y (Double Flange)

Table code
6240232-2.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002221	8	Flange (Slewing)
	2	3070218	4	Snap ring
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	3020323	16	Socket head cap screw [M12X55 10.9 GEOMET UNI 50341]




SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240232-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070701	4	Cylinder (Slewing) [Fixed]
	2	3020323	16	Socket head cap screw [M12X55 10.9 GEOMET UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5003360	4	Flange (Slewing)
	16	3070218	4	Snap ring

Slewing Hydraulic jack (Hydraulic system)


Table code

Sheet

6240121-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	4	5220093	2	Non-return valve
	5	3101175	2	Tee fitting
	6	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5391620	1	Bonderized tube
	8	5391617	1	Bonderized tube
	9	5391618	1	Bonderized tube
	10	5391619	1	Bonderized tube
	11	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15	5260946	2	Flexible hose [Fixed]




Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240233-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3060144	1	Sealing washer [BSP 3/8"]
	4	5220093	2	Non-return valve
	5	3101175	2	Tee fitting
	6	3101124	5	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5393318	1	Bonderized tube
	8	5393319	1	Bonderized tube
	9	5393317	1	Bonderized tube
	10	5393316	1	Bonderized tube
	11	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15A	5261394	2	Flexible hose [Fixed]
	15B	5261507	2	Flexible hose [Marine]
	16	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	17	3110119	1	Straight pipe fitting
	18	5393314	1	Bonderized tube
	19	5393315	1	Bonderized tube


Wall-through pipe fitting

Table code

Sheet


5411178-1.0

1/1





R	Pos.	Variant Code	Q.ty	Description
	1	5090105	1	Support (Wall-through pipe fitting)
	2	3120309	8	Wall-through pipe fitting [MJ 9/16-18]
	3	3040305	4	Stopnut [M12-70 NORM. ZC]
	4	3060009	8	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	5	3060050	4	Split lock washer [D=14 C72 ZC]
	6	3010062	4	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	7	3190288	mt1.2	Sheath (Pipes guard)

R	Pos.	Variant Code	Q.ty	Description
	1	5220322	1	Control valve ass'y
	2	3040045	5	Nut [M8 NORM.6S UNI5588 GEOMET]
	3	3060936	5	Grub screw
	4	5000657	5	Control lever
	5	3190217	1	Knob (Red)
	6	3190197	4	Knob (Black)
	7	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	5090437	1	Distributor support
	9	3010390	2	Hex screw [M8X35 ZC UNI 5739]
	10	5090440	1	Guard (Control levers)
	11	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	12	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	13	3120112	2	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	14	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	15	3110110	2	Straight pipe fitting [M/F BSP 3/8"H=47]
	16	3060144	2	Sealing washer [BSP 3/8"]
	17	5220678	1	Cock
	18	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	19	3110041	2	Female plug
	20	3111522	1	90° Connection



R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3110150	1	Reducing fitting
	23	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]





R	Pos.	Variant Code	Q.ty	Description
	1	5220679	1	Moment limiting device (Hydraulic)
	2	3101034	1	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	3	5391421	1	Bonderized tube
	4	5300013	1	Pipe (Pressure gauge)
	5	5090825	1	Support (Limiting device)
RC	6	3180150	1	Pressure gauge
	7	3020880	3	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	8	3040516	3	Stopnut [STOP M3]
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5391420	2	Bonderized tube
	11	3060143	2	Sealing washer [BSP 1/4"]
	12	3110062	1	Plug
	13	3100952	1	Nut
	14	3100956	1	Ring (Tightening)
	15	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	16	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	17	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	18	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	19	3120200	1	Reducing fitting
	20	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]


Moment limiting device

Table code

Sheet

5430105-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21A	5261013	1	Flexible hose [Fixed]
	21B	5261351	1	Flexible hose [Marine]
	22A	5260171	1	Flexible hose [Fixed]
	22B	5260681	1	Flexible hose [Marine]
RC	23	5220300	1	Hose burst valve (Sleeve)
	24	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	25A	5260433	1	Flexible hose [Fixed]
	25B	5260744	1	Flexible hose [Marine]
	26	5391419	1	Bonderized tube
	27	3101195	4	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	28	5225059	3	Block (Slider)
	29	3120111	3	Tee fitting [7/16-20 MJ/FJ/MJ]
	30	3060142	2	Sealing washer [BSP 1/8"]
	31	3110066	2	Plug


Column

Table code


Sheet

5460084-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040526	1	Column
	2	5150561	1	Pin assembly
	3	3070154	2	Seeger
	4	3070078	1	Seeger
	5	5140123	2	Bushing
	6	3080501	1	Grease nipple [M8X1.25]
	7	5001359	1	Spacer (Bushing)
	8	5000614	3	Base (Clamp)
RC	9	3060055	3	Split lock washer [D=8.4 C72 ZC]
	10	3010337	3	Hex screw [M8X16 8.8 ZC UNI 5739]
	11	5000036	3	Clamp
	12	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
RC	1A	6430144	1	Lifting hydraulic cylinder [Fixed]
	1B	6430522	1	Lifting hydraulic cylinder [Marine]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391048	1	Bonderized tube
	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	10A	6230144	1	Lifting hydraulic cylinder [Fixed]
	10B	6230522	1	Lifting hydraulic cylinder [Marine]
	11A	5260763	2	Flexible hose [Fixed]
	11B	5261050	2	Flexible hose [Marine]
	12	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
13	3080501	1	Grease nipple [M8X1.25]	
14	3080505	1	Guard (Grease nipple)	


1st Boom

Table code

Sheet

5470095-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030296	1	Main boom
	2	5150561	1	Pin assembly
	3	3070037	2	Seeger (Shaft)
	4	5150562	1	Pin assembly
	5	3040501	2	Self-locking ringnut [M35X1.5 NORMALE ZC]
	6	5000077	4	Clamp (Rigid Pipe)
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	9	5000685	2	Plate (Thickness)
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	12	5001087	2	Button (Control board)
RC	13	5140722	2	Slide shoe
RC	14	5140656	2	Button (Backlash)
RC	15	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	16	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]

Hydraulic system (1st Extension hydraulic)


Table code

Sheet

6210352-3.1

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6410302	1	Extension hydraulic jack [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392092	1	Bonderized tube
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	4	Clamp
	17	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	3190244	1	Plug (Guard)
	20	5261073	2	Flexible hose



Versione 2S-3S-4S
2S-3S-4S Version





805T M


SLEWING ASS'Y

Table code

Sheet

6240131-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1A	6070515	4	Cylinder [Fixed]
	1B	6070594	4	Cylinder (Slewing) [Marine]
	2	3020099	16	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]

SLEWING ASS'Y (Retaining ring)

Table code
6240189-1.0

Sheet
1/1




R	Pos.	Variant Code	Q.ty	Description
	1A	6070701	4	Cylinder (Slewing) [Fixed]
	1B	6070702	4	Cylinder (Slewing) [Marine]
	2	3020099	16	Socket head cap screw [M12X35 10.9 ZC UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5002221	4	Flange (Slewing)
	16	3070218	4	Snap ring

SLEWING ASS'Y (Double Flange)

Table code
6240233-3.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002221	8	Flange (Slewing)
	2	3070218	4	Snap ring
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	3020323	16	Socket head cap screw [M12X55 10.9 GEOMET UNI 50341]




SLEWING ASS'Y (Retaining ring)

Table code

Sheet

6240233-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6070701	4	Cylinder (Slewing) [Fixed]
	1B	6070702	4	Cylinder (Slewing) [Marine]
	2	3020323	16	Socket head cap screw [M12X55 10.9 GEOMET UNI 5931]
	3	3060057	16	Split lock washer [D=12 C72 ZC]
	4	6050296	4	Piston
	5	3020076	4	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	6	6050318	4	Piston (Assembly)
RC	7	5550773	2	Seal kit
	8	3060608	4	Spring pin
	9	5050100	2	Toothed rack
RC	10	5140781	2	Sliding block (Rack adjuster)
	11	5001570	2	Support (Sliding block)
	12	3060458	2	Grub screw
	13	3040050	2	Nut [M18 8G UNI 5588]
	14	3060078	2	Lock washer [Nord-Lock]
	15	5003360	4	Flange (Slewing)
	16	3070218	4	Snap ring

Slewing Hydraulic jack (Hydraulic system)


Table code

Sheet

6240131-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	4	5220093	2	Non-return valve
	5	3101175	2	Tee fitting
	6	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5391620	1	Bonderized tube
	8	5391617	1	Bonderized tube
	9	5391618	1	Bonderized tube
	10	5391619	1	Bonderized tube
	11	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15A	5260946	2	Flexible hose [Fixed]
	15B	5261052	2	Flexible hose [Marine]




Hydraulic system ()

Table code

Sheet

6230522-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430522	1	Lifting hydraulic cylinder [Marine]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391048	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	10	6230522	1	Lifting hydraulic cylinder [Marine]
	11	5261050	2	Flexible hose [Marine]
	12	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	13	3080501	1	Grease nipple [M8X1.25]
	14	3080505	1	Guard (Grease nipple)


Lifting hydraulic cylinder (F / M)

Table code


Sheet

6430522-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070367	1	Cylinder
	2A	6030680	1	Rod unit [Fixed]
	2B	6030877	1	Rod unit [Marine]
	3	5140123	4	Bushing
	4	3400102	1	Seal
	5	3420028	1	W-ring
	6	6040300	1	Close nipple
	7	6050233	1	Piston
	8	3040501	1	Self-locking ringnut [M35X1.5 NORMALE ZC]
	9	3400514	1	Seal
	10	3450214	1	O-ring joint
	11	3460330	1	Anti-extrusion ring
	12	3450114	1	O-ring joint
RC	13	5550775	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1A	6410302	1	Extension hydraulic jack [Fixed]
	1B	6410401	1	Extension hydraulic jack [Marine]
	2	3040381	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392092	1	Bonderized tube
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	4	Clamp
	17	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	3190244	1	Plug (Guard)

R	Pos.	Variant Code	Q.ty	Description
	20A	5260947	2	Flexible hose [Fixed]
	20B	5261053	2	Flexible hose [Marine]

Versione 2S-3S-4S
2S-3S-4S Version



1st Extension hydraulic

Table code

Sheet

6410401-1.0

1/1

Cilindro 1° sfilo per 2S - 3S - 4S


Cilindro 2° sfilo per 3S - 4S

Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S

2nd cylinder extension for 3S - 4S

3rd cylinder extension for 4S




R	Pos.	Variant Code	Q.ty	Description
	1	6070517	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7A	6030685	1	Rod unit [Fixed]
	7B	6030880	1	Rod unit [Marine]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit

ACTUATION FOR WINCH

Table code
5740242-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5091162	1	Winch support
	6	3020077	4	Socket head cap screw [M10X50 8.8 ZC UNI 5931]
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	9	5150752	1	Pin
	10	3040309	1	Stopnut [Dado Stop M20 Norm.]
	11	5001608	1	Plate (banjo bolt)
	12	5001607	1	Plate (Threaded hole)
	13	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	14	3190172	6	Clamp (Set of hoses)
RC	15	3060055	3	Split lock washer [D=8.4 C72 ZC]
	16	3020057	3	Socket head cap screw [M8X35 ZC UNI 5931]
	17A	5260372	2	Flexible hose [Fixed]
	17B	5260355	2	Flexible hose [Marine]



905T


Hydraulic system (Stabilizer Hydraulic jack)

Table code

Sheet

5760132-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260817	4	Flexible hose
	2	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	3	5392180	1	
	4	5392181	1	
	5	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6	5391287	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	3110040	2	Female plug [TAPPO F JIC 9/16 -18]


Control unit (RDC / NOCE)

Table code

Sheet

5400658-1.0

1/2



VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	W370507600	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]


Control unit (RDC / NOCE)

Table code

Sheet

5400658-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011

Control unit (RDC / NOCE)


Table code

Sheet

5402206-1.0

1/2


R	Pos.	Variant Code	Q.ty	Description
	1	5091455	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220407	1	Proportional control valve
	15	5220410	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



2.4 GHz

VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013

R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]




Control valve (5 section)

Table code

Sheet

5220410-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225720	1	
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225768	10	
	12	5225755	1	
	13	5225760	1	
	14	5225726	1	
	15	5225759	1	
	16	5225729	1	Antishock valve
	17	5225725	1	
	18	5225758	1	
	19	5225736	2	Antishock valve
	20	5225715	1	Slider (CC)


Control valve (5 section)

Table code

Sheet

5220410-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225800	6	Control lever
	22	5225801	5	Knob (Black)
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225732	1	8 elements unit fixing
	27	5225716	4	Slider (CA)
RC	28	5225733	1	Seal kit
	29	5225728	1	Antishock valve
	30	5225818	1	
	31	5225843	1	5 elements unit fixing stud
	32	5225724	2	
	33	5225757	2	


High pressure filter

Table code


Sheet

5400657-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5001698	1	
RC	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010066	2	Hex screw [M8X30 8.8 ZC UNI 5739]
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5271751	1	
	12	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3040392		8	Stopnut [Dado Stop M5-70 norm.]
7	3020023		8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
8	3311071		1	Handle
9	3310891		1	
10	3310892		1	
11	3310890		5	
12	3310893		1	Battery compartment
13	3310860		1	
14	3310908		1	
15	3310688		1	
16	3310852		1	
17	3310862		2	
18	3310064		1	
19	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
20	5410965		1	Kit (Magnet)

R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	




Complete wireless control (PTO)

Table code

Sheet


7892500-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120154		1	Complete wireless control
2	3311501		1	Aerial (Wireless control)
3	3020028		4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
4	3060004		4	Flat washer [D.5 UNI 6592 ZC]
5	3040392		4	Stopnut [Dado Stop M5-70 norm.]
6	3311071		1	Handle
7	3310891		1	
8	3310892		1	
9	3310890		5	
10	3310893		1	Battery compartment
11	3311509		1	Electric wiring (Wireless control)
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3311502		1	Transmitter (Wireless control)
18	3311195		5	
19	3311197		6	
20	3311196		1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring (Limiting device)

Table code

Sheet

5405003-3.0

1/1


Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311169		1	
2	3311168		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020881		2	[M3X8 UNI7687 ZC TAGLIO CR.]
10	3311159		1	Signal Columns
11	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
12	W370508000		1	Support (Flashing light)
13	3040392		4	Stopnut [Dado Stop M5-70 norm.]
14	3310873		1	Pressure monitor

HYDRAULIC SYSTEM GAUGE


Table code

Sheet

5405005-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3020880	3	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
RC	2	3180150	1	Pressure gauge
	3	3040516	3	Stopnut [STOP M3]
	4	W458458	1	Connecting pipe (Pressure gauge)
	5	3120200	1	Reducing fitting
	6	3101067	1	90° Connection [90° M/M JIC 9/16-18]
	7	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	8	W128034	2	Collar (Flexible hose)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	3060143	1	Sealing washer [BSP 1/4"]
RC	11	5220300	1	Hose burst valve (Sleeve)
	12	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	5260868	1	Flexible hose



VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011


Moment limiting device (CE)

Table code

Sheet

5405003-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5141020	2	Vehicle (Clamp)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3120450	1	Reducing fitting
	6	5260868	1	Flexible hose
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011


Auxiliary wiring (Limiting device)

Table code

Sheet

5405003-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3310876		1	
2	3310879		1	
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		2	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020022		2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
7	5001694		1	
8	3310885		1	Microswitch (Electric)
9	3020880		2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
10	3310873		1	Pressure monitor


Light column

Table code


Sheet

3310822-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	




R	Pos.	Variant Code	Q.ty	Description
	1	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	6	5090935	1	
	7	3010406	4	Hex screw [M22X160 10.9 ZC UNI 5737]
	8	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5150752	1	Pin
	11	3040309	1	Stopnut [Dado Stop M20 Norm.]
	12	5001608	1	Plate (banjo bolt)
	13	5001607	1	Plate (Threaded hole)
	14	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	15	W128030	2	Clamp (Flexible hose)
RC	16	3060055	3	Split lock washer [D=8.4 C72 ZC]
	17	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	18	3010037	1	Hex screw [M8X70 8.8 UNI 5737 ZC]
	19		2	



R	Pos.	Variant Code	Q.ty	Description
	1	3310884	1	WIRING FOR WINCH
	2	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	3	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	5730206	1	Board (Extensimeter)
	6	5730171	1	Microswitch (Winch)
	7	3310379	1	Cable presser

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	







905T EN 12999-A3


Control unit (RDC)

Table code

Sheet

5401470-1.0

1/2



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091324	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091138	1	Distributor support
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091140	1	Lateral guards and supports
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

Control unit (RDC)


Table code

Sheet

5401470-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	W370508300	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011


Control unit (RDC / CE)

Table code

Sheet

5402252-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091452	1	Protective guard (Control valve)
	2	3060030	1	Flat washer [D.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573412	1	Small plate (CONTROL SYMBOLS)
	7	W573415	1	Small plate (CONTROL SYMBOLS)
	8	W573303	1	Small plate (CONTROL SYMBOLS)
	9	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220416	1	MODULAR DIRECTIONAL VALVES
	15	5091458	1	Lateral guards and supports
RC	16	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	17	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	18	5091422	1	Casing (Closing)
	19	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	20	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]


Control unit (RDC / CE)

Table code


Sheet

5402252-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060052	4	Split lock washer [D=5.5 C72 ZC]
	22	3060053	4	Split lock washer [D=6.4 C72 ZC]
	23	5220431	1	MODULAR DIRECTIONAL VALVES
	24	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	25	5091488	1	Cover (Moment limiting device)
	26	3011000	2	Handwheel
	27	5091548	1	Protective guard (Control levers)



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225842	1	
	6	5225887	1	
	7	3310903	1	reel for proportional valve
	8	3310907	8	Reel
	9	3310905	8	Reel
	10	5225721	8	Ring nut (O-ring joint)
	11	5225881	2	Control valve element
	12	5225886	2	Control valve element
	13	5225878	2	Control valve element
	14	5225883	2	Control valve element
	15	5225802	1	Knob (Red)
RC	16	5225733	1	Seal kit
	17	5225732	1	8 elements unit fixing
	18	5225843	1	5 elements unit fixing stud
	19	5225715	2	Slider (CC)
	20	5225800	5	Control lever


Control valve (4 section)

Table code

Sheet

5220416-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	4	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225716	2	Slider (CA)


Kit (Wireless control)

Table code

Sheet

7892099-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5120095		1	
2	3310861		1	Aerial (Wireless control)
3	3020038		2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
4	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3311385		1	
7	3311071		1	Handle
8	3310891		1	
9	3310892		1	
10	3310890		5	
11	3310893		1	Battery compartment
12	3310688		1	
13	3310852		1	
14	3310064		1	
15	3010324		1	Hex screw [M6X12 8.8 ZC UNI 5739]
16	5410965		1	Kit (Magnet)
17	3310754		1	
18	3311195		5	
19	3311197		6	
20	3311196		1	

Kit (Wireless control)


Table code

Sheet

7892099-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	




Complete wireless control (PTO)

Table code

Sheet

7892500-2.0

1/2



2.4 GHz

**VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013**


R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

Complete wireless control (PTO)

Table code
7892500-2.0

Sheet
2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



2.4 GHz

VALIDO DA GENNAIO 2013
VALID FROM JANUARY 2013


Kit CE (STABILITY CONTROL)

Table code

Sheet

5405045-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring
	14	5002103	1	
	15	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	16	3311341	1	
	17	3060223	1	Grub screw
	18	3040391	1	Hexagonal nut (Normal)
	19	3311386	1	


Kit CE (STABILITY CONTROL)

Table code

Sheet

5405045-5.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002025	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311636	4	Electric wiring
	13	3311541	1	Moment limiting device

Moment limiting device (CE)


Table code

Sheet

5405045-2.0

1/2

R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	




VALIDO DA Febbraio 2011

VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]

VALIDO DA Febbraio 2011

VALID FROM February 2011




Moment limiting device (EN12999-A3)

Table code

Sheet

5405045-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	3311634		1	Electric wiring
2	3311541		1	Moment limiting device
3	3040392		4	Stopnut [Dado Stop M5-70 norm.]
4	3311159		1	Signal Columns
5	3020023		4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
6	3060004		2	Flat washer [D.5 UNI 6592 ZC]
7	5160001		1	Electric wiring
8	5002055		1	Manifold (Pick-up)
9	3060143		2	Sealing washer [BSP 1/4"]
10	3110078		1	Bolt (banjo bolt)
11	3111523		1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
12	3310612		1	Pressure sensor
13	3311632		1	Electric wiring
14	3020885		2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
15	3040518		2	Stopnut [STOP M4]
16	3312280		1	Push-button panel box (Assembly)
17	3312281		1	key switch



RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7881877.0

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw				
3010336	Hex screw				
3010354	Hex screw				
3020080	Socket head cap screw				
3060006	Flat washer				
3060029	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060914	Flat washer				
3060918	Tooth lock washer				
3060920	Tooth lock washer				
3180099	Oil level indicator				
3180112	Filtering cartridge				
3180138	Oil filter				
3180139	Filtering cartridge				
3180147	Pressure gauge (Clogging indicator)				
3180150	Pressure gauge				
3180195	Oil filter				
3180221	Thermometer				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311354	Lighting (Audible alarm)				
5000685	Plate (Thickness)				
5000780	Plate (Thickness)				
5001087	Button (Control board)				
5140656	Button (Backlash)				
5140662	Collar (Upper)				
5140663	Collar (Lower)				
5140664	Thrust bearing ring				
5140722	Slide shoe				
5140781	Sliding block (Rack adjuster)				
5140783	Slide shoe				
5220300	Hose burst valve (Sleeve)				
5225538	Seal kit (Control valve)				
5225733	Seal kit				
5225873	Seal kit (Control valve)				
5550684	Seal kit				
5550709	Seal kit				
5550760	Seal kit				
5550761	Seal kit				
5550773	Seal kit				
5550775	Seal kit				