AMCO VEBA
LIFTING BEYOND HORIZONS

SPARE PARTS CATALOGUE



Model

2 ARTICULATED BOOM
806N

Logbook code

7881878.0

Edition

05/2020

Realizzato con CrEasy©

INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A **The number of the catalog page.**

B **The code of the table.**

C **The title of the table.**

D **Section of the model variant.**



Table index

Logbook code **7880484.1** 5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215			**820 EBB - EN 12999 - A3**		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237			**820 5S - JIB 2S**		

7

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257			**820 CIA**		
258	55[illegible]0096-1.0	1	1st ACTIVATION FOR 1S		
259	55[illegible]0096-2.0	1	1st ACTIVATION FOR 1S		

A B C D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with:RE 217XXXX
17 - indicate the year XXXX - is a progressive number



Table code **5402956-3.0** 1/1

R	Pos.	Code Variant	Q.ty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]

Page	Table code	Q.ty	Table heading	Vers.	Validity
11	5502000-3.0	1	Plate kit (Generic Gru)		
12	5501268-1.0	1	Plate kit (Version)		
13	5420081-1.0	1	BASE		
14	6240132-1.0	1	Slewing		
15	6240132-3.0	1	Slewing		
16	6240195-1.0	1	Slewing (Retaining ring)		
17	6240195-2.0	1	Slewing (Retaining ring)		
18	6240132-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
19	7880898-1.0	1	Rotation Pressure Limiting Device		
20	5760159-1.0	1	Stabilizer connecting rods		
21	5760159-3.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
22	5760159-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
23	5760160-1.0	1	Stabilizer connecting rods (Extra-extensible)		
25	5760160-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
26	5760160-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
27	6200154-1.0	1	Stabilizer Hydraulic jack (RIGHT)		
28	6200155-1.0	1	Stabilizer Hydraulic jack (LEFT)		
29	6400154-1.0	1	Stabilizer Hydraulic jack		
30	5760157-1.0	1	Stabilizer connecting rods (Revolving)		
31	5760157-3.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
32	5760157-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
33	5760158-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		
35	5760158-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
36	5760158-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
37	6200169-1.0	1	Stabilizer Hydraulic jack (RIGHT)		
38	6200130-1.1	1	Stabilizer Hydraulic jack (LEFT)		
39	6400130-1.1	1	Stabilizer Hydraulic jack		
40	5760226-3.0	1	Stabilizer connecting rods (Revolving)		
41	5760226-2.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
42	5760224-1.0	1	Hydraulic system (Stabilizer Hydraulic jack)		
43	5760182-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		
45	5760182-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
46	5760182-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic		
47	6200267-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
48	6400213-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
49	W410450300-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
50	W410450200-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
51	5411095-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
52	5411095-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
53	5411276-1.0	1	STABILITY CONTROL (EN12999-A3)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
54	7880943-1.0	1	Kit (ROTATION CONTROL)		
56	7880943-1.1	1	Kit (ROTATION CONTROL)		
58	7880943-2.0	1	Kit (ROTATION CONTROL)		
60	5380023-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
61	6200202-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
62	6400202-1.0	1	Rod extension hydraulic (Double controls side)		
63	6200203-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
64	6400203-1.0	1	Rod extension hydraulic (Control valve side)		
65	5760246-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
67	5760436-1.0	1	Stabilizer connecting rods extra-extensible revolving (hydraulic		
69	5380044-1.0	1	ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE		
70	5380044-2.0	1	DOUBLE CONTROLS (Stabilizers rods)		
71	5380044-3.0	1	Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-		
72	5380039-3.0	1	Hydraulic system (CE)		
73	6200275-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
74	6400275-1.0	1	Rod extension hydraulic (Control valve side)		
75	6200276-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
76	6400276-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)		
77	5400874-1.0	1	DOUBLE CONTROLS		
79	5220817-1.0	1	Control valve (6 section)		
80	5220817-3.0	1	Control valve (6 section)		
81	5220479-1.0	1	Control valve (6 section)		
82	5401573-1.0	1	DOUBLE CONTROLS (CE)		
84	5401573-2.0	1	Control unit (STABILITY CONTROL)		
86	5401573-3.0	1	DOUBLE CONTROLS (CE)		
87	5401573-4.0	1	DOUBLE CONTROLS (CE)		
88	5400879-1.0	1	DOUBLE CONTROLS		
90	5220820-1.0	1	Control valve (5 section)		
91	5430152-1.0	1	Moment limiting device		
93	5430164-1.0	1	Moment limiting device		
95	5430165-1.0	1	Moment limiting device		
97	5210012-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
98	5210013-1.0	1	1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL		
99	5210109-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
100	5210041-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
102	5210042-1.0	1	1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL		
104	5210040-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
106	3310543-1.0	1	ELECTRICS CONTROLS		
107	5400047-1.0	1	Hydraulic oil tank		
108	5400048-1.0	1	Oil tank		

Page	Table code	Q.ty	Table heading	Vers.	Validity
109	3180195-1.0	1	Oil filter		
110	7888030-1.0	1	Heat exchange unit		
111	5460091-1.0	1	Column		
112	6230079-1.3	1	Hydraulic system (Lifting hydraulic cylinder)		
113	6430079-1.0	1	Lifting hydraulic cylinder		
114	5470001-1.1	1	1st Boom		
115	6230080-2.2	1	Hydraulic system (ARTICULATION HYDRAULIC JACK)		
116	6430080-1.0	1	Articulation Hydraulic jack		
117	5480100-1.0	1	2nd Boom		
118	5490095-1.0	1	1st Extension		
119	6210403-1.0	1	Hydraulic system (1st Extension hydraulic)		
121	6410414-1.0	1	Extension Hydraulic jack		
122	5490090-1.0	1	1st Extension		
123	6210402-1.0	1	Hydraulic system (1st Extension hydraulic)		
125	6410415-1.0	1	1st Extension hydraulic		
126	5530051-1.0	1	2nd Extension		
127	6210414-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
128	6210415-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
129	5540056-1.0	1	3rd EXTENSION		
130	6210399-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
131	6210400-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
132	5560044-1.0	1	4th EXTENSION		
133	6210401-1.0	1	Hydraulic system (4th extension Hydraulic jack)		
134	7800366-1.0	1	Manual extension (1st)		
135	7800360-1.0	1	Manual extension		
136	7800361-1.0	1	Manual extension		
137	7800359-1.0	1	Manual extension		
138	5410987-1.0	1	HOOK KIT		
139	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
140	5590210-1.0	1	1st ACTIVATION FOR 1S		
142	5590211-1.0	1	1st ACTIVATION FOR 2S		
144	5590212-1.0	1	1st ACTIVATION FOR 3S		
146	5590213-1.0	1	1st ACTIVATION FOR 4S		
148	5600092-1.0	1	2st ACTIVATION FOR 1S		
150	5600093-1.0	1	2nd ADDITIONAL ACTUATION		
151	7882394-1.0	1	KIT QUICK COUPLING		
152	7900323-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
153	7900318-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
154	7900322-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
155	7880372-2.0	1	Assembly kit		

Page	Table code	Q.ty	Table heading	Vers.	Validity
157			806N JIB1S		
158	5790061-1.0	1	CONNECTION AND CONNECTING ROD		
159	5790061-2.0	1	JIB ARM		
161	5790061-3.0	1	HYDRAULIC SYSTEM CYLINDERS		
162	5411034-1.0	1	Activation hydraulic input jib (CRANES)		
163	W440650400-1.0	1	Hydraulic system (ARTICULATION HYDRAULIC JACK)		
164	W440650300-1.0	1	ARTICULATION HYDRAULIC JACK		
165	W038308-1.0	1	1st Extension (JIB)		
166	W380350200-1.3	1	Hydraulic system (1th extension hydraulic cylinder)		
167	W380350100-1.6	1	1st extension hydraulic jack		
168	5210014-1.0	1	2 extra function kit open center spool		
170	5430166-1.0	1	Moment limiting device (CE)		
173	5430166-2.0	1	Moment limiting device (CE)		
175	5430166-3.0	1	Moment limiting device (CE)		
176	5210043-1.0	1	2 extra function kit open center spool (JIB)		
178	5401573-5.0	1	DOUBLE CONTROLS (CE)		
179	5401573-6.0	1	DOUBLE CONTROLS (CE)		
181			906N (LC)		
182	5220424-1.0	1	Control valve (5 section)		
184	5400702-1.0	1	CONTROLS		
186	5402179-1.0	1	CONTROLS (RDC)		
188	5405013-1.0	1	Auxiliary wiring (Limiting device)		
189	5405013-2.0	1	Moment limiting device		
190	3310822-1.0	1	Light column		
191	7892099-2.0	1	Complete wireless control (not CE)		
193	7892500-1.0	1	Complete wireless control (PTO)		
195	5401023-1.0	1	Auxiliary wiring (Limiting device)		
196	5400738-1.0	1	High pressure filter		
197	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
199			906N (LC) EN 12999 - A3		
200	5220424-2.0	1	Control valve (5 section)		
202	5401583-1.0	1	Control unit (RDC)		
204	5402187-1.0	1	Control unit (RDC)		
206	5401581-1.0	1	High pressure filter		
207	7885138-1.0	1	Light column (Horn)		
208	7892099-3.0	1	Kit (Wireless control)		
210	7892500-2.0	1	Complete wireless control (PTO)		
212	5405052-1.0	1	Kit CE (STABILITY CONTROL)		
213	5405052-5.0	1	Kit CE (STABILITY CONTROL)		
214	5405052-2.0	1	Moment limiting device (CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
216	5405052-6.0	1	Moment limiting device (EN12999-A3)		
217			906N (HAWE)		
218	5220394-1.0	1	Control valve (6 section)		
220	5400757-1.0	1	DOUBLE CONTROLS (RDC-EBB)		
223	5400757-2.0	1	CONTROLS (RDC-EBB)		
224	5400757-3.0	1	CONTROLS (RDC-EBB)		
225	5400757-4.0	1	CONTROLS (RDC-EBB)		
226	7885015-1.0	1	Pilot lamp		
227	5400757-5.0	1	CONTROLS (RDC-EBB)		
228	7892042-1.0	1	Wireless control kit (EU.24V)		
229	7892044-1.0	1	Wireless control kit (24V)		
230	7892041-2.0	1	Wireless control kit (USA 12V)		
231	5401006-1.0	1	High pressure filter		
233			906N EN 12999 - A3 (HAWE)		
234	5380040-1.0	1	hydraulic lengthening (RDC / CE)		
236	5220838-1.0	1	Control valve (6 section)		
239	5220838-2.0	1	Control valve (6 section)		
241	5401652-1.0	1	DOUBLE CONTROLS (RDC-EBB)		
244	5411205-7.0	1	ROTATION CONTROL (EN12999-A3)		
245	5411205-7.1	1	ROTATION CONTROL (EN12999-A3)		
247	5411367-6.0	1	ROTATION CONTROL (EN12999-A3)		
249	5411250-2.0	1	STABILITY CONTROL (EN12999-A3)		
251	5411363-1.0	1	STABILITY CONTROL (EN12999-A3)		
253	5411286-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (RDC-EBB)		
254	5401652-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
255	5401668-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
256	5401652-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
257	5401652-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
258	5401652-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
259	7892222-1.0	1	Wireless control kit (CAN BUS)		

R	Pos.	Variant Code	Q.ty	Description
	1	5502000	1	kit Standard instructions sticker
	2	5813851	4	Label (Stabilizer connecting rods)













mod. 806N

R	Pos.	Variant Code	Q.ty	Description
	1	5501268	1	
	1 A	5812717	2	
	1 B	5812967	2	
	2	5501269	1	
	2 A	5812718	2	
	2 B	5812968	2	
	3	5501270	1	
	3 A	5812719	2	
	3 B	5812969	2	
	4	5501271	1	
	4 A	5812720	2	
	4 B	5812970	2	
	5	5501611	1	
	5A	5813321	2	

BASE

Table code	Sheet
5420081-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060169	1	Base
RC	2	5140667	1	Collar (Lower)
	3	3080501	2	Grease nipple [M8X1.25]
RC	4	5140668	1	Collar (Upper)
RC	5	5140669	1	Thrust bearing ring
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001432	2	Support (Roller)
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5140788	2	Roller (Turnsbasket)
	13	3070148	4	Seeger
	14	5150760	2	Pin (Roller)
	15	5000625	2	Block (Rod)



R	Pos.	Variant Code	Q.ty	Description
	1	6070584	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
	7	3400514	2	Seal
	8	3060607	2	Spring pin
	9	5050111	1	Toothed rack
	10	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	11	5140600	1	Sliding block (Rack adjuster)
	12	5000229	1	Support (Sliding block)
	13	3060917	1	Grub screw
	14	3040308	1	Stopnut
RC	15	5550680	1	Seal kit (Slewing)



R	Pos.	Variant Code	Q.ty	Description
	1	6070584	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]

Slewing (Retaining ring)

Table code	Sheet
6240195-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070708	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]
	15	5002438	2	Flange (Slewing)
	16	3070207	2	Snap ring

Slewing (Retaining ring)

Table code	Sheet
6240195-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070708	2	Cylinder (Slewing)
	2	3020324	12	Socket head cap screw [M14X65 8.8 GEOMET UNI
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]
	15	5003359	2	Flange (Slewing)
	16	3070207	2	Snap ring

Hydraulic system (Slewing Hydraulic jack)

Table code	Sheet
6240132-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220559	1	Holding valve
	2	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3101039	7	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	5220093	2	Non-return valve
	5	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	6	5391676	2	
	7	5391677	1	Bonderized tube
	8	5260674	2	Flexible hose
	9	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	5000077	1	Clamp (Rigid Pipe)
RC	11	3060055	1	Split lock washer [D=8.4 C72 ZC]
	12	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]

Rotation Pressure Limiting Device

Table code	Sheet
7880898-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220593	1	Pressure valve (Rotation limiting device)
	2	3060144	4	Sealing washer [BSP 3/8"]
	3	3110061	2	Plug [BSP 3/8"]
	4	3110150	2	Reducing fitting
	5	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	6	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	7	5390558	2	Bonderized tube
	8	3010025	2	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3060053	2	Split lock washer [D=6.4 C72 ZC]
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3190024	2	Clamp [87-112 12.2 ABA]
	12	5001823	1	Valve support
	13	3040519	2	Stopnut

Stabilizer connecting rods

Table code	Sheet
5760159-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070384	1	
	2	5070385	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	5001433	4	Thickness (Roller)
	7	3060957	8	Washer
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760159-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260170	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260166	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760159-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260165	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260166	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer connecting rods (Extra-extensible)

Table code	Sheet
5760160-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070386	1	
	2	5070387	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	7	5141050	2	Slide shoe
	8	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	9	5140019	1	
	10	4160279	1	
	11	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]
RC	12	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	13	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	14	5001433	2	Thickness (Roller)
	15	3060957	14	Washer
RC	16	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	18	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	19	W370400700	2	Button (Coupling backlash)
	20	5140991	8	Slide shoe (ROUND)

R	Pos.	Variant Code	Q.ty	Description
	21	3060959	8	
	22	3040305	8	Stopnut [M12-70 NORM. ZC]



HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760160-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260820	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260207	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760160-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260373	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260207	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer Hydraulic jack (RIGHT)

Table code	Sheet
6200154-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220047	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200154	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (LEFT)

Table code	Sheet
6200155-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220048	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200155	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack

Table code	Sheet
6400154-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070405	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030338	1	Rod
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit

Stabilizer connecting rods (Revolving)

Table code	Sheet
5760157-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070381	1	Stabilizer rod (standard)
	2	5070380	1	Stabilizer rod (standard)
	3	3070049	2	Seeger
	4	5150462	2	Pin (Handle)
	5	3190010	2	Knob
	6	3060753	2	Cotter pin (Locking ring)
	7	3080501	2	Grease nipple [M8X1.25]
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3060957	8	Washer
	10	5001433	4	Thickness (Roller)

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760157-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260170	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260166	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760157-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260165	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260166	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer connecting rods extra-extensible (Revolving)

Table code	Sheet
5760158-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070382	1	Stabilizer rod (Extra-extensible)
	2	5070383	1	Stabilizer rod (Extra-extensible)
	3	3080501	2	Grease nipple [M8X1.25]
	4	3060753	2	Cotter pin (Locking ring)
	5	3070049	2	Seeger
	6	5150462	2	Pin (Handle)
	7	3190010	2	Knob
	8	5140991	2	Slide shoe (ROUND)
	9	5001433	2	Thickness (Roller)
	10	3060957	14	Washer
RC	11	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	13	5141050	2	Slide shoe
	14	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	15	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	16	4160279	1	
	17	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
RC	18	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	19	5140019	1	
	20	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	W370400700	2	Button (Coupling backlash)
	22	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	23	3060959	8	
	24	3040305	8	Stopnut [M12-70 NORM. ZC]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760158-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260820	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260207	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760158-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260373	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260207	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer Hydraulic jack (RIGHT)

Table code	Sheet
6200169-1.0	1/1

VALIDO FINO A Febbraio 2017
VALID UNTIL February 2017



R	Pos.	Variant Code	Q.ty	Description
	1	6400130	1	Stabilizer Hydraulic jack
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3120065	1	Straight pipe fitting
	4	3101040	3	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220047	1	Valve (Cock)
	6	5391157	1	Bonderized tube
	7	3080501	1	Grease nipple [M8X1.25]
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (LEFT)

Table code	Sheet
6200130-1.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400130	1	Stabilizer Hydraulic jack
	2	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3120065	1	Straight pipe fitting
	4	3101040	3	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220048	1	Valve (Cock)
	6	5391157	1	Bonderized tube
	7	3080501	1	Grease nipple [M8X1.25]
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack

Table code	Sheet
6400130-1.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070235	1	
	2	3040515	1	Self-locking ringnut
	3	6050088	1	
	4	3400510	1	Seal
	5	3450114	1	O-ring joint
	6	3450207	1	
	7	3460327	1	
	8	3400090	1	Seal
	9	3420026	1	W-ring
	10	6040105	1	
	11	6030116	1	
RC	12	5550695	1	Seal kit

Stabilizer connecting rods (Revolving)

Table code	Sheet
5760226-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070023	1	Stabilizer rod (standard)
	2	5070021	1	Stabilizer rod (standard)
	3	3070052	2	Seeger
	4	5000183	2	Ring (Spacer)
	5	3000018	2	GENOVESE CHAIN
	6	W101219	2	Pin (Handle)
	7	3080501	2	Grease nipple [M8X1.25]
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3060957	8	Washer
	10	5001433	4	Thickness (Roller)
	11	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	13	W664018	2	Handle (Polyvinyl chloride)
	14	W370401800	2	Handle (Rod)
	15	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	16	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760226-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260165	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260166	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Hydraulic system (Stabilizer Hydraulic jack)

Table code	Sheet
5760224-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260170	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260166	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Stabilizer connecting rods extra-extensible (Revolving)

Table code	Sheet
5760182-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070417	1	
	2	5070418	1	
	3	W101219	2	Pin (Handle)
	4	3000007	mt0.7	GENOVESE CHAIN
	5	3070052	2	Seeger
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	5140991	8	Slide shoe (ROUND)
	9	5001433	2	Thickness (Roller)
	10	3060957	14	Washer
RC	11	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	13	5141050	2	Slide shoe
	14	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	15	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	16	4160279	1	
	17	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
RC	18	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	19	5140019	1	
	20	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	5000183	2	Ring (Spacer)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	24	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	26	3080501	2	Grease nipple [M8X1.25]
	27	W370400700	2	Button (Coupling backlash)
	28	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	29	3060959	8	
	30	3040305	8	Stopnut [M12-70 NORM. ZC]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760182-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261216	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261272	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (Stabilizer Hydraulic jack)

Table code	Sheet
5760182-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260401	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5261272	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
6200267-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400213	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3060143	1	Sealing washer [BSP 1/4"]
	4	W470053	1	Manually operated valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	5390080	1	Bonderized tube
	7	6200267	1	Stabilizer Hydraulic jack (Hydraulic system)
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080501	1	Grease nipple [M8X1.25]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5920003	1	ARTICULATED JOINT TANG
	16	4160497	1	Tang
	17	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	18	5920059	1	ARTICULATED JOINT TANG
	19	4160580	1	Tang
	20	5920081	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
6400213-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070516	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030689	1	
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
W410450300-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W410450200	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3060143	1	Sealing washer [BSP 1/4"]
	4	W470053	1	Manually operated valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	W410402000	1	Bonderized tube
	7	W410450300	1	Stabilizer Hydraulic jack (Assembly)
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
W410450200-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W410401800	1	Cylinder
	2	W361016	1	Seal
	3	W358010	1	Seal
	4	W120106	1	Close nipple
	5	W304023	1	Anti-extrusion ring
	6	W360012	1	O-ring joint
	7	W410401900	1	Rod unit
	8	W360041	1	O-ring joint
	9	W359017	1	Seal
	10	W105057	1	Piston
	11	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
RC	12	W365058	1	Seal kit

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411095-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311129	1	
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
	8	3311130	1	
	9	3311144	2	
	10	3311132	1	
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411095-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002029	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311377	2	Electric wiring
	13	3311332	2	Electric wiring

Kit (ROTATION CONTROL)

Table code	Sheet
7880943-1.0	1/2

VALIDO DA Febbraio 2011
VALID FROM February 2011

VALIDO FINO A Settembre 2011
VALID UNTIL September 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141097	1	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3190036	1	
	17	3190301	2	
	18	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	

VALIDO DA Febbraio 2011
VALID FROM February 2011

VALIDO FINO A Settembre 2011
VALID UNTIL September 2011



VALIDO DA Ottobre 2011
VALID FROM October 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	17	3190301	2	
	18	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	3	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011
VALID FROM October 2011



R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	
	22	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	23	5000454	1	
	24	3020907	1	TSEI screw [M6X25 10.9 ZC UNI 5933]
	25	3190185	2	Collar
	26	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]

VERSION 2012

VALIDO DA Gennaio 2012
VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
RC	2	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
RC	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5002230	1	
	19	5002177	1	Cover (Encoder)
	20	3060052	10	Split lock washer [D=5.5 C72 ZC]

VERSION 2012

VALIDO DA Gennaio 2012
VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	16	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	16	Flat washer [D.5 UNI 6592 ZC]
	26	5002229	1	
	27	3190039	2	Insulator
	28	3190178	2	Flat washer

ROD EXSTENSION HYDRAULIC CYLINDER

Table code	Sheet
5380023-1.0	1/1

VALIDO FINO A Luglio 2009
VALID UNTIL July 2009



R	Pos.	Variant Code	Q.ty	Description
	1	6400203	1	Extension Hydraulic jack
	2	6400202	1	Extension Hydraulic jack
	3	3070017	2	Seeger

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code	Sheet
6200202-1.0	1/1



VALIDO FINO A Luglio 2009
VALID UNTIL July 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6400202	1	Extension Hydraulic jack
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392339	1	
	4	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	5220559	1	Holding valve
	6	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	5220573	1	Sequence valve

Rod extension hydraulic (Double controls side)

Table code	Sheet
6400202-1.0	1/1



VALIDO FINO A Luglio 2009
VALID UNTIL July 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6070495	1	
	2	6030612	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460047	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code	Sheet
6200203-1.0	1/1



VALIDO FINO A Luglio 2009
VALID UNTIL July 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6400203	1	Extension Hydraulic jack
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392338	1	
	4	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	5220559	1	Holding valve
	6	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	5220573	1	Sequence valve

Rod extension hydraulic (Control valve side)

Table code	Sheet
6400203-1.0	1/1

VALIDO FINO A Luglio 2009
VALID UNTIL July 2009



R	Pos.	Variant Code	Q.ty	Description
	1	6070494	1	
	2	6030613	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460047	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760246-1.0	1/2



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	5070039	1	
	2	5070040	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	7	5141050	2	Slide shoe
	8	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	9	5140019	1	
	10	4160279	1	
	11	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]
RC	12	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	13	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	14	5001433	2	Thickness (Roller)
	15	3060957	14	Washer
RC	16	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	18	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	19	W370400700	2	Button (Coupling backlash)
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760246-1.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060959	8	
	22	3040305	8	Stopnut [M12-70 NORM. ZC]



Stabilizer connecting rods extra-extensible revolving (hydraulic lengthening)

Table code	Sheet
5760436-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070029	1	Stabilizer rod
	2	5070032	1	Stabilizer rod
	3	W101219	2	Pin (Handle)
	4	3000007	mt0.7	GENOVESE CHAIN
	5	3070052	2	Seeger
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	5140991	8	Slide shoe (ROUND)
	9	5001433	2	Thickness (Roller)
	10	3060957	14	Washer
RC	11	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	13	5141050	2	Slide shoe
	14	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	15	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	16	4160279	1	
	17	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
RC	18	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	19	5140019	1	
	20	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]

Stabilizer connecting rods extra-extensible revolving (hydraulic lengthening)

Table code	Sheet
5760436-1.0	2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5000183	2	Ring (Spacer)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	24	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	26	3080501	2	Grease nipple [M8X1.25]
	27	W370400700	2	Button (Coupling backlash)
	28	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	29	3060959	8	
	30	3040305	8	Stopnut [M12-70 NORM. ZC]

ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE

Table code	Sheet
5380044-1.0	1/1



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6400275	1	
	2	6400276	1	
	3	3070017	2	Seeger
	4	5090053	1	
	5	5090054	1	
	6	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	7	3060010	8	Flat washer [D.17X30X3 UNI 6592 ZC]
	8	3040307	2	Stopnut [M16-70 ZC.NORM.8G]
	9	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	10	3060056	6	Split lock washer [D=10 C72 ZC]
	11	3190025	4	Clamp

DOUBLE CONTROLS (Stabilizers rods)

Table code	Sheet
5380044-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090937	1	
	2	5220256	1	Switch (Stabilizers)
RC	3	3060056	2	Split lock washer [D=10 C72 ZC]
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	5	5001494	1	
	6	3190255	1	
	7	5150783	1	
	8	3190010	1	Knob
	9	3060596	1	Spring pin
	10	5812483	2	Label (Switch)

VALIDO DA Agosto 2009
VALID FROM August 2009

Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)

Table code	Sheet
5380044-3.0	1/1



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	3101039	12	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5261132	1	Flexible hose
	3	5261127	1	Flexible hose
	4	3120341	2	Tee fitting
	5	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	6	5260841	1	Flexible hose
	7	5261131	1	Flexible hose
	8	5261128	1	Flexible hose
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	5261130	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260840	1	Flexible hose
	14	5261129	1	Flexible hose
	15	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	11	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]
	4	3060144	2	Sealing washer [BSP 3/8"]
	5	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	6	3110040	5	Female plug [TAPPO F JIC 9/16 -18]
	7	3120341	2	Tee fitting
	8	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	10	5261130	1	Flexible hose
	11	5261127	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260849	1	Flexible hose
	14	5260841	1	Flexible hose
	15	5260840	1	Flexible hose
	16	5261131	1	Flexible hose
	17	5261137	1	Flexible hose
	18	5261128	1	Flexible hose
	19	5261132	1	Flexible hose

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code	Sheet
6200275-1.0	1/1



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6400275	1	
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392381	1	
	4	5392236	1	
	5	5220559	1	Holding valve
	6	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	3110040	1	Female plug [TAPPO F JIC 9/16 -18]
	8	3120341	2	Tee fitting

Rod extension hydraulic (Control valve side)

Table code	Sheet
6400275-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070610	1	
	2	6030908	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit
	13	6050334	1	

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code	Sheet
6200276-1.0	1/1



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6400276	1	
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392382	1	
	4	5392236	1	
	5	5220559	1	Holding valve
	6	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	8	3120011	1	90° Connection [90° M/F JIC 9/16-18]

ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)

Table code	Sheet
6400276-1.0	1/1



VALIDO DA Agosto 2009
VALID FROM August 2009

R	Pos.	Variant Code	Q.ty	Description
	1	6070609	1	
	2	6030907	1	
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit
	13	6050335	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220817	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Control valve (6 section)

Table code	Sheet
5220817-1.0	1/1

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	3	cover with spring
	15	5225059	3	Block (Slider)
	16	5225792	1	
RC	17	5225797	1	Seal kit (Control valve)

Control valve (6 section)

Table code	Sheet
5220817-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	4	
	16	5225792	1	
RC	17	5225900	1	Seal kit (Control valve)
	18	5225832	8	Contact terminal (Microswitch)

Control valve (6 section)

Table code	Sheet
5220479-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220479	1	
	2	5225897	1	
	3	5225896	1	
	4	3311438	1	Solenoid (12V)
	5	3311437	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	4	
	16	5225792	1	
RC	17	5225900	1	Seal kit (Control valve)
	18	5225832	8	Contact terminal (Microswitch)

DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	5	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091334	1	
	22	5220479	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	5091340	1	Protective guard
	28	5002094	1	
	29	5002093	1	
	30	5812795	2	Small plate (CONTROL SYMBOLS)
	31	5812796	2	Small plate (CONTROL SYMBOLS)
	32	5812797	2	Small plate (CONTROL SYMBOLS)
	33	5812799	2	Small plate (CONTROL SYMBOLS)
	34	5812800	2	Small plate (CONTROL SYMBOLS)
	35	5813567	1	Small plate (Emergency STOP button)
	36	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]

Control unit (STABILITY CONTROL)

Table code	Sheet
5401573-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5000622	1	Plate
	2	3311797	1	Moment limiting device (WITH RESINING)
	3	5090104	1	Dashboard (Casing)
	4	5002075	1	Flange
	5	5090103	1	Support (CONTROLS)
	6	5000179	1	Small plate
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020023	5	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3010396	2	Hex screw [M8X130 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	12	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	13	3020021	3	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3040518	8	Stopnut [STOP M4]
	15	5160086	1	Electric wiring
	16	3311328	1	DIGITAL INSTRUMENT PANEL (Moment limiting device)
	17	5160084	1	Electric wiring
	18	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	19	3311400	1	Electric wiring
	20	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	22	5002055	1	Manifold (Pick-up)
	23	3110078	1	Bolt (banjo bolt)
	24	3060143	2	Sealing washer [BSP 1/4"]
	25	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	26	3312200	1	Pressure sensor [4-20mA 600bar]
	27	5003113	1	Support (Casing)
	28	3020035	2	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	29	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	30	3040519	2	Stopnut

DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-4.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring



VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010073	2	Hex screw [M8X60 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	10	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220820	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Control valve (5 section)

Table code	Sheet
5220820-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220820	1	
	2	5225705	1	Max pressure valve
	3	5225791	2	
	4	5225793	1	
	5	5225794	2	
	6	5225795	1	
	7	5225796	1	
	8	5225022	5	Rubber protective boot
	9	5225262	5	cover with spring
	10	5225261	5	Unit (Control lever)
	11	5225792	1	
RC	12	5225798	1	Seal kit (Control valve)



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3100956	1	Ring (Tightening)
	3	3100952	1	Nut
	4	3310242	1	Solenoid (24V)
	5	3310238	1	Solenoid (12V)
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5260829	1	Flexible hose
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5001580	1	Support (Limiting device)
	10	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	11	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	12	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	5300085	1	
	15	3120200	1	Reducing fitting
	16	3120001	1	Tee fitting
	17	3010399	1	Hex screw [M6X55 8.8 ZC UNI 5739]
	18	3101034	1	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	19	5260828	1	Flexible hose
	20	5261057	1	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
RC	21	5220300	1	Hose burst valve (Sleeve)
	22	3060143	1	Sealing washer [BSP 1/4"]
	23	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3110066	2	Plug
	25	3060142	2	Sealing washer [BSP 1/8"]
	26	3101195	5	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	27	5392099	1	
	28	5392100	2	Bonderized tube
	29	5392101	1	
	30	3101033	4	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	31	5001564	1	Manifold
	32	5260827	1	Flexible hose
RC	33	3180150	1	Pressure gauge
	34	5300082	1	
	35	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	36	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	37	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	38	3120204	1	Reducing fitting [RACC.RID. F3/4-M9/16JIC]



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5281137	1	Flexible hose
	20	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]



R	Pos.	Variant Code	Q.ty	Description
	21	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	22	5220300	1	Hose burst valve (Sleeve)
	23	3060143	1	Sealing washer [BSP 1/4"]
	24	3111583	1	Tapping point
	25	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]

Moment limiting device

Table code	Sheet
5430165-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5281137	1	Flexible hose
	20	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]



R	Pos.	Variant Code	Q.ty	Description
	21	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	22	5220300	1	Hose burst valve (Sleeve)
	23	3060143	1	Sealing washer [BSP 1/4"]
	24	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	25	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	26	5220063	1	Cock
	27	3111583	1	Tapping point
	28	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210012-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210013-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220297	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210109-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	2	Sealing washer [BSP 3/8"]
	18	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	4	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210041-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	2	Contact terminal (Microswitch)
	20	5225847	1	Casing (Pin)

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	1	cover with spring
	22	5812801	2	Small plate (CONTROL SYMBOLS)



1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210042-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5220297	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	2	Contact terminal (Microswitch)
	20	5225847	1	Casing (Pin)

1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210042-1.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	1	cover with spring
	22	5812803	2	Small plate (CONTROL SYMBOLS)



2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210040-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	2	Sealing washer [BSP 3/8"]
	18	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	4	Contact terminal (Microswitch)
	20	5225847	2	Casing (Pin)

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	2	cover with spring
	22	5812801	2	Small plate (CONTROL SYMBOLS)
	23	5812802	2	Small plate (CONTROL SYMBOLS)



R	Pos.	Variant Code	Q.ty	Description
	1	3310543	1	Dashboard (Electric)
RC	2	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]



Hydraulic oil tank

Table code	Sheet
5400047-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
RC	2	3180195	1	Oil filter
RC	3	3180112	1	Filtering cartridge
	5	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	6	3110062	1	Plug
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	3180099	2	Oil level indicator
	9	3060145	3	Sealing washer [BSP 1/2"]
	10	3110065	3	Plug [BSP 1/2"]
	12	3140305	1	Cock (Ball) [M1"+F1"]
	13	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]

Oil tank

Table code	Sheet
5400048-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090465	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	6	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	9	3180195	1	Oil filter
RC	10	3180147	1	Pressure gauge (Clogging indicator)
RC	11	3180112	1	Filtering cartridge
RC	12	3180099	2	Oil level indicator
	13	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	14	3180221	1	Thermometer
	15	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	16	3140305	1	Cock (Ball) [M1"+F1"]
	17	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	W449009	1	Tank cap (Spill door)
	19	3010032	1	Hex screw [M8X45 8.8 ZC UNI 5737]

Oil filter

Table code	Sheet
3180195-1.0	1/1



VALIDO DA Mat. 20593 - 03/07/2006
VALID FROM S/N 20593 - 03/07/2006

R	Pos.	Variant Code	Q.ty	Description
	1	3180113	1	
RC	2	3180112	1	Filtering cartridge
	3	3180155	1	
	4	3180120	1	

Heat exchange unit

Table code	Sheet
7888030-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710118	1	Heat exchange unit
	2	5710119	1	Electric fan (Heat exchange unit)
	3	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	4	5710117	1	Electric fan (Heat exchange unit)
	5	5001229	1	Support (Heat exchange unit)
	6	5710116	1	Heat exchange unit
	7	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3311408	1	Thermostat (Wire assembly)
	11	3110059	2	Plug

Column

Table code	Sheet
5460091-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040118	1	Column
	2	5140124	2	Bushing
	3	3080501	1	Grease nipple [M8X1.25]
	4	W180201000	3	Guide bushing (Flexible hose)
	5	3070041	2	Seeger
	6	5150488	1	Pin
	7	3070100	1	Seeger
	8	5001116	1	Spacer (Bushing)

Hydraulic system (Lifting hydraulic cylinder)

Table code	Sheet
6230079-1.3	1/1



6.23.0075-1-2

R	Pos.	Variant Code	Q.ty	Description
	1	6430079	1	Lifting hydraulic cylinder [Fixed]
	2	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391052	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	11	5270866	2	Flexible hose
	12	6230079	1	Lifting hydraulic cylinder [Fixed]
	13	3080512	1	Grease nipple [M8X1.25 (45°)]

Lifting hydraulic cylinder

Table code	Sheet
6430079-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070352	1	Cylinder
	2	6030346	1	Rod unit [Fixed]
	3	5140124	4	Bushing
	4	3400111	1	Seal
	5	3420030	1	W-ring
	6	6040106	1	Close nipple
	7	6050237	1	Piston
	8	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	9	3400519	1	Seal
	10	3450224	1	O-ring joint
	11	3460224	1	Anti-extrusion ring
	12	3450119	1	O-ring joint
RC	13	5550681	1	Seal kit (Lifting hydraulic cylinder)

1st Boom

Table code	Sheet
5470001-1.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030204	1	Main boom
	2	5140124	2	Bushing
	3	5150488	2	Pin
	4	3070041	4	Seeger
	5	3080501	1	Grease nipple [M8X1.25]
	6	5000077	8	Clamp (Rigid Pipe)
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	9	5150642	2	Pin
	10	3040500	4	Self-locking ringnut [M40X1.5 NORMALE ZC]
	11	5001116	1	Spacer (Bushing)
	12	3190100	1	Insulator

Hydraulic system (ARTICULATION HYDRAULIC JACK)

Table code	Sheet
6230080-2.2	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430080	1	Articulation Hydraulic jack [Fixed]
	2	5220548	1	Holding valve
	3	3101127	3	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	4	5391053	1	Bonderized tube
	5	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	6	3060055	6	Split lock washer [D=8.4 C72 ZC]
	7	5270868	2	Flexible hose
	8	5391132	1	
	9	5391133	1	
	10	5000077	4	Clamp (Rigid Pipe)
	11	5270864	2	Flexible hose
	12	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	13	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
	14	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	15	6230080	1	Articulation Hydraulic jack
	16	3080512	1	Grease nipple [M8X1.25 (45°)]

Articulation Hydraulic jack

Table code	Sheet
6430080-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070353	1	Cylinder
	2	6030348	1	Rod unit [Fixed]
	3	5140124	4	Bushing
	4	3400111	1	Seal
	5	3420030	1	W-ring
	6	6040106	1	Close nipple
	7	6050237	1	Piston
	8	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	9	3400519	1	Seal
	10	3450224	1	O-ring joint
	11	3460224	1	Anti-extrusion ring
	12	3450119	1	O-ring joint
RC	13	5550681	1	Seal kit (Lifting hydraulic cylinder)

2nd Boom

Table code	Sheet
5480100-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030291	1	Secondary boom
	2	5001574	1	Roller (Arm)
	3	3060014	2	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	3070022	1	Seeger [Alberi d.25 mm]
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	8	5140656	2	Button (Backlash)
RC	9	5140722	2	Slide shoe
RC	10	5001087	2	Button (Control board)
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	13	5000685	4	Plate (Thickness)
	14	3040519	1	Stopnut
	15	3060505	1	Grub screw
	16	5150488	1	Pin
	17	3070041	2	Seeger
RC	18	5000780	2	Plate (Thickness)

1st Extension

Table code	Sheet
5490095-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020526	1	Extension
RC	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	5140722	2	Slide shoe
RC	6	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	7	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	8	5010344	1	Extension (Hook coupling)
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	3060750	1	Cotter pin (Locking ring)
	11	5150821	1	Pin (Handle)
	12	3190010	1	Knob
	13	3190040	4	Cap
	14	5411073	1	Kit (Hook coupling)

Hydraulic system (1st Extension hydraulic)

Table code	Sheet
6210403-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3040381	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001575	1	Washer (Extension)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	3	Clamp
	17	5271833	2	Flexible hose
	18	5391134	2	Bonderized tube
	19	5270864	2	Flexible hose
	20	5140133	2	Piping mounting

R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3060144	1	Sealing washer [BSP 3/8"]
	23	3190244	1	Plug (Guard)



Extension Hydraulic jack

Table code	Sheet
6410414-1.0	1/1

Cilindro 1° sfilo per 1S
Cilindro 2° sfilo per 2S
Cilindro 3° sfilo per 3S
Cilindro 4° sfilo per 4S
1st cylinder extension for 1S
2rd cylinder extension for 2S
3th cylinder extension for 3S
4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030860	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit

1st Extension

Table code	Sheet
5490090-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020526	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140722	4	Slide shoe
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	3190040	4	Cap
RC	14	5000780	2	Plate (Thickness)

Hydraulic system (1st Extension hydraulic)

Table code	Sheet
6210402-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	3	Clamp
	17	5271833	2	Flexible hose
	18	5391134	2	Bonderized tube
	19	5270864	2	Flexible hose
	20	5140133	2	Piping mounting

R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3060144	1	Sealing washer [BSP 3/8"]
	23	3190244	1	Plug (Guard)



1st Extension hydraulic

Table code	Sheet
6410415-1.0	1/1

Cilindro 1° sfilo per 2S - 3S - 4S
Cilindro 2° sfilo per 3S - 4S
Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S
2nd cylinder extension for 3S - 4S
3rd cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030862	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit

2nd Extension

Table code	Sheet
5530051-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020527	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140722	2	Slide shoe
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5000780	2	Plate (Thickness)
RC	16	5140783	2	Slide shoe
	17	5002218	4	Washer

Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code	Sheet
6210414-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code	Sheet
6210415-1.0	1/1



Versione 3S - 4S
3S - 4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001365	1	Lock washer (Control board)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

3rd EXTENSION

Table code	Sheet
5540056-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020528	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140783	4	Slide shoe
RC	10	5140656	4	Button (Backlash)
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5000780	2	Plate (Thickness)
	16	5002218	4	Washer

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210399-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001575	1	Washer (Extension)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210400-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

4th EXTENSION

Table code	Sheet
5560044-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020529	1	Extension
RC	2	5140978	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	5001462	2	Insert (Backlash)
	9	5002218	4	Washer

Hydraulic system (4th extension Hydraulic jack)

Table code	Sheet
6210401-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	5392239	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Manual extension (1st)

Table code	Sheet
7800366-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010343	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140722	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	5002218	4	Washer

Manual extension

Table code	Sheet
7800360-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010341	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	5002218	4	Washer

Manual extension

Table code	Sheet
7800361-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010342	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140783	4	Slide shoe
RC	7	5001087	4	Button (Control board)
RC	8	5140656	4	Button (Backlash)
RC	9	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5001462	2	Insert (Backlash)
	13	5000753	2	Keep plate
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	16	5002218	4	Washer

Manual extension

Table code	Sheet
7800359-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010340	1	Manual extension
	2	5150891	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060753	1	Cotter pin (Locking ring)
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	6	5000753	2	Keep plate
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	8	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	9	3200050	1	Shackles

HOOK KIT

Table code	Sheet
5410987-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	W390301000	1	Guide bushing (Lifting hook)
	3	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	4	5150826	1	Pin assembly
	5	3060902	2	Cotter pin



LOAD INDICATION SYSTEM (LIS/RLC)

Table code	Sheet
7881824-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	

1st ACTIVATION FOR 1S

Table code	Sheet
5590210-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	2	
	2	5001481	1	
	3	5140976	2	Hydraulic hose guide
RC	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	3010391	2	Hex screw [M10X150 ZC UNI 5737]
RC	6	3060920	10	Tooth lock washer [D.10 TIPO A]
	7	5001487	1	
	8	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	5001483	1	
	10	5261058	2	Flexible hose
	11	3040519	2	Stopnut
	12	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	13	5000033	2	Clamp (Pipe)
	14	5390207	1	
	15	5392105	1	
	16	5271831	2	Flexible hose
	17	5000077	8	Clamp (Rigid Pipe)
RC	18	3060055	4	Split lock washer [D=8.4 C72 ZC]
	19	3010034	4	Hex screw [M8X55 8.8 UNI 5737 ZC]
	20	5271830	2	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
	21	5391134	2	Bonderized tube
	22	5271829	2	Flexible hose
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	5000107	1	
RC	25	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	26	3060006	3	Flat washer [D.8 UNI 6592 ZC]
	27	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	28	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	29	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	30	3110542	2	Quick coupling
	31	3110003	1	Female plug (Blue)
	32	3110002	1	Male plug (Blue)
RC	33	3060056	2	Split lock washer [D=10 C72 ZC]
	34	3190198	1	Sheath (Flexible hose)
	35	5391143	2	
	36	3020038	1	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	37	3060144	1	Sealing washer [BSP 3/8"]
	38	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	39	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	3	
	2	5001481	2	
	3	5140976	4	Hydraulic hose guide
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	2	
	7	5001489	2	
	8	5001483	1	
	9	5000033	3	Clamp (Pipe)
	10	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	3	Stopnut
	12	5392105	2	
	13	5390207	2	
	14	5261059	2	Flexible hose
	15	5261058	2	Flexible hose
RC	16	3060920	16	Tooth lock washer [D.10 TIPO A]
RC	17	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	18	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]
	19	3190198	2	Sheath (Flexible hose)
	20	5000107	1	



R	Pos.	Variant Code	Q.ty	Description
RC	21	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	22	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	23	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	24	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	25	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	26	3110542	2	Quick coupling
	27	3110003	1	Female plug (Blue)
	28	3110002	1	Male plug (Blue)
	29	3020038	1	Socket head cap screw [M6X30 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	4	
	2	5001481	2	
	3	5140976	6	Hydraulic hose guide
RC	4	3060056	6	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	3	
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	4	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	4	Stopnut
	12	5392105	3	
	13	5390207	3	
	14	5261059	4	Flexible hose
	15	5261058	2	Flexible hose
	16	5001482	1	
	17	3190198	3	Sheath (Flexible hose)
	18	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	19	3060914	7	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	20	3060920	22	Tooth lock washer [D.10 TIPO A]



R	Pos.	Variant Code	Q.ty	Description
	21	5000107	1	
RC	22	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	23	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	24	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	25	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	26	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	27	3110542	2	Quick coupling
	28	3110003	1	Female plug (Blue)
	29	3110002	1	Male plug (Blue)
	30	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	31	3020038	1	Socket head cap screw [M6X30 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	5	
	2	5001481	2	
	3	5140976	8	Hydraulic hose guide
RC	4	3060056	8	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	4	
	7	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	8	5001483	1	
	9	5000033	5	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	4	
	13	5390207	4	
	14	5261059	6	Flexible hose
	15	5261058	2	Flexible hose
	16	5001469	1	
	17	5001482	1	
	18	3190198	4	Sheath (Flexible hose)
	19	3010054	4	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	20	3060920	24	Tooth lock washer [D.10 TIPO A]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060914	9	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	22	5000107	1	
RC	23	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	24	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	25	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	26	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	27	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	28	3110542	2	Quick coupling
	29	3110003	1	Female plug (Blue)
	30	3110002	1	Male plug (Blue)
	31	3020038	1	Socket head cap screw [M6X30 8.8 ZC UNI 5931]

2st ACTIVATION FOR 1S

Table code	Sheet
5600092-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5261058	2	Flexible hose
	2	5390207	1	
	3	5392105	1	
	4	5271831	2	Flexible hose
	5	5000077	8	Clamp (Rigid Pipe)
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3010034	4	Hex screw [M8X55 8.8 UNI 5737 ZC]
	8	5271830	2	Flexible hose
	9	5391134	2	Bonderized tube
	10	5271829	2	Flexible hose
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	5000107	1	
RC	13	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	16	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	17	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	18	3110542	2	Quick coupling
	19	3110084	1	Female plug (Red)
	20	3110083	1	Male plug (Red)



R	Pos.	Variant Code	Q.ty	Description
	21	3190198	1	Sheath (Flexible hose)
	22	5391143	2	
	23	3060144	1	Sealing washer [BSP 3/8"]
	24	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	25	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

2nd ADDITIONAL ACTUATION

Table code	Sheet
5600093-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5392105	1	
	2	5390207	1	
	3	5261059	2	Flexible hose

KIT QUICK COUPLING

Table code	Sheet
7882394-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3110542	2	Quick coupling
	2	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	4	3110003	1	Female plug (Blue)
	5	3110002	1	Male plug (Blue)
	6	5000107	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900323-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5000212	2	Link rod (Plates)
	11	5141055	1	Spacer
	12	5001879	1	Spacer
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob
	16	3010433	1	Hex screw
RC	17	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900318-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5001598	2	Link rod
	11	5141055	1	Spacer
	12	5001878	1	Spacer
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900322-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5001598	2	Link rod
	11	5141055	1	Spacer
	12	5001876	1	
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob

Assembly kit

Table code	Sheet
7880372-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150654	6	Tie rod (Threaded rod) [M20X1.5 L=750]
	2	5150658	2	Tie rod (Threaded rod) [M20X1.5 L=900]
	3	W010000200	4	Anchoring bracket (Base)
	4	5000084	16	Small plate
	5	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	6	3190290	8	Tip (Rubber protection)

AMCO VEBA
LIFTING BEYOND HORIZONS

806N JIB1S

CONNECTION AND CONNECTING ROD

Table code	Sheet
5790061-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091234	1	
	2	5150750	1	Pin (Handle)
	3	3060753	1	Cotter pin (Locking ring)
	4	W440600200	2	
	5	W440600300	2	
	6	W101279	1	
	7	W102134	4	Bushing
	8	W440600800	1	
	9	3040505	2	Self-locking ringnut [M30X1.5 NORMALE ZC]
	10	W101280	1	
	11	W102136	2	Self-lubricating bushing
	12	W440601500	2	
	13	W101277	1	Pin (A)
	14	3040506	1	Self-locking ringnut [M45X1.5 NORMALE ZC]
	15	W440600900	1	
RC	16	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	17	3060056	2	Split lock washer [D=10 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	W440600400	1	
	2	W101278	1	
	3	3040505	2	Self-locking ringnut [M30X1.5 NORMALE ZC]
	4	W102134	2	Bushing
	5	W440601000	1	
	6	W101283	1	
	7	W101218	1	Pin assembly
	8	3040498	2	Self-locking ringnut
	9	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
RC	11	3060683	2	Spring (Backlash)
RC	12	W380300600	2	Slide shoe
RC	13	W370300800	4	Button (Control board)
RC	14	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	15	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	16	W550600300	1	
	17	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	18	W101084	1	Pin assembly
	19	W390301000	1	Guide bushing (Lifting hook)
	20	W320301500	4	



R	Pos.	Variant Code	Q.ty	Description
	21	3060753	1	Cotter pin (Locking ring)
	22	5000217	1	
	23	3060012	1	Flat washer [D.21X37X3 UNI 6592 ZC]
	24	3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]
	25	W599005	1	Swivel hook
	26	5000130	1	
	27	3040304	3	Stopnut [M10-70 NORM.8G ZC.]
	28	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
	1	5260640	2	Flexible hose
	2	5260513	2	Flexible hose
	3	W440601300	2	
	4	W440601200	2	
	5	5000077	8	Clamp (Rigid Pipe)
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	8	W456909	2	
	9	W456 912	2	
	10	3010037	2	Hex screw [M8X70 8.8 UNI 5737 ZC]
RC	11	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	12	W128030	2	Clamp (Flexible hose)
	13	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	14	3120099	2	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	15	3190288	mt0,5	Sheath (Pipes guard)

Activation hydraulic input jib (CRANES)

Table code	Sheet
5411034-1.0	1/1



VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5392106	3	
	2	5261059	2	Flexible hose
	3	5261058	1	Flexible hose
	4	3120309	1	Wall-through pipe fitting [MJ 9/16-18]
	5	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	6	3110542	1	Quick coupling
	7	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	8	5260374	1	Flexible hose [Fixed]
	9	3110082	1	Female plug (Yellow)
	10	3110081	1	Male plug (Yellow)
	11	3111512	1	90° Connection
RC	12	5220300	1	Hose burst valve (Sleeve)
	13	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	14	5261136	1	Flexible hose
	15	5141078	6	

Hydraulic system (ARTICULATION HYDRAULIC JACK)

Table code	Sheet
W440650400-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W440650300	1	
	2	W440601100	1	
	3	5220548	1	Holding valve
RC	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
	5	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	6	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	7	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]

ARTICULATION HYDRAULIC JACK

Table code	Sheet
W440650300-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W440600500	1	
	2	W440600600	1	
	3	W105079	1	
	4	W370200500	1	Cylinder head (Cylinder)
	5	W370200700	1	Ring nut
	6	3040505	1	Self-locking ringnut [M30X1.5 NORMALE ZC]
	7	W359019	1	
	8	W360109	1	
	9	W360044	1	
	10	W102133	1	Bushing
	11	W358021	1	
	12	W361014	1	
	13	W102134	2	Bushing
	14	W370200800	1	Spacer
	15	W440600700	1	
	16	W102136	2	Self-lubricating bushing
	17	3080500	2	Grease nipple
RC	18	W365108	1	Seal kit

1st Extension (JIB)

Table code	Sheet
W038308-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380302600	1	
RC	2	W380300700	2	Slide shoe
RC	3	W370300800	4	Button (Control board)
RC	4	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	5	3010055	4	Hex screw [M8X10 8.8 ZC UNI 5739]
	6	W101213	1	Pin assembly
	7	3060009	1	Flat washer [D.15X28X2.5 UNI 6592 ZC]

Hydraulic system (1th extension hydraulic cylinder)

Table code	Sheet
W380350200-1.3	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380350100	1	
	2	5220122	1	Valve
	3	W380500300	1	Bonderized tube
	4	W380500400	1	Bonderized tube
	5	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	6	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	7	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	8	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	9	3190012	1	Clamp
	10	W380300800	1	Guide (Sliding)
	11	W101213	1	Pin assembly

1st extension hydraulic jack

Table code	Sheet
W380350100-1.6	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W380300400	1	Cylinder
	2	W380300500	1	Rod unit [Fixed]
	3	W361012	1	Seal (Oil seal)
	4	W358002	1	Seal
	5	W120056	1	Close nipple
	6	W304018	1.	Anti-extrusion ring
	7	W360049	1	O-ring joint
	8	W359010	1	Seal
	9	W360002	1	O-ring joint
	10	W105061	1	Piston
	11	3040377	1	Stopnut
RC	12	W365060	1	Seal kit

2 extra function kit open center spool

Table code	Sheet
5210014-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220194	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	4	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	20	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]

2 extra function kit open center spool

Table code	Sheet
5210014-1.0	2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3120204	1	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	22	3101195	4	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	23	W465101	1	
	24	5001564	1	Manifold
	25	3101033	3	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	26	3060142	2	Sealing washer [BSP 1/8"]
	27	3110066	2	Plug
	28	5392099	1	
	29	5392100	2	Bonderized tube

Moment limiting device (CE)

Table code	Sheet
5430166-1.0	1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3100956	1	Ring (Tightening)
	3	3100952	1	Nut
	4	3310242	1	Solenoid (24V)
	5	3310238	1	Solenoid (12V)
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5260829	1	Flexible hose
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5001580	1	Support (Limiting device)
	10	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	11	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	12	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	3120003	3	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	5300085	1	
	15	3120200	1	Reducing fitting
	16	3120001	1	Tee fitting
	17	2510006	2	
	18	3101034	1	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	19	5260828	1	Flexible hose
	20	5261057	1	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
RC	21	5220300	1	Hose burst valve (Sleeve)
	22	3060143	1	Sealing washer [BSP 1/4"]
	23	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3110066	1	Plug
	25	3060142	1	Sealing washer [BSP 1/8"]
	26	3101195	4	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	27	5392099	1	
	28	5392100	2	Bonderized tube
	29	5392101	1	
	30	3101033	5	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	31	5001564	1	Manifold
	32	5260827	1	Flexible hose
RC	33	3180150	1	Pressure gauge
	34	5300082	1	
	35	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	36	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	37	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	38	3120204	1	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	39	3120111	1	Tee fitting [7/16-20 MJ/FJ/MJ]
	40	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]



R	Pos.	Variant Code	Q.ty	Description
	41	5000216	2	
	42	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	43	5220542	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3100956	1	Ring (Tightening)
	3	3100952	1	Nut
	4	3310242	1	Solenoid (24V)
	5	3310238	1	Solenoid (12V)
	6	5260993	1	Flexible hose
	7	5261136	1	Flexible hose
	8	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	9	3120204	1	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	12	3120003	3	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	13	5300085	1	
	14	3120200	1	Reducing fitting
	15	3120001	1	Tee fitting
	16	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	17	5261138	1	Flexible hose
	18	3120099	1	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	19	3020880	6	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	20	3040516	6	Stopnut [STOP M3]



R	Pos.	Variant Code	Q.ty	Description
	21	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	22	5000213	1	
RC	23	3180150	2	Pressure gauge
	24	5300082	1	
	25	5000216	2	
	26	2510006	2	
	27	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	28	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]

Moment limiting device (CE)

Table code	Sheet
5430166-3.0	1/1

VALIDO FINO A Gennaio 2011

VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5392386	1	
	2	3120001	1	Tee fitting
	3	3120076	1	90° Connection
	4	3101033	1	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]

2 extra function kit open center spool (JIB)

Table code	Sheet
5210043-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220194	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	2	Sealing washer [BSP 3/8"]
	18	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	4	Contact terminal (Microswitch)
	20	5225847	2	Casing (Pin)

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	2	cover with spring
	22	5813355	2	
	23	5813356	2	



DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-5.0	1/1

VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)

DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-6.0	1/1

VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3310612	1	Pressure sensor
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)

AMCO VEBA
LIFTING BEYOND HORIZONS

906N (LC)



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225720	1	
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225768	10	
	12	5225755	1	
	13	5225760	1	
	14	5225726	1	
	15	5225759	1	
	16	5225729	1	Antishock valve
	17	5225725	1	
	18	5225758	1	
	19	5225736	2	Antishock valve
	20	5225715	1	Slider (CC)



R	Pos.	Variant Code	Q.ty	Description
	21	5225722	6	Control lever
	22	5225723	5	
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225732	1	8 elements unit fixing
	27	5225716	4	Slider (CA)
RC	28	5225733	1	Seal kit
	29	5225728	1	Antishock valve
	30	5225818	1	
	31	5225843	1	5 elements unit fixing stud
	32	5225724	2	
	33	5225757	2	



R	Pos.	Variant Code	Q.ty	Description
	1	W370507600	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091455	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Auxiliary wiring (Limiting device)

Table code	Sheet
5405013-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310876	1	
	2	3310879	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020880	2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	10	3310822	1	
	11	3310823	1	
	12	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	13	W370508000	1	Support (Flashing light)
	14	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	15	3310873	1	Pressure monitor

Moment limiting device

Table code	Sheet
5405013-2.0	1/1



VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5141020	2	Vehicle (Clamp)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3120450	1	Reducing fitting
	6	5260908	1	Flexible hose
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]

Light column

Table code	Sheet
3310822-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

Complete wireless control (not CE)

Table code	Sheet
7892099-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	7	3020023	8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	8	3311071	1	Handle
	9	3310891	1	
	10	3310892	1	
	11	3310890	5	
	12	3310893	1	Battery compartment
	13	3310860	1	
	14	3310908	1	
	15	3310688	1	
	16	3310852	1	
	17	3310862	2	
	18	3310064	1	
	19	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	20	5410965	1	Kit (Magnet)



R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	

Complete wireless control (PTO)

Table code	Sheet
7892500-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311071	1	Handle
	7	3310891	1	
	8	3310892	1	
	9	3310890	5	
	10	3310893	1	Battery compartment
	11	3311509	1	Electric wiring (Wireless control)
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring (Limiting device)

Table code	Sheet
5401023-1.0	1/1

Valido da Matricola / Valid from S/N
27611
Valido da Matricola / Valid from S/N
99888
Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311169	1	
	2	3311168	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020881	2	[M3X8 UNI7687 ZC TAGLIO CR.]
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	W370508000	1	Support (Flashing light)
	13	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	14	3310873	1	Pressure monitor

High pressure filter

Table code	Sheet
5400738-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5090670	1	
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	10	5271751	1	
	11	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]

LOAD INDICATION SYSTEM (RDC)

Table code	Sheet
7881784-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236508	1	
	4	3311542	1	

AMCO VEBA
LIFTING BEYOND HORIZONS

906N (LC) EN 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225876	1	Control valve element (proportional)
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225881	1	Control valve element
	12	5225886	1	Control valve element
	13	5225879	1	Control valve element
	14	5225884	1	Control valve element
	15	5225729	1	Antishock valve
	16	5225889	1	Control valve element
	17	5225891	1	Control valve element
	18	5225736	2	Antishock valve
	19	5225715	1	Slider (CC)
	20	5225800	6	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	5	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225732	1	8 elements unit fixing
	26	5225716	4	Slider (CA)
RC	27	5225733	1	Seal kit
	28	5225728	1	Antishock valve
	29	5225802	1	Knob (Red)
	30	5225843	1	5 elements unit fixing stud
	31	5225878	2	Control valve element
	32	5225883	2	Control valve element

Control unit (RDC)

Table code	Sheet
5401583-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	W370508100	1	Casing (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	W370508300	1	

VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091454	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	5091488	1	Cover (Moment limiting device)
	27	3011000	2	Handwheel
	28	5091491	1	Protective guard (Control levers)

High pressure filter

Table code	Sheet
5401581-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	2	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5090670	1	
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	10	5271751	1	
	11	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Light column (Horn)

Table code	Sheet
7885138-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	W370508000	1	Support (Flashing light)
	4	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	5	3311458	1	Electric wiring
	6	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	7	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	8	5141020	2	Vehicle (Clamp)
	9	3310873	1	Pressure monitor
	10	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	11	3120385	1	Reducing fitting [RACC. FJ/FGAS 9/16J 1/4"]
	12	5261057	1	Flexible hose
	13	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	14	5220300	1	Hose burst valve (Sleeve)
	15	3060143	1	Sealing washer [BSP 1/4"]

Kit (Wireless control)

Table code	Sheet
7892099-3.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3311385	1	
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3310754	1	
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	



Complete wireless control (PTO)

Table code	Sheet
7892500-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Kit CE (STABILITY CONTROL)

Table code	Sheet
5405052-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002029	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring
	14	5002103	1	
	15	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	16	3311341	1	
	17	3060225	1	Grub screw
	18	3040391	1	Hexagonal nut (Normal)
	19	3311386	1	

Kit CE (STABILITY CONTROL)

Table code	Sheet
5405052-5.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002029	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311636	4	Electric wiring
	13	3311541	1	Moment limiting device



R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]



Moment limiting device (EN12999-A3)

Table code	Sheet
5405052-6.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311634	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	7	5160001	1	Electric wiring
	8	5002055	1	Manifold (Pick-up)
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	3110078	1	Bolt (banjo bolt)
	11	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	12	3310612	1	Pressure sensor
	13	3311632	1	Electric wiring
	14	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	15	3040518	2	Stopnut [STOP M4]
	16	3312280	1	Push-button pannel box (Assembly)
	17	3312281	1	key switch

AMCO VEBA
LIFTING BEYOND HORIZONS

906N (HAWE)



R	Pos.	Variant Code	Q.ty	Description
	1	5225607	1	Inlet manifold
RC	2	5225608	1	Seal kit (Inlet manifold)
	3	5225609	1	Pressure reducing valve
	4	5225610	2	Pressure relief valves
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
	11	5225617	1	Microswitch (Magnet)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225602	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)
	20	5225624	3	Slider (Stabilizer)



R	Pos.	Variant Code	Q.ty	Description
	21	5225625	1	Slider
	22	5225626	2	Slider (Lifting)
	23	5225627	1	Slider
	24	5225628	1	Slider
	25	5225629	2	Control valve element (Stabilizer)
	26	5225630	1	Control valve element (Slewing)
	27	5225631	1	Control valve element (Lifting)
	28	5225632	1	Control valve element (Extension)
	29	5225633	1	Control valve element (Winch)
	30	5225672	2	Actuator (Manual)
	31	5225671	2	Cover (Slider)
	32	5225073	1	cover with spring and microswitch
	33	5225603	1	Control valve element (Joint)

DOUBLE CONTROLS (RDC-EBB)

Table code	Sheet
5400757-1.0	1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5220394	1	Control valve
RC	2	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	3	5091204	1	
	4	5091231	1	
	5	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	7	3310606	1	Moment limiting device
	8	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	9	3310869	1	
	10	W573270	1	Small plate (CONTROL SYMBOLS)
	11	W573269	1	Small plate (CONTROL SYMBOLS)
	12	W573267	1	Small plate (CONTROL SYMBOLS)
	13	W573266	1	Small plate (CONTROL SYMBOLS)
	14	W573265	2	Small plate (CONTROL SYMBOLS)
	15	5091202	1	
	16	3020960	5	TCC screw [M6X15 4.8 ZC]
	17	5091201	1	
	18	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	19	3040519	2	Stopnut
	20	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	22	5001791	2	
RC	23	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	24	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	25	3060941	1	Grub screw
	26	3040081	1	Lock nut [M6 6S UNI 5589 ZC]
	27	3230009	1	Fork (Fork clip)
	28	5091232	1	
	29	5090435	1	Rod (Control)
	30	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
	31	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	32	3300433	1	Fork
	33	3300451	1	Fork clip
	34	5091228	1	
	35	3080500	1	Grease nipple
	36	3060012	1	Flat washer [D.21X37X3 UNI 6592 ZC]
	37	3070017	1	Seeger
	38	3190197	1	Knob (Black)
	39	5090721	1	Control lever
	40	5091230	1	



R	Pos.	Variant Code	Q.ty	Description
	41	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	42	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	43	3040304	3	Stopnut [M10-70 NORM.8G ZC.]
	44	5091227	1	
	45	3010030	3	Hex screw [M8X35 8.8 ZC UNI 5737]
	46	3190258	1	Knob (Red)

CONTROLS (RDC-EBB)

Table code	Sheet
5400757-2.0	1/1

VALIDO FINO A Marzo 2011
VALID UNTIL March 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3310606	1	Moment limiting device
	2	5160039	1	Electric wiring
	3	3310869	1	
	4	3310612	1	Pressure sensor
	5	5160001	1	Electric wiring

CONTROLS (RDC-EBB)

Table code	Sheet
5400757-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310541	1	Inclination sensor ON-OFF
	2	5160002	1	Electric wiring
	3	3310723	1	Inclination sensor ON-OFF

CONTROLS (RDC-EBB)

Table code	Sheet
5400757-4.0	1/1

VALIDO FINO A Marzo 2011
VALID UNTIL March 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3310819	1	
	2	3310809	1	
	3	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	4	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	5	5160003	1	Electric wiring

Pilot lamp

Table code	Sheet
7885015-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001662	1	
	2	3310811	1	
	3	3310812	1	
	4	3310810	1	
	5	3310818	3	
	6	3310813	3	
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	9	3310911	1	

CONTROLS (RDC-EBB)

Table code	Sheet
5400757-5.0	1/1

Valido da Matricola / Valid from S/N 27611
Valido da Matricola / Valid from S/N 99888
Valido da Matricola / Valid from S/N 200712

VALIDO FINO A Marzo 2011
VALID UNTIL March 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	5160003	1	Electric wiring

Wireless control kit (EU.24V)

Table code	Sheet
7892042-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310901	1	
	2	3310795	1	Key (Black)
	3	3310796	6	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3310775	1	Aerial (Wireless control)
	12	3310900	1	
	13	3310899	1	Electric wiring
	14	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	15	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

Wireless control kit (24V)

Table code	Sheet
7892044-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310910	1	
	2	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	8	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3310535	1	
	5	3320026	1	
	6	3190226	1	Belt (Transmitter)
RC	7	3310483	2	Battery (Wireless control)
	8	3310471	1	Battery charger
	9	3310536	1	
	10	3310445	8	Control lever
	11	3310683	1	
	12	5001680	1	
	13	3310850	1	
	14	3190259	1	

Wireless control kit (USA 12V)

Table code	Sheet
7892041-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310943	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	6	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3310775	1	Aerial (Wireless control)
	12	3310942	1	Receiver
	13	3310899	1	Electric wiring
	14	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	15	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]

High pressure filter

Table code	Sheet
5401006-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	2	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5090670	1	
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	10	5271910	1	
	11	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

906N EN 12999 - A3 (HAWE)



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	10	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	5000077	2	Clamp (Rigid Pipe)
	5	5091343	2	Support (Switch)
	6	5220256	2	Switch (Stabilizers)
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	8	3060056	4	Split lock washer [D=10 C72 ZC]
RC	9	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	10	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	12	5391128	2	Bonderized tube
	13	3101080	2	Tee fitting
	14	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	15	3101124	4	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	16	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	17	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	18	5261066	2	Flexible hose
	19	5261144	1	Flexible hose
	20	5261143	1	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
	21	5261146	1	Flexible hose
	22	5261132	1	Flexible hose
	23	5261145	1	Flexible hose
	24	5261140	1	Flexible hose
	25	5261139	1	Flexible hose
	26	5261142	1	Flexible hose
	27	5261141	1	Flexible hose
	28	5261130	1	Flexible hose
	29	5812818	2	Small plate (CONTROL SYMBOLS)
	30	5813666	2	Label (Switch)



R	Pos.	Variant Code	Q.ty	Description
	1 A	5225695	1	Inlet manifold
	1 B	5225696	1	Inlet manifold
RC	2	5225923	1	Seal kit
	3	5225609	1	Pressure reducing valve
	4	5225697	1	Max pressure valve
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
	11	5225617	1	Microswitch (Magnet)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225911	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)



R	Pos.	Variant Code	Q.ty	Description
	20	5225624	3	Slider (Stabilizer)
	21	5225625	1	Slider
	22	5225626	2	Slider (Lifting)
	23	5225627	1	Slider
	24	5225628	1	Slider
	25	5225629	2	Control valve element (Stabilizer)
	26	5225907	1	Control valve element (Slewing)
	27	5225908	1	Control valve element (Lifting)
	28	5225910	1	Control valve element (Extension)
	29	5225912	1	Control valve element (Winch)
	30	5225672	2	Actuator (Manual)
	31	5225671	2	Cover (Slider)
	32	5225073	1	cover with spring and microswitch
	33	5225909	1	Control valve element (Joint)
	34	5225913	1	Control valve element (Slewing)
	35	5225914	1	Control valve element (Lifting)
	36	5225915	1	Control valve element (Joint)
	37	5225916	1	Control valve element (Extension)
	38	5225917	2	Control valve element (ACTUATION)
	39	5225918	1	Control valve element (Winch)

R	Pos.	Variant Code	Q.ty	Description
	40	5225610	1	Pressure relief valves





R	Pos.	Variant Code	Q.ty	Description
	1 A	5225695	1	Inlet manifold
	1 B	5225696	1	Inlet manifold
RC	2	5225923	1	Seal kit
	3	5225609	1	Pressure reducing valve
	4	5225697	1	Max pressure valve
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225911	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)
	20	5225624	3	Slider (Stabilizer)



R	Pos.	Variant Code	Q.ty	Description
	21	5225625	1	Slider
	22	5225626	2	Slider (Lifting)
	23	5225627	1	Slider
	24	5225628	1	Slider
	25	5225629	2	Control valve element (Stabilizer)
	26	5225907	1	Control valve element (Slewing)
	27	5225908	1	Control valve element (Lifting)
	28	5225910	1	Control valve element (Extension)
	29	5225912	1	Control valve element (Winch)
	30	5225672	2	Actuator (Manual)
	31	5225671	2	Cover (Slider)
	32	5225073	1	cover with spring and microswitch
	33	5225909	1	Control valve element (Joint)
	34	5225913	1	Control valve element (Slewing)
	35	5225914	1	Control valve element (Lifting)
	36	5225915	1	Control valve element (Joint)
	37	5225916	1	Control valve element (Extension)
	38	5225917	2	Control valve element (ACTUATION)
	39	5225918	1	Control valve element (Winch)
	40	5225610	1	Pressure relief valves



R	Pos.	Variant Code	Q.ty	Description
	1	5220838	1	
RC	2	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	3	5091204	1	
	4	5091231	1	
	5	3040303	9	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	7	3311421	1	Moment limiting device [SUPERATO]
	8	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	9	5002110	1	
	10	W573270	1	Small plate (CONTROL SYMBOLS)
	11	W573269	1	Small plate (CONTROL SYMBOLS)
	12	W573267	1	Small plate (CONTROL SYMBOLS)
	13	W573266	1	Small plate (CONTROL SYMBOLS)
	14	W573265	2	Small plate (CONTROL SYMBOLS)
	15	5091202	1	
	16	3020960	5	TCC screw [M6X15 4.8 ZC]
	17	5002109	1	
	18	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	19	3040519	4	Stopnut
	20	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	13	Flat washer [D.8 UNI 6592 ZC]
	22	5001791	2	
RC	23	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	24	3010027	7	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	25	3060941	1	Grub screw
	26	3040081	1	Lock nut [M6 6S UNI 5589 ZC]
	27	3230009	1	Fork (Fork clip)
	28	5091342	1	
	29	5090435	1	Rod (Control)
	30	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
	31	3010325	1	Hex screw [M6X16 8.8 ZC UNI 5739]
	32	3300433	1	Fork
	33	3300453	1	Fork clip
	34	5091341	1	
	35	3080500	1	Grease nipple
	36	3060012	1	Flat washer [D.21X37X3 UNI 6592 ZC]
	37	3070017	1	Seeger
	38	3190197	1	Knob (Black)
	39	5090721	1	Control lever
	40	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	41	3311405	1	Electric box
	42	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	43	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	44	3010030	3	Hex screw [M8X35 8.8 ZC UNI 5737]
	45	3190258	1	Knob (Red)
	46	5813567	1	Small plate (Emergency STOP button)

ROTATION CONTROL (EN12999-A3)

Table code	Sheet
5411205-7.0	1/1

VALIDO DA Febbraio 2011
VALID FROM February 2011

VALIDO FINO A Settembre 2011
VALID UNTIL September 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141097	1	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3190036	1	
	17	3190301	2	
	18	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]

ROTATION CONTROL (EN12999-A3)

Table code	Sheet
5411205-7.1	1/2

VALIDO DA Ottobre 2011
VALID FROM October 2011



BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE

R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	17	3190301	2	
	18	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	3	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011
VALID FROM October 2011



R	Pos.	Variant Code	Q.ty	Description
	21	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	22	5000454	1	
	23	3020907	1	TSEI screw [M6X25 10.9 ZC UNI 5933]
	24	3190185	2	Collar
	25	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
RC	2	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
RC	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5002230	1	
	19	5002177	1	Cover (Encoder)
	20	3060052	10	Split lock washer [D=5.5 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3190178	2	Flat washer
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	16	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	16	Flat washer [D.5 UNI 6592 ZC]
	26	5002229	1	
	27	3190039	2	Insulator
	28	3311398	1	



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3311332	1	Electric wiring
	4	3060053	10	Split lock washer [D=6.4 C72 ZC]
	5	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	6	5002026	2	Guard (Proximity switch)
	7	5002057	2	Support (Proximity switch)
RC	8	3311311	2	Proximity switch (Position sensor)
	9	3311372	1	Electric wiring
	10	3311377	1	Electric wiring
	11	5002051	1	Support (Proximity switch)
	12	3020034	6	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	13	3311325	2	
	14	3311398	1	
RC	15	3311313	2	Sensor unit (Encoder)
	16	3040518	6	Stopnut [STOP M4]
	17	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	18	5002061	2	
	19	5002062	2	
	20	3020319	4	Socket head cap screw [M4X16 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]





R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3311332	1	Electric wiring
	4	3060053	10	Split lock washer [D=6.4 C72 ZC]
	5	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	6	5002026	2	Guard (Proximity switch)
	7	5002057	2	Support (Proximity switch)
RC	8	3311311	2	Proximity switch (Position sensor)
	9	3311372	1	Electric wiring
	10	3311377	1	Electric wiring
	11	5002051	1	Support (Proximity switch)
	12	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	13	3311325	2	
	14	3311323	1	
RC	15	3311313	2	Sensor unit (Encoder)
	16	3040518	4	Stopnut [STOP M4]
	17	3020019	4	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	18	5002182	2	Plate (Support)
	19	5091393	1	Support
	20	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	5002175	2	Brush
	22	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	23	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	24	3190039	4	Insulator
	25	5002181	4	Cables guard
	26	5091392	1	Support
	27	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS (RDC-EBB)

Table code	Sheet
5411286-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	14	5001951	2	
	15	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	16	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	17	3060003	4	Flat washer [D.4 UNI 6592 ZC]

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401652-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311421	1	Moment limiting device [SUPERATO]
	2	5160084	1	Electric wiring
	3	5160073	1	Electric wiring
	4	3310612	1	Pressure sensor
	5	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	6	5002055	1	Manifold (Pick-up)
	7	3110078	1	Bolt (banjo bolt)
	8	3060143	2	Sealing washer [BSP 1/4"]

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401668-3.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring



VALIDO DA Aprile 2011
VALID FROM April 2011

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401652-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

VALIDO DA Aprile 2011
VALID FROM April 2011



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401652-5.0	1/1

VALIDO DA Aprile 2011
VALID FROM April 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3310612	1	Pressure sensor
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)

Wireless control kit (CAN BUS)

Table code	Sheet
7892222-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311442	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310861	1	Aerial (Wireless control)
	13	3311443	1	Receiver
	14	3311444	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]

RECOMMENDED SPARE PARTS

Code	Description
3010027	Hex screw
3010055	Hex screw
3010336	Hex screw
3010353	Hex screw
3010354	Hex screw
3020080	Socket head cap screw
3020875	Socket head cap screw
3060006	Flat washer
3060007	Flat washer
3060055	Split lock washer
3060056	Split lock washer
3060683	Spring (Backlash)
3060914	Flat washer
3060918	Tooth lock washer
3060920	Tooth lock washer
3180099	Oil level indicator
3180112	Filtering cartridge
3180138	Oil filter
3180139	Filtering cartridge
3180147	Pressure gauge (Clogging indicator)
3180150	Pressure gauge
3180195	Oil filter
3180221	Thermometer
3310483	Battery (Wireless control)
3310641	Battery (Wireless control)
3311150	Inclination sensor 360°
3311311	Proximity switch (Position sensor)
3311312	Proximity switch
3311313	Sensor unit (Encoder)
3311354	Lighting (Audible alarm)
3312200	Pressure sensor
5000685	Plate (Thickness)
5000780	Plate (Thickness)
5001087	Button (Control board)
5140600	Sliding block (Rack adjuster)
5140656	Button (Backlash)
5140667	Collar (Lower)
5140668	Collar (Upper)
5140669	Thrust bearing ring
5140722	Slide shoe
5140781	Sliding block (Rack adjuster)
5140783	Slide shoe
5140978	Slide shoe
5141050	Slide shoe
5220300	Hose burst valve (Sleeve)
5225608	Seal kit (Inlet manifold)
5225618	Seal kit (Control valve element)
5225733	Seal kit
5225797	Seal kit (Control valve)
5225798	Seal kit (Control valve)
5225900	Seal kit (Control valve)
5225923	Seal kit
5550680	Seal kit (Slewing)
5550681	Seal kit (Lifting hydraulic cylinder)
5550684	Seal kit
5550695	Seal kit
5550709	Seal kit
5550760	Seal kit
5550761	Seal kit
W365058	Seal kit
W365060	Seal kit
W365108	Seal kit
W370300800	Button (Control board)
W380300600	Slide shoe
W380300700	Slide shoe

Code	Description