AMCO VEBA
LIFTING BEYOND HORIZONS

SPARE PARTS CATALOGUE



Model

TELESCOPIC 1 BOOM
807NT - 907NT

Logbook code

7880757.0

Edition

05/2020

Realizzato con CrEasy©

INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A **The number of the catalog page.**

B **The code of the table.**

C **The title of the table.**

D **Section of the model variant.**



Table index

Logbook code **7880484.1** 5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215			**820 EBB - EN 12999 - A3**		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237			**820 5S - JIB 2S**		

7

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257			**820 CIA**		
258	55[illegible]0096-1.0	1	1st ACTIVATION FOR 1S		
259	55[illegible]0096-2.0	1	1st ACTIVATION FOR 1S		

A B C D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with:RE 217XXXX
17 - indicate the year XXXX - is a progressive number



Table code		
5402956-3.0		1/1

R	Pos.	Code Variant	Q.ty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5501491-1.0	1	Plate kit (Version)		
10	5501531-1.0	1	Plate kit (Version)		
11	5502000-3.0	1	Plate kit (Generic Gru)		
12	5420082-1.0	1	BASE		
13	6240132-1.0	1	Slewing		
14	6240132-3.0	1	Slewing		
15	6240195-1.0	1	Slewing (Retaining ring)		
16	6240195-2.0	1	Slewing (Retaining ring)		
17	6240132-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
18	7880898-1.0	1	Rotation Pressure Limiting Device		
19	5760162-1.0	1	Stabilizer connecting rods		
20	5760162-3.0	1	Hydraulic system (CE)		
21	5760162-2.0	1	Hydraulic system (not CE)		
22	5760161-1.0	1	Stabilizer connecting rods (Extra-extensible)		
24	5760161-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (CE)		
25	5760161-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (not CE)		
26	5760164-1.0	1	Stabilizer connecting rods (Revolving)		
27	5760164-3.0	1	Hydraulic system (CE)		
28	5760164-2.0	1	Hydraulic system (not CE)		
29	5760163-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		
31	5760163-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (CE)		
32	5760163-2.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (not CE)		
33	5411095-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
34	5411095-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
35	6200154-1.0	1	Stabilizer Hydraulic jack (RIGHT)		
36	6200155-1.0	1	Stabilizer Hydraulic jack (LEFT)		
37	6400154-1.0	1	Stabilizer Hydraulic jack		
38	6200267-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
39	6400213-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
40	W410450300-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
41	W410450200-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
42	5411269-2.0	1	STABILITY CONTROL (EN12999-A3)		
43	7880943-1.0	1	Kit (ROTATION CONTROL)		
45	7880943-1.1	1	Kit (ROTATION CONTROL)		
47	7880943-2.0	1	Kit (ROTATION CONTROL)		
49	5380038-1.0	1	ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE		
50	5760222-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
52	5760223-1.0	1	Stabilizer connecting rods extra-extensible revolving (hydraulic		
54	5380038-2.0	1	DOUBLE CONTROLS (Stabilizers rods)		
55	5380038-3.0	1	Hydraulic system (not CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
56	5380039-3.0	1	Hydraulic system (CE)		
57	6200268-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
58	6400268-1.0	1	Rod extension hydraulic (Control valve side)		
59	6200272-1.0	1	HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC		
60	6400272-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)		
61	5400874-1.0	1	DOUBLE CONTROLS		
63	5220817-1.0	1	Control valve (6 section)		
64	5220817-3.0	1	Control valve (6 section)		
65	5220479-1.0	1	Control valve (6 section)		
66	5401592-1.0	1	DOUBLE CONTROLS (CE)		
68	5401573-2.0	1	Control unit (STABILITY CONTROL)		
70	5401592-2.0	1	DOUBLE CONTROLS (CE)		
71	5401573-4.0	1	DOUBLE CONTROLS (CE)		
72	5400879-1.0	1	DOUBLE CONTROLS		
74	5220820-1.0	1	Control valve (5 section)		
75	5430159-1.0	1	Moment limiting device		
77	5430164-1.0	1	Moment limiting device		
79	5430165-1.0	1	Moment limiting device		
81	5210012-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
82	5210013-1.0	1	1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL		
83	5210109-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
84	5210041-1.0	1	1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
86	5210042-1.0	1	1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL		
88	5210040-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
90	3310543-1.0	1	ELECTRICS CONTROLS		
91	5400877-1.0	1	Oil tank (not CE)		
92	5400877-2.0	1	Oil tank (not CE)		
93	5400508-1.0	1	Oil tank (CE)		
94	5400508-2.0	1	Oil tank (CE)		
95	3180195-1.0	1	Oil filter		
96	7888030-1.0	1	Heat exchange unit		
97	5460091-1.0	1	Column		
98	6230079-1.3	1	Hydraulic system (Lifting hydraulic cylinder)		
99	6430079-1.0	1	Lifting hydraulic cylinder		
100	5470097-1.0	1	1st Boom		
101	5490094-1.0	1	1st Extension		
102	6210402-2.0	1	Hydraulic system (1st Extension hydraulic)		
104	6410415-1.0	1	1st Extension hydraulic		
105	5530053-1.0	1	2nd Extension		
106	6210414-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
107	6410414-1.0	1	Extension Hydraulic jack		
108	6210415-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
109	5540059-1.0	1	3rd EXTENSION		
110	6210399-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
111	6210400-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
112	5560048-1.0	1	4th EXTENSION		
113	6210401-1.0	1	Hydraulic system (4th extension Hydraulic jack)		
114	7800006-1.0	1	Manual extension (1st)		
115	7800007-1.0	1	Manual extension (1st)		
116	7800008-1.0	1	Manual extension (1st)		
117	7800009-1.0	1	Manual extension (1st)		
118	5410987-1.0	1	HOOK KIT		
119	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
120	5590006-1.0	1	1st ACTIVATION FOR 1S		
122	5590249-1.0	1	1st ACTIVATION FOR 2S		
124	5590250-1.0	1	1st ACTIVATION FOR 3S		
126	5590251-1.0	1	1st ACTIVATION FOR 4S		
128	5600007-1.0	1	2st ACTIVATION FOR 1S		
129	5600093-1.0	1	2nd ADDITIONAL ACTUATION		
130	7882394-1.0	1	KIT QUICK COUPLING		
131	7900339-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
132	7900021-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
133	7900022-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
134	7880372-2.0	1	Assembly kit		
135			807NT AS ARGANO/WINCH		
136	5740172-1.0	1	ACTUATION FOR WINCH		
138	7882532-1.0	1	Rotation limiting device (Electric)		
139	5400874-2.0	1	DOUBLE CONTROLS		
142	7834219-1.0	1	WINCH KIT		
143			807NT F		
144	5420015-1.0	1	Base		
145	6240057-1.0	1	Slewing		
146	6240057-3.0	1	Slewing		
147	6240212-1.0	1	Slewing (Retaining ring)		
148	6240212-2.0	1	Slewing (Retaining ring)		
149	6240057-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
150	6240236-1.0	1	Slewing Hydraulic jack (Hydraulic system)		
152	5400310-1.0	1	CONTROLS (F / M)		
154	5460093-1.0	1	Column (F / M)		
155	6230079-1.0	1	Hydraulic system ()		

Page	Table code	Q.ty	Table heading	Vers.	Validity
156	6210402-4.0	1	Hydraulic system (1st Extension hydraulic)		
159	807NT M				
160	6240059-1.0	1	Slewing		
161	6240199-1.0	1	Slewing (Retaining ring)		
162	6240199-2.0	1	Slewing (Retaining ring)		
163	6230092-3.0	1	Lifting hydraulic cylinder (Hydraulic system)		
164	6210421-2.0	1	Hydraulic system (1st Extension hydraulic)		
166	6410421-1.0	1	1st Extension hydraulic		
167	6210424-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		
168	6210426-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
169	6410422-1.0	1	Extension Hydraulic jack		
170	6210425-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
171	6210427-1.0	1	Hydraulic system (4th extension Hydraulic jack)		
173	907NT				
174	5220424-1.0	1	Control valve (5 section)		
176	5400702-1.0	1	CONTROLS		
178	5402179-1.0	1	CONTROLS (RDC)		
180	5405013-1.0	1	Auxiliary wiring (Limiting device)		
181	5405013-2.0	1	Moment limiting device		
182	3310822-1.0	1	Light column		
183	7892099-2.0	1	Complete wireless control (not CE)		
185	7892500-1.0	1	Complete wireless control (PTO)		
187	5401023-1.0	1	Auxiliary wiring (Limiting device)		
188	5400738-1.0	1	High pressure filter		
189	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
191	907NT EN 12999 - A3				
192	5220424-2.0	1	Control valve (5 section)		
194	5401583-1.0	1	Control unit (RDC)		
196	5402187-1.0	1	Control unit (RDC)		
198	5401581-1.0	1	High pressure filter		
199	7892099-3.0	1	Kit (Wireless control)		
201	7892500-2.0	1	Complete wireless control (PTO)		
203	5405052-4.0	1	Kit CE (STABILITY CONTROL)		
205	5405052-7.0	1	Kit CE (STABILITY CONTROL)		
206	5405052-2.0	1	Moment limiting device (CE)		
208	5405052-6.0	1	Moment limiting device (EN12999-A3)		

R	Pos.	Variant Code	Q.ty	Description
	2	5501491	1	
	2 A	5812213	2	
	2 B	5812560	2	
	3	5501492	1	
	3 A	5812539	2	
	3 B	5812561	2	
	4	5501493	1	
	4 A	5812557	2	
	4 B	5812563	2	







Plate kit (Version)

Table code	Sheet
5501531-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	2	5501531	1	
	2 A	5813238	2	
	3	5501532	1	
	3 A	5813239	2	
	4	5501533	1	
	4 A	5813240	2	







R	Pos.	Variant Code	Q.ty	Description
	1	5502000	1	kit Standard instructions sticker
	2	5813851	4	Label (Stabilizer connecting rods)



BASE

Table code	Sheet
5420082-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060170	1	Base
RC	2	5140667	1	Collar (Lower)
	3	3080501	2	Grease nipple [M8X1.25]
RC	4	5140668	1	Collar (Upper)
RC	5	5140669	1	Thrust bearing ring
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001432	2	Support (Roller)
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5140788	2	Roller (Turnsbasket)
	13	3070148	4	Seeger
	14	5150760	2	Pin (Roller)
	15	5000625	2	Block (Rod)



R	Pos.	Variant Code	Q.ty	Description
	1	6070584	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
	7	3400514	2	Seal
	8	3060607	2	Spring pin
	9	5050111	1	Toothed rack
	10	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	11	5140600	1	Sliding block (Rack adjuster)
	12	5000229	1	Support (Sliding block)
	13	3060917	1	Grub screw
	14	3040308	1	Stopnut
RC	15	5550680	1	Seal kit (Slewing)

Slewing

Table code	Sheet
6240132-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070584	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]

Slewing (Retaining ring)

Table code	Sheet
6240195-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070708	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]
	15	5002438	2	Flange (Slewing)
	16	3070207	2	Snap ring

Slewing (Retaining ring)

Table code	Sheet
6240195-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070708	2	Cylinder (Slewing)
	2	3020324	12	Socket head cap screw [M14X65 8.8 GEOMET UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	1	Piston (Slewing)
	5	3020075	1	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	6	6050240	2	Piston (Assembly)
RC	7	5550680	1	Seal kit (Slewing)
	8	3060608	2	Spring pin
	9	5050111	1	Toothed rack
RC	10	5140781	1	Sliding block (Rack adjuster)
	11	5001570	1	Support (Sliding block)
	12	3060917	1	Grub screw
	13	3040050	1	Nut [M18 8G UNI 5588]
	14	3060078	1	Lock washer [Nord-Lock]
	15	5003359	2	Flange (Slewing)
	16	3070207	2	Snap ring

Hydraulic system (Slewing Hydraulic jack)

Table code	Sheet
6240132-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220559	1	Holding valve
	2	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3101039	7	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	5220093	2	Non-return valve
	5	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	6	5391676	2	
	7	5391677	1	Bonderized tube
	8	5260674	2	Flexible hose
	9	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	5000077	1	Clamp (Rigid Pipe)
RC	11	3060055	1	Split lock washer [D=8.4 C72 ZC]
	12	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]

Rotation Pressure Limiting Device

Table code	Sheet
7880898-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220593	1	Pressure valve (Rotation limiting device)
	2	3060144	4	Sealing washer [BSP 3/8"]
	3	3110061	2	Plug [BSP 3/8"]
	4	3110150	2	Reducing fitting
	5	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	6	3120011	2	90° Connection [90° M/F JIC 9/16-18]
	7	5390558	2	Bonderized tube
	8	3010025	2	Hex screw [M6X55 8.8 ZC UNI 5737]
	9	3060053	2	Split lock washer [D=6.4 C72 ZC]
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3190024	2	Clamp [87-112 12.2 ABA]
	12	5001823	1	Valve support
	13	3040519	2	Stopnut

Stabilizer connecting rods

Table code	Sheet
5760162-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070391	1	
	2	5070392	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	5001433	4	Thickness (Roller)
	7	3060957	8	Washer
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]

Hydraulic system (CE)

Table code	Sheet
5760162-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260962	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260963	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Hydraulic system (not CE)

Table code	Sheet
5760162-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260964	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260963	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer connecting rods (Extra-extensible)

Table code	Sheet
5760161-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070390	1	
	2	5070389	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	7	5141050	2	Slide shoe
	8	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	9	5140019	1	
	10	4160279	1	
	11	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]
RC	12	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	13	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	14	5001433	2	Thickness (Roller)
	15	3060957	14	Washer
RC	16	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	18	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	19	W370400700	2	Button (Coupling backlash)
	20	5140991	8	Slide shoe (ROUND)



R	Pos.	Variant Code	Q.ty	Description
	21	3060959	8	
	22	3040305	8	Stopnut [M12-70 NORM. ZC]
	23	3020876	2	Socket head cap screw [M12X16 8.8 ZC UNI 5931]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (CE)

Table code	Sheet
5760161-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5260965	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5260966	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (not CE)

Table code	Sheet
5760161-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261249	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5260966	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer connecting rods (Revolving)

Table code	Sheet
5760164-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070405	1	
	2	5070400	1	
	3	3070052	2	Seeger
	4	5000183	2	Ring (Spacer)
	5	3000007	mt0.7	GENOVESE CHAIN
	6	W101219	2	Pin (Handle)
	7	3080501	2	Grease nipple [M8X1.25]
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	3060957	8	Washer
	10	5001433	4	Thickness (Roller)
	11	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	13	W664018	2	Handle (Polyvinyl chloride)
	14	W370401800	2	Handle (Rod)
	15	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	16	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]

Hydraulic system (CE)

Table code	Sheet
5760164-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5261110	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5261111	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

Hydraulic system (not CE)

Table code	Sheet
5760164-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261113	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261111	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

Stabilizer connecting rods extra-extensible (Revolving)

Table code	Sheet
5760163-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070406	1	
	2	5070407	1	
	3	W101219	2	Pin (Handle)
	4	3000007	mt0.7	GENOVESE CHAIN
	5	3070052	2	Seeger
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	5140991	8	Slide shoe (ROUND)
	9	5001433	2	Thickness (Roller)
	10	3060957	14	Washer
RC	11	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	13	5141050	2	Slide shoe
	14	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	15	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	16	4160279	1	
	17	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
RC	18	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	19	5140019	1	
	20	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	5000183	2	Ring (Spacer)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	24	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	26	3080501	2	Grease nipple [M8X1.25]
	27	W370400700	2	Button (Coupling backlash)
	28	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	29	3060959	8	
	30	3040305	8	Stopnut [M12-70 NORM. ZC]
	31	3020876	2	Socket head cap screw [M12X16 8.8 ZC UNI 5931]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (CE)

Table code	Sheet
5760163-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	2	3101080	2	Tee fitting
	3	5261281	2	Flexible hose
	4	5261066	2	Flexible hose
	5	3110040	6	Female plug [TAPPO F JIC 9/16 -18]
	6	5391128	2	Bonderized tube
	7	5000077	2	Clamp (Rigid Pipe)
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5261280	2	Flexible hose
	11	3120003	4	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	12	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (not CE)

Table code	Sheet
5760163-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260983	2	Flexible hose
	2	3101080	2	Tee fitting
	3	5261066	2	Flexible hose
	4	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5391128	2	Bonderized tube
	6	5000077	2	Clamp (Rigid Pipe)
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5261280	2	Flexible hose
	10	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	3110040	2	Female plug [TAPPO F JIC 9/16 -18]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411095-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311129	1	
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
	8	3311130	1	
	9	3311144	2	
	10	3311132	1	
	11	3060003	4	Flat washer [D.4 UNI 6592 ZC]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411095-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5000218	2	Microswitch support
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]

Stabilizer Hydraulic jack (RIGHT)

Table code	Sheet
6200154-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220047	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200154	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (LEFT)

Table code	Sheet
6200155-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400154	1	Stabilizer Hydraulic jack
	2	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	5391463	1	Bonderized tube
	4	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	5	5220048	1	Valve (Cock)
	6	5391464	1	Bonderized tube
	7	6200155	1	Stabilizer Hydraulic jack
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack

Table code	Sheet
6400154-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070405	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030338	1	Rod
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
6200267-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400213	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3060143	1	Sealing washer [BSP 1/4"]
	4	W470053	1	Manually operated valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	5390080	1	Bonderized tube
	7	6200267	1	Stabilizer Hydraulic jack (Hydraulic system)
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080501	1	Grease nipple [M8X1.25]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5920003	1	ARTICULATED JOINT TANG
	16	4160497	1	Tang
	17	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	18	5920059	1	ARTICULATED JOINT TANG
	19	4160580	1	Tang
	20	5920081	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
6400213-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070516	1	
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6030689	1	
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
W410450300-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W410450200	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	3060143	1	Sealing washer [BSP 1/4"]
	4	W470053	1	Manually operated valve
	5	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	W410402000	1	Bonderized tube
	7	W410450300	1	Stabilizer Hydraulic jack (Assembly)
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (ROTATING)

Table code	Sheet
W410450200-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W410401800	1	Cylinder
	2	W361016	1	Seal
	3	W358010	1	Seal
	4	W120106	1	Close nipple
	5	W304023	1	Anti-extrusion ring
	6	W360012	1	O-ring joint
	7	W410401900	1	Rod unit
	8	W360041	1	O-ring joint
	9	W359017	1	Seal
	10	W105057	1	Piston
	11	3020094	1	Socket head cap screw [M12X40 8.8 ZC UNI 5931]
RC	12	W365058	1	Seal kit

STABILITY CONTROL (EN12999-A3)

Table code	Sheet
5411269-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002027	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311377	2	Electric wiring
	13	3311332	2	Electric wiring
	14	5002106	1	Support
	15	3010017	2	Hex screw [M6X35 8.8 ZC UNI 5737]
	16	3010390	1	Hex screw [M8X35 ZC UNI 5739]
	17	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]

Kit (ROTATION CONTROL)

Table code	Sheet
7880943-1.0	1/2

VALIDO DA Febbraio 2011
VALID FROM February 2011

VALIDO FINO A Settembre 2011
VALID UNTIL September 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141097	1	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3190036	1	
	17	3190301	2	
	18	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	

VALIDO DA Febbraio 2011
VALID FROM February 2011

VALIDO FINO A Settembre 2011
VALID UNTIL September 2011



VALIDO DA Ottobre 2011
VALID FROM October 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	17	3190301	2	
	18	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	3	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011
VALID FROM October 2011



R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	
	22	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	23	5000454	1	
	24	3020907	1	TSEI screw [M6X25 10.9 ZC UNI 5933]
	25	3190185	2	Collar
	26	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]

VERSION 2012

VALIDO DA Gennaio 2012
VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
RC	2	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
RC	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5002230	1	
	19	5002177	1	Cover (Encoder)
	20	3060052	10	Split lock washer [D=5.5 C72 ZC]

VERSION 2012

VALIDO DA Gennaio 2012
VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	21	5091338	1	
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	16	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	16	Flat washer [D.5 UNI 6592 ZC]
	26	5002229	1	
	27	3190039	2	Insulator
	28	3190178	2	Flat washer

ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE

Table code	Sheet
5380038-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400268	1	Extension jacks
	2	6400272	1	Extension jacks
	3	3070017	2	Seeger
	4	5090053	1	
	5	5090054	1	
	6	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	7	3060010	8	Flat washer [D.17X30X3 UNI 6592 ZC]
	8	3040307	2	Stopnut [M16-70 ZC.NORM.8G]
	9	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	10	3060056	6	Split lock washer [D=10 C72 ZC]
	11	3190025	4	Clamp

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760222-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070013	1	
	2	5070015	1	
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	5	3070063	2	Seeger
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	7	5141050	2	Slide shoe
	8	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	9	5140019	1	
	10	4160279	1	
	11	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]
RC	12	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	13	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	14	5001433	2	Thickness (Roller)
	15	3060957	14	Washer
RC	16	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	18	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	19	W370400700	2	Button (Coupling backlash)
	20	5140991	8	Slide shoe (ROUND)

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760222-1.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060959	8	
	22	3040305	8	Stopnut [M12-70 NORM. ZC]



Stabilizer connecting rods extra-extensible revolving (hydraulic lengthening)

Table code	Sheet
5760223-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070009	1	Stabilizer rod
	2	5070010	1	Stabilizer rod
	3	W101219	2	Pin (Handle)
	4	3000007	mt0.7	GENOVESE CHAIN
	5	3070052	2	Seeger
	6	W664018	2	Handle (Polyvinyl chloride)
	7	W370401800	2	Handle (Rod)
	8	5140991	8	Slide shoe (ROUND)
	9	5001433	2	Thickness (Roller)
	10	3060957	14	Washer
RC	11	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	13	5141050	2	Slide shoe
	14	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	15	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
	16	4160279	1	
	17	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
RC	18	3060007	1	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	19	5140019	1	
	20	3020500	1	TSEI screw [M10X35 8.8 ZC UNI 5933]

Stabilizer connecting rods extra-extensible revolving (hydraulic lengthening)

Table code	Sheet
5760223-1.0	2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5000183	2	Ring (Spacer)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	24	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	26	3080501	2	Grease nipple [M8X1.25]
	27	W370400700	2	Button (Coupling backlash)
	28	3020921	8	TSEI screw [M12X35 8.8 ZC UNI 5933]
	29	3060959	8	
	30	3040305	8	Stopnut [M12-70 NORM. ZC]

DOUBLE CONTROLS (Stabilizers rods)

Table code	Sheet
5380038-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090937	1	
	2	5220256	1	Switch (Stabilizers)
RC	3	3060056	2	Split lock washer [D=10 C72 ZC]
RC	4	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	5	5001494	1	
	6	3190255	1	
	7	5150783	1	
	8	3190010	1	Knob
	9	3060596	1	Spring pin
	10	5812483	2	Label (Switch)

Hydraulic system (not CE)

Table code	Sheet
5380038-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	12	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	5261132	1	Flexible hose
	3	5261127	1	Flexible hose
	4	3120341	2	Tee fitting
	5	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	6	5260841	1	Flexible hose
	7	5261131	1	Flexible hose
	8	5261128	1	Flexible hose
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	11	5261130	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260840	1	Flexible hose
	14	5261129	1	Flexible hose
	15	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]

Hydraulic system (CE)

Table code	Sheet
5380039-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101039	11	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	2	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3110001	2	Straight pipe fitting [M/F 3/8" H=35 mm]
	4	3060144	2	Sealing washer [BSP 3/8"]
	5	3120003	6	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	6	3110040	5	Female plug [TAPPO F JIC 9/16 -18]
	7	3120341	2	Tee fitting
	8	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	10	5261130	1	Flexible hose
	11	5261127	1	Flexible hose
	12	5261250	1	Flexible hose
	13	5260849	1	Flexible hose
	14	5260841	1	Flexible hose
	15	5260840	1	Flexible hose
	16	5261131	1	Flexible hose
	17	5261137	1	Flexible hose
	18	5261128	1	Flexible hose
	19	5261132	1	Flexible hose

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Control valve side)

Table code	Sheet
6200268-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400268	1	Extension jacks
	2	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392381	1	
	4	5392236	1	
	5	5220559	1	Holding valve
	6	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	3110040	1	Female plug [TAPPO F JIC 9/16 -18]
	8	3120341	2	Tee fitting

Rod extension hydraulic (Control valve side)

Table code	Sheet
6400268-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070610	1	
	2	6030908	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit

HYDRAULIC SYSTEM ROD EXTENSION HYDRAULIC CYLINDER (Double controls side)

Table code	Sheet
6200272-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400272	1	Extension jacks
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	5392382	1	
	4	5392236	1	
	5	5220559	1	Holding valve
	6	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]

ROD EXSTENSION HYDRAULIC CYLINDER (Double controls side)

Table code	Sheet
6400272-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070609	1	
	2	6030907	1	
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit

DOUBLE CONTROLS

Table code	Sheet
5400874-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220817	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Control valve (6 section)

Table code	Sheet
5220817-1.0	1/1

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	3	cover with spring
	15	5225059	3	Block (Slider)
	16	5225792	1	
RC	17	5225797	1	Seal kit (Control valve)

Control valve (6 section)

Table code	Sheet
5220817-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220817	1	
	2	5225789	1	
	3	5225788	1	
	4	3310238	1	Solenoid (12V)
	5	3310242	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	4	
	16	5225792	1	
RC	17	5225900	1	Seal kit (Control valve)
	18	5225832	8	Contact terminal (Microswitch)

Control valve (6 section)

Table code	Sheet
5220479-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220479	1	
	2	5225897	1	
	3	5225896	1	
	4	3311438	1	Solenoid (12V)
	5	3311437	1	Solenoid (24V)
	6	5225705	1	Max pressure valve
	7	5225791	2	
	8	5225793	2	
	9	5225794	2	
	10	5225795	1	
	11	5225796	1	
	12	5225022	6	Rubber protective boot
	13	5225261	6	Unit (Control lever)
	14	5225262	6	cover with spring
	15	5225848	4	
	16	5225792	1	
RC	17	5225900	1	Seal kit (Control valve)
	18	5225832	8	Contact terminal (Microswitch)

DOUBLE CONTROLS (CE)

Table code	Sheet
5401592-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	3	Control lever
	5	5000659	1	Control lever
	6	3190197	6	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	8	Fork
	13	3300451	8	Fork clip
	14	5090442	4	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	5	Grease nipple
	19	5090433	3	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091334	1	
	22	5220479	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	5091340	1	Protective guard
	28	5002094	1	
	29	5002093	1	
	30	5812795	2	Small plate (CONTROL SYMBOLS)
	31	5812796	2	Small plate (CONTROL SYMBOLS)
	32	5812797	2	Small plate (CONTROL SYMBOLS)
	33	5812800	2	Small plate (CONTROL SYMBOLS)
	34	5813567	1	Small plate (Emergency STOP button)
	35	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]

Control unit (STABILITY CONTROL)

Table code	Sheet
5401573-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5000622	1	Plate
	2	3311797	1	Moment limiting device (WITH RESINING)
	3	5090104	1	Dashboard (Casing)
	4	5002075	1	Flange
	5	5090103	1	Support (CONTROLS)
	6	5000179	1	Small plate
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020023	5	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3010396	2	Hex screw [M8X130 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	12	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	13	3020021	3	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3040518	8	Stopnut [STOP M4]
	15	5160086	1	Electric wiring
	16	3311328	1	DIGITAL INSTRUMENT PANEL (Moment limiting device)
	17	5160084	1	Electric wiring
	18	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	19	3311400	1	Electric wiring
	20	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	22	5002055	1	Manifold (Pick-up)
	23	3110078	1	Bolt (banjo bolt)
	24	3060143	2	Sealing washer [BSP 1/4"]
	25	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	26	3312200	1	Pressure sensor [4-20mA 600bar]
	27	5003113	1	Support (Casing)
	28	3020035	2	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	29	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	30	3040519	2	Stopnut

DOUBLE CONTROLS (CE)

Table code	Sheet
5401592-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

DOUBLE CONTROLS (CE)

Table code	Sheet
5401573-4.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring



VALIDO DA Febbraio 2011
VALID FROM February 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010073	2	Hex screw [M8X60 8.8 ZC UNI 5739]
RC	10	3060006	10	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	10	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220820	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Control valve (5 section)

Table code	Sheet
5220820-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220820	1	
	2	5225705	1	Max pressure valve
	3	5225791	2	
	4	5225793	1	
	5	5225794	2	
	6	5225795	1	
	7	5225796	1	
	8	5225022	5	Rubber protective boot
	9	5225262	5	cover with spring
	10	5225261	5	Unit (Control lever)
	11	5225792	1	
RC	12	5225798	1	Seal kit (Control valve)

Moment limiting device

Table code	Sheet
5430159-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3100956	1	Ring (Tightening)
	3	3100952	1	Nut
	4	3310242	1	Solenoid (24V)
	5	3310238	1	Solenoid (12V)
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5260829	1	Flexible hose
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5001580	1	Support (Limiting device)
	10	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	11	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	12	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	13	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	14	5300085	1	
	15	3120200	1	Reducing fitting
	16	3120001	1	Tee fitting
	17	3010399	1	Hex screw [M6X55 8.8 ZC UNI 5739]
	18	3101034	1	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	19	5260828	1	Flexible hose
	20	5261057	1	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
RC	21	5220300	1	Hose burst valve (Sleeve)
	22	3060143	1	Sealing washer [BSP 1/4"]
	23	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	24	3110066	2	Plug
	25	3060142	2	Sealing washer [BSP 1/8"]
	26	3101195	5	90° Connection [90° ORIENT.7/16-20 -1/8"CIL.]
	27	5392099	1	
	28	5392100	2	Bonderized tube
	29	5392101	1	
	30	3101033	4	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	31	5001564	1	Manifold
	32	5260827	1	Flexible hose
RC	33	3180150	1	Pressure gauge
	34	5300082	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5281137	1	Flexible hose
	20	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]



R	Pos.	Variant Code	Q.ty	Description
	21	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	22	5220300	1	Hose burst valve (Sleeve)
	23	3060143	1	Sealing washer [BSP 1/4"]
	24	3111583	1	Tapping point
	25	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]

Moment limiting device

Table code	Sheet
5430165-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5001580	1	Support (Limiting device)
	5	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	3100956	1	Ring (Tightening)
	7	3100952	1	Nut
	8	5260829	1	Flexible hose
	9	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	5261024	1	Flexible hose
	11	5260826	1	Flexible hose
	12	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	15	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	16	5220634	1	Non-return valve
	17	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	18	5271729	1	Flexible hose
	19	5281137	1	Flexible hose
	20	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]



R	Pos.	Variant Code	Q.ty	Description
	21	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	22	5220300	1	Hose burst valve (Sleeve)
	23	3060143	1	Sealing washer [BSP 1/4"]
	24	3120011	1	90° Connection [90° M/F JIC 9/16-18]
	25	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	26	5220063	1	Cock
	27	3111583	1	Tapping point
	28	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210012-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210013-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220297	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210109-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	2	Sealing washer [BSP 3/8"]
	18	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3120031	4	90° Connection [90° ORIENT.3/4-16-MJ/FJ]

1 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210041-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5220298	1	Control valve
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	2	Contact terminal (Microswitch)
	20	5225847	1	Casing (Pin)

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	1	cover with spring
	22	5812801	2	Small plate (CONTROL SYMBOLS)



1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210042-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5220297	1	
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	5	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	2	Fork
	7	3300451	2	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	1	Control lever
	12	3190197	2	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	1	Rod (Dual control)
	15	3080500	1	Grease nipple
	16	5090433	1	Control lever
	17	3060144	1	Sealing washer [BSP 3/8"]
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	2	Contact terminal (Microswitch)
	20	5225847	1	Casing (Pin)

1 EXTRA FUNCTION KIT OPEN CENTRE SPOOL

Table code	Sheet
5210042-1.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	1	cover with spring
	22	5812803	2	Small plate (CONTROL SYMBOLS)



2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code	Sheet
5210040-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220286	1	Control valve (2 section)
	2	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	3	3101043	7	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	5225240	1	Carry-over
	5	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	6	3300431	4	Fork
	7	3300451	4	Fork clip
	8	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	9	3010036	1	Hex screw [M8X65 8.8 ZC UNI 5739]
	10	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5001830	2	Control lever
	12	3190197	4	Knob (Black)
	13	5271175	1	Flexible hose
	14	5090489	2	Rod (Dual control)
	15	3080500	2	Grease nipple
	16	5090433	2	Control lever
	17	3060144	2	Sealing washer [BSP 3/8"]
	18	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	5225832	4	Contact terminal (Microswitch)
	20	5225847	2	Casing (Pin)

R	Pos.	Variant Code	Q.ty	Description
	21	5225262	2	cover with spring
	22	5812801	2	Small plate (CONTROL SYMBOLS)
	23	5812802	2	Small plate (CONTROL SYMBOLS)



ELECTRICS CONTROLS

Table code	Sheet
3310543-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3310543	1	Dashboard (Electric)
RC	2	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]



Oil tank (not CE)

Table code	Sheet
5400877-1.0	1/1



VALIDO FINO a Settembre 2011
VALID UNTIL September 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
RC	11	3180099	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3110062	1	Plug
	14	3060143	1	Sealing washer [BSP 1/4"]
	15	3140305	1	Cock (Ball) [M1"+F1"]
	16	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	W449009	1	Tank cap (Spill door)

Oil tank (not CE)

Table code	Sheet
5400877-2.0	1/1



VALIDO DA Ottobre 2011
VALID FROM October 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
	11	3180188	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3110062	1	Plug
	14	3060143	1	Sealing washer [BSP 1/4"]
	15	3140305	1	Cock (Ball) [M1"+F1"]
	16	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	W449009	1	Tank cap (Spill door)

Oil tank (CE)

Table code	Sheet
5400508-1.0	1/1



VALIDO FINO a Settembre 2011
VALID UNTIL September 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
RC	11	3180099	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	14	3180097	1	Thermometer
	15	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	16	3140305	1	Cock (Ball) [M1"+F1"]
	17	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	W449009	1	Tank cap (Spill door)

Oil tank (CE)

Table code	Sheet
5400508-2.0	1/1



VALIDO DA Ottobre 2011
VALID FROM October 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5091147	1	
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	2	Sealing washer [BSP 1/2"]
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	5	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3180195	1	Oil filter
RC	9	3180147	1	Pressure gauge (Clogging indicator)
RC	10	3180112	1	Filtering cartridge
	11	3180188	2	Oil level indicator
	12	3010033	3	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
RC	14	3180221	1	Thermometer
	15	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	16	3140305	1	Cock (Ball) [M1"+F1"]
	17	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	18	W449009	1	Tank cap (Spill door)

Oil filter

Table code	Sheet
3180195-1.0	1/1



VALIDO DA Mat. 20593 - 03/07/2006
VALID FROM S/N 20593 - 03/07/2006

R	Pos.	Variant Code	Q.ty	Description
	1	3180113	1	
RC	2	3180112	1	Filtering cartridge
	3	3180155	1	
	4	3180120	1	

Heat exchange unit

Table code	Sheet
7888030-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710118	1	Heat exchange unit
	2	5710119	1	Electric fan (Heat exchange unit)
	3	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	4	5710117	1	Electric fan (Heat exchange unit)
	5	5001229	1	Support (Heat exchange unit)
	6	5710116	1	Heat exchange unit
	7	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3311408	1	Thermostat (Wire assembly)
	11	3110059	2	Plug

Column

Table code	Sheet
5460091-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040118	1	Column
	2	5140124	2	Bushing
	3	3080501	1	Grease nipple [M8X1.25]
	4	W180201000	3	Guide bushing (Flexible hose)
	5	3070041	2	Seeger
	6	5150488	1	Pin
	7	3070100	1	Seeger
	8	5001116	1	Spacer (Bushing)

Hydraulic system (Lifting hydraulic cylinder)

Table code	Sheet
6230079-1.3	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430079	1	Lifting hydraulic cylinder [Fixed]
	2	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391052	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	11	5270866	2	Flexible hose
	12	6230079	1	Lifting hydraulic cylinder [Fixed]
	13	3080512	1	Grease nipple [M8X1.25 (45°)]

6.23.0075-1-2

Lifting hydraulic cylinder

Table code	Sheet
6430079-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070352	1	Cylinder
	2	6030346	1	Rod unit [Fixed]
	3	5140124	4	Bushing
	4	3400111	1	Seal
	5	3420030	1	W-ring
	6	6040106	1	Close nipple
	7	6050237	1	Piston
	8	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	9	3400519	1	Seal
	10	3450224	1	O-ring joint
	11	3460224	1	Anti-extrusion ring
	12	3450119	1	O-ring joint
RC	13	5550681	1	Seal kit (Lifting hydraulic cylinder)

1st Boom

Table code	Sheet
5470097-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030297	1	Main boom
	2	5150642	1	Pin
	3	3040500	2	Self-locking ringnut [M40X1.5 NORMALE ZC]
RC	4	5140656	2	Button (Backlash)
RC	5	5140722	2	Slide shoe
RC	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	8	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	9	5000685	4	Plate (Thickness)
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	12	5001087	2	Button (Control board)
	13	5150488	1	Pin
	14	3070041	2	Seeger
RC	15	5000780	2	Plate (Thickness)

1st Extension

Table code	Sheet
5490094-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020538	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	2	Button (Control board)
RC	9	5140656	2	Button (Backlash)
RC	10	5140722	4	Slide shoe
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	3190040	4	Cap
RC	14	5000780	2	Plate (Thickness)

Hydraulic system (1st Extension hydraulic)

Table code	Sheet
6210402-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	3	Clamp
	17	5271895	2	Flexible hose
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3060144	1	Sealing washer [BSP 3/8"]
	20	3190244	1	Plug (Guard)

R	Pos.	Variant Code	Q.ty	Description
	21	5140133	2	Piping mounting



1st Extension hydraulic

Table code	Sheet
6410415-1.0	1/1

Cilindro 1° sfilo per 2S - 3S - 4S
Cilindro 2° sfilo per 3S - 4S
Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S
2nd cylinder extension for 3S - 4S
3rd cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030862	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit

2nd Extension

Table code	Sheet
5530053-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020539	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140722	2	Slide shoe
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5140783	2	Slide shoe
RC	16	5000780	2	Plate (Thickness)
	17	5002218	4	Washer

Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code	Sheet
6210414-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Extension Hydraulic jack

Table code	Sheet
6410414-1.0	1/1

Cilindro 1° sfilo per 1S
Cilindro 2° sfilo per 2S
Cilindro 3° sfilo per 3S
Cilindro 4° sfilo per 4S
1st cylinder extension for 1S
2rd cylinder extension for 2S
3th cylinder extension for 3S
4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030860	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit

Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code	Sheet
6210415-1.0	1/1



Versione 3S - 4S
3S - 4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001365	1	Lock washer (Control board)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

3rd EXTENSION

Table code	Sheet
5540059-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020540	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140783	4	Slide shoe
RC	10	5140656	4	Button (Backlash)
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5000780	2	Plate (Thickness)
	16	5002218	4	Washer

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210399-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001575	1	Washer (Extension)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210400-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

4th EXTENSION

Table code	Sheet
5560048-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020541	1	Extension
RC	2	5140978	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	5001462	2	Insert (Backlash)
	9	5002218	4	Washer

Hydraulic system (4th extension Hydraulic jack)

Table code	Sheet
6210401-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	5392239	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Manual extension (1st)

Table code	Sheet
7800006-1.0	1/1



PER VERSIONE 1S / A1
FOR VERSION 1S / A1

R	Pos.	Variant Code	Q.ty	Description
	1	5010354	1	Manual extension
	2	5150821	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140722	2	Slide shoe
RC	7	5001087	2	Button (Control board)
RC	8	5140656	2	Button (Backlash)
RC	9	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5000753	2	Keep plate
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]

Manual extension (1st)

Table code	Sheet
7800007-1.0	1/1



PER VERSIONE 2S / A2
FOR VERSION 2S / A2

R	Pos.	Variant Code	Q.ty	Description
	1	5010355	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140783	2	Slide shoe
RC	7	5001087	2	Button (Control board)
RC	8	5140656	2	Button (Backlash)
RC	9	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5000753	2	Keep plate
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]

Manual extension (1st)

Table code	Sheet
7800008-1.0	1/1



PER VERSIONE 3S / A3
FOR VERSION 3S / A3

R	Pos.	Variant Code	Q.ty	Description
	1	5010356	1	Manual extension
	2	5150750	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140783	2	Slide shoe
RC	7	5001087	2	Button (Control board)
RC	8	5140656	2	Button (Backlash)
RC	9	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5000753	2	Keep plate
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]

Manual extension (1st)

Table code	Sheet
7800009-1.0	1/1



PER VERSIONE 4S / A4
FOR VERSION 4S / A4

R	Pos.	Variant Code	Q.ty	Description
	1	5010357	1	Manual extension
	2	5150891	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060753	1	Cotter pin (Locking ring)
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	6	5000753	2	Keep plate
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	8	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	9	3200050	1	Shackles

HOOK KIT

Table code	Sheet
5410987-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	W390301000	1	Guide bushing (Lifting hook)
	3	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	4	5150826	1	Pin assembly
	5	3060902	2	Cotter pin



LOAD INDICATION SYSTEM (LIS/RLC)

Table code	Sheet
7881824-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	2	
	2	5001481	1	
	3	5140976	2	Hydraulic hose guide
RC	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	3010391	2	Hex screw [M10X150 ZC UNI 5737]
RC	6	3060920	10	Tooth lock washer [D.10 TIPO A]
	7	5001487	1	
	8	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	5001483	1	
	10	5261058	2	Flexible hose
	11	3040519	2	Stopnut
	12	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	13	5000033	2	Clamp (Pipe)
	14	5390207	1	
	15	5392105	1	
	16	5261114	2	Flexible hose
	17	5000107	1	
RC	18	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	19	3060006	3	Flat washer [D.8 UNI 6592 ZC]
	20	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	21	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	22	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	23	3110542	2	Quick coupling
	24	3110003	1	Female plug (Blue)
	25	3110002	1	Male plug (Blue)
RC	26	3060056	2	Split lock washer [D=10 C72 ZC]
	27	3190198	1	Sheath (Flexible hose)
	28	3020038	1	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	29	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	30	3060053	2	Split lock washer [D=6.4 C72 ZC]
	31	3190204	2	Plate (Collar)
	32	3190172	4	Clamp (Set of hoses)
	33	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	3	
	2	5001481	2	
	3	5140976	4	Hydraulic hose guide
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010391	2	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	2	
	7	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	8	5001483	1	
	9	5000033	3	Clamp (Pipe)
	10	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	4	Stopnut
	12	5392105	2	
	13	5392106	2	
	14	5261059	2	Flexible hose
	15	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5261058	2	Flexible hose
RC	18	3060920	16	Tooth lock washer [D.10 TIPO A]
RC	19	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	20	3010054	3	Hex screw [M10X90 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	21	3190198	1	Sheath (Flexible hose)
	22	5000107	1	
	23	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	24	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	26	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	27	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	28	3110542	2	Quick coupling
	29	3110003	1	Female plug (Blue)
	30	3110002	1	Male plug (Blue)
	31	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	32	5261114	2	Flexible hose
	33	3190172	4	Clamp (Set of hoses)
	34	3190204	2	Plate (Collar)
	35	3060053	1	Split lock washer [D=6.4 C72 ZC]
	36	3020040	1	Socket head cap screw [M6X40 8.8 ZC UNI 5931]

1st ACTIVATION FOR 3S

Table code	Sheet
5590250-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	4	
	2	5001481	2	
	3	5140976	6	Hydraulic hose guide
RC	4	3060056	6	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	3	
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	4	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	3	
	13	5392106	3	
	14	5261059	4	Flexible hose
	15	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5261058	2	Flexible hose
	18	5001482	1	
	19	3190198	1	Sheath (Flexible hose)
	20	3010054	2	Hex screw [M10X90 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
RC	21	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	22	3060920	22	Tooth lock washer [D.10 TIPO A]
	23	5000107	1	
	24	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	25	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	26	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	27	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	28	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	29	3110542	2	Quick coupling
	30	3110003	1	Female plug (Blue)
	31	3110002	1	Male plug (Blue)
	32	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
	1	5001484	5	
	2	5001481	2	
	3	5140976	8	Hydraulic hose guide
RC	4	3060056	8	Split lock washer [D=10 C72 ZC]
	5	3010391	4	Hex screw [M10X150 ZC UNI 5737]
	6	5001487	4	
	7	3010389	6	Hex screw [M10X35 ZC UNI 5739]
	8	5001483	1	
	9	5000033	5	Clamp (Pipe)
	10	3010022	3	Hex screw [M6X25 8.8 ZC UNI 5739]
	11	3040519	5	Stopnut
	12	5392105	4	
	13	5392106	4	
	14	5261059	6	Flexible hose
	15	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	5261058	2	Flexible hose
	18	5001469	1	
	19	5001482	1	
	20	3190198	1	Sheath (Flexible hose)



R	Pos.	Variant Code	Q.ty	Description
	21	3010054	4	Hex screw [M10X90 8.8 ZC UNI 5737]
RC	22	3060920	24	Tooth lock washer [D.10 TIPO A]
RC	23	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	24	5000107	1	
	25	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	26	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	27	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	28	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	29	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	30	3110542	2	Quick coupling
	31	3110003	1	Female plug (Blue)
	32	3110002	1	Male plug (Blue)
	33	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]

2st ACTIVATION FOR 1S

Table code	Sheet
5600007-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5261058	2	Flexible hose
	2	5392106	1	
	3	5392105	1	
	4	5271150	2	Flexible hose
	5	3190198	1,5mt	Sheath (Flexible hose)
	6	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	7	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	8	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	9	5000107	1	
	10	3110542	2	Quick coupling
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	3110003	1	Female plug (Blue)
	13	3110002	1	Male plug (Blue)
	14	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	15	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]

2nd ADDITIONAL ACTUATION

Table code	Sheet
5600093-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5392105	1	
	2	5390207	1	
	3	5261059	2	Flexible hose

KIT QUICK COUPLING

Table code	Sheet
7882394-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3110542	2	Quick coupling
	2	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	3	3120309	2	Wall-through pipe fitting [MJ 9/16-18]
	4	3110003	1	Female plug (Blue)
	5	3110002	1	Male plug (Blue)
	6	5000107	1	
	7	3010015	1	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900339-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5000212	2	Link rod (Plates)
	11	5141055	1	Spacer
	12	5001879	1	Spacer
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900021-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5001598	2	Link rod
	11	5141055	1	Spacer
	12	5001878	1	Spacer
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900022-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001846	1	Plates (RIGHT)
	2	5001845	1	Plates (LEFT)
	3	3010052	1	Hex screw [M10X75 8.8 ZC UNI 5737]
	4	5001875	1	Spacer
	5	3040304	1	Stopnut [M10-70 NORM.8G ZC.]
	6	3060750	1	Cotter pin (Locking ring)
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	5150781	1	Threaded pin
	9	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	10	5001598	2	Link rod
	11	5141055	1	Spacer
	12	5001876	1	
	13	5001877	1	Bushing (Hook)
	14	5150750	1	Pin (Handle)
	15	3190010	1	Knob

Assembly kit

Table code	Sheet
7880372-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150654	6	Tie rod (Threaded rod) [M20X1.5 L=750]
	2	5150658	2	Tie rod (Threaded rod) [M20X1.5 L=900]
	3	W010000200	4	Anchoring bracket (Base)
	4	5000084	16	Small plate
	5	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	6	3190290	8	Tip (Rubber protection)

807NT AS ARGANO/WINCH

ACTUATION FOR WINCH

Table code	Sheet
5740172-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3040305	4	Stopnut [M12-70 NORM. ZC]
	2	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	5	5091162	1	Winch support
	6	3020104	4	Socket head cap screw [M12X50 8.8 ZC UNI 5931]
	7	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	8	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	9	5150752	1	Pin
	10	3040309	1	Stopnut [Dado Stop M20 Norm.]
	11	5001608	1	Plate (banjo bolt)
	12	5001607	1	Plate (Threaded hole)
	13	3010486	1	Hex screw [M20X150 8.8 ZC UNI 5739]
	14	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	5000045	2	Clamp (Rigid Pipe)
	17	5270864	2	Flexible hose
	18	5261326	1	Flexible hose
	19	5000077	4	Clamp (Rigid Pipe)
	20	5391352	2	

R	Pos.	Variant Code	Q.ty	Description
	21	5271918	2	Flexible hose



Rotation limiting device (Electric)

Table code	Sheet
7882532-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5160009	4	Electric wiring
	2	W610504600	2	Support (Microswitch)
	3	3020014	8	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	4	3020033	4	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	5	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	6	3040518	8	Stopnut [STOP M4]
	7	W610503400	2	
	8	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	9	5002016	1	
	10	5002017	1	
	11	3020406	4	TSEI screw [M6X30 10.9 ZC UNI 5933]
	12	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	14	3311304	2	
	15	5000166	2	
	16	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	17	3060053	2	Split lock washer [D=6.4 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5091007	1	Distributor support
	2	3010390	4	Hex screw [M8X35 ZC UNI 5739]
	3	3040303	12	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5000657	4	Control lever
	5	5000659	1	Control lever
	6	3190197	8	Knob (Black)
	7	3190217	2	Knob (Red)
	8	3060936	2	Grub screw
	9	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
RC	10	3060006	12	Flat washer [D.8 UNI 6592 ZC]
	11	3040045	11	Nut [M8 NORM.6S UNI5588 GEOMET]
	12	3300431	10	Fork
	13	3300451	10	Fork clip
	14	5090442	5	Rod (Dual control)
	15	5150474	1	Pin
	16	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5000670	1	Ring
	18	3080500	6	Grease nipple
	19	5090433	4	Control lever
	20	5090434	1	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5091006	1	Support (Dual control)
	22	5220479	1	
	23	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	24	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	25	3120356	1	Reducing fitting
	26	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	27	5225906	1	
	28	5225848	1	
	29	5225905	2	
	30	5225585	2	
	31	3120074	1	Straight pipe fitting
	32	5220303	1	
	33	5225517	1	
	34	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	35	3040518	4	Stopnut [STOP M4]
	36	3311291	1	
	37	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	38	3311481	1	
	39	3311305	1	
	40	5000176	1	



R	Pos.	Variant Code	Q.ty	Description
	41	3311292	2	
	42	3310543	2	Dashboard (Electric)
RC	43	3010027	5	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	44	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	45	3060053	4	Split lock washer [D=6.4 C72 ZC]
	46	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]

WINCH KIT

Table code	Sheet
7834219-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5720170	1	Winch
	2	3311025	1	Electric box (Winch)
	3	3311103	1	Electric wiring (Extension terminal)
	4	5730139	1	Top Roller
	5	5730066	1	Counterweight
	6	3200027	1	Swivel hook [T5.4]
	7	3020104	4	Socket head cap screw [M12X50 8.8 ZC UNI 5931]
	8	3060057	4	Split lock washer [D=12 C72 ZC]
	9	3060018	8	Flat washer [D.12 UNI 6592 ZC]
	10	3040305	4	Stopnut [M12-70 NORM. ZC]

AMCO VEBA
LIFTING BEYOND HORIZONS

807NT F

Base

Table code	Sheet
5420015-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060121	1	Base
RC	2	5140667	1	Collar (Lower)
RC	3	5140668	1	Collar (Upper)
RC	4	5140669	1	Thrust bearing ring
	5	3080501	3	Grease nipple [M8X1.25]
	6	3180115	2	Bubble level



VALIDO FINO A Settembre 2011
VALID UNTIL September 2011

R	Pos.	Variant Code	Q.ty	Description
	1	6070338	4	Cylinder (Slewing) [Fixed]
	2	3400514	4	Seal
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060050	24	Split lock washer [D=14 C72 ZC]
	7	3020109	24	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	8	3020499	2	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	9	5140600	2	Sliding block (Rack adjuster)
	10	5000229	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040308	2	Stopnut
RC	13	5550680	2	Seal kit (Slewing)
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	1A	6070338	4	Cylinder (Slewing) [Fixed]
	1B	6070389	4	Cylinder (Slewing) [Marine]
RC	2	5550680	2	Seal kit (Slewing)
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060050	24	Split lock washer [D=14 C72 ZC]
	7	3020109	24	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	8	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
RC	9	5140781	2	Sliding block (Rack adjuster)
	10	5001570	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040050	2	Nut [M18 8G UNI 5588]
	13	3060078	2	Lock washer [Nord-Lock]
	14	6050229	4	Piston (Slewing)

Slewing (Retaining ring)

Table code	Sheet
6240212-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070721	4	Cylinder (Slewing) [Fixed]
RC	2	5550680	2	Seal kit (Slewing)
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060058	24	Split lock washer [D=14 INOX]
	7	3020109	24	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	8	5002438	4	Flange (Slewing)
RC	9	5140781	2	Sliding block (Rack adjuster)
	10	5001570	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040050	2	Nut [M18 8G UNI 5588]
	13	3060078	2	Lock washer [Nord-Lock]
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	16	3070207	4	Snap ring

Slewing (Retaining ring)

Table code	Sheet
6240212-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070721	4	Cylinder (Slewing) [Fixed]
RC	2	5550680	2	Seal kit (Slewing)
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060058	24	Split lock washer [D=14 INOX]
	7	3020324	24	Socket head cap screw [M14X65 8.8 GEOMET UNI 5931]
	8	5003359	4	Flange (Slewing)
RC	9	5140781	2	Sliding block (Rack adjuster)
	10	5001570	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040050	2	Nut [M18 8G UNI 5588]
	13	3060078	2	Lock washer [Nord-Lock]
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	16	3070207	4	Snap ring

Slewing Hydraulic jack (Hydraulic system)

Table code	Sheet
6240057-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3101125	6	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3120064	2	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	4	5220093	2	Non-return valve
	5	3120003	2	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	6	5391403	1	Bonderized tube
	7	5391406	2	Bonderized tube
	8	5391404	1	Bonderized tube
	9	5271665	2	Flexible hose [Fixed]
	10	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	11	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]

Slewing Hydraulic jack (Hydraulic system)

Table code	Sheet
6240236-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3101125	6	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	3	3060144	1	Sealing washer [BSP 3/8"]
	4	5220093	2	Non-return valve
	5	3101175	2	Tee fitting
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5393324	1	Bonderized tube
	8	5393323	1	Bonderized tube
	9	5393321	1	Bonderized tube
	10	5393322	1	Bonderized tube
	11	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15A	5271665	2	Flexible hose [Fixed]
	15B	5271071	2	Flexible hose [Marine]
	16	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	17	3110114	1	Straight pipe fitting [M/F BSP 3/8"H=32]
	18	5393314	1	Bonderized tube
	19	5393320	1	Bonderized tube



R	Pos.	Variant Code	Q.ty	Description
	20A	5272233	2	Flexible hose [Fixed]
	20B	5272228	2	Flexible hose [Marine]



R	Pos.	Variant Code	Q.ty	Description
	1	5220322	1	Control valve ass'y
	2	3040045	5	Nut [M8 NORM.6S UNI5588 GEOMET]
	3	3060936	5	Grub screw
	4	5000657	5	Control lever
	5	3190217	1	Knob (Red)
	6	3190197	4	Knob (Black)
	7	3040303	5	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	5090437	1	Distributor support
	9	3010390	2	Hex screw [M8X35 ZC UNI 5739]
	10	5090440	1	Guard (Control levers)
	11	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	12	3120031	2	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	13	3120112	2	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	14	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	15	3110110	2	Straight pipe fitting [M/F BSP 3/8"H=47]
	16	3060144	2	Sealing washer [BSP 3/8"]
	17	5220678	1	Cock
	18	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	19	3110041	2	Female plug
	20	3111522	1	90° Connection



R	Pos.	Variant Code	Q.ty	Description
	21	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	22	3110150	1	Reducing fitting
	23	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Column (F / M)

Table code	Sheet
5460093-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040539	1	Column
	2	5140124	2	Bushing
	3	3080501	1	Grease nipple [M8X1.25]
	4	5000614	2	Base (Clamp)
	5	3070041	2	Seeger
	6	5150488	1	Pin
	7	3070100	1	Seeger
	8	5001116	1	Spacer (Bushing)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	10	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	11	5000036	2	Clamp
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]

Hydraulic system ()

Table code	Sheet
6230079-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430079	1	Lifting hydraulic cylinder [Fixed]
	2	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	4	5271664	2	Flexible hose [Fixed]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391052	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10	3080512	1	Grease nipple [M8X1.25 (45°)]
	11	6230079	1	Lifting hydraulic cylinder [Fixed]
	12	3080501	1	Grease nipple [M8X1.25]

Hydraulic system (1st Extension hydraulic)

Table code	Sheet
6210402-4.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	3	Clamp
	17	5271949	2	Flexible hose
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3060144	3	Sealing washer [BSP 3/8"]
	20	3190244	1	Plug (Guard)

R	Pos.	Variant Code	Q.ty	Description
	21	5140133	2	Piping mounting
	22	3110110	2	Straight pipe fitting [M/F BSP 3/8"H=47]



AMCO VEBA
LIFTING BEYOND HORIZONS

807NT M



VALIDO FINO A Settembre 2011
VALID UNTIL September 2011

R	Pos.	Variant Code	Q.ty	Description
	1A	6070338	4	Cylinder (Slewing) [Fixed]
	1B	6070389	4	Cylinder (Slewing) [Marine]
	2	3400514	4	Seal
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060050	24	Split lock washer [D=14 C72 ZC]
	7	3020109	24	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	8	3020499	2	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	9	5140600	2	Sliding block (Rack adjuster)
	10	5000229	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040308	2	Stopnut
RC	13	5550680	2	Seal kit (Slewing)
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]

Slewing (Retaining ring)

Table code	Sheet
6240199-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6070721	4	Cylinder (Slewing) [Fixed]
	1B	6070709	4	Cylinder (Slewing) [Marine]
RC	2	5550680	2	Seal kit (Slewing)
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060058	24	Split lock washer [D=14 INOX]
	7	3020109	24	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	8	5002438	4	Flange (Slewing)
RC	9	5140781	2	Sliding block (Rack adjuster)
	10	5001570	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040050	2	Nut [M18 8G UNI 5588]
	13	3060078	2	Lock washer [Nord-Lock]
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	16	3070207	4	Snap ring

Slewing (Retaining ring)

Table code	Sheet
6240199-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6070721	4	Cylinder (Slewing) [Fixed]
	1B	6070709	4	Cylinder (Slewing) [Marine]
RC	2	5550680	2	Seal kit (Slewing)
	3	6050240	4	Piston (Assembly)
	4	5050075	2	Toothed rack
	5	3060604	2	Spring pin
	6	3060058	24	Split lock washer [D=14 INOX]
	7	3020324	24	Socket head cap screw [M14X65 8.8 GEOMET UNI
	8	5003359	4	Flange (Slewing)
RC	9	5140781	2	Sliding block (Rack adjuster)
	10	5001570	2	Support (Sliding block)
	11	3060917	2	Grub screw
	12	3040050	2	Nut [M18 8G UNI 5588]
	13	3060078	2	Lock washer [Nord-Lock]
	14	6050229	4	Piston (Slewing)
	15	3020075	4	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	16	3070207	4	Snap ring

Lifting hydraulic cylinder (Hydraulic system)

Table code	Sheet
6230092-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6430079	1	Lifting hydraulic cylinder [Fixed]
	1B	6430092	1	Lifting hydraulic cylinder [Marine]
	2	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	4	3060144	1	Sealing washer [BSP 3/8"]
	5	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5220547	1	Holding valve
	7	5391052	1	Bonderized tube
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	10A	5271664	2	Flexible hose [Fixed]
	10B	5271069	2	Flexible hose [Marine]
	11A	6230079	1	Lifting hydraulic cylinder [Fixed]
	11B	6230092	1	Lifting hydraulic cylinder [Marine]
	12	3080512	1	Grease nipple [M8X1.25 (45°)]
	13	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]

Hydraulic system (1st Extension hydraulic)

Table code	Sheet
6210421-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410421	1	Extension hydraulic jack [Marine]
	2	3040390	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5001579	1	Valve support
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	3190025	3	Clamp
	17	5271917	2	Flexible hose
	18	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	19	3060144	3	Sealing washer [BSP 3/8"]
	20	3190244	1	Plug (Guard)

R	Pos.	Variant Code	Q.ty	Description
	21	5140133	2	Piping mounting
	22	3110110	2	Straight pipe fitting [M/F BSP 3/8"H=47]



1st Extension hydraulic

Table code	Sheet
6410421-1.0	1/1

Cilindro 1° sfilo per 2S - 3S - 4S
Cilindro 2° sfilo per 3S - 4S
Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S
2nd cylinder extension for 3S - 4S
3rd cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7A	6030862	1	Rod unit [Fixed]
	7B	6030890	1	Rod unit [Marine]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit

Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code	Sheet
6210424-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410414	1	Extension hydraulic jack [Fixed]
	1B	6410421	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001365	1	Lock washer (Control board)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210426-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1A	6410414	1	Extension hydraulic jack [Fixed]
	1B	6410422	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001575	1	Washer (Extension)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Extension Hydraulic jack

Table code	Sheet
6410422-1.0	1/1

Cilindro 1° sfilo per 1S
Cilindro 2° sfilo per 2S
Cilindro 3° sfilo per 3S
Cilindro 4° sfilo per 4S
1st cylinder extension for 1S
2rd cylinder extension for 2S
3th cylinder extension for 3S
4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7A	6030860	1	Rod unit [Fixed]
	7B	6030892	1	Rod unit [Marine]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit

Hydraulic system (3rd extension Hydraulic jack)

Table code	Sheet
6210425-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1A	6410415	1	Extension jacks [Fixed]
	1B	6410421	1	Extension hydraulic jack [Marine]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Hydraulic system (4th extension Hydraulic jack)

Table code	Sheet
6210427-1.0	1/1



Versione 4S
4S Version

R	Pos.	Variant Code	Q.ty	Description
	1A	6410414	1	Extension hydraulic jack [Fixed]
	1B	6410422	1	Extension hydraulic jack [Marine]
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	5392239	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

AMCO VEBA
LIFTING BEYOND HORIZONS

907NT

Control valve (5 section)

Table code	Sheet
5220424-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225720	1	
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225768	10	
	12	5225755	1	
	13	5225760	1	
	14	5225726	1	
	15	5225759	1	
	16	5225729	1	Antishock valve
	17	5225725	1	
	18	5225758	1	
	19	5225736	2	Antishock valve
	20	5225715	1	Slider (CC)



R	Pos.	Variant Code	Q.ty	Description
	21	5225722	6	Control lever
	22	5225723	5	
	23	5225727	1	Cylinder head (Closing)
	24	5225730	1	6 elements unit fixing stud
	25	5225731	1	7 elements unit fixing stud
	26	5225732	1	8 elements unit fixing
	27	5225716	4	Slider (CA)
RC	28	5225733	1	Seal kit
	29	5225728	1	Antishock valve
	30	5225818	1	
	31	5225843	1	5 elements unit fixing stud
	32	5225724	2	
	33	5225757	2	



R	Pos.	Variant Code	Q.ty	Description
	1	W370507600	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011

CONTROLS (RDC)

Table code	Sheet
5402179-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091455	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

Auxiliary wiring (Limiting device)

Table code	Sheet
5405013-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310876	1	
	2	3310879	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020880	2	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	10	3310822	1	
	11	3310823	1	
	12	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	13	W370508000	1	Support (Flashing light)
	14	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	15	3310873	1	Pressure monitor

Moment limiting device

Table code	Sheet
5405013-2.0	1/1



VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5141020	2	Vehicle (Clamp)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	4	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	3120450	1	Reducing fitting
	6	5260908	1	Flexible hose
	7	3060143	1	Sealing washer [BSP 1/4"]
RC	8	5220300	1	Hose burst valve (Sleeve)
	9	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]

Light column

Table code	Sheet
3310822-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

Complete wireless control (not CE)

Table code	Sheet
7892099-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	7	3020023	8	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	8	3311071	1	Handle
	9	3310891	1	
	10	3310892	1	
	11	3310890	5	
	12	3310893	1	Battery compartment
	13	3310860	1	
	14	3310908	1	
	15	3310688	1	
	16	3310852	1	
	17	3310862	2	
	18	3310064	1	
	19	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	20	5410965	1	Kit (Magnet)

Complete wireless control (not CE)

Table code	Sheet
7892099-2.0	2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3310754	1	
	22	3311195	5	
	23	3311197	6	
	24	3311196	1	

Complete wireless control (PTO)

Table code	Sheet
7892500-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311071	1	Handle
	7	3310891	1	
	8	3310892	1	
	9	3310890	5	
	10	3310893	1	Battery compartment
	11	3311509	1	Electric wiring (Wireless control)
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Auxiliary wiring (Limiting device)

Table code	Sheet
5401023-1.0	1/1

Valido da Matricola / Valid from S/N
27611
Valido da Matricola / Valid from S/N
99888
Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Gennaio 2011
VALID UNTIL January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311169	1	
	2	3311168	1	
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	5001694	1	
	8	3310885	1	Microswitch (Electric)
	9	3020881	2	[M3X8 UNI7687 ZC TAGLIO CR.]
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	W370508000	1	Support (Flashing light)
	13	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	14	3310873	1	Pressure monitor

High pressure filter

Table code	Sheet
5400738-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5090670	1	
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	10	5271751	1	
	11	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	12	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]

LOAD INDICATION SYSTEM (RDC)

Table code	Sheet
7881784-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236508	1	
	4	3311542	1	

907NT EN 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	5225719	1	Cylinder head (Inlet)
	2	3310906	1	Solenoid
	3	3310904	1	Solenoid
	4	5220569	1	Cartridge
	5	5225718	1	Max pressure valve
	6	5225876	1	Control valve element (proportional)
	7	3310903	1	reel for proportional valve
	8	3310907	10	Reel
	9	3310905	10	Reel
	10	5225721	10	Ring nut (O-ring joint)
	11	5225881	1	Control valve element
	12	5225886	1	Control valve element
	13	5225879	1	Control valve element
	14	5225884	1	Control valve element
	15	5225729	1	Antishock valve
	16	5225889	1	Control valve element
	17	5225891	1	Control valve element
	18	5225736	2	Antishock valve
	19	5225715	1	Slider (CC)
	20	5225800	6	Control lever



R	Pos.	Variant Code	Q.ty	Description
	21	5225801	5	Knob (Black)
	22	5225727	1	Cylinder head (Closing)
	23	5225730	1	6 elements unit fixing stud
	24	5225731	1	7 elements unit fixing stud
	25	5225732	1	8 elements unit fixing
	26	5225716	4	Slider (CA)
RC	27	5225733	1	Seal kit
	28	5225728	1	Antishock valve
	29	5225802	1	Knob (Red)
	30	5225843	1	5 elements unit fixing stud
	31	5225878	2	Control valve element
	32	5225883	2	Control valve element

Control unit (RDC)

Table code	Sheet
5401583-1.0	1/2



VALIDO DA Febbraio 2011
VALID FROM February 2011

R	Pos.	Variant Code	Q.ty	Description
	1	W370508100	1	Casing (Control valve)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	W370507500	1	Support (Control valve)
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	W370507900	1	Protective guard (Electric wiring)
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	W370508300	1	

VALIDO DA Febbraio 2011
VALID FROM February 2011

Control unit (RDC)

Table code	Sheet
5402187-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091454	1	Guard (Control unit)
	2	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3020034	7	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	W573278	1	Small plate (CONTROL SYMBOLS)
	6	W573279	1	Small plate (CONTROL SYMBOLS)
	7	W573280	1	Small plate (CONTROL SYMBOLS)
	8	W573282	1	Small plate (CONTROL SYMBOLS)
	9	W573283	1	Small plate (CONTROL SYMBOLS)
RC	10	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	11	3060056	2	Split lock washer [D=10 C72 ZC]
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	5091056	1	Support (Casing)
	14	5220423	1	Proportional control valve
	15	5220424	1	Proportional control valve
	16	5091459	1	Distributor support
RC	17	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	18	3060005	10	Flat washer [D.6.4 UNI 6592 ZC]
	19	5091451	1	Lateral guards and supports
	20	3060004	4	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	22	3060052	4	Split lock washer [D=5.5 C72 ZC]
	23	3060053	4	Split lock washer [D=6.4 C72 ZC]
	24	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	25	3020964	2	Socket head cap screw [M6X70 8.8 ZC UNI 5931]
	26	5091488	1	Cover (Moment limiting device)
	27	3011000	2	Handwheel
	28	5091491	1	Protective guard (Control levers)

High pressure filter

Table code	Sheet
5401581-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101128	2	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	5090670	1	
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	10	5271751	1	
	11	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Kit (Wireless control)

Table code	Sheet
7892099-3.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120095	1	
	2	3310861	1	Aerial (Wireless control)
	3	3020038	2	Socket head cap screw [M6X30 8.8 ZC UNI 5931]
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3311385	1	
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3310754	1	
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3310862	2	



Complete wireless control (PTO)

Table code	Sheet
7892500-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5120154	1	Complete wireless control
	2	3311501	1	Aerial (Wireless control)
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3311633	1	Electric wiring
	7	3311071	1	Handle
	8	3310891	1	
	9	3310892	1	
	10	3310890	5	
	11	3310893	1	Battery compartment
	12	3310688	1	
	13	3310852	1	
	14	3310064	1	
	15	3010324	1	Hex screw [M6X12 8.8 ZC UNI 5739]
	16	5410965	1	Kit (Magnet)
	17	3311502	1	Transmitter (Wireless control)
	18	3311195	5	
	19	3311197	6	
	20	3311196	1	

Complete wireless control (PTO)

Table code	Sheet
7892500-2.0	2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]



Kit CE (STABILITY CONTROL)

Table code	Sheet
5405052-4.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002027	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311342	2	Electric wiring
	13	3311332	2	Electric wiring
	14	5002103	1	
	15	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	16	3311341	1	
	17	3060225	1	Grub screw
	18	3040391	1	Hexagonal nut (Normal)
	19	3311386	1	
	20	3010017	2	Hex screw [M6X35 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	21	3010390	1	Hex screw [M8X35 ZC UNI 5739]
	22	5002106	1	Support
	23	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]

Kit CE (STABILITY CONTROL)

Table code	Sheet
5405052-7.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002051	1	Support (Proximity switch)
RC	2	3311312	1	Proximity switch
	3	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	4	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3060053	8	Split lock washer [D=6.4 C72 ZC]
	7	3020035	8	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	8	5002026	4	Guard (Proximity switch)
	9	5002027	2	Support (Proximity switch)
RC	10	3311311	4	Proximity switch (Position sensor)
	11	3311372	1	Electric wiring
	12	3311636	4	Electric wiring
	13	3311541	1	Moment limiting device
	14	5002106	1	Support
	15	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	16	3010390	1	Hex screw [M8X35 ZC UNI 5739]
	17	3010017	2	Hex screw [M6X35 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	1	3311345	1	
	2	3311386	1	
	3	5001842	1	Microswitch support
	4	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	5	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	6	3020879	2	
	7	3310885	1	Microswitch (Electric)
	8	3040516	2	Stopnut [STOP M3]
	9	3060223	1	Grub screw
	10	3311159	1	Signal Columns
	11	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3040391	1	Hexagonal nut (Normal)
	14	5160001	1	Electric wiring
	15	5002055	1	Manifold (Pick-up)
	16	3060143	2	Sealing washer [BSP 1/4"]
	17	3110078	1	Bolt (banjo bolt)
	18	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	19	3310612	1	Pressure sensor
	20	3311384	1	

R	Pos.	Variant Code	Q.ty	Description
	21	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	22	3040518	2	Stopnut [STOP M4]



Moment limiting device (EN12999-A3)

Table code	Sheet
5405052-6.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311634	1	Electric wiring
	2	3311541	1	Moment limiting device
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	3311159	1	Signal Columns
	5	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	6	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	7	5160001	1	Electric wiring
	8	5002055	1	Manifold (Pick-up)
	9	3060143	2	Sealing washer [BSP 1/4"]
	10	3110078	1	Bolt (banjo bolt)
	11	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	12	3310612	1	Pressure sensor
	13	3311632	1	Electric wiring
	14	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	15	3040518	2	Stopnut [STOP M4]
	16	3312280	1	Push-button pannel box (Assembly)
	17	3312281	1	key switch

RECOMMENDED SPARE PARTS

Code	Description
3010027	Hex screw
3010336	Hex screw
3010354	Hex screw
3020080	Socket head cap screw
3020875	Socket head cap screw
3060006	Flat washer
3060007	Flat washer
3060055	Split lock washer
3060056	Split lock washer
3060914	Flat washer
3060918	Tooth lock washer
3060920	Tooth lock washer
3180099	Oil level indicator
3180112	Filtering cartridge
3180138	Oil filter
3180139	Filtering cartridge
3180147	Pressure gauge (Clogging indicator)
3180150	Pressure gauge
3180195	Oil filter
3180221	Thermometer
3311150	Inclination sensor 360°
3311311	Proximity switch (Position sensor)
3311312	Proximity switch
3311313	Sensor unit (Encoder)
3311354	Lighting (Audible alarm)
3312200	Pressure sensor
5000685	Plate (Thickness)
5000780	Plate (Thickness)
5001087	Button (Control board)
5140600	Sliding block (Rack adjuster)
5140656	Button (Backlash)
5140667	Collar (Lower)
5140668	Collar (Upper)
5140669	Thrust bearing ring
5140722	Slide shoe
5140781	Sliding block (Rack adjuster)
5140783	Slide shoe
5140978	Slide shoe
5141050	Slide shoe
5220300	Hose burst valve (Sleeve)
5225733	Seal kit
5225797	Seal kit (Control valve)
5225798	Seal kit (Control valve)
5225900	Seal kit (Control valve)
5550680	Seal kit (Slewing)
5550681	Seal kit (Lifting hydraulic cylinder)
5550684	Seal kit
5550709	Seal kit
5550760	Seal kit
5550761	Seal kit
W365058	Seal kit

Code	Description