




Model
TELESCOPIC 1 BOOM
809T 811T

Logbook code
7880577.0
Edition
05/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7880577.0

Sheet

1/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5420065-1.0	1	Base		
12	6240094-2.0	1	Slewing		
13	6240173-1.0	1	Slewing (Retaining ring)		
14	6240173-4.0	1	SLEWING ASS'Y (Double Flange)		
15	6240094-1.0	1	Slewing Hydraulic jack (Hydraulic system)		
16	5420050-2.0	1	Position (Hoses support)		
17	5400917-1.0	1	Greasing kit		
18	5402000-1.0	1	Greasing kit		
19	5760137-1.0	1	Stabilizer connecting rods		
20	5760137-2.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
21	5760127-1.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
22	5410981-1.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
23	5410981-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
24	5411225-4.0	1	STABILITY CONTROL (EN12999-A3)		
25	5380032-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (hydraulic lengthening)		
26	6200209-1.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
27	6400209-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
28	6200244-1.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
29	6400244-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		

Page	Table code	Q.ty	Table heading	Vers.	Validity
30	5380053-1.0	1	Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-		
32	5380032-2.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
34	6200208-1.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
35	6400208-1.0	1	Stabilizer Hydraulic jack		
36	6200256-1.0	1	Stabilizer Hydraulic jack (Hydraulic system)		
37	6400256-1.0	1	Stabilizer Hydraulic jack (Long)		
38	5760136-1.0	1	Stabilizer connecting rods extra-extensible revolving		
39	5760136-2.0	1	Hydraulic system (STABILISER RAM)		
40	5380032-3.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
42	6200237-1.0	1	Hydraulic system (STABILISER RAM)		
43	6400136-1.0	1	Stabilizer Hydraulic jack		
44	6200251-1.0	1	Hydraulic system (STABILISER RAM)		
45	6400251-1.0	1	Stabilizer Hydraulic jack (Short)		
46	6200260-1.0	1	Hydraulic system (STABILISER RAM)		
47	6400260-1.0	1	Stabilizer Hydraulic jack (Long)		
48	5400591-1.0	1	DOUBLE CONTROLS		
50	5220353-1.0	1	Control valve (6 section)		
52	3310543-1.0	1	ELECTRICS CONTROLS		
53	5430124-1.0	1	Hydraulic system (Moment limiting device)		
55	5220457-1.0	1	Control valve (6 section)		

Table index

Logbook code

Sheet

7880577.0
2/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
57	5401455-1.0	1	DOUBLE CONTROLS (CE)		
60	5401455-2.0	1	DOUBLE CONTROLS (CE)		
61	5401455-3.0	1	DOUBLE CONTROLS (CE)		
62	5401455-4.0	1	DOUBLE CONTROLS (CE)		
63	7885108-1.0	1	System (STABILITY CONTROL)		
64	5400666-1.0	1	DOUBLE CONTROLS		
66	5220392-1.0	1	Control valve (5 section)		
68	5430100-1.0	1	Moment limiting device (LI NO CE)		
70	5430101-1.0	1	Moment limiting device (LIG NO CE)		
72	5210213-1.0	1	5th extra function kit closed center spool		
73	5210214-1.0	1	6th extra function kit closed center spool		
74	5212043-1.0	1	6th extra function kit closed center spool		
75	5210211-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
76	5212042-1.0	1	2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL		
77	5400318-1.0	1	Hydraulic oil tank (CE)		
78	5400318-2.0	1	Hydraulic oil tank (CE)		
79	3180198-1.0	1	Oil filter (RFA210)		
80	5400428-1.0	1	Hydraulic oil tank (not CE)		
81	5400428-2.0	1	Hydraulic oil tank (not CE)		
82	5460039-1.0	1	Column		

Page	Table code	Q.ty	Table heading	Vers.	Validity
84	6230136-1.0	1	Hydraulic system (Lifting hydraulic cylinder)		
85	6430136-1.0	1	Lifting hydraulic cylinder		
86	5470063-1.0	1	1st Boom		
88	5490066-1.0	1	1st Extension		
89	6210366-1.0	1	Hydraulic system (1st Extension hydraulic)		
90	6410242-1.0	1	1st Extension hydraulic		
91	5370027-1.0	1	2nd extension		
92	6210367-1.0	1	Hydraulic system (2nd extension hydraulic cylinder)		
93	6410243-1.0	1	2nd and 3rd extension hydraulic cylinder		
94	5540035-1.0	1	3rd EXTENSION		
95	5540036-1.0	1	3rd EXTENSION		
97	6210244-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
98	5560029-1.0	1	4th EXTENSION		
99	6210345-1.0	1	Hydraulic system (4th extension Hydraulic jack)		
100	6410245-1.0	1	4th extension Hydraulic jack		
101	5411001-1.0	1	Coupling (Hook)		
102	5411004-1.0	1	Coupling (Hook)		
103	5411003-1.0	1	Coupling (Hook)		
104	7800004-1.0	1	Manual extension		
105	7800005-1.0	1	Manual extension		

Table index

Logbook code

Sheet

7880577.0
3/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
106	7881824-1.0	1	LOAD INDICATION SYSTEM (LIS/RLC)		
107	7880368-1.0	1	Assembly kit		
108	5590146-1.0	1	1st ACTIVATION (Hose reels)		
110	5600120-1.0	1	1st - 2nd (ACTUATION)		
112	5600120-2.0	1	1st - 2nd (ACTUATION)		
114	5590164-1.0	1	1st ACTIVATION FOR 1S		
116	5600164-1.0	1	2nd ADDITIONAL ACTUATION (1S)		
117	5590165-1.0	1	1st ACTIVATION FOR 2S		
119	5600165-1.0	1	2nd ADDITIONAL ACTUATION (2S)		
120	5590276-1.0	1	1st ACTIVATION FOR 3S		
122	5600165-2.0	1	2nd ADDITIONAL ACTUATION (3S)		
123			809T-811T SE		
124	5420140-1.0	1	BASE		
125	5420144-1.0	1	BASE (Column)		
126	5760414-1.0	1	STABILIZERS RODS SUPER EXTRA-EXTENSIBLE		
128	5760414-2.0	1	Hydraulic system (SUPER EXTRA-EXTENSIBLE)		
129			809T-811T CC		
130	5420069-1.0	1	Base (Column)		
132	5400676-1.0	1	Hydraulic oil tank		
135			809TF-811TF		

Page	Table code	Q.ty	Table heading	Vers.	Validity
136	7885347-1.0	1	Assembly kit (F / M)		
137	5402008-1.0	1	Greasing kit		
138	5420063-1.0	1	Base (F / M)		
139	6240174-1.0	1	Slewing (Retaining ring)		
140	6240178-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
141	5403100-1.0	1	Control station		
142	5430083-1.0	1	Moment limiting device		
144	5740232-1.0	1	ACTUATION FOR WINCH (F / M)		
145	7900305-1.0	1	ATTACHEMENT FOR WINCH		
146	7834316-1.0	1	WINCH KIT		
147	7834316-2.0	1	WINCH KIT (TC1)		
149			809T-811T RDC-EBB		
150	5400543-1.0	1	DOUBLE CONTROLS		
152	5400673-1.0	1	DOUBLE CONTROLS		
155	5220394-1.0	1	Control valve (6 section)		
157	5400543-2.0	1	CONTROLS (RDC-EBB)		
158	5400543-3.0	1	CONTROLS (RDC-EBB)		
159	5400543-4.1	1	CONTROLS		
160	3310822-1.0	1	Light column		
161	5400543-5.0	1	CONTROLS (RDC-EBB)		

Table index

Logbook code

7880577.0





Sheet


4/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
162	7892075-1.0	1	Wireless control kit (EU.24V)		
163	7892111-1.0	1	Wireless control kit (EU.24V)		
164	5400464-2.0	1	High pressure filter		
165	7881784-1.0	1	LOAD INDICATION SYSTEM (RDC)		
167	809T-811T RDC-EBB EN 12999-A3				
168	5401459-1.0	1	DOUBLE CONTROLS (RDC EBB-X TCU-ECM4)		
171	5220838-1.0	1	Control valve (6 section)		
174	5220838-2.0	1	Control valve (6 section)		
176	5411205-4.0	1	ROTATION CONTROL (EN12999-A3)		
177	5411205-4.1	1	ROTATION CONTROL (EN12999-A3)		
179	5411367-3.0	1	ROTATION CONTROL (EN12999-A3)		
181	5402736-3.0	1	ROTATION CONTROL (EN12999-A3)		
183	5411250-3.0	1	STABILITY CONTROL (EN12999-A3)		
185	5411250-4.0	1	STABILITY CONTROL (EN12999-A3)		
187	5401459-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
188	5402736-1.0	1	CONTROLS (EN12999-A3)		
189	5401459-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
190	5401459-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
191	7880830-1.0	1	Rotation limiting device (Electric)		
192	5401604-1.0	1	High pressure filter (EN12999-A3)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
193	7892195-1.0	1	Wireless control kit (Hz.EU)		
194	7892196-1.0	1	Wireless control kit (Hz.USA)		
195	7892208-1.0	1	Wireless control kit (Hz.AUS)		


R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)






R	Pos.	Variant Code	Q.ty	Description
	1	5060161	1	Base
RC	2	5140773	1	Thrust bearing ring
RC	3	5140784	1	Bushing (Upper)
RC	4	5141053	1	Bushing (Lower)
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5091399	1	Piping mounting
	8	3080501	1	Grease nipple [M8X1.25]
	9	5000625	2	Block (Rod)
	10	5001415	2	Hook (Rod)
	11	3060955	2	Spring (Tensioning)
	12	3020022	4	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	13	3060052	4	Split lock washer [D=5.5 C72 ZC]
	14	3060606	2	Spring pin
	15	5000771	4	Adjusting screw [M20 L=35]
	16	3040089	4	Lock nut
	17	3040084	8	Lock nut [M10 basso UNI 5589]
	18	3070150	4	Seeger
	19	5150159	2	Pin
	20	3010360	4	Hex screw [M10X50 8.8 ZC UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
	21	5140687	2	Roller (Turnsbasket)





R	Pos.	Variant Code	Q.ty	Description
	1	6070499	2	Cylinder (Slewing) [Fixed]
	2	3020963	16	Socket head cap screw [M14X50 8.8 ZC UNI 5931]
	3	3060050	16	Split lock washer [D=14 C72 ZC]
	4	3400519	2	Seal
	5	6050247	2	Piston (Assembly)
	6	5050098	1	Toothed rack
	7	3060608	2	Spring pin
	8	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	9	5140772	1	Sliding block (Rack adjuster)
	10	4160328	1	Pusher (Sliding block)
	11	3060951	1	Grub screw
	12	3040309	1	Stopnut [Dado Stop M20 Norm.]
RC	13	5550696	1	Seal kit
	14	6050225	2	Piston (Slewing)
	15	3020109	2	Socket head cap screw [M14X35 8.8 ZC UNI 5931]

VALIDO FINO A Aprile 2013

VALID UNTIL April 2013

Slewing (Retaining ring)


Table code

Sheet

6240173-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070688	2	Cylinder (Slewing) [Fixed]
	2	3020963	16	Socket head cap screw [M14X50 8.8 ZC UNI 5931]
	3	3060050	16	Split lock washer [D=14 C72 ZC]
	4	3400519	2	Seal
	5	6050247	2	Piston (Assembly)
	6	5050098	1	Toothed rack
	7	3060608	2	Spring pin
	8	3020499	1	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	9	5140772	1	Sliding block (Rack adjuster)
	10	4160328	1	Pusher (Sliding block)
	11	3060951	1	Grub screw
	12	3040309	1	Stopnut [Dado Stop M20 Norm.]
RC	13	5550696	1	Seal kit
	14	6050225	2	Piston (Slewing)
	15	3020109	2	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	16	W570100800	2	Retaining ring (Stop)
	17	5002277	2	Flange



VALIDO DA Maggio 2013


VALID FROM May 2013

SLEWING ASS'Y (Double Flange)

Table code
6240173-4.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002277	4	Flange
	2	W570100800	2	Retaining ring (Stop)
	3	3060050	16	Split lock washer [D=14 C72 ZC]
	4	3020324	16	Socket head cap screw [M14X65 8.8 GEOMET UNI 50341]




Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240094-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220696	1	Valve (Overcenter)
	2	5392045	1	Bonderized tube
	3	3101127	6	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5001560	1	Valve support
	5	3190021	2	Clamp [104-138 12.2 ABA]
	6	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3020051	2	Socket head cap screw [M8X12 ZC UNI 5931]
	9	3190208	2	Collar (Pipe)
	10	5392046	1	Bonderized tube
	11	5271634	1	Flexible hose
	12	5271604	1	Flexible hose
	13	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Position (Hoses support)


Table code

Sheet

5420050-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5091399	1	Piping mounting
	2	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	3	3060053	4	Split lock washer [D=6.4 C72 ZC]
	4	5090911	1	Support bracket (Flexible hose)
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]



Greasing kit


Table code

Sheet

5400917-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	3	3060052	2	Split lock washer [D=5.5 C72 ZC]
	4	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	5	3080012	6	Coupling (Flexible hose)
	6	3080020	1	Pipe (Greasing)
	7	3080021	1	Pipe (Greasing)
	8	3190012	35	Clamp
	9	3080019	1	Pipe (Greasing)
	10	3080017	2	Pipe (Greasing)
	11	3080018	1	Pipe (Greasing)
	12	3080004	6	Coupling (Flexible hose)
	13	3080015	6	Grease nipple [M10X1]



Greasing kit


Table code

Sheet

5402000-1.0

1/1

VALIDO DA Ottobre 2017
VALID FROM October 2017



R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	3	3060052	2	Split lock washer [D=5.5 C72 ZC]
	4	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	5	3080012	7	Coupling (Flexible hose)
	6	3080020	1	Pipe (Greasing)
	7	3080021	2	Pipe (Greasing)
	8	3190012	35	Clamp
	9	3080019	1	Pipe (Greasing)
	10	3080017	2	Pipe (Greasing)
	11	3080018	1	Pipe (Greasing)
	12	3080004	7	Coupling (Flexible hose)
	13	3080015	7	Grease nipple [M10X1]

Stabilizer connecting rods


Table code

Sheet

5760137-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5070397	1	
	2	5070330	1	Stabilizer rod
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	4	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]




Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

5760137-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260715	2	Flexible hose
	2	5260716	2	Flexible hose
	3	5392034	2	Bonderized tube
	4	5392033	2	Bonderized tube
	5	3120099	2	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	3101080	4	Tee fitting
	7	5260723	4	Flexible hose
	8	5000077	4	Clamp (Rigid Pipe)
RC	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
	10	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	12	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]


Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet

5760127-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5260716	2	Flexible hose
	2	3101080	4	Tee fitting
	3	5391034	2	
	4	5260723	4	Flexible hose
	5	5000077	2	Clamp (Rigid Pipe)
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	8	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	9	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5410981-1.0

Sheet
1/1




R	Pos.	Variant Code	Q.ty	Description
1	3311132		1	
2	3020014		4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
3	5001531		2	Microswitch support (STABILIZER ROD)
4	3040041		4	Nut
5	3060030		4	Flat washer [D.6.6X18 UNI 6593 ZC]
6	3010325		4	Hex screw [M6X16 8.8 ZC UNI 5739]
7	3060053		4	Split lock washer [D=6.4 C72 ZC]
8	3060003		4	Flat washer [D.4 UNI 6592 ZC]


CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5410981-2.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311353	1	Electric wiring
	2	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	3	5001531	2	Microswitch support (STABILIZER ROD)
	4	3040041	4	Nut
	5	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	6	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	7	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	8	3311354	1	Lighting (Audible alarm)
	9	3311356	2	Wire assembly (Microswitch)
	10	3311352	1	Electric wiring (Assembly)
	11	3310431	1	Connector (Electric)
	12	3310432	1	Connector (Electric)
	13	3060003	4	Flat washer [D.4 UNI 6592 ZC]



VALIDO DA Dicembre 2010
VALID FROM December 2010

R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3311332	2	Electric wiring
	4	3060053	6	Split lock washer [D=6.4 C72 ZC]
	5	3020035	6	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	6	5002026	3	Guard (Proximity switch)
	7	5002057	3	Support (Proximity switch)
RC	8	3311311	4	Proximity switch (Position sensor)
	9	3311372	1	Electric wiring
	10	3311377	2	Electric wiring
	11	5002051	1	Support (Proximity switch)
	12	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	13	3060052	2	Split lock washer [D=5.5 C72 ZC]
	14	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	15	3020045	2	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	16	5000420	1	Support (Proximity switch)
	17	5091306	1	Guard (Proximity switch)
	18	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	19	3060055	2	Split lock washer [D=8.4 C72 ZC]


ROD EXTENSION HYDRAULIC CYLINDER (hydraulic lengthening)

Table code

Sheet

5380032-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200209	1	Extension Hydraulic jack
	2	6200244	1	Extension Hydraulic jack
	3	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	4	3070017	2	Seeger
RC	5	3060056	4	Split lock washer [D=10 C72 ZC]
RC	6	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
	7	5090820	2	


Hydraulic system (ROD EXSTENSION HYDRAULIC CYLINDER)

Table code

Sheet

6200209-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400209	1	Extension Hydraulic jack
	2	5392036	1	
	3	3101039	2	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	5220559	1	Holding valve
	5	5392035	1	
	6	3190025	2	Clamp


ROD EXSTENSION HYDRAULIC CYLINDER

Table code

Sheet

6400209-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070508	1	
	2	6030640	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit

Hydraulic system (ROD EXSTENSION HYDRAULIC CYLINDER)


Table code

Sheet

6200244-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6400244	1	Extension Hydraulic jack
	2	5392036	1	
	3	3101039	2	Straight pipe fitting [9/16-18 1/4"Cl. D10]
	4	5220559	1	Holding valve
	5	5392017	1	
	6	3190025	2	Clamp




ROD EXSTENSION HYDRAULIC CYLINDER

Table code

Sheet

6400244-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070551	1	
	2	6030788	1	
	3	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3450006	1	O-ring joint
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
RC	12	5550709	1	Seal kit


Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)

Table code

Sheet

5380053-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5090930	1	Support (LEFT)
RC	2	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	3	3060055	4	Split lock washer [D=8.4 C72 ZC]
	4	5220256	2	Switch (Stabilizers)
	5	3110270	2	Straight pipe fitting
	6	3101124	6	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	3101039	8	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	8	3110040	5	Female plug [TAPPO F JIC 9/16-18]
	9	5260717	1	Flexible hose
	10	5260718	1	Flexible hose
	11	5260719	1	Flexible hose
	12	5260724	2	Flexible hose
	13	5260723	2	Flexible hose
	14	5260715	2	Flexible hose
	15	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	16	5260721	1	Flexible hose
	17	5260720	1	Flexible hose
	18	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	19	5090929	1	Support (RIGHT)
	20	5260722	1	Flexible hose

Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)


Table code

Sheet

5380053-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	22	5002302	1	
	23	3060903	2	Cotter pin
	24	3101080	4	Tee fitting




Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380032-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5090930	1	Support (LEFT)
RC	2	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	3	3060055	4	Split lock washer [D=8.4 C72 ZC]
	4	5220256	2	Switch (Stabilizers)
	5	3110270	2	Straight pipe fitting
	6	3101124	6	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	8	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	9	5260717	1	Flexible hose
	10	5260718	1	Flexible hose
	11	5260719	1	Flexible hose
	12	5260724	2	Flexible hose
	13	5260723	2	Flexible hose
	14	5260716	2	Flexible hose
	15	5260715	2	Flexible hose
	16	5260721	1	Flexible hose
	17	5260720	1	Flexible hose
	18	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	19	5090929	1	Support (RIGHT)
	20	5260722	1	Flexible hose

Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)


Table code

Sheet

5380032-2.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]




Stabilizer Hydraulic jack (Hydraulic system)

Table code

Sheet


6200208-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400208	1	Stabilizer Hydraulic jack
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	3070070	1	Seeger
	4	5390668	1	Bonderized tube
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	5220048	1	Valve (Cock)
	7	5391054	1	Bonderized tube
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	4160398	2	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	16	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	17	5920059	1	ARTICULATED JOINT TANG

R	Pos.	Variant Code	Q.ty	Description
	1	6070507	1	
	2	6030639	1	
	3	3400512	1	Seal
	4	3450114	1	O-ring joint
	5	6050013	1	Piston
	6	3450145	1	O-ring joint
	7	3460145	1	Anti-extrusion ring
	8	3400102	1	Seal
	9	3420028	1	W-ring
	10	6040289	1	Close nipple
RC	11	5550759	1	Seal kit



Stabilizer Hydraulic jack (Hydraulic system)


Table code

Sheet

6200256-1.0

1/1

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA



R	Pos.	Variant Code	Q.ty	Description
	1	6400256	1	Stabilizer Hydraulic jack
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	3070070	1	Seeger
	4	5390668	1	Bonderized tube
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	5220048	1	Valve (Cock)
	7	5392189	1	Bonderized tube
	8	4160397	1	Tang
	9	3060632	1	Spring pin
	10	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	11	4160398	2	Locking ring
	12	5090815	1	Support base
	13	3080512	1	Grease nipple [M8X1.25 (45°)]
	14	5920002	1	ARTICULATED JOINT TANG
	15	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	16	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	17	5920059	1	ARTICULATED JOINT TANG

Stabilizer Hydraulic jack (Long)


Table code

Sheet

6400256-1.0

1/1

**VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA**



R	Pos.	Variant Code	Q.ty	Description
	1	6070568	1	Cylinder
	2	6030819	1	Rod unit
	3	3400512	1	Seal
	4	3450114	1	O-ring joint
	5	6050013	1	Piston
	6	3450145	1	O-ring joint
	7	3460145	1	Anti-extrusion ring
	8	3400102	1	Seal
	9	3420028	1	W-ring
	10	6040289	1	Close nipple
RC	11	5550759	1	Seal kit

Stabilizer connecting rods extra-extensible revolving


Table code

Sheet

5760136-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5070398	1	Stabilizer rod
	2	5070334	1	Stabilizer rod
	3	3070063	2	Seeger




Hydraulic system (STABILISER RAM)

Table code

Sheet

5760136-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260715	2	Flexible hose
	2	5260716	2	Flexible hose
	3	5392034	2	Bonderized tube
	4	5392033	2	Bonderized tube
	5	3120099	2	Straight pipe fitting (Nipple) [9/16-18 MJ+MJ]
	6	3101080	4	Tee fitting
	7	5260723	4	Flexible hose
	8	5000077	4	Clamp (Rigid Pipe)
RC	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
	10	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	12	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]


Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

5380032-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5090930	1	Support (LEFT)
RC	2	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	3	3060055	4	Split lock washer [D=8.4 C72 ZC]
	4	5220256	2	Switch (Stabilizers)
	5	3110270	2	Straight pipe fitting
	6	3101124	6	90° Connection [90° ORIENT. 9/16-18 - 1/4"CIL.]
	7	3101039	4	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	8	3110040	4	Female plug [TAPPO F JIC 9/16 -18]
	9	5260717	1	Flexible hose
	10	5260718	1	Flexible hose
	11	5260719	1	Flexible hose
	12	5260724	2	Flexible hose
	13	5260723	2	Flexible hose
	14	5260715	2	Flexible hose
	15	3120341	2	Tee fitting
	16	5260716	2	Flexible hose
	17	5260721	1	Flexible hose
	18	5260720	1	Flexible hose
	19	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	20	5090929	1	Support (RIGHT)

Hydraulic system (ROD EXSTENSION HYDRAULIC CYLINDER)


Table code

Sheet

5380032-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5260722	1	Flexible hose
	22	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]




Hydraulic system (STABILISER RAM)

Table code


Sheet

6200237-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400136	1	Stabilizer Hydraulic jack
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	5392047	1	Bonderized tube
	4	5220048	1	Valve (Cock)
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	5392048	1	Bonderized tube
	7	4160397	1	Tang
	8	3060632	1	Spring pin
	9	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	10	3080512	1	Grease nipple [M8X1.25 (45°)]
	11	4160398	1	Locking ring
	12	5090815	1	Support base
	13	5920002	1	ARTICULATED JOINT TANG
	14	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	15	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	16	5920059	1	ARTICULATED JOINT TANG



R	Pos.	Variant Code	Q.ty	Description
	1	6070240	1	
	2	6030221	1	
	3	3400512	1	Seal
	4	3450114	1	O-ring joint
	5	6050013	1	Piston
	6	3450145	2	O-ring joint
	7	3400102	1	Seal
	8	3420028	1	W-ring
	9	6040021	1	Close nipple
	10	6040022	1	Ring nut
	11	3080501	1	Grease nipple [M8X1.25]
	12	5001500	1	Handle
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]
	14	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	15	3060757	1	Cotter pin (Locking ring)
	16	5150299	1	Pin (Handle)
	17	3190010	1	Knob
RC	18	5550605	1	Seal kit

Hydraulic system (STABILISER RAM)


Table code

Sheet

6200251-1.0

1/1

**TIPO CORTO
SHORT TYPE**



R	Pos.	Variant Code	Q.ty	Description
	1	6400251	1	Stabilizer Hydraulic jack
	2	3101127	2	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	3	5392047	1	Bonderized tube
	4	5220048	1	Valve (Cock)
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	5392182	1	
	7	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3060609	1	Spring pin
	9	5090381	1	
	10	3080501	1	Grease nipple [M8X1.25]

Stabilizer Hydraulic jack (Short)


Table code

Sheet

6400251-1.0

1/1

TIPO CORTO
SHORT TYPE



R	Pos.	Variant Code	Q.ty	Description
	1	6070562	1	
	2	6030297	1	
	3	3400512	1	Seal
	4	3450114	1	O-ring joint
	5	6050013	1	Piston
	6	3450145	2	O-ring joint
	7	3400102	1	Seal
	8	3420028	1	W-ring
	9	6040021	1	Close nipple
	10	6040022	1	Ring nut
	11	3080501	1	Grease nipple [M8X1.25]
	12	5001500	1	Handle
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]
	14	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	15	3060757	1	Cotter pin (Locking ring)
	16	5150299	1	Pin (Handle)
	17	3190010	1	Knob
RC	18	5550605	1	Seal kit
	19	3080630	1	
	20	2110059	1	Swash -plate (Stabilizer)

Hydraulic system (STABILISER RAM)


Table code

Sheet

6200260-1.0

1/1

**VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA**



R	Pos.	Variant Code	Q.ty	Description
1	6400260	1	Stabilizer Hydraulic jack	
2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]	
3	5392047	1	Bonderized tube	
4	5220048	1	Valve (Cock)	
5	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]	
6	5392413	1	Bonderized tube	
7	4160397	1	Tang	
8	3060632	1	Spring pin	
9	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]	
10	3080512	1	Grease nipple [M8X1.25 (45°)]	
11	4160398	1	Locking ring	
12	5090815	1	Support base	
13	5920002	1	ARTICULATED JOINT TANG	
14	5141269	1	Swash -plate (ARTICULATED JOINT TANG)	
15	5920059	1	ARTICULATED JOINT TANG	


Stabilizer Hydraulic jack (Long)

Table code

Sheet

6400260-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070598	1	Cylinder
	2	6030894	1	Rod unit
	3	3400512	1	Seal
	4	3450114	1	O-ring joint
	5	6050013	1	Piston
	6	3450145	2	O-ring joint
	7	3400102	1	Seal
	8	3420028	1	W-ring
	9	6040021	1	Close nipple
	10	6040022	1	Ring nut
	11	3080501	1	Grease nipple [M8X1.25]
	12	5001500	1	Handle
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]
	14	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	15	3060757	1	Cotter pin (Locking ring)
	16	5150299	1	Pin (Handle)
	17	3190010	1	Knob
RC	18	5550605	1	Seal kit


DOUBLE CONTROLS

Table code

Sheet

5400591-1.0


1/2



VALIDO FINO A Novembre 2010
VALID UNTIL November 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5220753	1	
	2	5090910	1	Guard (Control levers)
	3	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	4	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	5	3060055	9	Split lock washer [D=8.4 C72 ZC]
	6	3190197	6	Knob (Black)
	7	3190217	2	Knob (Red)
	8	5001514	1	Control lever
	9	5001513	3	Control lever
	10	3010339	5	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5000708	4	Small plate (remittal)
	12	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	3300431	10	Fork
	14	3300451	10	Fork clip
	15	5091021	3	Rod (Dual control)
	16	5090435	1	Rod (Control)
	17	3040045	5	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	18	3010353	6	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060056	6	Split lock washer [D=10 C72 ZC]
	20	5090928	1	Support (Dual control)

VALIDO FINO A Novembre 2010
VALID UNTIL November 2010



R	Pos.	Variant Code	Q.ty	Description
	21	5091065	1	Control lever
	22	5091064	3	Control lever
	23	3080500	4	Grease nipple
	24	5000670	4	Ring
	25	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	26	5150715	1	Pin (Control levers)
	27	5001627	1	
	28	5090816	1	Support (Dual control)
RC	29	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	30	5090931	1	Guard (Control levers)

Control valve (6 section)

Table code


Sheet

5220353-1.0

1/2

VALIDO FINO A Novembre 2010

VALID UNTIL November 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5225702	1	Inlet manifold
	2	5225705	1	Max pressure valve
	3	5225261	6	Unit (Control lever)
	4	5225022	6	Rubber protective boot
	5	3101237	1	Nipple (Reduction)
	6	5225704	1	Control valve element
	7	5225703	1	Exhaust manifold
	8	5225549	3	6 elements unit fixing stud
	9	3310238	1	Solenoid (12V)
	10	3310242	1	Solenoid (24V)
	11	5225579	1	Emergency valve (12V)
	12	5225562	1	Emergency valve (24V)
	13	5225541	3	Block (Slider)
	14	5225708	1	Antishock valve
	15	5225707	3	Antishock valve
	16	5225710	3	Plug (Antishock valve)
	17	5220075	5	Antishock valve
	18	5225709	6	Kit (Cover)
	19	5225575	2	Slider
	20	5225701	1	Slider

Control valve (6 section)

Table code


Sheet

5220353-1.0

2/2


VALIDO FINO A Novembre 2010

VALID UNTIL November 2010



R	Pos.	Variant Code	Q.ty	Description
	21	5225577	1	Slider
	22	5225700	1	Slider
	23	5225576	2	Slider
	24	5225711	2	Slider
RC	25	5225693	1	Seal kit

R	Pos.	Variant Code	Q.ty	Description
	1	3310543	1	Dashboard (Electric)
RC	2	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]




Hydraulic system (Moment limiting device)

Table code

Sheet

5430124-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3310238	1	Solenoid (12V)
	3	3310242	1	Solenoid (24V)
	4	3010399	2	Hex screw [M6X55 8.8 ZC UNI 5739]
	5	3060143	2	Sealing washer [BSP 1/4"]
	6	3110062	1	Plug
	7	3101175	1	Tee fitting
	8	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	3120200	1	Reducing fitting
	11	3120111	1	Tee fitting [7/16-20 MJ/FJ/MJ]
	12	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	13	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	14	2091339	1	Support bracket (Moment limiting device)
	15	3100956	1	Ring (Tightening)
	16	3100952	1	Nut
	17	3120204	1	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	18	5260725	1	Flexible hose
	19	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	20	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]

VALIDO FINO A Novembre 2010

VALID UNTIL November 2010


Hydraulic system (Moment limiting device)

Table code

Sheet

5430124-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5392039	1	Bonderized tube
	22	3120001	2	Tee fitting
	23	3101033	2	Straight pipe fitting [7/16-20 1/8"CIL. D6 DIR.]
	24	5392037	1	Bonderized tube
RC	25	3180150	1	Pressure gauge
	26	5300077	1	Small pipe (Pressure gauge) [Fixed]
	27	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	28	5261019	1	Flexible hose
	29	5300076	1	Small pipe (Pressure gauge)
RC	30	5220300	1	Hose burst valve (Sleeve)
	31	5260714	1	Flexible hose

VALIDO FINO A Novembre 2010

VALID UNTIL November 2010

Control valve (6 section)

Table code


Sheet

5220457-1.0

1/2

VALIDO DA Dicembre 2010

VALID FROM December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5225702	1	Inlet manifold
	2	5225705	1	Max pressure valve
	3	5225261	6	Unit (Control lever)
	4	5225022	6	Rubber protective boot
	5	3101237	1	Nipple (Reduction)
	6	5225704	6	Control valve element
	7	5225703	1	Exhaust manifold
	8	5225549	3	6 elements unit fixing stud
	9	3311438	1	Solenoid (12V)
	10	3311437	1	Solenoid (24V)
	11	5225895	1	Emergency valve (12V)
	12	5225894	1	Emergency valve (24V)
	13	5225597	4	inspection (Electric)
	14	5225708	1	Antishock valve
	15	5225707	3	Antishock valve
	16	5225710	3	Plug (Antishock valve)
	17	5220075	5	Antishock valve
	18	5225709	6	Kit (Cover)
	19	5225575	2	Slider
	20	5225701	1	Slider

Control valve (6 section)

Table code


Sheet

5220457-1.0

2/2

VALIDO DA Dicembre 2010

VALID FROM December 2010



R	Pos.	Variant Code	Q.ty	Description
	21	5225767	1	Slider
	22	5225700	1	Slider
	23	5225576	2	Slider
	24	5225711	2	Slider
	25	5225892	1	Cartridge (Solenoid valve)
RC	26	5225693	1	Seal kit


DOUBLE CONTROLS (CE)

Table code

Sheet

5401455-1.0

1/3



VALIDO DA Dicembre 2010

VALID FROM December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5220477	1	Control valve
	2	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	3	5000708	5	Small plate (remittal)
RC	4	3060055	14	Split lock washer [D=8.4 C72 ZC]
	5	3010339	7	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	6	5001513	3	Control lever
	7	5001514	1	Control lever
	8	3190217	2	Knob (Red)
	9	3190197	6	Knob (Black)
	10	3010029	4	Hex screw [M8X30 8.8 ZC UNI 5737]
	11	5090910	1	Guard (Control levers)
RC	12	3010027	3	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	13	3300451	7	Fork clip
	14	3300431	7	Fork
	15	5091021	3	Rod (Dual control)
	16	5090435	1	Rod (Control)
	17	5002081	1	
	18	3300433	1	Fork
	19	3300453	1	Fork clip
	20	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]


DOUBLE CONTROLS (CE)

Table code

Sheet

5401455-1.0


2/3



R	Pos.	Variant Code	Q.ty	Description
RC	21	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	22	3060056	3	Split lock washer [D=10 C72 ZC]
	23	5090816	1	Support (Dual control)
	24	3080500	4	Grease nipple
	25	5000670	4	Ring
	26	5150715	1	Pin (Control levers)
	27	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	28	5091064	3	Control lever
	29	5091065	1	Control lever
	30	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	31	5091319	1	Support (Display)
	32	5002064	1	Support (Electric box)
	33	5091137	1	Casing (THERMOFORMED)
	34	5001829	2	Anchoring bracket (Electric wiring)
	35	5813567	1	Small plate (Emergency STOP button)
	36	5812818	1	Small plate (CONTROL SYMBOLS)
	37	5090928	1	Support (Dual control)
	38	5813364	1	Small plate (CONTROL SYMBOLS)
	39	5813363	1	Small plate (CONTROL SYMBOLS)
	40	5813362	1	Small plate (CONTROL SYMBOLS)

VALIDO DA Dicembre 2010

VALID FROM December 2010




R	Pos.	Variant Code	Q.ty	Description
RC	41	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	42	5812696	1	
	43	5090931	1	Guard (Control levers)

VALIDO DA Dicembre 2010


VALID FROM December 2010

VALIDO DA Dicembre 2010
VALID FROM December 2010




R	Pos.	Variant Code	Q.ty	Description
	1	3311421	1	Moment limiting device [SUPERATO]
	2	5160085	1	Electric wiring
	3	3311400	1	Electric wiring
	4	3311328	1	DIGITAL INSTRUMENT PANEL (Moment limiting device)
	5	5160084	1	Electric wiring
	6	3310612	1	Pressure sensor
	7	3020013	2	Socket head cap screw [M4X60 8.8 ZC UNI 5931]
	8	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040518	6	Stopnut [STOP M4]
	10	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]

VALIDO DA Dicembre 2010
VALID FROM December 2010




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]



VALIDO DA Dicembre 2010
VALID FROM December 2010

Stability and Recovery



R	Pos.	Variant Code	Q.ty	Description
	1	5160089	2	Electric wiring (Push button)
	2	3311395	1	Electric box
RC	3	3310926	1	Microswitch (Safety)
	4	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	5	3060053	4	Split lock washer [D=6.4 C72 ZC]
	6	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	7	5813771	1	Small plate (CONTROL SYMBOLS)
	8	5813770	1	Small plate (CONTROL SYMBOLS)
	9	5160090	1	Electric wiring
	10	5160076	1	Wire assembly (Tiltmeter)
	11	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	12	3060065	2	Split lock washer [D=4.1 C72 ZC]
	13	3060003	2	Flat washer [D.4 UNI 6592 ZC]
RC	14	3311150	1	Inclination sensor 360°
	15	5002108	1	Support plate (Tiltmeter)
	16	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	17	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]


DOUBLE CONTROLS

Table code

Sheet

5400666-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220754	1	
	2	5090910	1	Guard (Control levers)
	3	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	4	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	5	3060055	9	Split lock washer [D=8.4 C72 ZC]
	6	3190197	6	Knob (Black)
	7	3190217	2	Knob (Red)
	8	5001514	1	Control lever
	9	5001513	3	Control lever
	10	3010339	5	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	11	5000708	4	Small plate (remittal)
	12	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	3300431	10	Fork
	14	3300451	10	Fork clip
	15	5091021	3	Rod (Dual control)
	16	5090435	1	Rod (Control)
	17	3040045	5	Nut [M8 NORM.6S UNI5588 GEOMET]
RC	18	3010353	6	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060056	6	Split lock washer [D=10 C72 ZC]
	20	5090928	1	Support (Dual control)


DOUBLE CONTROLS

Table code

Sheet

5400666-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5091065	1	Control lever
	22	5091064	3	Control lever
	23	3080500	4	Grease nipple
	24	5000670	4	Ring
	25	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	26	5150715	1	Pin (Control levers)
	27	5001627	1	
	28	5090816	1	Support (Dual control)
RC	29	3060006	4	Flat washer [D.8 UNI 6592 ZC.]
	30	5090931	1	Guard (Control levers)

Control valve (5 section)


Table code

Sheet

5220392-1.0

1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5225702	1	Inlet manifold
	2	5225705	1	Max pressure valve
	3	5225261	5	Unit (Control lever)
	4	5225022	5	Rubber protective boot
	5	3101237	1	Nipple (Reduction)
	6	5225704	5	Control valve element
	7	5225703	1	Exhaust manifold
	8	5225548	1	5 elements unit fixing stud
	9	5225205	1	Close nipple (Solenoid valve)
	10	5225709	5	Kit (Cover)
	11	5225708	1	Antishock valve
	12	5225707	3	Antishock valve
	13	5225710	3	Plug (Antishock valve)
	14	5220075	3	Antishock valve
	15	5225575	1	Slider
	16	5225701	1	Slider
	17	5225577	1	Slider
	18	5225700	1	Slider
	19	5225576	1	Slider
	20	5225711	2	Slider



Control valve (5 section)


Table code

Sheet

5220392-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225694	1	Seal kit




Moment limiting device (LI NO CE)

Table code

Sheet

5430100-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	2091339	1	Support bracket (Moment limiting device)
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	3111583	1	Tapping point
	8	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	9	3060144	1	Sealing washer [BSP 3/8"]
	10	3100956	1	Ring (Tightening)
	11	3100952	1	Nut
	12	5260725	1	Flexible hose
	13	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	14	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	15	5260714	1	Flexible hose
	16	3060143	1	Sealing washer [BSP 1/4"]
RC	17	5220300	1	Hose burst valve (Sleeve)
	18	5280227	1	Flexible hose
	19	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	20	3120306	1	Tee fitting


Moment limiting device (LI NO CE)

Table code

Sheet

5430100-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5220635	1	Non-return valve
	22	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	23	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	24	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	25	5260757	1	Flexible hose
	26	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	27	3101213	1	Straight pipe fitting [7/8-14 3/8"CIL. D16]
	28	3120329	1	Reducing fitting
	29	5280656	1	Flexible hose
	30	3120331	1	Tee fitting [RACC.T 1"1/16 -12JIC M/M/F]
	31	3110153	1	Reducing fitting


Moment limiting device (LIG NO CE)

Table code

Sheet

5430101-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	2091339	1	Support bracket (Moment limiting device)
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	8	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	9	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	10	3100956	1	Ring (Tightening)
	11	3100952	1	Nut
	12	5260725	1	Flexible hose
	13	5220063	1	Cock
	14	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	15	5260714	1	Flexible hose
	16	3060143	1	Sealing washer [BSP 1/4"]
RC	17	5220300	1	Hose burst valve (Sleeve)
	18	5280227	1	Flexible hose
	19	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	20	3120306	1	Tee fitting


Moment limiting device (LIG NO CE)

Table code

Sheet

5430101-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5220635	1	Non-return valve
	22	3120066	1	Straight pipe fitting [FJ3/4-16GIR. MJ3/8"]
	23	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	24	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	25	5260757	1	Flexible hose
	26	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	27	3120206	1	Reducing fitting
	28	3120329	1	Reducing fitting
	29	5280656	1	Flexible hose
	30	3120331	1	Tee fitting [RACC.T 1"1/16-12JIC M/M/F]
	31	3110117	1	Straight pipe fitting [M/F BSP 1/2"H=35]
	32	3060145	1	Sealing washer [BSP 1/2"]
	33	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]


5th extra function kit closed center spool

Table code

Sheet

5210213-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5225552	1	
	2	5000708	1	Small plate (remittal)
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	4	3190197	2	Knob (Black)
	5	5001513	1	Control lever
	6	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	7	3060055	1	Split lock washer [D=8.4 C72 ZC]
	8	5225548	3	5 elements unit fixing stud
	9	3300431	2	Fork
	10	3300451	2	Fork clip
	11	5091021	1	Rod (Dual control)
	12	3080500	1	Grease nipple
	13	5091064	1	Control lever
	14	3101043	2	Straight pipe fitting [3/4-16 3/8"CL. D12]


6th extra function kit closed center spool

Table code

Sheet


5210214-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5225552	1	
	2	5000708	1	Small plate (remittal)
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	4	3190197	2	Knob (Black)
	5	5001513	1	Control lever
	6	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	7	3060055	1	Split lock washer [D=8.4 C72 ZC]
	8	5225549	3	6 elements unit fixing stud
	9	3300431	2	Fork
	10	3300451	2	Fork clip
	11	5091021	1	Rod (Dual control)
	12	3080500	1	Grease nipple
	13	5091064	1	Control lever
	14	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]

R	Pos.	Variant Code	Q.ty	Description
	1	5225552	1	
	2	5000708	1	Small plate (remittal)
	3	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	4	3190197	2	Knob (Black)
	5	5001513	1	Control lever
	6	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	7	3060055	1	Split lock washer [D=8.4 C72 ZC]
	8	5225549	3	6 elements unit fixing stud
	9	3300431	2	Fork
	10	3300451	2	Fork clip
	11	5091021	1	Rod (Dual control)
	12	3080500	1	Grease nipple
	13	5091064	1	Control lever
	14	5225597	1	inspection (Electric)
	15	3060144	2	Sealing washer [BSP 3/8"]
	16	3110061	2	Plug [BSP 3/8"]

**VALIDO DA Dicembre 2010****VALID FROM December 2010**


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5210211-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5225552	2	
	2	5000708	2	Small plate (remittal)
	3	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	4	3190197	4	Knob (Black)
	5	5001513	2	Control lever
	6	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	5225550	3	
	9	3300431	4	Fork
	10	3300451	4	Fork clip
	11	5091021	2	Rod (Dual control)
	12	3080500	2	Grease nipple
	13	5091064	2	Control lever
	14	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]


2 EXTRA FUNCTION KIT CLOSED CENTRE SPOOL

Table code

Sheet

5212042-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5225552	2	
	2	5000708	2	Small plate (remittal)
	3	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	4	3190197	4	Knob (Black)
	5	5001513	2	Control lever
	6	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	5225550	3	
	9	3300431	4	Fork
	10	3300451	4	Fork clip
	11	5091021	2	Rod (Dual control)
	12	3080500	2	Grease nipple
	13	5091064	2	Control lever
	14	5225597	2	inspection (Electric)
	15	3110061	4	Plug [BSP 3/8"]
	16	3060144	4	Sealing washer [BSP 3/8"]


Hydraulic oil tank (CE)

Table code

Sheet

5400318-1.0

1/1



VALIDO FINO A Maggio 2006

VALID UNTIL May 2006

R	Pos.	Variant Code	Q.ty	Description
	1	5090818	1	Oil tank
	2	3140305	1	Cock (Ball) [M1"+F1"]
	3	3060145	1	Sealing washer [BSP 1/2"]
	4	3110065	1	Plug [BSP 1/2"]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	6	3180097	1	Thermometer
	7	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
RC	8	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	9	3060056	3	Split lock washer [D=10 C72 ZC]
RC	10	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3180188	2	Oil level indicator
	12	3180102	1	Tank cap
	13	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	14	3180189	1	Clogging indicator (Pressure gauge)
	15	3180177	1	Filtering cartridge
	16	3180171	1	Oil filter
	17	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	18	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	19	3060055	2	Split lock washer [D=8.4 C72 ZC]


Hydraulic oil tank (CE)

Table code

Sheet

5400318-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090818	1	Oil tank
	2	3140305	1	Cock (Ball) [M1"+F1"]
	3	3060145	1	Sealing washer [BSP 1/2"]
	4	3110065	1	Plug [BSP 1/2"]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3180221	1	Thermometer
	7	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
RC	8	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	9	3060056	3	Split lock washer [D=10 C72 ZC]
RC	10	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3180188	2	Oil level indicator
	12	3180102	1	Tank cap
	13	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
RC	14	3180147	1	Pressure gauge (Clogging indicator)
RC	15	3180201	1	Filtering cartridge
	16	3180198	1	Oil filter
	17	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	18	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	19	3060055	2	Split lock washer [D=8.4 C72 ZC]
	20	3060150	1	Sealing washer [BSP 1"]

Oil filter (RFA210)


Table code

Sheet

3180198-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3180111	1	Cover (Oil filter)
RC	2	3180201	1	Filtering cartridge
	3	3180156	1	Oil seal (Oil filter)
	4	3180158	1	Rubber gasket (Oil filter)




Hydraulic oil tank (not CE)

Table code

Sheet

5400428-1.0

1/1



VALIDO FINO A Maggio 2006

VALID UNTIL May 2006

R	Pos.	Variant Code	Q.ty	Description
	1	5090818	1	Oil tank
	2	3140305	1	Cock (Ball) [M1"+F1"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	3110065	3	Plug [BSP 1/2"]
RC	5	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	6	3060056	3	Split lock washer [D=10 C72 ZC]
RC	7	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3180188	2	Oil level indicator
	9	3180102	1	Tank cap
	10	3180177	1	Filtering cartridge
	11	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	12	3180171	1	Oil filter
	13	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	15	3060006	2	Flat washer [D.8 UNI 6592 ZC]


Column

Table code


Sheet

5460039-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5040093	1	Column
	2	5150712	1	Pin
	3	3060950	1	Spring pin
	4	3040506	1	Self-locking ringnut [M45X1.5 NORMALE ZC]
	5	3070078	1	Seeger
	6	5140695	2	Bushing
	7	5001349	1	Spacer (Bushing)
	8	3190245	mt1.3	Sheath
	9	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	11	5090911	1	Support bracket (Flexible hose)
	12	5001551	1	
	13	3190222	2	Collar (Flexible hose) [Semicoll. PP 2tubi CF3 20]
	14	3190221	1	Small plate (Collar)
	15	3010034	1	Hex screw [M8X55 8.8 UNI 5737 ZC]
	16	3190172	2	Clamp (Set of hoses)
	17	3190204	1	Plate (Collar)
	18	3020873	1	Socket head cap screw [M8X30 ZC UNI 5931]
	19	3080501	1	Grease nipple [M8X1.25]
RC	20	3060006	2	Flat washer [D.8 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	5091400	1	
	22	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	23	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	24	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	25	3060053	4	Split lock washer [D=6.4 C72 ZC]

Hydraulic system (Lifting hydraulic cylinder)


Table code

Sheet

6230136-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5220547	1	Holding valve
	2	3060144	2	Sealing washer [BSP 3/8"]
	3	3110119	1	Straight pipe fitting
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	3110061	1	Plug [BSP 3/8"]
RC	6	3060055	1	Split lock washer [D=8.4 C72 ZC]
	7	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	8	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	9	5391891	1	Bonderized tube
	10	6430136	1	Lifting hydraulic cylinder [Fixed]
	11	5271601	2	Flexible hose




Lifting hydraulic cylinder

Table code

Sheet

6430136-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070500	1	Cylinder
	2	3080512	1	Grease nipple [M8X1.25 (45°)]
	3	5140695	2	Bushing
	4	3450228	1	O-ring joint
	5	3460228	1	Anti-extrusion ring
	6	6040288	1	Close nipple
	7	3361008	3	Seal
	8	3380650	1	Seal
	9	3370144	1	Seal
	10	3420032	1	W-ring
	11	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]
	12	3080501	1	Grease nipple [M8X1.25]
	13	6030625	1	Rod unit [Fixed]
	14	3450121	1	O-ring joint
	15	3400521	1	Seal
	16	6050291	1	Piston
	17	3040506	1	Self-locking ringnut [M45X1.5 NORMALE ZC]
RC	18	5550758	1	Seal kit


1st Boom

Table code

Sheet

5470063-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5030272	1	Main boom
	2	3020037	4	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	3	3060101	4	Tooth lock washer [D.6 TIPO A]
	4	5001109	2	Block (Extension Hydraulic jack)
	5	5000771	4	Adjusting screw [M20 L=35]
	6	3040089	4	Lock nut
RC	7	5140681	2	Button (Slide shoe)
RC	8	5140733	2	Slide shoe
RC	9	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	10	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	11	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	12	5000827	2	Button
RC	13	5140609	2	Slide shoe
	14	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	15	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	16	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	17	3060950	2	Spring pin
	18	5150711	2	Pin (Joint)
	19	3040506	2	Self-locking ringnut [M45X1.5 NORMALE ZC]
	20	3190222	4	Collar (Flexible hose) [Semicoll. PP 2tubi CF3 20]


1st Boom

Table code

Sheet

5470063-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3190221	2	Small plate (Collar)
RC	22	3060055	2	Split lock washer [D=8.4 C72 ZC]
	23	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
	24	5091134	1	
RC	25	3060056	2	Split lock washer [D=10 C72 ZC]
	26	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]


1st Extension

Table code

Sheet

5490066-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020453	1	Extension
	2	5150433	1	Pin assembly
	3	5000674	1	Keep plate
RC	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
	5	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	5000771	2	Adjusting screw [M20 L=35]
	7	3040089	2	Lock nut
	8	3060941	4	Grub screw
	9	3040519	4	Stopnut
	10	5001105	4	Ring (Reduction)
RC	11	5000780	4	Plate (Thickness)
RC	12	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	13	5000827	4	Button
RC	14	5140733	4	Slide shoe
RC	15	5141037	4	Button (Backlash)
RC	16	5140681	4	Button (Slide shoe)
RC	17	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	18	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	20	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]


Hydraulic system (1st Extension hydraulic)

Table code

Sheet

6210366-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410242	1	Extension Hydraulic jack
	2	3190022	2	Clamp
	3	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	5001237	1	Valve support
	6	5391702	1	Bonderized tube
	7	5391703	1	Bonderized tube
	8	3101131	4	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	9	5220641	1	Valve (Overcenter)
	10	3110117	1	Straight pipe fitting [M/F BSP 1/2"H=35]
	11	3060145	1	Sealing washer [BSP 1/2"]
	12	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
	13	5281075	1	
	14	5280626	1	
	15	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	16	3101213	1	Straight pipe fitting [7/8-14 3/8"CIL. D16]


1st Extension hydraulic

Table code

Sheet

6410242-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070458	1	Cylinder
	2	6030549	1	Rod unit
	3	3420021	1	W-ring
	4	3370136	1	Seal
	5	6040259	1	Close nipple
	6	3460132	1	Anti-extrusion ring
	7	3450132	1	O-ring joint
	8	6050275	1	Piston
	9	3400509	1	Seal
	10	3460047	2	Anti-extrusion ring
	11	3450047	1	O-ring joint
	12	6040269	1	Ring nut
	13	3060248	1	Grub screw
	14	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	15	5001106	1	Collar (Mobile)
	16	3070150	1	Seeger
RC	17	5550781	1	Seal kit


2nd extension

Table code

Sheet

5370027-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020454	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
	5	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	5000771	2	Adjusting screw [M20 L=35]
	7	3040089	2	Lock nut
	8	3060941	4	Grub screw
	9	3040519	4	Stopnut
	10	5001105	4	Ring (Reduction)
RC	11	5000780	4	Plate (Thickness)
RC	12	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	13	5000827	4	Button
RC	14	5140733	4	Slide shoe
RC	15	5141037	4	Button (Backlash)
RC	16	5140681	4	Button (Slide shoe)
RC	17	3060920	4	Tooth lock washer [D.10 TIPO A]
RC	18	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	20	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]


Hydraulic system (2nd extension hydraulic cylinder)

Table code

Sheet

6210367-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410243	1	Extension Hydraulic jack
	2	3101051	5	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5391818	1	Bonderized tube
	4	5391704	1	Bonderized tube
	5	5220629	1	Sequence valve
	6	5391705	1	Bonderized tube
	7	3190022	2	Clamp


2nd and 3rd extension hydraulic cylinder

Table code

Sheet

6410243-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070459	1	Cylinder
	2	5001106	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420018	1	W-ring
	5	3370137	1	Seal
	6	6040254	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050290	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400507	1	Seal
	12	3460047	2	Anti-extrusion ring
	13	3450047	1	O-ring joint
	14	6040269	1	Ring nut
	15	3060248	1	Grub screw
	16	6030623	1	Rod unit
RC	17	5550783	1	Seal kit


3rd EXTENSION

Table code

Sheet

5540035-1.0

1/1



**SOLO PER VERSIONE 3S
3S VERSION ONLY**

R	Pos.	Variant Code	Q.ty	Description
	1	5020457	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	6	5140733	2	Slide shoe
RC	7	5000827	2	Button
RC	8	5140681	2	Button (Slide shoe)
RC	9	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	10	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	11	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	12	5140656	4	Button (Backlash)


3rd EXTENSION

Table code

Sheet

5540036-1.0

1/2



**SOLO PER VERSIONE 4S
4S VERSION ONLY**

R	Pos.	Variant Code	Q.ty	Description
	1	5020455	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
	5	3010337	6	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	3040519	4	Stopnut
	7	3060941	4	Grub screw
	8	5001105	4	Ring (Reduction)
RC	9	5000780	2	Plate (Thickness)
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	11	5001087	2	Button (Control board)
RC	12	5140977	2	Slide shoe
RC	13	5141037	6	Button (Backlash)
RC	14	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	15	5000827	2	Button
RC	16	5140733	2	Slide shoe
RC	17	5140681	2	Button (Slide shoe)
RC	18	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	19	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	20	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]

3rd EXTENSION


Table code

Sheet

5540036-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5140656	2	Button (Backlash)




3rd extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210244-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410243	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5391707	1	Bonderized tube
	4	5391706	1	Bonderized tube
	5	3190022	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting


4th EXTENSION

Table code

Sheet

5560029-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020456	1	Extension
RC	2	5140977	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	7	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5141037	4	Button (Backlash)
	9	5000674	1	Keep plate
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	5150443	1	Pin


Hydraulic system (4th extension Hydraulic jack)

Table code

Sheet

6210345-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410245	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	5391709	1	
	5	5392042	1	
	6	3190022	2	Clamp


4th extension Hydraulic jack

Table code

Sheet

6410245-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070460	1	Cylinder
	2	5001106	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420015	1	W-ring
	5	3370138	1	Seal
	6	6040270	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050289	1	Piston
	10	3400507	1	Seal
	11	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	12	6030618	1	Rod unit
RC	13	5550784	1	Seal kit

Coupling (Hook)


Table code

Sheet

5411001-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5020480	1	Hook coupling
	2	3060924	1	Cotter pin (B)
	3	5150788	1	Pin (Handle)
	4	3190189	1	Knob
	5	3060911	2	Cotter pin
	6	5150835	1	Pin
	7	5141003	2	Spacer (Hook)
	8	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	9	3200027	1	Swivel hook [T5.4]




Coupling (Hook)

Table code

Sheet

5411004-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020495	1	Hook coupling
	2	3060924	1	Cotter pin (B)
	3	5150750	1	Pin (Handle)
	4	3190189	1	Knob
	5	3060911	2	Cotter pin
	6	5150835	1	Pin
	7	5141003	2	Spacer (Hook)
	8	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	9	3200027	1	Swivel hook [T5.4]


Coupling (Hook)

Table code

Sheet

5411003-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020473	1	Hook coupling
	2	3060924	1	Cotter pin (B)
	3	5150788	1	Pin (Handle)
	4	3190189	1	Knob
	5	3060911	2	Cotter pin
	6	5150835	1	Pin
	7	5141003	2	Spacer (Hook)
	8	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	9	3200027	1	Swivel hook [T5.4]


Manual extension

Table code

Sheet

7800004-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010322	1	Manual extension
	2	5150788	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140733	2	Slide shoe
RC	7	5000827	2	Button
RC	8	5140656	4	Button (Backlash)
RC	9	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	10	3060920	2	Tooth lock washer [D.10 TIPO A]
RC	11	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	12	5000753	2	Keep plate
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	15	3200067	1	Shackles [T6.5]
	16	3200027	1	Swivel hook [T5.4]
RC	17	5140777	2	Button (Backlash)
RC	18	3060006	2	Flat washer [D.8 UNI 6592 ZC]


Manual extension

Table code

Sheet

7800005-1.0

1/1





2° SFILO MANUALE PER 2S
2nd MANUAL EXTENSION FOR 2S

1° SFILO MANUALE PER 3S
1st MANUAL EXTENSION FOR 3S

R	Pos.	Variant Code	Q.ty	Description
	1	5010323	1	Manual extension
	2	5150788	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060012	2	Flat washer [D.21X37X3 UNI 6592 ZC]
	5	3060753	1	Cotter pin (Locking ring)
RC	6	5140977	2	Slide shoe
RC	7	5001087	2	Button (Control board)
RC	8	5140656	6	Button (Backlash)
RC	9	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	10	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	11	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	12	5000753	2	Keep plate
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	15	3200067	1	Shackles [T6.5]
	16	3200027	1	Swivel hook [T5.4]

R	Pos.	Variant Code	Q.ty	Description
	1	5730506	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	





R	Pos.	Variant Code	Q.ty	Description
	1	5150658	8	Tie rod (Threaded rod) [M20X1.5 L=900]
	2	5000202	4	Plate (Lower)
	3	5000086	8	Plate (Upper)
	4	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	5	3190290	8	Tip (Rubber protection)


1st ACTIVATION (Hose reels)

Table code

Sheet

5590146-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5720246	1	
	2	5271756	1	
	3	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	5090962	1	
	6	3010435	6	Hex screw [M8X160 8.8 ZC UNI 5737]
	7	5140704	24	Roller
	8	2012448	6	Pipe (Spacer)
	9	3040045	6	Nut [M8 NORM.6S UNI5588 GEOMET]
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5090963	2	Hoses support
	12	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
RC	13	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	14	3060056	3	Split lock washer [D=10 C72 ZC]
	15	5001626	1	Support (Wall-through pipe fitting)
	16	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	17	5090966	1	
	18	3040304	6	Stopnut [M10-70 NORM.8G ZC.]
	19	3010044	4	Hex screw [M10X35 8.8 ZC UNI 5737]
	20	3190172	6	Clamp (Set of hoses)


1st ACTIVATION (Hose reels)

Table code


Sheet

5590146-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3190204	3	Plate (Collar)
	22	3010031	3	Hex screw [M8X40 8.8 ZC UNI 5737]
	23	5271687	2	Flexible hose
	24	3101043	2	Straight pipe fitting [3/4-16 3/8"Cl. D12]



VALIDO FINO A Matricola 19344
VALID UNTIL TO Serial Number 19344

R	Pos.	Variant Code	Q.ty	Description
	1	5720245	1	
	2	5271756	2	
	3	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	5090962	1	
	6	3010435	6	Hex screw [M8X160 8.8 ZC UNI 5737]
	7	5140704	24	Roller
	8	2012448	6	Pipe (Spacer)
	9	3040045	6	Nut [M8 NORM.6S UNI5588 GEOMET]
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5090963	2	Hoses support
	12	3120310	4	Wall-through pipe fitting [MJ 3/4 -16]
RC	13	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	14	3060056	3	Split lock washer [D=10 C72 ZC]
	15	5001626	1	Support (Wall-through pipe fitting)
	16	3010044	4	Hex screw [M10X35 8.8 ZC UNI 5737]
	17	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	18	3101043	8	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	19	3190172	12	Clamp (Set of hoses)
	20	3190204	3	Plate (Collar)

1st - 2nd (ACTUATION)


Table code

Sheet

5600120-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	22	5271055	3	Flexible hose
	23	5271688	1	Flexible hose




1st - 2nd (ACTUATION)

Table code

Sheet


5600120-2.0

1/2



VALIDO DA Matricola 19345
VALID FROM Serial Number 19345

R	Pos.	Variant Code	Q.ty	Description
	1	5720264	1	Hose reels
	2	5260910	2	
	3	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	5090962	1	
	6	3010435	6	Hex screw [M8X160 8.8 ZC UNI 5737]
	7	5140704	24	Roller
	8	2012448	6	Pipe (Spacer)
	9	3040045	6	Nut [M8 NORM.6S UNI5588 GEOMET]
	10	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	11	5090963	2	Hoses support
	12	3120310	4	Wall-through pipe fitting [MJ 3/4 -16]
RC	13	3010354	3	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	14	3060056	3	Split lock washer [D=10 C72 ZC]
	15	5001626	1	Support (Wall-through pipe fitting)
	16	3020501	4	TSEI screw [M10X40 8.8 ZC UNI 5933]
	17	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	18	3101040	8	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	19	5000077	12	Clamp (Rigid Pipe)
RC	20	3060029	3	Flat washer [D.8.5X24 UNI 6593 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3010037	3	Hex screw [M8X70 8.8 UNI 5737 ZC]
	22	5260912	2	Flexible hose
	23	5260913	1	Flexible hose
	24	3110420	4	Quick coupling
	25	3120066	4	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	26	3110428	2	Male plug
	27	3110429	2	Female plug
	28	5260911	1	Flexible hose


1st ACTIVATION FOR 1S

Table code

Sheet

5590164-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	7	Split lock washer [D=8.4 C72 ZC]
	6	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	7	5391820	1	Bonderized tube (Pipe)
	8	5391821	1	Bonderized tube (Pipe)
	9	5001187	2	Clamp (Set of hoses)
	10	3020903	2	TSEI screw [M8X30 ZC UNI 5933]
	11	5001334	1	Slide (Actuations)
	12	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	14	5001709	1	
RC	15	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	16	3010027	5	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	18	5140742	2	Hydraulic hose guide
	19	5141000	1	Spacer (Rigid Pipe)
	20	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]

1st ACTIVATION FOR 1S


Table code

Sheet

5590164-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5001710	1	
	22	5001333	1	Slide (ACTUATION)
	23	5271401	2	Flexible hose
	24	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	25	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	26	5001596	1	Piping mounting
	27	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	28	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	29	3110420	2	Quick coupling
	30	3110428	1	Male plug
	31	3110429	1	Female plug




2nd ADDITIONAL ACTUATION (1S)

Table code

Sheet

5600164-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	3	Split lock washer [D=8.4 C72 ZC]
	6	3010038	3	Hex screw [M8X75 8.8 ZC UNI 5737]
	7	5391823	1	Bonderized tube (Pipe)
	8	5391822	1	Bonderized tube (Pipe)
	9	5271401	2	Flexible hose
	10	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	11	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	12	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	13	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	14	3110420	2	Quick coupling
	15	3110428	1	Male plug
	16	3110429	1	Female plug


1st ACTIVATION FOR 2S

Table code

Sheet

5590165-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	7	Split lock washer [D=8.4 C72 ZC]
	6	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	7	5391820	2	Bonderized tube (Pipe)
	8	5391821	2	Bonderized tube (Pipe)
	9	5001187	3	Clamp (Set of hoses)
	10	3020903	3	TSEI screw [M8X30 ZC UNI 5933]
	11	5001334	2	Slide (Actuations)
	12	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	3040304	6	Stopnut [M10-70 NORM.8G ZC.]
	14	5001709	2	
RC	15	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	16	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010389	6	Hex screw [M10X35 ZC UNI 5739]
	18	5140742	4	Hydraulic hose guide
	19	5141000	2	Spacer (Rigid Pipe)
	20	3010041	2	Hex screw [M8X100 8.8 ZC UNI 5737]


1st ACTIVATION FOR 2S

Table code

Sheet

5590165-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5001710	1	
	22	5001333	1	Slide (ACTUATION)
	23	5271401	4	Flexible hose
	24	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	25	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	26	5001596	1	Piping mounting
	27	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	28	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	29	3110420	2	Quick coupling
	30	3110428	1	Male plug
	31	3110429	1	Female plug


2nd ADDITIONAL ACTUATION (2S)

Table code

Sheet

5600165-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	3	Split lock washer [D=8.4 C72 ZC]
	6	3010038	3	Hex screw [M8X75 8.8 ZC UNI 5737]
	7	5391823	2	Bonderized tube (Pipe)
	8	5391822	2	Bonderized tube (Pipe)
	9	5271401	4	Flexible hose
	10	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	11	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	12	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	13	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	14	3110420	2	Quick coupling
	15	3110428	1	Male plug
	16	3110429	1	Female plug


1st ACTIVATION FOR 3S

Table code

Sheet

5590276-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	7	Split lock washer [D=8.4 C72 ZC]
	6	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	7	5391820	3	Bonderized tube (Pipe)
	8	5391821	3	Bonderized tube (Pipe)
	9	5001187	4	Clamp (Set of hoses)
	10	3020903	4	TSEI screw [M8X30 ZC UNI 5933]
	11	5001334	3	Slide (Actuations)
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	3040304	8	Stopnut [M10-70 NORM.8G ZC.]
	14	5001709	2	
RC	15	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	16	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	17	3010389	6	Hex screw [M10X35 ZC UNI 5739]
	18	5140742	6	Hydraulic hose guide
	19	5141000	3	Spacer (Rigid Pipe)
	20	3010041	3	Hex screw [M8X100 8.8 ZC UNI 5737]


1st ACTIVATION FOR 3S

Table code

Sheet

5590276-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5001710	1	
	22	5001333	1	Slide (ACTUATION)
	23	5271401	6	Flexible hose
	24	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	25	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	26	5001596	1	Piping mounting
	27	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	28	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	29	3110420	2	Quick coupling
	30	3110428	1	Male plug
	31	3110429	1	Female plug
	32	5001787	1	
RC	33	3060056	2	Split lock washer [D=10 C72 ZC]
RC	34	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]


2nd ADDITIONAL ACTUATION (3S)

Table code

Sheet

5600165-2.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271768	2	Flexible hose
	3	3190172	6	Clamp (Set of hoses)
	4	3190204	3	Plate (Collar)
RC	5	3060055	3	Split lock washer [D=8.4 C72 ZC]
	6	3010038	3	Hex screw [M8X75 8.8 ZC UNI 5737]
	7	5391823	3	Bonderized tube (Pipe)
	8	5391822	3	Bonderized tube (Pipe)
	9	5271401	6	Flexible hose
	10	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	11	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	12	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	13	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	14	3110420	2	Quick coupling
	15	3110428	1	Male plug
	16	3110429	1	Female plug




809T-811T SE

**VERSIONE ASTE STABILIZZATORI SUPER EXTRA
VERSION STABILIZER CONNECTING RODS SUPER EXTRA**



R	Pos.	Variant Code	Q.ty	Description
	1	5060196	1	Base
RC	2	5141053	1	Bushing (Lower)
	3	3080501	3	Grease nipple [M8X1.25]
RC	4	5140784	1	Bushing (Upper)
RC	5	5140773	1	Thrust bearing ring
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001432	2	Support (Roller)
RC	11	3060055	8	Split lock washer [D=8.4 C72 ZC]
	12	5140788	2	Roller (Turnsbasket)
	13	3070148	4	Seeger
	14	5150760	2	Pin (Roller)
	15	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	16	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	17	5091399	1	Piping mounting




R	Pos.	Variant Code	Q.ty	Description
	1	5060200	1	Base
RC	2	5141053	1	Bushing (Lower)
	3	3080501	3	Grease nipple [M8X1.25]
RC	4	5140784	1	Bushing (Upper)
RC	5	5140773	1	Thrust bearing ring
	6	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	7	5001431	2	Hook (Rod)
	8	3060953	2	Spring (Wire)
	9	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	10	5001432	2	Support (Roller)
RC	11	3060055	8	Split lock washer [D=8.4 C72 ZC]
	12	5140788	2	Roller (Turnsbasket)
	13	3070148	4	Seeger
	14	5150760	2	Pin (Roller)
	15	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	16	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	17	5091399	1	Piping mounting

STABILIZERS RODS SUPER EXTRA-EXTENSIBLE


Table code
5760414-1.0

Sheet
1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5070484	2	
	2	5070485	2	
RC	3	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	4	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]
	5	3070063	2	Seeger
	6	W370400700	16	Button (Coupling backlash)
	7	5001433	2	Thickness (Roller)
	8	5002254	6	
	9	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	10	3060055	6	Split lock washer [D=8.4 C72 ZC]
	11	3070148	4	Seeger
	12	5150760	2	Pin (Roller)
	13	3020450	8	TSEI screw [M8X12 10.9 ZC UNI 5933]
	14	5140788	2	Roller (Turnsbasket)
	15	5002607	2	Hoses support
	16	3190172	4	Clamp (Set of hoses)
	17	3190204	2	Plate (Collar)
	18	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
	19	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	20	3060053	4	Split lock washer [D=6.4 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]




Hydraulic system (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5760414-2.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5260716	2	Flexible hose
	2	3101080	4	Tee fitting
	3	5391128	2	Bonderized tube
	4	5261392	4	Flexible hose
	5	5000077	2	Clamp (Rigid Pipe)
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	8	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	9	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]




809T-811T CC



**COLONNA CENTRALE
CENTRAL COLUMN**

R	Pos.	Variant Code	Q.ty	Description
	1	5060163	1	Base
RC	2	5140773	1	Thrust bearing ring
RC	3	5140784	1	Bushing (Upper)
RC	4	5141053	1	Bushing (Lower)
	5	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	6	3060053	2	Split lock washer [D=6.4 C72 ZC]
	7	5090911	1	Support bracket (Flexible hose)
	8	3080501	1	Grease nipple [M8X1.25]
	9	5000625	2	Block (Rod)
	10	5001415	2	Hook (Rod)
	11	3060955	2	Spring (Tensioning)
	12	3020022	4	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	13	3060052	4	Split lock washer [D=5.5 C72 ZC]
	14	3060606	2	Spring pin
	15	5000771	4	Adjusting screw [M20 L=35]
	16	3040089	4	Lock nut
	17	3040084	8	Lock nut [M10 basso UNI 5589]
	18	3070150	4	Seeger
	19	5150159	2	Pin
	20	3010360	4	Hex screw [M10X50 8.8 ZC UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
	21	5140687	2	Roller (Turnsbasket)




Hydraulic oil tank

Table code

Sheet

5400676-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091063	1	Oil tank
	2	3140305	1	Cock (Ball) [M1"+F1"]
	3	3060145	1	Sealing washer [BSP 1/2"]
	4	3110065	1	Plug [BSP 1/2"]
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3180221	1	Thermometer
	7	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
RC	8	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	9	3060056	3	Split lock washer [D=10 C72 ZC]
RC	10	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3180188	2	Oil level indicator
	12	3180102	1	Tank cap
	13	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
RC	14	3180147	1	Pressure gauge (Clogging indicator)
RC	15	3180201	1	Filtering cartridge
	16	3180198	1	Oil filter
	17	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	18	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	19	3060055	2	Split lock washer [D=8.4 C72 ZC]
	20	3180171	1	Oil filter

Hydraulic oil tank


Table code

Sheet

5400676-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3180177	1	Filtering cartridge
	22	3180189	1	Clogging indicator (Pressure gauge)
	23	3060150	1	Sealing washer [BSP 1"]







809TF-811TF


Assembly kit (F / M)

Table code

Sheet

7885347-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3010486	16	Hex screw [M20X150 8.8 ZC UNI 5739]
	2	3060066	16	Lock washer [Nord-Lock]
	3	3060012	16	Flat washer [D.21X37X3 UNI 6592 ZC]
	4	3040051	16	Nut [Dado M20 Norm.]
	5	3190290	16	Tip (Rubber protection)

Greasing kit


Table code

Sheet

5402008-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5001441	2	Manifold (Greasing)
	2	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	3	3060053	4	Split lock washer [D=6.4 C72 ZC]
	4	3020039	4	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	5	3190012	35	Clamp
	6	3080015	9	Grease nipple [M10X1]
	7	3080004	9	Coupling (Flexible hose)
	8	3080012	9	Coupling (Flexible hose)
	9	3080043	1	Pipe (Greasing)
	10	3080045	1	Pipe (Greasing)
	11	3080046	1	Pipe (Greasing)
	12	3080042	1	Pipe (Greasing)
	13	3080044	1	Pipe (Greasing)
	14	3080047	1	Pipe (Greasing)
	15	3080048	1	Pipe (Greasing)
	16	3080050	1	Pipe (Greasing)
	17	3080049	1	Pipe (Greasing)




Base (F / M)

Table code

Sheet

5420063-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060153	1	Base
RC	2	5140773	1	Thrust bearing ring
RC	3	5140784	1	Bushing (Upper)
RC	4	5141053	1	Bushing (Lower)
	5	3080501	5	Grease nipple [M8X1.25]
	6	3180116	2	Bubble level


Slewing (Retaining ring)

Table code

Sheet

6240174-1.0

1/1



VALIDO DA Maggio 2013


VALID FROM May 2013

R	Pos.	Variant Code	Q.ty	Description
	1	6070688	4	Cylinder (Slewing) [Fixed]
	2	3400519	4	Seal
	3	6050247	4	Piston (Assembly)
	4	5050098	2	Toothed rack
	5	3060608	4	Spring pin
	6	3020499	2	TSEI screw [M10X25 10.9 ZC UNI 5933]
RC	7	5140772	2	Sliding block (Rack adjuster)
	8	4160328	2	Pusher (Sliding block)
	9	3060951	2	Grub screw
	10	3040309	2	Stopnut [Dado Stop M20 Norm.]
	11	3060050	32	Split lock washer [D=14 C72 ZC]
	12	3020963	32	Socket head cap screw [M14X50 8.8 ZC UNI 5931]
RC	13	5550778	1	Seal kit
	14	6050225	4	Piston (Slewing)
	15	3020109	4	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	16	5002277	4	Flange
	17	W570100800	4	Retaining ring (Stop)

Slewing Hydraulic jack (Hydraulic system)

Table code
6240178-2.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220696	1	Valve (Overcenter)
	2	3101127	8	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
RC	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010031	3	Hex screw [M8X40 8.8 ZC UNI 5737]
	5	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	6	5001560	1	Valve support
	7	3190021	2	Clamp [104-138 12.2 ABA]
	8	5393177	1	Bonderized tube
	9	5393178	1	Bonderized tube
	10	5393179	1	Bonderized tube
	11	5392080	1	Bonderized tube
	12	5000077	2	Clamp (Rigid Pipe)
	13	3190198	1	Sheath (Flexible hose)
	14	5271839	2	Flexible hose [Fixed]
	15	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]


Control station

Table code

Sheet

5403100-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220478	1	Control valve ass'y
	2	5001513	4	Control lever
	3	3190217	1	Knob (Red)
	4	3190197	3	Knob (Black)
	5	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	6	5090533	1	Distributor support
	7	3040303	10	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	9	3060056	3	Split lock washer [D=10 C72 ZC]
	10	5090459	1	Guard (Control levers)
	11	5090835	1	Footboard (Control station)
RC	12	3060029	8	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	13	3060055	8	Split lock washer [D=8.4 C72 ZC]
	14	3010034	5	Hex screw [M8X55 8.8 UNI 5737 ZC]
	15	5001319	1	Protective guard
	16	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	17	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]


Moment limiting device

Table code

Sheet

5430083-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220679	1	Moment limiting device (Hydraulic)
	2	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	3	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	4	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	3110040	1	Female plug [TAPPO F JIC 9/16-18]
	6	3060143	1	Sealing washer [BSP 1/4"]
RC	7	5220300	1	Hose burst valve (Sleeve)
	8	3101034	6	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	9	5260672	1	Flexible hose [Fixed]
	10	3100956	1	Ring (Tightening)
	11	3100952	1	Nut
	12	5260350	1	Flexible hose [Fixed]
	13	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	14	3120003	1	Tee fitting [RACC.T 9/16-18JIC M/M/F]
	15	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	16	3120080	1	Straight pipe fitting [F7/8-14GIR. M3/4"G.CIL]
	17	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	18	5260890	1	Flexible hose [Fixed]
	19	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	20	5220599	1	Flow diverter

Moment limiting device


Table code

Sheet

5430083-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3120001	4	Tee fitting
	22	5392037	2	Bonderized tube
	23	5392038	2	Bonderized tube




ACTUATION FOR WINCH (F / M)

Table code


Sheet

5740232-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090819	1	Support (Winch)
	2	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	3	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	4A	5272083	2	Flexible hose [Fixed]
	4B	5271282	2	Flexible hose [Marine]
	5A	5261215	1	Flexible hose [Fixed]
	5B	5261451	1	Flexible hose [Marine]
	6	3010034	6	Hex screw [M8X55 8.8 UNI 5737 ZC]
RC	7	3060055	6	Split lock washer [D=8.4 C72 ZC]
	8	3190221	6	Small plate (Collar)
	9	3190222	12	Collar (Flexible hose) [Semicoll. PP 2tubi CF3 20]
	10	5150716	1	Pin
	11	3070027	2	Seeger [Seeger x alberi D.30]
	12	3060018	2	Flat washer [D.12 UNI 6592 ZC]
	13	3060057	2	Split lock washer [D=12 C72 ZC]
	14	3010063	2	Hex screw [M12X45 8.8GEOMET UNI 5737PF]



R	Pos.	Variant Code	Q.ty	Description
	1	5090967	1	Plates (Pulley)
	2	3060753	2	Cotter pin (Locking ring)
	3	5150557	2	Pin (Handle)
	4	3190010	2	Knob

Per versione 2-3-4 S
2-3-4 S version


WINCH KIT

Table code

Sheet

7834316-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730228	1	Limiting device (Winch)
	2	5730139	1	Top Roller
	3	5730066	1	Counterweight
	4	3010317	4	Hex screw [M5X50 8.8 ZC UNI 5739]
	5	3311177	1	Microswitch (Electric wiring)
	6	5001903	1	Microswitch support
	7	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	8	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	11	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	12	3311025	1	Electric box (Winch)
	13	3310540	1	Electric cable
	14	3311550	1	WIRING FOR WINCH
	15	3311026	1	Electric cable (Winch)
	16	3200027	1	Swivel hook [T5.4]


WINCH KIT (TC1)

Table code

Sheet

7834316-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5720301	1	Winch
	2	3010062	4	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	3	3060057	4	Split lock washer [D=12 C72 ZC]
	4	3060018	4	Flat washer [D.12 UNI 6592 ZC]
	5	3311159	1	Signal Columns
	6	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	7	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	8	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	9	3311552	1	Electric box
	10	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	11	3060053	2	Split lock washer [D=6.4 C72 ZC]
	12	3020035	2	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	13	3311551	1	WIRING FOR WINCH





809T-811T RDC-EBB


DOUBLE CONTROLS

Table code


Sheet

5400543-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5090999	1	Support (RADIO)
	2	3010317	2	Hex screw [M5X50 8.8 ZC UNI 5739]
	3	3060052	2	Split lock washer [D=5.5 C72 ZC]
	4	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	5	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
RC	6	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3190258	1	Knob (Red)
	11	5001669	1	Control lever
	12	3020452	2	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	5001559	1	Flange (Control valve)
	14	3230009	1	Fork (Fork clip)
	15	3040081	6	Lock nut [M6 6S UNI 5589 ZC]
	16	3060941	1	Grub screw
	17	5091000	5	Control lever
	18	3190251	5	Knob (Black)
	19	5091002	1	Protective guard (Control valve)
	20	3020984	2	Hex socket screw [M6X10 10.9 EN ISO7380]



R	Pos.	Variant Code	Q.ty	Description
	21	3060053	2	Split lock washer [D=6.4 C72 ZC]
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	5220394	1	Control valve
	24	5090435	1	Rod (Control)
	25	3300451	1	Fork clip
	26	3300431	1	Fork
	27	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	28	3080500	1	Grease nipple
	29	5090433	1	Control lever
	30	3020872	4	TSEI screw [M6X8 ZC UNI 5933]
	31	5000670	4	Ring
	32	3190197	1	Knob (Black)
	33	5090816	1	Support (Dual control)
	34	5150715	1	Pin (Control levers)
RC	35	3060056	3	Split lock washer [D=10 C72 ZC]
RC	36	3010353	3	Hex screw [M10X16 8.8 ZC UNI 5739]
	37	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	38	5090817	1	Protective guard (Dual control)


DOUBLE CONTROLS

Table code

Sheet

5400673-1.0

1/3



VALIDO DA SET. 2009

VALID FROM SET. 2009

R	Pos.	Variant Code	Q.ty	Description
	1	5091136	1	Distributor support (Remote control unit)
	2	3020457	2	TSEI screw [M8X55 10.9 ZC UNI 5933]
	3	3020403	2	TSEI screw [M5X50 10.9 ZC UNI 5933]
	4	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	5	5001829	2	Anchoring bracket (Electric wiring)
RC	6	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	9	3060055	6	Split lock washer [D=8.4 C72 ZC]
	10	3190258	1	Knob (Red)
	11	5001671	1	Control lever
	12	3020452	2	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	5001559	1	Flange (Control valve)
	14	3230009	1	Fork (Fork clip)
	15	3040081	6	Lock nut [M6 6S UNI 5589 ZC]
	16	3060941	1	Grub screw
	17	5091000	5	Control lever
	18	3190251	4	Knob (Black)
	19	5091137	1	Casing (THERMOFORMED)
	20	3020960	3	TCC screw [M6X15 4.8 ZC]


DOUBLE CONTROLS

Table code

Sheet

5400673-1.0


2/3



VALIDO DA SET. 2009

VALID FROM SET. 2009

R	Pos.	Variant Code	Q.ty	Description
	21	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	22	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	23	5220413	1	Control valve ass'y
	24	5090088	1	Rod (Dual control)
	25	3300451	1	Fork clip
	26	3300431	1	Fork
	27	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	28	3080500	1	Grease nipple
	29	5091065	1	Control lever
	30	3020872	4	TSEI screw [M6X8 ZC UNI 5933]
	31	5000670	4	Ring
	32	3190197	1	Knob (Black)
	33	5090816	1	Support (Dual control)
	34	5150715	1	Pin (Control levers)
RC	35	3060056	6	Split lock washer [D=10 C72 ZC]
RC	36	3010353	6	Hex screw [M10X16 8.8 ZC UNI 5739]
	37	5090931	1	Guard (Control levers)
	38	5090928	1	Support (Dual control)
	39	5091141	1	
	40	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]



R	Pos.	Variant Code	Q.ty	Description
	41	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	42	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	43	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	44	5813360	1	
	45	5813361	1	Small plate (CONTROL SYMBOLS)
	46	5813362	1	Small plate (CONTROL SYMBOLS)
	47	5813363	1	Small plate (CONTROL SYMBOLS)
	48	5813364	1	Small plate (CONTROL SYMBOLS)
	49	5813367	1	Small plate (CONTROL SYMBOLS)
	50	5813366	1	Small plate (CONTROL SYMBOLS)


Control valve (6 section)

Table code

Sheet


5220394-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225607	1	Inlet manifold
RC	2	5225608	1	Seal kit (Inlet manifold)
	3	5225609	1	Pressure reducing valve
	4	5225610	2	Pressure relief valves
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
	11	5225617	1	Microswitch (Magnet)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225602	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)
	20	5225624	3	Slider (Stabilizer)


R	Pos.	Variant Code	Q.ty	Description
21		5225625	1	Slider
22		5225626	2	Slider (Lifting)
23		5225627	1	Slider
24		5225628	1	Slider
25		5225629	2	Control valve element (Stabilizer)
26		5225630	1	Control valve element (Slewing)
27		5225631	1	Control valve element (Lifting)
28		5225632	1	Control valve element (Extension)
29		5225633	1	Control valve element (Winch)
30		5225672	2	Actuator (Manual)
31		5225671	2	Cover (Slider)
32		5225073	1	cover with spring and microswitch
33		5225603	1	Control valve element (Joint)



R	Pos.	Variant Code	Q.ty	Description
	1	3310606	1	Moment limiting device
	2	5160014	1	
	3	3310820	1	
	4	3310692	1	
	5	3310612	1	Pressure sensor
	6	5160001	1	Electric wiring


VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
1		3310541	1	Inclination sensor ON-OFF
2		5160002	1	Electric wiring
3		3310723	1	Inclination sensor ON-OFF

R	Pos.	Variant Code	Q.ty	Description
1		3310823	1	
2		3310822	1	




Light column

Table code

Sheet


3310822-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310821	1	
	2	3310595	1	
	3	3310594	1	
	4	3310593	1	
	5	3310597	1	
	6	3310610	2	
	7	3310596	2	
	8	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	3310823	1	
	11	3310822	1	
	12	3311110	1	

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]




Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888

Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3310578	1	
	2	3310581	6	Control lever
	3	3310455	1	
	4	3310454	2	
	5	3310836	1	
	6	3310583	1	
	7	3310839	1	
	8	3190105	1	
	9	3310582	1	
	10	3190102	4	
	11	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	12	3040372	8	Stopnut [M6-70 UNI7473 NORM. ZC.]
	13	3190106	1	


Wireless control kit (EU.24V)

Table code

Sheet

7892111-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310901	1	
	2	3310796	8	Joystick
	3	3310786	3	Selector
	4	3310785	1	Selector
	5	3310788	1	Emergency STOP button
	6	3310795	1	Key (Black)
	7	3310799	1	Belt
RC	8	3310641	2	Battery (Wireless control)
	9	3310797	1	Battery charger
	10	3310917	1	
	11	3310900	1	
	12	3310775	1	Aerial (Wireless control)
	13	3310933	1	Electric wiring

High pressure filter


Table code

Sheet

5400464-2.0

1/1


R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	9	5280709	1	Flexible hose
	10	5090087	1	



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
1		5730506	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	








809T-811T RDC-EBB EN 12999-A3

DOUBLE CONTROLS (RDC EBB-X TCU-ECM4)

Table code
5401459-1.0

Sheet
1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091136	1	Distributor support (Remote control unit)
	2	3020457	2	TSEI screw [M8X55 10.9 ZC UNI 5933]
	3	3020403	2	TSEI screw [M5X50 10.9 ZC UNI 5933]
	4	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	5	5001829	2	Anchoring bracket (Electric wiring)
RC	6	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	9	3060055	6	Split lock washer [D=8.4 C72 ZC]
	10	3190258	1	Knob (Red)
	11	5001671	1	Control lever
	12	3020452	2	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	5001559	1	Flange (Control valve)
	14	3230009	1	Fork (Fork clip)
	15	3040081	6	Lock nut [M6 6S UNI 5589 ZC]
	16	3060941	1	Grub screw
	17	5091000	5	Control lever
	18	3190251	5	Knob (Black)
	19	5091137	1	Casing (THERMOFORMED)
	20	3020960	3	TCC screw [M6X15 4.8 ZC]


DOUBLE CONTROLS (RDC EBB-X TCU-ECM4)

Table code

Sheet

5401459-1.0

2/3



VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	21	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	22	3311405	1	Electric box
	23	5220413	1	Control valve ass'y
	24	5090088	1	Rod (Dual control)
	25	3300451	1	Fork clip
	26	3300431	1	Fork
	27	3040045	1	Nut [M8 NORM.6S UNI5588 GEOMET]
	28	3080500	1	Grease nipple
	29	5091065	1	Control lever
	30	3020872	4	TSEI screw [M6X8 ZC UNI 5933]
	31	5000670	4	Ring
	32	3190197	1	Knob (Black)
	33	5090816	1	Support (Dual control)
	34	5150715	1	Pin (Control levers)
RC	35	3060056	6	Split lock washer [D=10 C72 ZC]
RC	36	3010353	6	Hex screw [M10X16 8.8 ZC UNI 5739]
	37	5090931	1	Guard (Control levers)
	38	5090928	1	Support (Dual control)
	39	5002064	1	Support (Electric box)
	40	3060030	5	Flat washer [D.6.6X18 UNI 6593 ZC]


DOUBLE CONTROLS (RDC EBB-X TCU-ECM4)

Table code

Sheet

5401459-1.0

3/3



R	Pos.	Variant Code	Q.ty	Description
	41	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	42	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	43	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	44	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	45	5813361	2	Small plate (CONTROL SYMBOLS)
	46	5813362	1	Small plate (CONTROL SYMBOLS)
	47	5813363	1	Small plate (CONTROL SYMBOLS)
	48	5813364	1	Small plate (CONTROL SYMBOLS)
	49	5813367	1	Small plate (CONTROL SYMBOLS)
	50	5813366	1	Small plate (CONTROL SYMBOLS)
	51	3040392	4	Stopnut [Dado Stop M5-70 norm.]

VALIDO DA Gennaio 2011
VALID FROM January 2011


Control valve (6 section)

Table code

5220838-1.0

Sheet

1/3



R	Pos.	Variant Code	Q.ty	Description
	1 A	5225695	1	Inlet manifold
	1 B	5225696	1	Inlet manifold
RC	2	5225923	1	Seal kit
	3	5225609	1	Pressure reducing valve
	4	5225697	1	Max pressure valve
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
	11	5225617	1	Microswitch (Magnet)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225911	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)


Control valve (6 section)

Table code

Sheet

5220838-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	20	5225624	3	Slider (Stabilizer)
	21	5225625	1	Slider
	22	5225626	2	Slider (Lifting)
	23	5225627	1	Slider
	24	5225628	1	Slider
	25	5225629	2	Control valve element (Stabilizer)
	26	5225907	1	Control valve element (Slewing)
	27	5225908	1	Control valve element (Lifting)
	28	5225910	1	Control valve element (Extension)
	29	5225912	1	Control valve element (Winch)
	30	5225672	2	Actuator (Manual)
	31	5225671	2	Cover (Slider)
	32	5225073	1	cover with spring and microswitch
	33	5225909	1	Control valve element (Joint)
	34	5225913	1	Control valve element (Slewing)
	35	5225914	1	Control valve element (Lifting)
	36	5225915	1	Control valve element (Joint)
	37	5225916	1	Control valve element (Extension)
	38	5225917	2	Control valve element (ACTUATION)
	39	5225918	1	Control valve element (Winch)

Control valve (6 section)


Table code

Sheet

5220838-1.0

3/3

R	Pos.	Variant Code	Q.ty	Description
	40	5225610	1	Pressure relief valves




Control valve (6 section)

Table code

Sheet

5220838-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1 A	5225695	1	Inlet manifold
	1 B	5225696	1	Inlet manifold
RC	2	5225923	1	Seal kit
	3	5225609	1	Pressure reducing valve
	4	5225697	1	Max pressure valve
	5	5225611	1	Solenoid valve (Emergency)
	6	5225612	1	Solenoid valve (Emergency)
	7	5225613	1	Solenoid 12V
	8	5225614	1	Solenoid 24V
	9	5225615	1	Magnet (12V)
	10	5225616	1	Magnet (24V)
RC	12	5225618	6	Seal kit (Control valve element)
	13	5225619	1	Outlet manifold
	14	5225620	1	6 elements unit fixing stud
	15	5225621	1	7 elements unit fixing stud
	16	5225605	1	8 elements unit fixing
	17	5225911	2	Control valve element (ACTUATION)
	18	5225622	2	Block (Valve)
	19	5225623	1	Plug (Max pressure valve)
	20	5225624	3	Slider (Stabilizer)


Control valve (6 section)

Table code

Sheet

5220838-2.0

2/2




R	Pos.	Variant Code	Q.ty	Description
	21	5225625	1	Slider
	22	5225626	2	Slider (Lifting)
	23	5225627	1	Slider
	24	5225628	1	Slider
	25	5225629	2	Control valve element (Stabilizer)
	26	5225907	1	Control valve element (Slewing)
	27	5225908	1	Control valve element (Lifting)
	28	5225910	1	Control valve element (Extension)
	29	5225912	1	Control valve element (Winch)
	30	5225672	2	Actuator (Manual)
	31	5225671	2	Cover (Slider)
	32	5225073	1	cover with spring and microswitch
	33	5225909	1	Control valve element (Joint)
	34	5225913	1	Control valve element (Slewing)
	35	5225914	1	Control valve element (Lifting)
	36	5225915	1	Control valve element (Joint)
	37	5225916	1	Control valve element (Extension)
	38	5225917	2	Control valve element (ACTUATION)
	39	5225918	1	Control valve element (Winch)
	40	5225610	1	Pressure relief valves

VALIDO DA Gennaio 2011

VALID FROM January 2011

VALIDO FINO A Settembre 2011

VALID UNTIL September 2011




BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE

R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141083	1	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	3190036	1	
	17	3190301	2	
	18	3010022	2	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
RC	2	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	3	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	3	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
RC	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5000454	1	
	17	3190301	2	
	18	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]
	19	5002124	1	
	20	3060005	3	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011

VALID FROM October 2011




**BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE**

R	Pos.	Variant Code	Q.ty	Description
	21	3020907	1	TSEI screw [M6X25 10.9 ZC UNI 5933]
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	25	5000424	1	
	26	3020072	2	Socket head cap screw [M10X22 8.8 ZC UNI 5931]
	27	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	28	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]

VALIDO DA Ottobre 2011

VALID FROM October 2011




**BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE**

VERSION 2012

VALIDO DA Gennaio 2012

VALID FROM January 2012




R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
RC	2	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141117	2	
RC	12	3060056	4	Split lock washer [D=10 C72 ZC]
RC	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5091396	1	
	19	5002177	1	Cover (Encoder)
	20	3020022	16	Socket head cap screw [M5X10 8.8 ZC UNI 5931]

VERSION 2012

VALIDO DA Gennaio 2012

VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	21	3190178	2	Flat washer
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3060052	10	Split lock washer [D=5.5 C72 ZC]
	25	3060004	16	Flat washer [D.5 UNI 6592 ZC]
	26	5091397	1	
	27	3190039	2	Insulator
	28	3311398	1	

ROTATION CONTROL (EN12999-A3)


Table code

Sheet

5402736-3.0

1/2

BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE



VERSION 2013-2014

VALIDO DA Gennaio 2014
VALID FROM January 2014


R	Pos.	Variant Code	Q.ty	Description
	1	5091579	1	Support (Encoder)
	2	3040518	2	Stopnut [STOP M4]
	3	3190039	2	Insulator
	4	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	3060053	8	Split lock washer [D=6.4 C72 ZC]
	6	3020033	4	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	8	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	9	5091580	1	Cord storage device (Encoder)
	10	3190083	1	Rope (Stainless steel) [d.1x850 mm]
	11	5091581	1	remittal (Roller)
	12	3010023	1	Hex screw [M6X40 8.8 ZC UNI 5739]
	13	5141138	1	Wheel (Cable guide)
	14	3190084	1	Clamp
	15	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	16	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5091577	1	Protective guard
RC	19	3311924	1	Sensor unit (Encoder)
	20	3311792	1	Electrical connection


R	Pos.	Variant Code	Q.ty	Description
	21	3311791	1	Electric cable (CAN BUS)
	22	3311327	1	Connector (Electric)

**BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE**


**VALIDO DA Gennaio 2014
VALID FROM January 2014**

VERSION 2013-2014







R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3311332	1	Electric wiring
	4	3060053	8	Split lock washer [D=6.4 C72 ZC]
	5	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	6	5002026	2	Guard (Proximity switch)
	7	5002057	2	Support (Proximity switch)
RC	8	3311311	2	Proximity switch (Position sensor)
	9	3311372	1	Electric wiring
	10	3311377	1	Electric wiring
	11	5002051	1	Support (Proximity switch)
	12	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	13	3311325	2	
	14	3311398	1	
RC	15	3311313	2	Sensor unit (Encoder)
	16	3040518	6	Stopnut [STOP M4]
	17	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	18	5002061	2	
	19	5002062	2	
	20	3020319	4	Socket head cap screw [M4X16 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	22	5002079	2	
	23	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	24	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	25	3060052	2	Split lock washer [D=5.5 C72 ZC]
	26	3060004	2	Flat washer [D.5 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311312	1	Proximity switch
	2	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	3	3311332	1	Electric wiring
	4	3060053	8	Split lock washer [D=6.4 C72 ZC]
	5	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	6	5002026	2	Guard (Proximity switch)
	7	5002057	2	Support (Proximity switch)
RC	8	3311311	2	Proximity switch (Position sensor)
	9	3311372	1	Electric wiring
	10	3311377	1	Electric wiring
	11	5002051	1	Support (Proximity switch)
	12	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	13	3311325	2	
	14	3311323	1	
RC	15	3311313	2	Sensor unit (Encoder)
	16	3040518	6	Stopnut [STOP M4]
	17	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	18	5002182	2	Plate (Support)
	19	5001393	1	
	20	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	21			
	22			
	23			
	24			




R	Pos.	Variant Code	Q.ty	Description
	21	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	22	5002079	2	
	23	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	24	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	25	3060052	2	Split lock washer [D=5.5 C72 ZC]
	26	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	27	5002196	1	Support (Brush)
	28	5002175	2	Brush
	29	3190039	4	Insulator
	30	5002181	2	Cables guard
	31	5091392	1	Support

VALIDO DA Gennaio 2011
VALID FROM January 2011

**DA APRILE 2013
NON PIU' FORNIBILE
COME RICAMBIO**

**FROM APRIL 2013 NO
LONGER AVAILABLE
AS A SPARE PART**




R	Pos.	Variant Code	Q.ty	Description
	1	5225617	4	Microswitch (Magnet)
	2	5160084	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160073	1	Electric wiring
	5	3311421	1	Moment limiting device [SUPERATO]

VALIDO DA Gennaio 2014

VALID FROM January 2014

VERSION 2013-2014



R	Pos.	Variant Code	Q.ty	Description
	1	5160084	1	Electric wiring
	2	3310612	1	Pressure sensor
	3	5160073	1	Electric wiring
	4	3311797	1	Moment limiting device (WITH RESINING)

CONTROLS (RDC EBB-X TCU-ECM4)

Table code


Sheet

5401459-3.0

1/1

VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	4	5160003	1	Electric wiring

VALIDO DA Gennaio 2011

VALID FROM January 2011



Rotation limiting device (Electric)


Table code

Sheet

7880830-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5001473	1	Stop (Microswitch)
	2	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	3	3060053	2	Split lock washer [D=6.4 C72 ZC]
	4	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	5	3020451	2	TSEI screw [M8X14 10.9 ZC UNI 5933]
	6	5091039	1	Microswitch support (Electric endstroke)
	7	5160009	2	Electric wiring
	8	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	9	3040518	4	Stopnut [STOP M4]





High pressure filter (EN12999-A3)

Table code

Sheet

5401604-1.0

1/1




VALIDO DA Gennaio 2011

VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
RC	1	3180138	1	Oil filter
RC	2	3180139	1	Filtering cartridge
	3	3180140	1	Clogging indicator
	4	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	9	5280709	1	Flexible hose
	10	5090137	1	Support (High pressure filter)
RC	11	3060006	2	Flat washer [D.8 UNI 6592 ZC]

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311442	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	13	3310861	1	Aerial (Wireless control)
	14	3311443	1	Receiver
	15	3311444	1	Electric wiring
	16	3310924	1	Key (Red)

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311431	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	13	3310861	1	Aerial (Wireless control)
	14	3311521	1	Receiver
	15	3311444	1	Electric wiring
	16	3310924	1	Key (Red)

CAN-BUS

EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311430	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	12	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	13	3310861	1	Aerial (Wireless control)
	14	3311519	1	Receiver
	15	3311444	1	Electric wiring
	16	3310924	1	Key (Red)





RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7880577.0

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw	5550605	Seal kit		
3010336	Hex screw	5550696	Seal kit		
3010353	Hex screw	5550709	Seal kit		
3010354	Hex screw	5550758	Seal kit		
3020080	Socket head cap screw	5550759	Seal kit		
3020875	Socket head cap screw	5550778	Seal kit		
3060006	Flat washer	5550781	Seal kit		
3060029	Flat washer	5550783	Seal kit		
3060055	Split lock washer	5550784	Seal kit		
3060056	Split lock washer				
3060914	Flat washer				
3060918	Tooth lock washer				
3060920	Tooth lock washer				
3180138	Oil filter				
3180139	Filtering cartridge				
3180147	Pressure gauge (Clogging indicator)				
3180150	Pressure gauge				
3180201	Filtering cartridge				
3180221	Thermometer				
3310641	Battery (Wireless control)				
3310926	Microswitch (Safety)				
3311150	Inclination sensor 360°				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311313	Sensor unit (Encoder)				
3311354	Lighting (Audible alarm)				
3311924	Sensor unit (Encoder)				
5000780	Plate (Thickness)				
5000827	Button				
5001087	Button (Control board)				
5140609	Slide shoe				
5140656	Button (Backlash)				
5140681	Button (Slide shoe)				
5140733	Slide shoe				
5140772	Sliding block (Rack adjuster)				
5140773	Thrust bearing ring				
5140777	Button (Backlash)				
5140784	Bushing (Upper)				
5140977	Slide shoe				
5141037	Button (Backlash)				
5141053	Bushing (Lower)				
5220300	Hose burst valve (Sleeve)				
5225608	Seal kit (Inlet manifold)				
5225618	Seal kit (Control valve element)				
5225693	Seal kit				
5225694	Seal kit				
5225923	Seal kit				