




Model
**TELESCOPIC 1 BOOM
810NG T**

Logbook code
7845609.0
Edition
02/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7845609.0

Sheet

1/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	7885422-1.0	1	Assembly kit (No.4 tie rods)		
11	7880368-2.0	1	Assembly kit (No.8 tie rods)		
12	5420181-1.0	1	BASE		
13	5420181-2.0	1	Accessories (Base)		
14	6240228-1.0	1	SLEWING ASS'Y		
15	6240228-3.0	1	SLEWING ASS'Y (Double Flange)		
16	6240228-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
17	6240229-1.0	1	SLEWING ASS'Y		
19	6240229-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
20	6240229-3.0	1	ROTATION CONTROL		
21	5409009-1.0	1	Greasing kit (Tank)		
22	5409010-1.0	1	Greasing kit		
23	7883218-1.0	1	Led (Stabilizers rods)		
24	5760475-5.0	1	STABILIZER ROD		
26	5760475-2.0	1	OUTRIGGERS HYDRAULIC SYSTEM (Sliding)		
27	5760475-4.0	1	OUTRIGGERS HYDRAULIC SYSTEM (Sliding)		
28	5403159-1.0	1	CONTROLS FOR STABILIZERS (Manual)		
29	5760475-3.0	1	Hydraulic system (CONTROLS FOR STABILIZERS)		
30	5760548-1.0	1	OUTRIGGERS HYDRAULIC SYSTEM (ROTATING)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
31	5760548-2.0	1	OUTRIGGERS HYDRAULIC SYSTEM (ROTATING)		
32	6200331-1.0	1	Hydraulic system (STABILISER RAM)		
33	6400331-1.0	1	Stabilizer Hydraulic jack		
34	6200343-1.1	1	Hydraulic system (ROTATING)		
35	6200343-1.0	1	Hydraulic system (ROTATING)		
37	6200343-2.0	1	STABILISER RAM (ROTATING)		
38	6200343-3.0	1	STABILISER RAM (ROTATING)		
39	6400343-1.0	1	STABILISER RAM (ROTATING)		
40	5760477-2.0	1	STABILIZER ROD (Extra-extensible)		
42	5403161-1.0	1	CONTROLS FOR STABILIZERS (hydraulic lengthening)		
43	5760476-3.0	1	Hydraulic system (CONTROLS FOR STABILIZERS)		
44	5760476-1.0	1	Hydraulic system (Stabilizer connecting rods extra-extensible)		
45	5760550-1.0	1	Hydraulic system (Stabilizer connecting rods extra-extensible)		
47	5760476-4.0	1	Hydraulic system (Stabilizer connecting rods extra-extensible)		
48	5760550-2.0	1	Hydraulic system (Stabilizer connecting rods extra-extensible)		
50	5760476-2.0	1	Hydraulic system (Stabilizer connecting rods extra-extensible)		
51	6400332-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Extra-extensible)		
52	5760474-1.0	1	STABILIZER ROD (SUPER EXTRA-EXTENSIBLE)		
54	5760474-2.0	1	Hydraulic system (STABILIZERS RODS SUPER EXTRA-		
55	6400333-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (SUPER EXTRA-		

Table index

Logbook code

7845609.0

Sheet

2/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
56	5403183-3.0	1	Control valve ass'y (FITTINGS)		
57	5403183-1.0	1	DOUBLE CONTROLS (not CE)		
60	5403183-2.0	1	DOUBLE CONTROLS (not CE)		
62	5221115-1.0	1	Control valve (4 section)		
64	7885428-1.0	1	Light column (Horn)		
65	5212085-1.0	1	5th extra function kit open center spool		
67	5212084-1.0	1	5th extra function kit closed center spool		
69	5212078-2.0	1	6th extra function kit closed center spool		
71	5402940-1.0	1	Oil tank		
73	3180243-1.0	1	Oil filter		
74	7888060-1.0	1	Heat exchange unit		
75	7887486-1.0	1	Emergency stop button		
76	7920094-1.0	1	HYDRAULIC SYSTEM GAUGE		
77	5430292-1.0	1	Moment limiting device (not CE)		
79			MANUALS CONTROLS (CE)		
80	5403184-1.0	1	Control valve ass'y (FITTINGS)		
81	5220981-1.0	1	Control valve (4 section)		
83	5403184-2.0	1	DOUBLE CONTROLS (CE)		
86	5403184-3.0	1	DOUBLE CONTROLS (CE)		
88	5403184-4.0	1	Manuals controls (CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
90	5403184-4.1	1	Manuals controls (CE)		
92	5403004-4.0	1	Manuals controls (CE)		
93	5403119-3.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
94	5403119-7.0	1	STABILITY CONTROL (STABILIZER ROD)		
95	5460153-1.0	1	Column		
96	6230275-1.0	1	Hydraulic system (Lifting hydraulic cylinder)		
97	6430275-1.0	1	Lifting hydraulic cylinder		
98	5480164-1.0	1	2nd Boom		
100	5590525-1.0	1	Protective cover (Flexible hose)		
101	7885460-1.0	1	Work lamp (Electric components)		
103	5490139-1.0	1	1st Extension		
104	6210615-1.0	1	1st Extension hydraulic (Hydraulic system)		
105	6410659-1.0	1	1th extension hydraulic cylinder		
106	5530109-1.0	1	2nd Extension		
107	6210623-1.0	1	2nd EXTENSION HYDRAULIC JACK (Hydraulic system)		
108	6410615-1.0	1	2nd extension hydraulic cylinder		
109	5540151-1.0	1	3rd EXTENSION		
110	6210624-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
111	6410565-1.0	1	3rd and 4th extension hydraulic cylinder		
112	5560086-1.0	1	4th EXTENSION		

Table index

Logbook code

Sheet

7845609.0





3/3

Page	Table code	Q.ty	Table heading	Vers.	Validity
114	6210625-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
115	5590526-1.0	1	FOUR-WAY HOSE WINDER KIT		
116	5590526-2.0	1	FOUR-WAY HOSE WINDER KIT		
117	5590523-1.0	1	FOUR-WAY HOSE WINDER KIT		
119	5751504-1.0	1	Pin (Extensions)		
120	5751347-1.0	1	HOOK KIT		
121	7800070-1.0	1	Coupling (Hook)		
122	7900092-1.0	1	ATTACHEMENT FOR WINCH		
123	5740418-1.0	1	ACTUATION FOR WINCH		
124	5403208-1.0	1	Winch (Electric wiring)		
125	7834373-1.0	1	WINCH KIT		
127			810NG T RDC		
128	5402989-1.0	1	Kit (High pressure filter)		
129	3180244-1.0	1	High pressure filter		
130	7892322-1.0	1	Wireless control kit (Hz.EU)		
131	7892380-1.0	1	Wireless control kit (Hz.HK)		
132	7892325-1.0	1	Wireless control kit (CAN BUS)		
133	5403027-1.0	1	CONTROLS (RDC)		
135	5402960-3.0	1	CONTROLS (RDC)		
136	5402894-1.0	1	CONTROLS (RDC / MAN)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
138	5403206-1.0	1	CONTROLS (RDC)		
140	5403206-1.1	1	CONTROLS (RDC)		
142	5403206-3.0	1	CONTROLS (RDC / CE)		
143	5403027-3.0	1	CONTROLS (RDC / CE)		
144	5403207-2.0	1	CONTROLS (RDC)		
145	5403207-3.0	1	CONTROLS (RDC)		
147	5403207-3.1	1	CONTROLS (RDC)		
149	5403207-4.0	1	CONTROLS (RDC / CE)		
150	7885704-1.0	1	Connectivity Edge Line		



R	Pos.	Variant Code	Q.ty	Description
	1	5502000	1	kit Standard instructions sticker
	2	5813851	4	Label (Stabilizer connecting rods)



Assembly kit (No.4 tie rods)


Table code

Sheet

7885422-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5151273	4	Tie rod (Threaded rod) [M24X2 L.520]
	2	3040188	16	Hexagonal nut [M24X2 8G NORMALE UNI 5588]
	3	5002840	4	Plate (Upper)
	4	3190291	4	Tip (Rubber protection)
	5	5000085	4	Plate (Upper)



Assembly kit (No.8 tie rods)


Table code

Sheet


7880368-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5150658	8	Tie rod (Threaded rod) [M20X1.5 L=900]
	2	3040186	32	Nut [M20X1,5 8G ZC UNI 5588]
	3	5000086	8	Plate (Upper)
	4	3190290	8	Tip (Rubber protection)
	5	5000202	4	Plate (Lower)



R	Pos.	Variant Code	Q.ty	Description
	1	5060206	1	Base
RC	2	5141267	1	Bushing (Upper)
RC	3	5141268	1	Thrust bearing ring
RC	4	5141266	1	Bushing (Lower)
	5	W370400700	6	Button (Coupling backlash)
	6	5092021	1	Balancing box
	7	3070063	1	Seeger




Accessories (Base)

Table code

Sheet

5420181-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5092056	1	Casing (Turret)
	2	5092018	1	Casing (Turret)
	3	5092063	1	Casing (Turret)
	4	5092023	1	Location (Flexible hose)
	5	5092055	1	Anchoring bracket (Set of hoses)
	6	5092054	1	Cover
	7	5003031	1	Location (Flexible hose)
	8	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	9	3060053	22	Split lock washer [D=6.4 C72 ZC]
	10	3060030	22	Flat washer [D.6.6X18 UNI 6593 ZC]
	11	3010083	3	Hex screw [M8X40 8.8 ZC UNI5739]
RC	12	3060055	7	Split lock washer [D=8.4 C72 ZC]
RC	13	3060006	3	Flat washer [D.8 UNI 6592 ZC]
	14	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	15	3020981	20	Hex socket screw [M6X16 10.9 EN ISO7380]
RC	16	3060029	4	Flat washer [D.8.5X24 UNI 6593 ZC]
	17	5091999	2	Protective guard
	18	5814047	2	Label (Casing)

SLEWING ASS'Y




Table code		Sheet
6240228-1.0		1/1


R	Pos.	Variant Code	Q.ty	Description
	1	6070724	2	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050229	2	Piston (Slewing)
RC	5	5550680	1	Seal kit (Slewing)
	6	6050240	2	Piston (Assembly)
	7	3400514	2	Seal
	8	3060608	2	Spring pin
	9	5050143	1	Toothed rack
RC	10	5141317	1	Sliding block (Rack adjuster)
	11	5002934	1	Pusher (Sliding block)
	12	3061020	1	Grub screw
	13	3040309	1	Stopnut [Dado Stop M20 Norm.]
	14	5002438	2	Flange (Slewing)
	15	3070207	2	Snap ring
	16	3020075	2	Socket head cap screw [M12X25 12.9 ZC UNI 5931]

SLEWING ASS'Y (Double Flange)

Table code
6240228-3.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002438	4	Flange (Slewing)
	2	3070207	2	Snap ring
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	3020324	12	Socket head cap screw [M14X65 8.8 GEOMET UNI 50341]




Hydraulic system (Slewing Hydraulic jack)

Table code

Sheet

6240228-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	2	5261593	2	Flexible hose
	3	3101125	6	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	4	5221090	1	Holding valve slewing
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3010024	2	Hex screw [M6X70 8.8 UNI 5737]
	7	3010356	2	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	10	3110119	1	Straight pipe fitting
	11	5003028	1	Valve support
	12	5393466	1	Bonderized tube
	13	5393467	1	Bonderized tube
RC	14	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	15	3060029	1	Flat washer [D.8.5X24 UNI 6593 ZC]
	16	3190208	1	Collar (Pipe)
	17	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	5140133	1	Piping mounting
	20	3190024	1	Clamp [87-112 12.2 ABA]


SLEWING ASS'Y

Table code

Sheet


6240229-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6070724	1	Cylinder (Slewing)
	2	3020109	12	Socket head cap screw [M14X35 8.8 ZC UNI 5931]
	3	3060050	12	Split lock washer [D=14 C72 ZC]
	4	6050403	2	Piston (Slewing)
RC	5	5550680	1	Seal kit (Slewing)
	6	3460110	2	Anti-extrusion ring
	7	3400514	2	Seal
	8	3450110	2	O-ring joint
	9	5050146	1	Toothed rack
RC	10	5141317	1	Sliding block (Rack adjuster)
	11	5002934	1	Pusher (Sliding block)
	12	3061020	1	Grub screw
	13	3040309	1	Stopnut [Dado Stop M20 Norm.]
	14	5002438	2	Flange (Slewing)
	15	3070207	2	Snap ring
	16	6070764	1	Cylinder (Slewing)
	17	3070037	2	Seeger (Shaft)
	18	5002798	1	Cylinder head (Sensor unit)
	19	3020079	4	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	20	3450130	1	O-ring joint

R	Pos.	Variant Code	Q.ty	Description
	21	3070304	1	Seeger (hole)
	22	3311775	1	Magnet (Sensor unit)
	23	5141255	2	Spacer (Magnet)




Hydraulic system (Slewing Hydraulic jack)

Table code

Sheet


6240229-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	2	5261593	2	Flexible hose
	3	3101125	6	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	4	5221090	1	Holding valve slewing
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3010024	2	Hex screw [M6X70 8.8 UNI 5737]
	7	3010356	2	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	10	3110119	1	Straight pipe fitting
	11	5003028	1	Valve support
	12	5393466	1	Bonderized tube
	13	5393468	1	Bonderized tube
RC	14	3010027	1	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	15	3060029	1	Flat washer [D.8.5X24 UNI 6593 ZC]
	16	3190208	1	Collar (Pipe)
	17	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	5140133	1	Piping mounting
	20	3190024	1	Clamp [87-112 12.2 ABA]

R	Pos.	Variant Code	Q.ty	Description
	1	3311774	1	Sensor unit (ROTATION CONTROL)
	2	3311775	1	Magnet (Sensor unit)
	3	3040391	1	Hexagonal nut (Normal)
	4	3060223	1	Grub screw
	5	3020985	4	Hex socket screw [M4X8 10.9 EN ISO7380 BR.]
	6	3311818	1	Electric wiring (Extension terminal)




Greasing kit (Tank)

Table code

Sheet

5409009-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3080015	5	Grease nipple [M10X1]
	3	3080004	5	Coupling (Flexible hose)
	4	3190012	25	Clamp
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	7	3080012	4	Coupling (Flexible hose)
	8	3080063	1	Pipe (Greasing)
	9	3080060	1	Pipe (Greasing)
	10	3080062	1	Pipe (Greasing)
	11	3080059	1	Pipe (Greasing)
	12	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	13	3080064	1	Pipe (Greasing)
	14	3080011	1	Grease nipple
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]


Greasing kit

Table code

Sheet

5409010-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3080015	5	Grease nipple [M10X1]
	3	3080004	5	Coupling (Flexible hose)
	4	3190012	25	Clamp
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	7	3080012	4	Coupling (Flexible hose)
	8	3080063	1	Pipe (Greasing)
	9	3080060	1	Pipe (Greasing)
	10	3080062	1	Pipe (Greasing)
	11	3080059	1	Pipe (Greasing)
	12	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	13	3080064	1	Pipe (Greasing)
	14	3080011	1	Grease nipple
	15	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	16	5002871	1	Support (Manifold)
	17	3060018	1	Flat washer [D.12 UNI 6592 ZC]
	18	3060057	1	Split lock washer [D=12 C72 ZC]
	19	3010369	1	Hex screw [M12X25 8.8 ZC UNI 5739]


Led (Stabilizers rods)

Table code

Sheet

7883218-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311861	2	Light (Led)
	2	3010015	4	Hex screw [M6X20 8.8 ZC UNI 5739]
	3	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	4	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	5	5003047	2	Support (Lighting)
	6	5002937	2	Support (Lighting)
	7	3311944	2	Electric wiring
	8	3312089	2	Light (Led)
	9	3311914	2	Electric cable (Extension terminal)


STABILIZER ROD

Table code

Sheet

5760475-5.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5070521	2	Stabilizer rod (standard)
	2	W559501	4	Cotter pin
	3	5141222	2	Roller (Turnsbasket)
	4	5151239	2	Pin (Roller)
	5	W370400700	16	Button (Coupling backlash)
	6	3040305	4	Stopnut [M12-70 NORM. ZC]
	7	5092194	2	Handle (Stabilizer)
	8	3060018	8	Flat washer [D.12 UNI 6592 ZC]
	9	3010062	8	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	10	3040314	4	Stopnut [M12-6S.UNI 7474 BASSO ZC.]
	11	5092995	2	Hook (latch) (Stabilizers rods)
	12	3061033	2	Spring (Hook (latch))
	13	3190269	2	Handle
	14	5001988	2	Hook (Rod)
	15	3060941	2	Grub screw
	16	3070148	2	Seeger
RC	17	3020090	2	Socket head cap screw [M8X16 8.8 GEOMET UNI5931]
	18	5002588	2	Support (Roller)
	19	5141223	2	Roller (Turnsbasket)
	20	3080065	4	Abutment

STABILIZER ROD

Table code
5760475-5.0

Sheet
2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	22	3060055	6	Split lock washer [D=8.4 C72 ZC]
	23	5151295	2	Pin (Roller)
	24	3060053	6	Split lock washer [D=6.4 C72 ZC]
	25	3010324	6	Hex screw [M6X12 8.8 ZC UNI 5739]
	26	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	27	5920069	1	Block (Stabilizer rod)
	28	5002687	2	Thickness (Flange)
	29	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
	30	5002723	1	Pin (Handle)
	31	3190356	2	Knob (Control lever)
	32	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	33	5001681	2	Handle (Hook)
	34	W102116	2	Spacer
	35	5003050	1	Pin (Handle)
	36	5920073	1	Block (Stabilizer rod)


OUTRIGGERS HYDRAULIC SYSTEM (Sliding)

Table code

Sheet

5760475-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393433	1	Bonderized tube
	2	5393431	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393435	1	Bonderized tube
	6	5393434	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261605	2	Flexible hose
	12	5261604	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]


OUTRIGGERS HYDRAULIC SYSTEM (Sliding)

Table code


Sheet

5760475-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393440	1	Bonderized tube
	2	5393439	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393441	1	Bonderized tube
	6	5393442	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261605	2	Flexible hose
	12	5261604	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	1	5221094	1	Manual control (cable flexball)
	2	5002719	1	Control lever (Control valve side)
	3	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
	4	3190356	2	Knob (Control lever)
	5	3020873	2	Socket head cap screw [M8X30 ZC UNI 5931]
RC	6	3060055	7	Split lock washer [D=8.4 C72 ZC]
RC	7	3060006	5	Flat washer [D.8 UNI 6592 ZC]
	8	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	9	5220286	1	Control valve (2 section)
	10	5225949	2	Cover (cable flexball)
	11	5003020	1	Strip (cable flexball)
	12	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	13	5000077	2	Clamp (Rigid Pipe)
	14	5141287	2	Pin (Nylon)
	15	5226004	1	cable flexball
	16	3230009	1	Fork (Fork clip)
	17	5141288	2	Ring (Spacer)
	18	5092110	1	Control lever


Hydraulic system (CONTROLS FOR STABILIZERS)

Table code

Sheet

5760475-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	2	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3060144	1	Sealing washer [BSP 3/8"]
	4	5281032	1	Flexible hose
	5	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5272430	1	Flexible hose
	7	5002716	2	Control lever (Stabilizer)
RC	8	3060055	3	Split lock washer [D=8.4 C72 ZC]
	9	3190356	2	Knob (Control lever)
	10	5225949	2	Cover (cable flexball)
	11	5220286	1	Control valve (2 section)
	12	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	14	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	15	3110119	1	Straight pipe fitting


OUTRIGGERS HYDRAULIC SYSTEM (ROTATING)

Table code

Sheet

5760548-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393433	1	Bonderized tube
	2	5393431	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393435	1	Bonderized tube
	6	5393434	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261606	2	Flexible hose
	12	5261607	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5003968	1	Piping mounting
	15	3190174	2	Clamp (Flexible hose)
	16	3190206	1	Small plate (Clamp)
	17	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]


OUTRIGGERS HYDRAULIC SYSTEM (ROTATING)

Table code

Sheet

5760548-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393440	1	Bonderized tube
	2	5393439	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393441	1	Bonderized tube
	6	5393442	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261606	2	Flexible hose
	12	5261607	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5003968	1	Piping mounting
	15	3190174	2	Clamp (Flexible hose)
	16	3190206	1	Small plate (Clamp)
	17	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]


Hydraulic system (STABILISER RAM)

Table code

Sheet

6200331-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400331	1	Stabilizer Hydraulic jack
	2	3190023	2	Clamp
	3	2091241	1	Plate (Valve support)
	4	3040305	8	Stopnut [M12-70 NORM. ZC]
	5	3060018	16	Flat washer [D.12 UNI 6592 ZC]
	6	3101125	4	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	7	5393446	1	Bonderized tube
	8	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	9	3060053	2	Split lock washer [D=6.4 C72 ZC]
	10	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	11	5220653	1	Holding valve
	12	5393445	1	Bonderized tube
	13	3010062	8	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	14	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	15	4160397	1	Tang
	16	3060632	1	Spring pin
	17	5920059	1	ARTICULATED JOINT TANG
	18	5920081	1	ARTICULATED JOINT TANG
	19	4160580	1	Tang


Stabilizer Hydraulic jack

Table code

Sheet

6400331-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070756	1	Cylinder
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6031139	1	Rod unit
	8	3450066	1	O-ring joint
	9	3400510	1	Seal
	10	6050230	1	Piston
	11	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]
RC	12	5550684	1	Seal kit


Hydraulic system (ROTATING)

Table code

Sheet

6200343-1.1

1/1



R	Pos.	Variant Code	Q.ty	Description
1	6400343		1	Stabilizer Hydraulic jack (ROTATING)
2	3190023		2	Clamp
3	2091241		1	Plate (Valve support)
4	3101040		2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
5	3101125		4	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
6	5393459		1	Bonderized tube
7	3010019		2	Hex screw [M6X45 8.8 ZC UNI 5737]
8	3060053		2	Split lock washer [D=6.4 C72 ZC]
9	3110112		1	Straight pipe fitting [M/F BSP 3/8"H=26]
10	5220653		1	Holding valve
11	5393458		1	Bonderized tube
12	5141269		1	Swash -plate (ARTICULATED JOINT TANG)
13	4160397		1	Tang
14	3060632		1	Spring pin
15	5920059		1	ARTICULATED JOINT TANG
16	3060144		1	Sealing washer [BSP 3/8"]
17	3080501		2	Grease nipple [M8X1.25]
18	5920081		1	ARTICULATED JOINT TANG
19	4160580		1	Tang


Hydraulic system (ROTATING)

Table code

Sheet


6200343-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3060018	16	Flat washer [D.12 UNI 6592 ZC]
	2	3010369	8	Hex screw [M12X25 8.8 ZC UNI 5739]
	3	5141269	1	Swash -plate (ARTICULATED JOINT TANG)
	4	4160397	1	Tang
	5	3060632	1	Spring pin
	6	5920059	1	ARTICULATED JOINT TANG
	7	3040305	4	Stopnut [M12-70 NORM. ZC]
	8	3060057	10	Split lock washer [D=12 C72 ZC]
	9	5092040	2	Support (Handle)
	10	3190521	2	Handle
	11	3010062	2	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	12	3060004	3	Flat washer [D.5 UNI 6592 ZC]
	13	5092097	1	Flange (with pin)
	14	3190202	2	Insulator
	15	3080501	2	Grease nipple [M8X1.25]
	16	5091749	1	Flange (LOCKING)
	17	3020550	2	TSEI screw [M12X30 10.9 ZC UNI 5933]
	18	5092039	1	Support (Casing)
	19	5095020	1	Protective guard (Stabilizer Hydraulic jack)
	20	3020022	5	Socket head cap screw [M5X10 8.8 ZC UNI 5931]

R	Pos.	Variant Code	Q.ty	Description
	21	3060052	2	Split lock washer [D=5.5 C72 ZC]
	22	5920081	1	ARTICULATED JOINT TANG
	23	4160580	1	Tang




STABILISER RAM (ROTATING)

Table code

Sheet

6200343-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3020406	1	TSEI screw [M6X30 10.9 ZC UNI 5933]
	2	5141307	1	Cap (Pin)
	3	3070306	1	Seeger (hole)
	4	5002906	1	Lock washer (Spring)
	5	3061029	1	Spring
	6	5151214	1	Pin (Block)
	7	3040040	1	Lock nut [M8 6S UNI 5589 ZC]
	8	5002723	1	Pin (Handle)
	9	3190217	1	Knob (Red)
	10	3080531	1	Grease nipple
	11	5002964	1	Extension shaft (Grease nipple)
	12	5141258	1	Guide bushing (Pin)

STABILISER RAM (ROTATING)


Table code

Sheet

6200343-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3240003	1	Gas spring
RC	2	3060029	2	Flat washer [D.8.5X24 UNI 6593 ZC]
	3	3061038	2	Cotter pin [D=3.2 L.18 UNI 1336 ZC.]
	4	3020550	2	TSEI screw [M12X30 10.9 ZC UNI 5933]
	5	5092038	1	Flange (with pin)




STABILISER RAM (ROTATING)

Table code

Sheet

6400343-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070795	1	Cylinder
	2	3420026	1	W-ring
	3	3400090	1	Seal
	4	6040252	1	Close nipple (Stabilizer Hydraulic jack)
	5	3460380	1	Anti-extrusion ring
	6	3450085	1	O-ring joint
	7	6031219	1	Rod unit
	8	3400510	1	Seal
	9	3450066	1	O-ring joint
	10	6050230	1	Piston
RC	11	5550684	1	Seal kit
	12	5141038	2	Self-lubricating bushing
	13	3020126	1	Socket head cap screw [M16X35 8.8 ZC UNI 5931]

STABILIZER ROD (Extra-extensible)

Table code
5760477-2.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5070522	2	Stabilizer rod (Extra-extensible)
	2	W559501	4	Cotter pin
	3	5141222	2	Roller (Turnsbasket)
	4	5151239	2	Pin (Roller)
	5	W370400700	16	Button (Coupling backlash)
	6	3040305	4	Stopnut [M12-70 NORM. ZC]
	7	5092194	2	Handle (Stabilizer)
	8	3060018	8	Flat washer [D.12 UNI 6592 ZC]
	9	3010062	8	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	10	3040314	4	Stopnut [M12-6S.UNI 7474 BASSO ZC.]
	11	5092995	2	Hook (latch) (Stabilizers rods)
	12	3061033	2	Spring (Hook (latch))
	13	3190269	2	Handle
	14	5001988	2	Hook (Rod)
	15	3060941	2	Grub screw
	16	3070148	2	Seeger
RC	17	3020090	2	Socket head cap screw [M8X16 8.8 GEOMET UNI5931]
	18	5002588	2	Support (Roller)
	19	5141223	2	Roller (Turnsbasket)
	20	3080065	4	Abutment

STABILIZER ROD (Extra-extensible)

Table code
5760477-2.0

Sheet
2/2




R	Pos.	Variant Code	Q.ty	Description
RC	21	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	22	3060055	6	Split lock washer [D=8.4 C72 ZC]
	23	5151295	2	Pin (Roller)
	24	3060053	6	Split lock washer [D=6.4 C72 ZC]
	25	3010324	6	Hex screw [M6X12 8.8 ZC UNI 5739]
	26	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	27	5920069	1	Block (Stabilizer rod)
	28	5002687	2	Thickness (Flange)
	29	3040040	2	Lock nut [M8 6S UNI 5589 ZC]
	30	5002723	1	Pin (Handle)
	31	3190356	2	Knob (Control lever)
	32	3010037	2	Hex screw [M8X70 8.8 UNI 5737 ZC]
	33	5001681	2	Handle (Hook)
	34	W102116	2	Spacer
	35	5003050	1	Pin (Handle)
	36	5920073	1	Block (Stabilizer rod)

CONTROLS FOR STABILIZERS (hydraulic lengthening)

Table code
5403161-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5226002	1	Manual control (cable flexball)
	2	5002719	2	Control lever (Control valve side)
	3	3040040	4	Lock nut [M8 6S UNI 5589 ZC]
	4	3190356	4	Knob (Control lever)
	5	3020873	4	Socket head cap screw [M8X30 ZC UNI 5931]
RC	6	3060055	9	Split lock washer [D=8.4 C72 ZC]
RC	7	3060006	7	Flat washer [D.8 UNI 6592 ZC]
	8	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	9	5220974	1	Control valve (4 section)
	10	5225949	4	Cover (cable flexball)
	11	5003020	1	Strip (cable flexball)
	12	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	13	5000077	2	Clamp (Rigid Pipe)
	14	5141287	2	Pin (Nylon)
	15	5226004	2	cable flexball
	16	3230009	2	Fork (Fork clip)
	17	5141288	4	Ring (Spacer)
	18	5092110	2	Control lever


Hydraulic system (CONTROLS FOR STABILIZERS)

Table code

Sheet

5760476-3.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	2	3101040	6	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	3	3060144	2	Sealing washer [BSP 3/8"]
	4	5281032	1	Flexible hose
	5	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	6	5272430	1	Flexible hose
	7	5002716	3	Control lever (Stabilizer)
RC	8	3060055	3	Split lock washer [D=8.4 C72 ZC]
	9	3190356	3	Knob (Control lever)
	10	5225949	3	Cover (cable flexball)
	11	5220974	1	Control valve (4 section)
	12	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	14	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	15	3110112	2	Straight pipe fitting [M/F BSP 3/8"H=26]
	16	3120011	2	90° Connection [90° M/F JIC 9/16-18]

Hydraulic system (Stabilizer connecting rods extra-extensible)

Table code
5760476-1.0

Sheet
1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5393433	1	Bonderized tube
	2	5393431	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393435	1	Bonderized tube
	6	5393434	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261598	2	Flexible hose
	12	5261599	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5092986	1	Slide (Hoses support)
	15	5002322	4	Plate (Hose clamp)
	16	3020406	4	TSEI screw [M6X30 10.9 ZC UNI 5933]
	17	5092987	1	Slide (Hoses support)
	18	5261602	2	Flexible hose
	19	5261603	2	Flexible hose

Hydraulic system (Stabilizer connecting rods extra-extensible revolving)

Table code
5760550-1.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5393433	1	Bonderized tube
	2	5393431	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393435	1	Bonderized tube
	6	5393434	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261596	2	Flexible hose
	12	5261597	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5092986	1	Slide (Hoses support)
	15	5002322	4	Plate (Hose clamp)
	16	3020406	4	TSEI screw [M6X30 10.9 ZC UNI 5933]
	17	5092987	1	Slide (Hoses support)
	18	5261600	2	Flexible hose
	19	5261601	2	Flexible hose
	20	3190174	2	Clamp (Flexible hose)

Hydraulic system (Stabilizer connecting rods extra-extensible revolving)

Table code
5760550-1.0

Sheet
2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3190206	1	Small plate (Clamp)
	22	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]




Hydraulic system (Stabilizer connecting rods extra-extensible)

Table code

Sheet

5760476-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393440	1	Bonderized tube
	2	5393439	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393441	1	Bonderized tube
	6	5393442	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261598	2	Flexible hose
	12	5261599	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5092986	1	Slide (Hoses support)
	15	5002322	4	Plate (Hose clamp)
	16	3020406	4	TSEI screw [M6X30 10.9 ZC UNI 5933]
	17	5092987	1	Slide (Hoses support)
	18	5261602	2	Flexible hose
	19	5261603	2	Flexible hose


Hydraulic system (Stabilizer connecting rods extra-extensible revolving)

Table code

Sheet

5760550-2.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5393440	1	Bonderized tube
	2	5393439	1	Bonderized tube
	3	5393430	1	Bonderized tube
	4	5393432	1	Bonderized tube
	5	5393441	1	Bonderized tube
	6	5393442	1	Bonderized tube
	7	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	8	3060055	2	Split lock washer [D=8.4 C72 ZC]
	9	5000077	3	Clamp (Rigid Pipe)
	10	3101067	2	90° Connection [90° M/M JIC 9/16-18]
	11	5261596	2	Flexible hose
	12	5261597	2	Flexible hose
	13	3010030	1	Hex screw [M8X35 8.8 ZC UNI 5737]
	14	5092986	1	Slide (Hoses support)
	15	5002322	4	Plate (Hose clamp)
	16	3020406	4	TSEI screw [M6X30 10.9 ZC UNI 5933]
	17	5092987	1	Slide (Hoses support)
	18	5261600	2	Flexible hose
	19	5261601	2	Flexible hose
	20	3190174	2	Clamp (Flexible hose)

Hydraulic system (Stabilizer connecting rods extra-extensible revolving)

Table code
5760550-2.0

Sheet
2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3190206	1	Small plate (Clamp)
	22	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]




Hydraulic system (Stabilizer connecting rods extra-extensible)

Table code

Sheet

5760476-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5393422	1	Bonderized tube
	2	5393423	1	Bonderized tube
	3	5393425	1	Bonderized tube
	4	5393424	1	Bonderized tube
	5	3101067	6	90° Connection [90° M/M JIC 9/16-18]
	6	3101039	2	Straight pipe fitting [9/16-18 1/4\"CIL. D10]
	7	5393428	1	Bonderized tube
	8	5393429	1	Bonderized tube
	9	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	5000077	4	Clamp (Rigid Pipe)
	12	5393392	2	Bonderized tube
	13	5393427	1	Bonderized tube
	14	5393426	1	Bonderized tube
	15	6400332	2	Extension Hydraulic jack
	16	5393444	1	Bonderized tube
	17	5393443	1	Bonderized tube
	18	5393437	1	Bonderized tube
	19	5393438	1	Bonderized tube

ROD EXSTENSION HYDRAULIC CYLINDER (Extra- extensible)


Table code

Sheet

6400332-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070758	1	Cylinder
	2	6031141	1	Rod unit
	3	6040314	1	Close nipple
	4	6050355	1	Piston (ROD EXSTENSION HYDRAULIC CYLINDER)
RC	5	5550813	1	Seal kit




STABILIZER ROD (SUPER EXTRA-EXTENSIBLE)

Table code

Sheet

5760474-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5070519	2	Stabilizer rod (Intermediate)
	2	5070520	2	Stabilizer rod (Final)
	3	5141354	2	Plate (Stop)
	4	5141298	2	Plate (Stop)
	5	W370400700	32	Button (Coupling backlash)
	6	3020436	8	TSEI screw [M6X10 ZC UNI 5933]
RC	7	3010336	8	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	3060018	4	Flat washer [D.12 UNI 6592 ZC]
	9	3010062	4	Hex screw [VTE M12X40 8.8 ZC UNI 5737]
	10	3040314	4	Stopnut [M12-6S.UNI 7474 BASSO ZC.]
	11	5092995	2	Hook (latch) (Stabilizers rods)
	12	3061033	2	Spring (Hook (latch))
	13	3190269	2	Handle
	14	5001988	2	Hook (Rod)
	15	3060941	2	Grub screw
	16	3070148	2	Seeger
RC	17	3020090	2	Socket head cap screw [M8X16 8.8 GEOMET UNI5931]
RC	18	3060055	10	Split lock washer [D=8.4 C72 ZC]
RC	19	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	20	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]

STABILIZER ROD (SUPER EXTRA-EXTENSIBLE)

Table code
5760474-1.0

Sheet
2/2


R	Pos.	Variant Code	Q.ty	Description
	21	5001681	2	Handle (Hook)
	22	W102116	2	Spacer



Hydraulic system (STABILIZERS RODS SUPER EXTRA-EXTENSIBLE)

Table code
5760474-2.0

Sheet
1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5393422	1	Bonderized tube
	2	5393423	1	Bonderized tube
	3	5393425	1	Bonderized tube
	4	5393424	1	Bonderized tube
	5	3101067	6	90° Connection [90° M/M JIC 9/16-18]
	6	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	5393428	1	Bonderized tube
	8	5393429	1	Bonderized tube
	9	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	5000077	4	Clamp (Rigid Pipe)
	12	5393593	2	Bonderized tube
	13	5393427	1	Bonderized tube
	14	5393426	1	Bonderized tube
	15	6400333	2	Extension Hydraulic jack
	16	5393444	1	Bonderized tube
	17	5393443	1	Bonderized tube
	18	5393437	1	Bonderized tube
	19	5393438	1	Bonderized tube

ROD EXSTENSION HYDRAULIC CYLINDER (SUPER EXTRA-EXTENSIBLE)

Table code
6400333-1.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070759	1	Cylinder
	2	6031142	1	Rod unit
	3	6040314	1	Close nipple
	4	6050355	1	Piston (ROD EXSTENSION HYDRAULIC CYLINDER)
RC	5	5550813	1	Seal kit




Control valve ass'y (FITTINGS)

Table code

Sheet

5403183-3.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
RC	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5221115	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	4	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]
	12	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]

DOUBLE CONTROLS (not CE)

Table code
5403183-1.0

Sheet
1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091974	1	Support (Control console)
	2	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	3	Split lock washer [D=10 C72 ZC]
RC	4	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	5002763	1	Grate (cable flexball)
	6	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	5092005	1	Guard (Control levers)
	11	5091987	1	Cover (Control unit)
	12	5091948	1	Casing (Control panel)
	13	3060003	5	Flat washer [D.4 UNI 6592 ZC]
	14	3040518	5	Stopnut [STOP M4]
	15	5002730	1	Plate (Control levers)
	16	5002753	1	Plate (Closing)
	17	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	18	3060002	4	Flat washer
	19	3040516	4	Stopnut [STOP M3]
	20	3020412	5	TSEI screw [M4X16 10.9 EN ISO10642 GEOM]


DOUBLE CONTROLS (not CE)

Table code

Sheet

5403183-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3020981	2	Hex socket screw [M6X16 10.9 EN ISO7380]
	22	3060053	8	Split lock washer [D=6.4 C72 ZC]
	23	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	24	5814891	1	Label (CONTROLS)
	25	5814388	1	Label
	26	5814912	1	Small plate (CONTROL SYMBOLS)
	27	5813362	1	Small plate (CONTROL SYMBOLS)
	28	5813363	1	Small plate (CONTROL SYMBOLS)
	29	5813364	1	Small plate (CONTROL SYMBOLS)
	30	3180116	1	Bubble level
	31	3190356	3	Knob (Control lever)
	32	5002731	3	Control lever
	33	3190217	1	Knob (Red)
	34	5002732	1	Lever (Switch)
	35	3040084	4	Lock nut [M10 basso UNI 5589]
	36	3020974	4	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]
RC	37	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	38	5000708	4	Small plate (remittal)
	39	3300431	4	Fork
	40	3230009	4	Fork (Fork clip)


DOUBLE CONTROLS (not CE)

Table code

Sheet

5403183-1.0

3/3




R	Pos.	Variant Code	Q.ty	Description
	41	3230049	1	cable flexball
	42	3230055	4	cable flexball
	43	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	44	3020984	6	Hex socket screw [M6X10 10.9 EN ISO7380]
	45	5092133	1	Guard (Control levers)
	46	3020058	2	Socket head cap screw [M8X40 8.8 ZC UNI 5931]
	47	5814707	1	Label (Casing)
	48	5814046	2	Label (Casing)

DOUBLE CONTROLS (not CE)

Table code
5403183-2.0

Sheet
1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5092111	1	Support (Manuals controls)
	2	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	6	Split lock washer [D=10 C72 ZC]
RC	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	5002910	1	Guard (Control levers)
	6	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	7	3060053	10	Split lock washer [D=6.4 C72 ZC]
	8	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	9	3230055	4	cablе flexball
	10	3230009	6	Fork (Fork clip)
	11	5000670	2	Ring
	12	3060232	2	Grub screw [Grano M6X6 UNI 5927 ZC.]
	13	3060706	2	Cotter pin
	14	3190217	1	Knob (Red)
	15	3190356	4	Knob (Control lever)
	16	5092110	4	Control lever
	17	5151308	1	Pin (Dual control)
	18	5141288	10	Ring (Spacer)
	19	5002911	1	Support (Label)
	20	3020984	8	Hex socket screw [M6X10 10.9 EN ISO7380]


DOUBLE CONTROLS (not CE)

Table code

Sheet

5403183-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
21	3070017		1	Seeger
22	3060030		8	Flat washer [D.6.6X18 UNI 6593 ZC]
23	5092109		1	Casing (CONTROLS WITH THERMOFORMABLE)
24	5814388		1	Label
25	5092113		1	Casing (CONTROLS WITH THERMOFORMABLE)
26	5092112		1	Lever (Dual control)
27	5813362		1	Small plate (CONTROL SYMBOLS)
28	5813363		1	Small plate (CONTROL SYMBOLS)
29	5813364		1	Small plate (CONTROL SYMBOLS)
30	3230049		1	cabl flexball
31	3180116		1	Bubble level
32	5092114		1	Support (Dual control)
33	5151310		1	Pin (Dual control)
34	W573415		1	Small plate (CONTROL SYMBOLS)
35	5814913		1	Small plate (CONTROL SYMBOLS)
36	5814910		1	Small plate (CONTROL SYMBOLS)
37	5814915		1	Small plate (CONTROL SYMBOLS)
38	5815427		2	Label (FOR CARTER THERMOFORMABLE)


Control valve (4 section)

Table code

Sheet

5221115-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225472	1	Inlet manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225476	1	Control valve element
	5	5225130	3	Kit (Cover)
	6	5225928	1	Control valve element
	7	5225505	2	Antishock valve (Control valve)
	8	5225200	2	Antishock valve (Control valve)
	9	5225311	2	Slider (Control valve)
	10	5225865	4	Non-return valve (Control valve)
	11	5225484	1	Control valve element
	12	5225145	1	Antishock valve (Control valve)
	13	5225470	5	Cap
RC	14	5225081	1	Seal kit (Control valve)
	15	5225482	1	Control valve element
	16	5225177	1	Slider (Control valve)
	17	5225477	1	Exhaust manifold
	18	5225428	1	Close nipple (Control valve)
	19	5225546	1	Max pressure valve
	20	3110161	1	Reducing fitting


Control valve (4 section)

Table code

Sheet

5221115-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225126	4	Unit (Control lever)
	22	5225128	4	Rubber protective boot
	23	5225224	4	4 elements unit fixing stud
	24	5225213	4	5 elements unit fixing stud
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
RC	28	3060056	4	Split lock washer [D=10 C72 ZC]
	29	3040046	4	Nut [M10 8G UNI 5588 ZC.]
RC	30	5225031	1	Seal kit


Light column (Horn)

Table code

Sheet

7885428-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	4	5160003	1	Electric wiring
	5	3311458	1	Electric wiring
	6	3010369	3	Hex screw [M12X25 8.8 ZC UNI 5739]
	7	3060057	3	Split lock washer [D=12 C72 ZC]
	8	3060018	3	Flat washer [D.12 UNI 6592 ZC]
	9	5092990	1	Support (Light column)
	10	3310873	1	Pressure monitor


5th extra function kit open center spool

Table code

Sheet

5212085-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225187	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	7	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	8	5225213	4	5 elements unit fixing stud
RC	9	3060056	8	Split lock washer [D=10 C72 ZC]
	10	3040046	8	Nut [M10 8G UNI 5588 ZC.]
	11	3190356	2	Knob (Control lever)
	12	5002731	1	Control lever
	13	3020974	1	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230055	1	cable flexball

5th extra function kit open center spool


Table code

Sheet

5212085-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	5141288	2	Ring (Spacer)
	23	5092110	1	Control lever
	24	5813366	2	Small plate (CONTROL SYMBOLS)
	25	3040084	1	Lock nut [M10 basso UNI 5589]




5th extra function kit closed center spool

Table code

Sheet

5212084-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	7	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	8	5225213	4	5 elements unit fixing stud
RC	9	3060056	8	Split lock washer [D=10 C72 ZC]
	10	3040046	8	Nut [M10 8G UNI 5588 ZC.]
	11	3190356	2	Knob (Control lever)
	12	5002731	1	Control lever
	13	3020974	1	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230055	1	cable flexball

5th extra function kit closed center spool


Table code

Sheet

5212084-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	5141288	2	Ring (Spacer)
	23	5092110	1	Control lever
	24	5813366	2	Small plate (CONTROL SYMBOLS)
	25	3040084	1	Lock nut [M10 basso UNI 5589]




6th extra function kit closed center spool

Table code

Sheet

5212078-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	7	3110040	2	Female plug [TAPPO F JIC 9/16 -18]
	8	5225214	4	6 elements unit fixing stud
RC	9	3060056	8	Split lock washer [D=10 C72 ZC]
	10	3040046	8	Nut [M10 8G UNI 5588 ZC.]
	11	3190356	2	Knob (Control lever)
	12	5002731	1	Control lever
	13	3020974	1	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230055	1	cable flexball

6th extra function kit closed center spool


Table code

Sheet

5212078-2.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	5141288	2	Ring (Spacer)
	23	5092110	1	Control lever
	24	5813367	2	Small plate (CONTROL SYMBOLS)
	25	3040084	1	Lock nut [M10 basso UNI 5589]



Oil tank





Table code	Sheet
5402940-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5091983	1	Oil tank
RC	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3180221	1	Thermometer
	7	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]
	8	3060057	4	Split lock washer [D=12 C72 ZC]
	9	3140304	1	Cock
	10	3101300	1	Pipe (90° Connection) [90° M/M 1"1/2 CON.]
RC	11	3180099	2	Oil level indicator
	12	3190030	1	Clamp [38-50 12.2 ABA]
	13	5310005	1	Flexible hose
	14	3060018	4	Flat washer [D.12 UNI 6592 ZC]
	15	5091985	1	Reservoir support
	16	3110061	1	Plug [BSP 3/8"]
	17	5393398	1	Bonderized tube
	18	3180102	1	Tank cap
	19	5002787	2	Collar (Oil tank)
	20	3110065	1	Plug [BSP 1/2"]



R	Pos.	Variant Code	Q.ty	Description
	21	3180234	1	Magnetic plug
RC	22	3180243	1	Oil filter (Return)
RC	23	3180147	1	Pressure gauge (Clogging indicator)
	24	3111584	1	Straight pipe fitting
	25	3060150	1	Sealing washer [BSP 1"]
	26	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	27	W29500301	1	Bushing (Thermometer)
	28	3020952	1	TCI SCREW [M3X20 OT. UNI 6107]
	29	5290349	1	Flexible hose
	30	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	31	3061034	2	Spring (Tank)
	32	3120331	1	Tee fitting [RACC.T 1"1/16 -12JIC M/M/F]
	33	3120329	1	Reducing fitting
	34	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	35	3060145	1	Sealing washer [BSP 1/2"]


Oil filter

Table code

Sheet

3180243-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3180247	1	Plug (Oil filter)
	2	3180246	1	Seal kit
	3	3180248	1	Spring
RC	4	T210040331	1	Filter cartridge
RC	5	3180243	1	Oil filter (Return)


Heat exchange unit

Table code

Sheet

7888060-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091970	1	Support (Heat exchange unit)
RC	2	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	3	3311408	1	Thermostat (Wire assembly)
	4	5710116	1	Heat exchange unit
	5	5710118	1	Heat exchange unit
	6	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	7	3110059	2	Plug
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
RC	10	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	11	3020981	4	Hex socket screw [M6X16 10.9 EN ISO7380]
	12	3060053	4	Split lock washer [D=6.4 C72 ZC]
	13	5002720	1	Guard (Heat exchange unit)
	14	5710117	1	Electric fan (Heat exchange unit)
	15	5710119	1	Electric fan (Heat exchange unit)

Emergency stop button


Table code

Sheet

7887486-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	W570555200	1	Electric wiring
	2	5814388	2	Label
	3	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	4	3020012	8	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	5	5225429	1	Solenoid valve (Emergency)
	6	3311047	1	Solenoid (24V)
	7	3311046	1	Solenoid (12V)
	8	5225324	1	Solenoid valve (Emergency)
	9	W264203	2	Emergency STOP button



HYDRAULIC SYSTEM GAUGE


Table code

Sheet

7920094-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	2	Pressure gauge
	2	5092126	1	Support (LOAD INDICATION SYSTEM)
	3	W573751	2	Name plate (Pressure gauge)
	4	3020880	6	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	5	3040516	6	Stopnut [STOP M3]
	6	W458458	1	Connecting pipe (Pressure gauge)
	7	5300090	1	Pipe (Pressure gauge)
	8	3101034	2	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]




Moment limiting device (not CE)

Table code

Sheet

5430292-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3130016	1	90° Connection [C90°16X1.5 8 DIN]
	3	3111523	2	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	4	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
	6	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	10	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	11	5220635	1	Non-return valve
	12	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	13	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	15	5261110	1	Flexible hose
	16	5281418	1	Flexible hose
	17	5261582	1	Flexible hose
	18	3120204	2	Reducing fitting [RACC.RID. F3/4-M9/16JIC]
	19	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	20	5260602	1	Flexible hose


Moment limiting device (not CE)

Table code

Sheet

5430292-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	22	3060143	4	Sealing washer [BSP 1/4"]
	23	3110062	4	Plug
	24	5001150	1	Manifold (FITTINGS)
	25	5260528	1	Flexible hose
	26	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	27	3060052	2	Split lock washer [D=5.5 C72 ZC]
	28	3020029	2	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	29	5280924	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=1000]
	30	3120034	1	90° Connection [90° M/F JIC 7/8-14]



MANUALS CONTROLS (CE)


Control valve ass'y (FITTINGS)

Table code

Sheet

5403184-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
RC	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220981	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	4	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]
	12	3101041	2	Straight pipe fitting [9/16-18 1/2"CIL. D10]

Control valve (4 section)




Table code	Sheet
5220981-1.0	1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5225862	1	Inlet manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225698	1	Control valve element (Slewing)
	5	5226041	2	Control (Electric)
	7	5225200	2	Antishock valve (Control valve)
	8	5225509	2	Antishock valve (Control valve)
	9	5225311	2	Slider (Control valve)
	10	5225865	4	Non-return valve (Control valve)
	11	5225699	1	Control valve element (Lifting)
	12	5225145	1	Antishock valve (Control valve)
	13	5225470	4	Cap
	14	5225372	3	inspection (Electric)
	15	5225861	1	Control valve element (Extension)
	16	5225177	1	Slider (Control valve)
	17	5225477	1	Exhaust manifold
	18	5225429	1	Solenoid valve (Emergency)
	19	5225546	1	Max pressure valve
	20	3110161	1	Reducing fitting
	21	5225126	3	Unit (Control lever)


Control valve (4 section)

Table code

Sheet

5220981-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	22	5225128	3	Rubber protective boot
	23	5225224	4	4 elements unit fixing stud
	24	5225213	4	5 elements unit fixing stud
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
	28	3060056	4	Split lock washer [D=10 C72 ZC]
	29	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	30	5225310	1	Seal kit
RC	31	5225031	1	Seal kit
	32	3311047	1	Solenoid (24V)
	33	3311046	1	Solenoid (12V)
	34	5221249	1	Slider


DOUBLE CONTROLS (CE)

Table code

Sheet

5403184-2.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091974	1	Support (Control console)
	2	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	3	Split lock washer [D=10 C72 ZC]
RC	4	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	5002763	1	Grate (cable flexball)
	6	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	8	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	5092005	1	Guard (Control levers)
	11	5091987	1	Cover (Control unit)
	12	5091948	1	Casing (Control panel)
	13	3060003	5	Flat washer [D.4 UNI 6592 ZC]
	14	3040518	5	Stopnut [STOP M4]
	15	5002730	1	Plate (Control levers)
	16	5002736	1	Support plate (Display)
	17	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	18	3060002	4	Flat washer
	19	3040516	4	Stopnut [STOP M3]
	20	3020412	5	TSEI screw [M4X16 10.9 EN ISO10642 GEOM]


DOUBLE CONTROLS (CE)

Table code

Sheet

5403184-2.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3020981	2	Hex socket screw [M6X16 10.9 EN ISO7380]
	22	3060053	8	Split lock washer [D=6.4 C72 ZC]
	23	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	24	5814891	1	Label (CONTROLS)
	25	5814388	1	Label
	26	5814912	1	Small plate (CONTROL SYMBOLS)
	27	5813362	1	Small plate (CONTROL SYMBOLS)
	28	5813363	1	Small plate (CONTROL SYMBOLS)
	29	5813364	1	Small plate (CONTROL SYMBOLS)
	30	3190356	4	Knob (Control lever)
	31	5002731	4	Control lever
	32	3040084	4	Lock nut [M10 basso UNI 5589]
	33	3020974	4	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]
RC	34	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	35	5000708	4	Small plate (remittal)
	36	3300431	4	Fork
	37	3230009	4	Fork (Fork clip)
	38	3230055	4	cable flexball
	39	3180116	1	Bubble level
	40	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]


DOUBLE CONTROLS (CE)

Table code

Sheet

5403184-2.0

3/3



R	Pos.	Variant Code	Q.ty	Description
	41	3020984	6	Hex socket screw [M6X10 10.9 EN ISO7380]
	42	5092133	1	Guard (Control levers)
	43	3020058	2	Socket head cap screw [M8X40 8.8 ZC UNI 5931]
	44	5814707	1	Label (Casing)
	45	5814046	2	Label (Casing)


DOUBLE CONTROLS (CE)

Table code

Sheet

5403184-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5092111	1	Support (Manuals controls)
	2	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	6	Split lock washer [D=10 C72 ZC]
RC	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	5002910	1	Guard (Control levers)
	6	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	7	3060053	10	Split lock washer [D=6.4 C72 ZC]
	8	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	9	3230055	4	cable flexball
	10	3230009	5	Fork (Fork clip)
	11	5000670	2	Ring
	12	3060232	2	Grub screw [Grano M6X6 UNI 5927 ZC.]
	13	3060706	2	Cotter pin
	14	3190356	4	Knob (Control lever)
	15	5092110	3	Control lever
	16	5151308	1	Pin (Dual control)
	17	5141288	8	Ring (Spacer)
	18	5002911	1	Support (Label)
	19	3020984	8	Hex socket screw [M6X10 10.9 EN ISO7380]
	20	3070017	1	Seeger


DOUBLE CONTROLS (CE)

Table code


Sheet

5403184-3.0


2/2




R	Pos.	Variant Code	Q.ty	Description
	21	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	22	5092109	1	Casing (CONTROLS WITH THERMOFORMABLE)
	23	5814388	1	Label
	24	5092113	1	Casing (CONTROLS WITH THERMOFORMABLE)
	25	5092112	1	Lever (Dual control)
	26	5813362	1	Small plate (CONTROL SYMBOLS)
	27	5813363	1	Small plate (CONTROL SYMBOLS)
	28	5813364	1	Small plate (CONTROL SYMBOLS)
	29	3180116	1	Bubble level
	30	5092114	1	Support (Dual control)
	31	5151310	1	Pin (Dual control)
	32	W573415	1	Small plate (CONTROL SYMBOLS)
	33	5814910	1	Small plate (CONTROL SYMBOLS)
	34	5814915	1	Small plate (CONTROL SYMBOLS)




R	Pos.	Variant Code	Q.ty	Description
	1	5160116	1	Electric wiring (Base)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060053	6	Split lock washer [D=6.4 C72 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	8	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	16	3312205	1	Electric cable (Extension terminal)
	17	3312084	1	Second (Display)
	18	3311827	2	Emergency STOP button
	19	3311159	1	Signal Columns
	20	5002736	1	Support plate (Display)



R	Pos.	Variant Code	Q.ty	Description
	21	3312085	1	Display (Main)
	22	3311868	1	Keypad (Led)
	23	3311784	1	Road pad (Terminal strip)
	24	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	25	3040516	4	Stopnut [STOP M3]
	26	3060002	4	Flat washer
	27	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	28	3311941	1	Connector (Resistor)
	29	3311812	1	Electric wiring
	30	3311816	1	Electric wiring
	31	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	32	5141366	4	Support (Electric box)
	33	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
RC	34	5091744	1	Door (Display)
RC	35	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]




R	Pos.	Variant Code	Q.ty	Description
	1	5160140	1	Electric wiring (Base)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060053	6	Split lock washer [D=6.4 C72 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	8	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	16	3312205	1	Electric cable (Extension terminal)
	17	3312084	1	Second (Display)
	18	3311827	2	Emergency STOP button
	19	3311159	1	Signal Columns
	20	5002736	1	Support plate (Display)



R	Pos.	Variant Code	Q.ty	Description
	21	3312085	1	Display (Main)
	22	3311868	1	Keypad (Led)
	23	3311784	1	Road pad (Terminal strip)
	24	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	25	3040516	4	Stopnut [STOP M3]
	26	3060002	4	Flat washer
	27	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	28	3311941	1	Connector (Resistor)
	29	3311812	1	Electric wiring
	30	3311816	1	Electric wiring
	31	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	32	5141366	4	Support (Electric box)
	33	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
RC	34	5091744	1	Door (Display)
RC	35	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]


R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5002108	1	Support plate (Tiltmeter)
	3	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	6	3020020	2	Socket head cap screw [M4X35 8.8 ZC UNI 5931]
	7	3312040	1	Electric wiring
	8	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	9	3312200	1	Pressure sensor [4-20mA 600bar]
	10	5261112	1	Flexible hose
	11	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]



CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code
5403119-3.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311352	1	Electric wiring (Assembly)
	2	3311353	1	Electric wiring
	3	3311356	2	Wire assembly (Microswitch)
RC	4	3311354	1	Lighting (Audible alarm)
	5	5092020	2	Pusher (Microswitch)
	6	3020319	4	Socket head cap screw [M4X16 8.8 ZC UNI 5931]
	7	3310431	1	Connector (Electric)
	8	3310432	1	Connector (Electric)
RC	9	3310926	1	Microswitch (Safety)
	10	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	11	3060053	2	Split lock washer [D=6.4 C72 ZC]
	12	3020981	2	Hex socket screw [M6X16 10.9 EN ISO7380]


STABILITY CONTROL (STABILIZER ROD)

Table code

Sheet

5403119-7.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311886	1	Proximity switch (Closing system)
	2	5003963	1	Support (Proximity switch)
	3	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	4	3060052	2	Split lock washer [D=5.5 C72 ZC]
	5	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	6	5003063	2	Support (Proximity switch)
	7	5002616	2	Support (Proximity switch)
RC	8	3311574	2	Proximity switch (Position sensor)
	9	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	10	3060053	4	Split lock washer [D=6.4 C72 ZC]
	11	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	12	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	14	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	15	3311311	2	Proximity switch (Position sensor)


Column

Table code

Sheet

5460153-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040152	1	Column
	2	5151240	1	Pin (Lifting hydraulic cylinder)
	3	3061042	1	Cylindrical pin
	4	5002788	1	Washer (Thickness)
	5	3070041	1	Seeger
	6	5091998	1	Chain wheel (Closing)
	7	3070098	1	Seeger
RC	8	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	10	3020090	4	Socket head cap screw [M8X16 8.8 GEOMET UNI5931]
	11	W180201000	3	Guide bushing (Flexible hose)


Hydraulic system (Lifting hydraulic cylinder)

Table code

Sheet

6230275-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430275	1	Lifting hydraulic cylinder
	2	5393885	1	Bonderized tube
	3	3101127	3	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	3020057	4	Socket head cap screw [M8X35 ZC UNI 5931]
	5	5221069	1	Valve (Overcenter)
	6	5272446	2	Flexible hose
	7	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	5261110	1	Flexible hose
	10	3020029	2	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	11	3060052	2	Split lock washer [D=5.5 C72 ZC]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	14	3110062	5	Plug
	15	3060143	5	Sealing washer [BSP 1/4"]
	16	5001150	1	Manifold (FITTINGS)

Lifting hydraulic cylinder


Table code

Sheet

6430275-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070767	1	Cylinder
	2	6031153	1	Rod unit
	3	5140124	4	Bushing
	4	3420032	1	W-ring
	5	3361008	3	Seal
	6	6040349	1	Close nipple
	7	3460225	1	Anti-extrusion ring
	8	3450225	1	O-ring joint
	9	3450119	1	O-ring joint
	10	6050400	1	Piston
	11	3400520	1	Seal
	12	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
RC	13	5550859	1	Seal kit
	14	3380650	1	Seal
	15	3370144	1	Seal
	16	3080501	2	Grease nipple [M8X1.25]




2nd Boom

Table code

Sheet


5480164-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5030349	1	Secondary boom
	2	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	3	5141125	2	Slide shoe
RC	4	5000827	2	Button
RC	5	5141405	2	Slide shoe
RC	6	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	3060056	2	Split lock washer [D=10 C72 ZC]
RC	8	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	10	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	11	3060018	6	Flat washer [D.12 UNI 6592 ZC]
	12	3060057	6	Split lock washer [D=12 C72 ZC]
	13	3020075	6	Socket head cap screw [M12X25 12.9 ZC UNI 5931]
	14	W370400700	2	Button (Coupling backlash)
	15	3080501	1	Grease nipple [M8X1.25]
	16	5002788	2	Washer (Thickness)
	17	3070041	2	Seeger
	18	5140124	2	Bushing
	19	5002790	1	Spacer (Bushing)
	20	5151243	1	Pin

R	Pos.	Variant Code	Q.ty	Description
	21	5151249	1	Pin
	22	3061042	2	Cylindrical pin
	23	5092074	1	Support base (Arm)




Protective cover (Flexible hose)

Table code

Sheet

5590525-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5092214	1	Protective guard (Column)
	2	3020984	6	Hex socket screw [M6X10 10.9 EN ISO7380]
	3	3060053	10	Split lock washer [D=6.4 C72 ZC]
	4	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	5	5002785	2	Support (Casing)
	6	5092072	1	Support (Casing)
	7	5141392	1	Hose clamp
	8	3020040	2	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	9	3020033	4	Socket head cap screw [M6X10 8.8 ZC UNI 5931]


Work lamp (Electric components)

Table code


Sheet

7885460-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5140704	1	Roller
	2	3313016	1	Work lamp
	3	3310432	1	Connector (Electric)
	4	3312048	1	Electric wiring
	5	3312190	1	Electric box (Column)
	6	3311933	1	Electric cable
	7	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	3311942	1	Electric wiring
RC	9	3060055	1	Split lock washer [D=8.4 C72 ZC]
RC	10	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	11	3010414	1	Hex screw [M8X90 8.8 ZC UNI 5737]
	12	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	13	3060052	4	Split lock washer [D=5.5 C72 ZC]
	14	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	15	3312003	1	Electric wiring
	16	5002881	1	Plate (Control panel)
	17	3020012	2	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	18	3311997	1	key switch
	19	5002880	2	Anchoring bracket (Switch)
	20	3040518	4	Stopnut [STOP M4]



R	Pos.	Variant Code	Q.ty	Description
	21	3040516	4	Stopnut [STOP M3]
	22	3060002	4	Flat washer
	23	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	24	5815126	1	Label
	25	3311795	1	Roof lamp (Led)
	26	3020319	2	Socket head cap screw [M4X16 8.8 ZC UNI 5931]
	27	5814908	1	Label (Plate)


1st Extension

Table code

Sheet

5490139-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020763	1	Extension
RC	2	5000827	2	Button
RC	3	5141405	2	Slide shoe
RC	4	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	5	3060056	2	Split lock washer [D=10 C72 ZC]
RC	6	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	7	3070022	2	Seeger [Alberi d.25 mm]
	8	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	9	5150972	1	Pin
RC	10	5000869	2	Plate (Crane levelling)
	11	W370400700	4	Button (Coupling backlash)
	12	5002273	1	Keep plate (Extension Hydraulic jack)
	13	3020452	2	TSEI screw [M8X16 10.9 ZC UNI 5933]
	14	5002890	1	Keep plate (Extension Hydraulic jack)
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	3020974	2	Socket head cap screw [M8X20 8.8 ZC TB UNI 9327]


1st Extension hydraulic (Hydraulic system)

Table code

Sheet

6210615-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410659	1	Extension Hydraulic jack
	2	5393377	1	Bonderized tube
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	5	5140133	2	Piping mounting
	6	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	7	3010034	2	Hex screw [M8X55 8.8 UNI 5737 ZC]
RC	8	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	9	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	10	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	11	5220112	1	Valve (Overcenter)
	12	3190022	2	Clamp

1th extension hydraulic cylinder


Table code

Sheet

6410659-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6031201	1	Rod unit
	2	6040343	1	Close nipple
	3	6050290	1	Piston
	4	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	5	6070824	1	Cylinder
RC	6	5550860	1	Seal kit
	7	6040269	1	Ring nut
	8	3060248	1	Grub screw




2nd Extension

Table code

Sheet

5530109-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020827	1	Extension
RC	2	5000827	4	Button
RC	3	5140806	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	8	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	9	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	5002273	2	Keep plate (Extension Hydraulic jack)
RC	12	5141125	2	Slide shoe
	13	W370400700	4	Button (Coupling backlash)
	14	3060507	2	Grub screw
	15	3040084	2	Lock nut [M10 basso UNI 5589]
	16	5002793	1	Collar (Mobile)
	17	5150972	1	Pin
	18	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	19	3070022	2	Seeger [Alberi d.25 mm]
	20	5020764	1	Extension


2nd EXTENSION HYDRAULIC JACK (Hydraulic system)

Table code

Sheet

6210623-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410615	1	Extension Hydraulic jack
	2	3190022	2	Clamp
	3	5140133	2	Piping mounting
	4	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	5393380	1	Bonderized tube
	7	5393381	1	Bonderized tube

2nd extension hydraulic cylinder


Table code

Sheet


6410615-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6031201	1	Rod unit
	2	6040343	1	Close nipple
	3	6050290	1	Piston
	4	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	5	6070785	1	Cylinder
RC	6	5550860	1	Seal kit
	7	6040269	1	Ring nut
	8	3060248	1	Grub screw



R	Pos.	Variant Code	Q.ty	Description
	1	5020828	1	Extension
RC	2	5000827	4	Button
RC	3	5141408	4	Slide shoe
RC	4	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	5	3060056	4	Split lock washer [D=10 C72 ZC]
RC	6	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	7	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	8	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
	9	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	10	5002273	2	Keep plate (Extension Hydraulic jack)
RC	11	5141125	2	Slide shoe
	12	W370400700	6	Button (Coupling backlash)
	13	3060507	2	Grub screw
	14	3040084	2	Lock nut [M10 basso UNI 5589]
	15	5002793	1	Collar (Mobile)
	16	5150972	1	Pin
	17	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	18	3070022	2	Seeger [Alberi d.25 mm]
	19	5020765	1	Extension




3rd extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210624-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410565	1	Extension Hydraulic jack
	2	3190022	2	Clamp
	3	5140133	2	Piping mounting
	4	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	5	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5393382	1	Bonderized tube
	7	5393384	1	Bonderized tube

3rd and 4th extension hydraulic cylinder


Table code

Sheet

6410565-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6031122	1	Rod unit
	2	6040341	1	Close nipple
	3	6050290	1	Piston
	4	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	5	6070741	1	Cylinder
RC	6	5550861	1	Seal kit
	7	6040269	1	Ring nut
	8	3060248	1	Grub screw




4th EXTENSION

Table code

Sheet

5560086-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020766	1	Extension
RC	2	5000827	2	Button
RC	3	5141408	2	Slide shoe
RC	4	5140656	2	Button (Backlash)
RC	5	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	2	Split lock washer [D=10 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	9	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
	10	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	11	5002273	2	Keep plate (Extension Hydraulic jack)
RC	12	5141125	2	Slide shoe
	13	W370400700	6	Button (Coupling backlash)
	14	3040084	2	Lock nut [M10 basso UNI 5589]
	15	3060507	2	Grub screw
	16	5002793	1	Collar (Mobile)
	17	5150972	1	Pin
	18	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	19	3070022	2	Seeger [Alberi d.25 mm]
RC	20	5140977	2	Slide shoe

4th EXTENSION


Table code

Sheet

5560086-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	5001087	2	Button (Control board)
RC	22	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	23	3060055	2	Split lock washer [D=8.4 C72 ZC]




4th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210625-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410565	1	Extension Hydraulic jack
	2	3190022	2	Clamp
	3	5140133	2	Piping mounting
	4	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	5	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	7	5393386	1	Bonderized tube
	8	5393389	1	Bonderized tube
	9	3060144	2	Sealing washer [BSP 3/8"]
	10	3110061	2	Plug [BSP 3/8"]


FOUR-WAY HOSE WINDER KIT

Table code

Sheet

5590526-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101041	4	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	2	5261640	4	Flexible hose [Tubo 1/4" F +F9/16J L.3200]
RC	3	3060056	4	Split lock washer [D=10 C72 ZC]
	4	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	5	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	6	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]


FOUR-WAY HOSE WINDER KIT

Table code

Sheet

5590526-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5720330	1	Hose reels
	2	5090963	1	Hoses support
	3	3010102	2	Hex screw [M8X170 8.8GEOMET UNI5737PF]
	4	5140704	10	Roller
	5	5002676	1	Support (Roller cage)
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	9	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	10	3060056	4	Split lock washer [D=10 C72 ZC]
	11	3110081	2	Male plug (Yellow)
	12	3110082	2	Female plug (Yellow)
	13	3120322	4	Wall-through pipe fitting
	14	3120064	4	Straight pipe fitting [F9/16 -18GIR. M1/4\"CIL]
	15	3110542	4	Quick coupling
	16	3110003	2	Female plug (Blue)
	17	3110002	2	Male plug (Blue)
	18	5002928	1	Support (Wall-through pipe fitting)


FOUR-WAY HOSE WINDER KIT

Table code

Sheet

5590523-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5720330	1	Hose reels
	2	5090963	2	Hoses support
	3	3010102	2	Hex screw [M8X170 8.8GEOMET UNI5737PF]
	4	5140704	20	Roller
	5	5002676	1	Support (Roller cage)
RC	6	3060055	10	Split lock washer [D=8.4 C72 ZC]
	7	5093007	1	Support (Roller cage)
	8	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	9	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	10	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	11	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	12	3060056	2	Split lock washer [D=10 C72 ZC]
	13	3110081	2	Male plug (Yellow)
	14	5091688	1	Support (Wall-through pipe fitting)
	15	3110082	2	Female plug (Yellow)
RC	16	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	17	3120322	4	Wall-through pipe fitting
	18	3120064	4	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	19	3110542	4	Quick coupling
	20	3110003	2	Female plug (Blue)

FOUR-WAY HOSE WINDER KIT

Table code
5590523-1.0

Sheet
2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3110002	2	Male plug (Blue)
	22	5151312	2	Threaded rod
	23	3020498	2	TSEI screw [M10X20 10.9 ZC UNI 5933]
	24	3040040	2	Lock nut [M8 6S UNI 5589 ZC]




Pin (Extensions)

Table code

Sheet

5751504-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5151422	1	Pin (Handle)
	2	5003201	1	Spring (Block)
	3	3020016	2	Socket head cap screw [M4X6X0.7 8.8 ZC UNI 5931]
	4	3060065	2	Split lock washer [D=4.1 C72 ZC]
	5	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	6	5003203	1	Support (Pin)
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3020981	2	Hex socket screw [M6X16 10.9 EN ISO7380]

HOOK KIT


Table code

Sheet

5751347-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	5151252	1	Pin assembly
	3	3060750	2	Cotter pin (Ring)
	4	3060014	2	Flat washer [D.25X44X4 UNI 6592 ZC]




Coupling (Hook)

Table code

Sheet

7800070-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5092213	1	Hook coupling (Up)
RC	2	5000827	2	Button
RC	3	5141408	2	Slide shoe
RC	4	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	5	3060056	2	Split lock washer [D=10 C72 ZC]
	6	5150819	1	Pin (Handle)
RC	7	3020080	2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
RC	8	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
	9	3060703	1	Cotter pin
RC	10	5141125	2	Slide shoe
	11	W370400700	2	Button (Coupling backlash)


ATTACHEMENT FOR WINCH

Table code
7900092-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5093057	1	Support (Pulley)
	2	3060757	2	Cotter pin (Locking ring)
	3	5092125	1	Link rod (Support)
	4	3190010	2	Knob
	5	5151006	1	Pin (Handle)
	6	3060019	6	Flat washer [D.20 C50 UNI 5714 ZC]
	7	5151410	1	Pin (Block)
	8	5151314	1	Pin (Block)
	9	3060908	3	Cotter pin [D.3.7 L.30 UNI1336]
	10	5141001	1	Spacer (Nylon)



R	Pos.	Variant Code	Q.ty	Description
	1	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	2	5272433	2	Flexible hose
	3	5261612	1	Flexible hose
	4	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	5	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	6	3101219	1	45° Connection [45° ORIENT.7/8-14-1/2"CIL.]
	7	5003914	1	Plate (Hydraulic hose guide)
	8	3010031	4	Hex screw [M8X40 8.8 ZC UNI 5737]
	9	3190172	8	Clamp (Set of hoses)
	10	3190058	2	Sheath (Pipes guard)
	11	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	12	3190204	4	Plate (Collar)
RC	13	3060006	4	Flat washer [D.8 UNI 6592 ZC]


Winch (Electric wiring)

Table code

Sheet

5403208-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3312190	1	Electric box (Column)
	2	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	3	3060052	4	Split lock washer [D=5.5 C72 ZC]
	4	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	5	3311933	1	Electric cable
	6	3311932	1	Electric cable

WINCH KIT


Table code

Sheet

7834373-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5720519	1	Winch
	2	3040305	4	Stopnut [M12-70 NORM. ZC]
	3	3010394	4	Hex screw [M12X35 8.8 ZC UNI 5739]
	4	3060018	8	Flat washer [D.12 UNI 6592 ZC]
	5	5730066	1	Counterweight
	6	5730139	1	Top Roller



model TI 1





810NG T RDC

Kit (High pressure filter)


Table code

Sheet

5402989-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	3180244	1	Oil filter
	2	3101056	2	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	3	3180255	1	Clogging indicator
RC	4	3060056	3	Split lock washer [D=10 C72 ZC]
	5	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	6	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]




High pressure filter

Table code


Sheet

3180244-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
RC	1	3180244	1	Oil filter
	2	3180255	1	Clogging indicator
	3	3180256	1	Seal kit
RC	4	3180245	1	Filtering cartridge



R	Pos.	Variant Code	Q.ty	Description
	1	3310772	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3310861	1	Aerial (Wireless control)
	12	3311515	1	Receiver
	13	3312008	1	Electric wiring
	14	3310924	1	Key (Red)


SCANRECO
RC 400 G2B

No CE



R	Pos.	Variant Code	Q.ty	Description
	1	3312121	1	Receiver
	2	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3311242	1	Extension terminal (Aerial)
	5	3312236	1	Transmitter
	6	3190226	1	Belt (Transmitter)
RC	7	3310483	2	Battery (Wireless control)
	8	3310471	1	Battery charger
	9	3311279	1	Electric cable (PROGRAMMING)
	10	3312114	6	Linear lever
	11	3311275	1	Aerial (RADIO)
	12	3312142	1	Wire assembly (Fuel supply)
	13	3311531	1	Electric wiring (Wireless control)
	14	3060052	4	Split lock washer [D=5.5 C72 ZC]
	15	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	16	3312137	1	Emergency STOP button
	17	3190133	2	Hook (Belt)

CAN BUS




R	Pos.	Variant Code	Q.ty	Description
	1	3311903	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3310775	1	Aerial (Wireless control)
	12	3311904	1	Receiver
	13	3310924	1	Key (Red)
	14	3311131	1	Electric cable
	15	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	16	3040392	2	Stopnut [Dado Stop M5-70 norm.]

CONTROLS (RDC)

Table code
5403027-1.0

Sheet
1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091974	1	Support (Control console)
	2	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	3	Split lock washer [D=10 C72 ZC]
RC	4	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	5092005	1	Guard (Control levers)
	8	5091987	1	Cover (Control unit)
	9	5091948	1	Casing (Control panel)
	10	3060003	5	Flat washer [D.4 UNI 6592 ZC]
	11	3040518	5	Stopnut [STOP M4]
	12	5002648	1	Plate (Control levers)
	13	3020412	1	TSEI screw [M4X16 10.9 EN ISO10642 GEOM]
	14	3020981	2	Hex socket screw [M6X16 10.9 EN ISO7380]
	15	3060053	8	Split lock washer [D=6.4 C72 ZC]
	16	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	17	5814891	1	Label (CONTROLS)
	18	5814388	1	Label
	19	W573266	1	Small plate (CONTROL SYMBOLS)
	20	W573267	1	Small plate (CONTROL SYMBOLS)


CONTROLS (RDC)

Table code

Sheet

5403027-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	W573269	1	Small plate (CONTROL SYMBOLS)
	22	W573270	1	Small plate (CONTROL SYMBOLS)
	23	3180116	1	Bubble level
	24	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	25	3020984	6	Hex socket screw [M6X10 10.9 EN ISO7380]
	26	5092133	1	Guard (Control levers)
RC	27	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	28	3020058	2	Socket head cap screw [M8X40 8.8 ZC UNI 5931]
	29	3020987	5	Hex socket screw [M4X16 10.9ENISO7380 GEOMET]
	30	5814707	1	Label (Casing)
	31	5814046	2	Label (Casing)


CONTROLS (RDC)

Table code


Sheet

5402960-3.0

1/1





R	Pos.	Variant Code	Q.ty	Description
	1	5091976	1	Support (CONTROLS)
	2	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	3	3060056	6	Split lock washer [D=10 C72 ZC]
RC	4	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	5	5002940	1	Support (Bubble level)
	6	3020984	8	Hex socket screw [M6X10 10.9 EN ISO7380]
	7	3060053	8	Split lock washer [D=6.4 C72 ZC]
	8	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	5091986	1	Casing (CONTROLS WITH THERMOFORMABLE)
	10	5814910	1	Small plate (CONTROL SYMBOLS)
	11	3180116	1	Bubble level
	12	5092114	1	Support (Dual control)
	13	5151310	1	Pin (Dual control)
	14	3070017	1	Seeger
	15	5000670	2	Ring
	16	3060232	2	Grub screw [Grano M6X6 UNI 5927 ZC.]
	17	5092113	1	Casing (CONTROLS WITH THERMOFORMABLE)
	18	5814915	1	Small plate (CONTROL SYMBOLS)
	19	5815427	2	Label (FOR CARTER THERMOFORMABLE)



R	Pos.	Variant Code	Q.ty	Description
	1	5160125	1	Electric wiring (Main)
	2	5003021	1	Support (Receiver)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	7	3312023	1	Emergency STOP button
	8	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	9	5003024	1	Support (Electric box)
	10	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	11	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	15	3060002	4	Flat washer
	16	3040516	4	Stopnut [STOP M3]
	17	5002880	1	Anchoring bracket (Switch)
	18	3311159	1	Signal Columns
	19	3040518	2	Stopnut [STOP M4]
	20	3312022	1	Electric wiring


R	Pos.	Variant Code	Q.ty	Description
	21	5002881	1	Plate (Control panel)
	22	5814908	1	Label (Plate)
	23	5001997	1	Support (Light column)
	24	5815126	1	Label
RC	25	3020090	2	Socket head cap screw [M8X16 8.8 GEOMET UNI5931]







R	Pos.	Variant Code	Q.ty	Description
	1	5160117	1	Electric wiring (Base)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	16	3020146	2	Socket head cap screw [M6X12 8.8 GEOMET UNI5931]
	17	3060053	10	Split lock washer [D=6.4 C72 ZC]
	18	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	19	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	20	3311827	1	Emergency STOP button

R	Pos.	Variant Code	Q.ty	Description
	21	3311159	1	Signal Columns
	22	5002736	1	Support plate (Display)
	23	3312085	1	Display (Main)
	24	3311868	1	Keypad (Led)
	25	3311784	1	Road pad (Terminal strip)
	26	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	27	3040516	4	Stopnut [STOP M3]
	28	3060002	4	Flat washer
	29	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	30	3311941	1	Connector (Resistor)
	31	3311816	1	Electric wiring
	32	5095021	1	Support bracket (Receiver)
	33	5141366	4	Support (Electric box)
	34	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
RC	35	5091744	1	Door (Display)
RC	36	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]






R	Pos.	Variant Code	Q.ty	Description
	1	5160141	1	Electric wiring (Base)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	16	3020146	2	Socket head cap screw [M6X12 8.8 GEOMET UNI5931]
	17	3060053	10	Split lock washer [D=6.4 C72 ZC]
	18	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	19	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	20	3311827	1	Emergency STOP button





R	Pos.	Variant Code	Q.ty	Description
	21	3311159	1	Signal Columns
	22	5002736	1	Support plate (Display)
	23	3312085	1	Display (Main)
	24	3311868	1	Keypad (Led)
	25	3311784	1	Road pad (Terminal strip)
	26	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	27	3040516	4	Stopnut [STOP M3]
	28	3060002	4	Flat washer
	29	3020411	4	TSEI screw [M3X16 10.9 EN ISO10642 GEOM]
	30	3311941	1	Connector (Resistor)
	31	3311816	1	Electric wiring
	32	5095021	1	Support bracket (Receiver)
	33	5141366	4	Support (Electric box)
	34	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
RC	35	5091744	1	Door (Display)
RC	36	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]
	37	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	38	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	39	3313096	1	Electronic power (Midac +)
	40	3312268	1	Electric wiring

R	Pos.	Variant Code	Q.ty	Description
	1	5160149	1	Electric wiring (Main)
	2	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	3	3060053	4	Split lock washer [D=6.4 C72 ZC]
	4	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	3312055	1	Display (Main)
	2	3020011	4	Socket head cap screw [M3X20 8.8 ZC UNI 5931]
RC	3	5091744	1	Door (Display)
RC	4	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]





R	Pos.	Variant Code	Q.ty	Description
RC	1	3311886	1	Proximity switch (Closing system)
	2	5003963	1	Support (Proximity switch)
	3	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	4	3060052	2	Split lock washer [D=5.5 C72 ZC]
	5	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	6	5003063	2	Support (Proximity switch)
RC	7	3313104	2	Sensor unit (Encoder)
RC	8	3311574	2	Proximity switch (Position sensor)
	9	5141135	2	Wheel (Cable guide)
	10	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	11	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]
	12	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	14	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	15	5092019	2	Support (Encoder)
	16	3020020	4	Socket head cap screw [M4X35 8.8 ZC UNI 5931]
	17	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	18	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	19	3190039	4	Insulator


CONTROLS (RDC)

Table code


Sheet

5403207-3.0


1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5160118	1	Electric wiring (Main)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	16	3020146	2	Socket head cap screw [M6X12 8.8 GEOMET UNI5931]
	17	3060053	10	Split lock washer [D=6.4 C72 ZC]
	18	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	19	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	20	3311827	1	Emergency STOP button



R	Pos.	Variant Code	Q.ty	Description
	21	3311159	1	Signal Columns
RC	22	5091744	1	Door (Display)
RC	23	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]
	24	3311784	1	Road pad (Terminal strip)
	25	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	26	3311941	1	Connector (Resistor)
	27	3312057	1	Electric wiring
	28	5095021	1	Support bracket (Receiver)
	29	5141366	4	Support (Electric box)
	30	3020439	4	TSEI screw [M6X16 ZC UNI 5933]




R	Pos.	Variant Code	Q.ty	Description
	1	5160142	1	Electric wiring (Main)
	2	5092999	1	Support (Electric box)
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	3311764	1	Control Unit (Electronic power)
	7	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	8	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	9	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	10	5093005	1	Support (Road pad)
	11	3311785	1	Cover (Guard)
	12	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	13	3020021	2	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	14	3020012	4	Socket head cap screw [M4X70 8.8 ZC UNI 5931]
	15	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	16	3020146	2	Socket head cap screw [M6X12 8.8 GEOMET UNI5931]
	17	3060053	10	Split lock washer [D=6.4 C72 ZC]
	18	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	19	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	20	3311827	1	Emergency STOP button




R	Pos.	Variant Code	Q.ty	Description
	21	3311159	1	Signal Columns
RC	22	5091744	1	Door (Display)
RC	23	3020400	4	TSEI screw [M5X10 10.9 ZC UNI 5933]
	24	3311784	1	Road pad (Terminal strip)
	25	3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	26	3311941	1	Connector (Resistor)
	27	3312057	1	Electric wiring
	28	5095021	1	Support bracket (Receiver)
	29	5141366	4	Support (Electric box)
	30	3020439	4	TSEI screw [M6X16 ZC UNI 5933]
	31	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	32	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	33	3313096	1	Electronic power (Midac +)
	34	3312268	1	Electric wiring

R	Pos.	Variant Code	Q.ty	Description
	1	5160150	1	Electric wiring (Main)
	2	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	3	3060053	4	Split lock washer [D=6.4 C72 ZC]
	4	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	3313121	1	Electronic power (CAN-live)
	2	3313132	1	Electric cable
	3	5004069	1	Support bracket
	4	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	5	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	6	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	7	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]





RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7845609.0

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw	5550680	Seal kit (Slewing)		
3010336	Hex screw	5550684	Seal kit		
3010353	Hex screw	5550813	Seal kit		
3010354	Hex screw	5550859	Seal kit		
3020080	Socket head cap screw	5550860	Seal kit		
3020090	Socket head cap screw	5550861	Seal kit		
3020400	TSEI screw	T210040331	Filter cartridge		
3020495	TSEI screw				
3060006	Flat washer				
3060029	Flat washer				
3060055	Split lock washer				
3060056	Split lock washer				
3060914	Flat washer				
3180099	Oil level indicator				
3180147	Pressure gauge (Clogging indicator)				
3180150	Pressure gauge				
3180221	Thermometer				
3180243	Oil filter (Return)				
3180244	Oil filter				
3180245	Filtering cartridge				
3310483	Battery (Wireless control)				
3310641	Battery (Wireless control)				
3310926	Microswitch (Safety)				
3311150	Inclination sensor 360°				
3311311	Proximity switch (Position sensor)				
3311354	Lighting (Audible alarm)				
3311574	Proximity switch (Position sensor)				
3311886	Proximity switch (Closing system)				
3312200	Pressure sensor				
3313104	Sensor unit (Encoder)				
5000827	Button				
5000869	Plate (Crane levelling)				
5001087	Button (Control board)				
5001253	Button (Sliding block)				
5091744	Door (Display)				
5140656	Button (Backlash)				
5140806	Slide shoe				
5140977	Slide shoe				
5141125	Slide shoe				
5141266	Bushing (Lower)				
5141267	Bushing (Upper)				
5141268	Thrust bearing ring				
5141317	Sliding block (Rack adjuster)				
5141405	Slide shoe				
5141408	Slide shoe				
5225031	Seal kit				
5225081	Seal kit (Control valve)				