




Model
2 ARTICULATED BOOM
823

Logbook code
7880498.1
Edition
07/2018



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7880498.1

Sheet

1/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
11	5502000-3.0	1	Plate kit (Generic Gru)		
12	5420042-1.0	1	Base		
14	5420042-2.0	1	Base		
16	5420042-3.0	1	Base		
18	6240083-1.0	1	Slewing		
19	6240191-1.0	1	Slewing (Retaining ring)		
20	6240083-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
21	6240083-3.0	1	Slewing Hydraulic jack (Hydraulic system)		
22	6240191-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
23	7885395-1.0	1	Rotation Pressure Limiting Device		
24	7885482-1.0	1	Rotation Pressure Limiting Device		
25	5760056-1.0	1	Stabilizers rods (Hydraulic control)		
26	6200182-1.0	1	HYDRAULIC SYSTEM (STABILISER RAM)		
27	6400182-1.0	1	Stabilizer Hydraulic jack		
28	5760057-1.0	1	Stabilizers rods (hydraulic lengthening)		
29	5760317-1.0	1	Stabilizers rods (hydraulic lengthening)		
30	6200201-1.0	1	HYDRAULIC SYSTEM (STABILISER RAM)		
31	6200265-1.0	1	HYDRAULIC SYSTEM (STABILISER RAM)		
32	6400201-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
33	6200278-1.0	1	STABILISER RAM (ROTATING)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
35	6200278-2.0	1	STABILISER RAM (ROTATING)		
37	6200286-1.0	1	STABILISER RAM (ROTATING)		
39	6200286-2.0	1	STABILISER RAM (ROTATING)		
41	6400278-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
42	5411204-6.0	1	STABILITY CONTROL (EN12999-A3)		
43	5411204-4.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
44	5411204-13.0	1	STABILITY CONTROL (EN12999-A3)		
45	5411204-12.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
46	5380012-1.0	1	rod extension hydraulic cylinder		
47	6200151-1.0	1	HYDRAULIC SYSTEM (ROD EXSTENSION HYDRAULIC		
48	6400151-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
49	5760070-1.0	1	Stabilizer connecting rods extra-extensible		
50	5760300-1.0	1	STABILITY CONTROL (Stabilizer connecting rods extra-extensible)		
51	6200255-1.0	1	Stabilizer Hydraulic jack "extra" (HYDRAULIC SYSTEM)		
52	6400255-1.0	1	Stabilizer Hydraulic jack		
53	5380016-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Extra-extensible)		
54	6200160-1.0	1	HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC		
55	6400160-1.0	1	ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE		
56	5760071-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		
57	5760318-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		

Table index

Logbook code

7880498.1

Sheet

2/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
58	5760301-1.0	1	STABILITY CONTROL (Stabilizer connecting rods extra-extensible)		
59	6200257-1.0	1	Stabilizer Hydraulic jack "extra" (ROTATING)		
60	6400257-1.0	1	Stabilizer Hydraulic jack (ROTATING)		
61	5411117-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
63	5411302-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
66	5414072-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
69	5414072-2.0	1	SLEWING ASS'Y (STABILISER RAM)		
72	5400267-1.0	1	CONTROLS FOR STABILIZERS		
73	5400267-2.0	1	HYDRAULIC SYSTEM (ROD EXSTENSION HYDRAULIC		
74	5400267-3.0	1	Hydraulic system (rod extension hydraulic cylinder)		
75	5400267-4.0	1	OUTRIGGERS HYDRAULIC SYSTEM		
76	5400267-5.0	1	OUTRIGGERS HYDRAULIC SYSTEM		
77	5440044-1.0	1	Solenoid valve		
78	5440101-1.0	1	Solenoid valve (STABILIZER CONTROL VALVE)		
79	5220346-1.0	1	STABILIZER CONTROL VALVE		
80	5400266-1.0	1	DOUBLE CONTROLS		
82	5400266-2.0	1	DOUBLE CONTROLS		
83	5401157-2.0	1	DOUBLE CONTROLS (FOR CARTER THERMOFORMABLE)		
84	5401467-1.0	1	DOUBLE CONTROLS (CE)		
87	5401467-2.0	1	DOUBLE CONTROLS (CE)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
88	5401467-3.0	1	DOUBLE CONTROLS (CE)		
89	5401467-6.0	1	DOUBLE CONTROLS (CE)		
90	5401467-7.0	1	DOUBLE CONTROLS (CE)		
91	5430049-1.0	1	Moment limiting device (CE)		
93	7880142-1.0	1	PUMP HAND KIT		
95	7880142-2.0	1	PUMP HAND KIT (High pressure filter)		
97	5440047-1.0	1	A.V.P.S. (Hydraulic system)		
99	5440109-1.0	1	A.V.P.S. (Hydraulic system)		
100	5400265-1.0	1	Manifold (CE)		
101	5400265-2.0	1	Manifold (EN12999-A3)		
102	5400287-1.0	1	DOUBLE CONTROLS		
104	5400287-1.1	1	DOUBLE CONTROLS (CONTROLS WITH THERMOFORMABLE)		
106	5430055-1.0	1	Moment limiting device (not CE)		
108	5400294-1.0	1	Manifold (not CE)		
109	5400072-1.0	1	5th extra function kit closed center spool (not CE)		
111	5400072-3.0	1	5th extra function kit open center spool (not CE)		
113	5212015-1.0	1	5th extra function kit closed center spool (EN12999-A3)		
115	5212019-1.0	1	5th extra function kit open center spool (EN12999-A3)		
117	5400072-2.0	1	6th extra function kit closed center spool (not CE)		
119	5212015-2.0	1	6th extra function kit closed center spool (EN12999-A3)		

Table index

Logbook code

7880498.1

Sheet

3/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
121	5220292-1.0	1	Control valve ass'y (CE)		
123	5220465-1.0	1	Control valve ass'y (EN12999-A3)		
125	5220291-1.0	1	Control valve ass'y (not CE)		
127	3310543-1.0	1	ELECTRICS CONTROLS		
128	5400292-1.0	1	Hydraulic oil tank (CE)		
130	5400759-1.0	1	Hydraulic oil tank (CE)		
132	5400253-1.0	1	Hydraulic oil tank (not CE)		
134	5400758-1.0	1	Hydraulic oil tank (not CE)		
136	3180105-1.0	1	Oil filter		
137	3180196-1.0	1	Oil filter		
138	5400760-1.0	1	Hydraulic oil tank		
140	5400760-2.0	1	Hydraulic oil tank		
142	3180118-1.0	1	Oil filter		
143	7888004-1.0	1	Heat exchange unit (24V)		
144	7888004-2.0	1	Heat exchange unit (24V)		
145	7888004-3.0	1	Heat exchange unit (24V)		
146	7888004-4.0	1	Heat exchange unit (24V)		
147	7888010-1.0	1	Heat exchange unit (12V)		
148	7888010-2.0	1	Heat exchange unit (12V)		
149	5460032-1.0	1	Column		

Page	Table code	Q.ty	Table heading	Vers.	Validity
150	6230134-1.0	1	LIFTING HYDRAULIC CYLINDER (Hydraulic system)		
151	6430122-1.0	1	LIFTING HYDRAULIC CYLINDER		
152	5470051-1.0	1	1ST BOOM		
153	6230123-1.0	1	Articulation Hydraulic jack (Hydraulic system)		
154	6430123-1.0	1	Articulation Hydraulic jack		
155	5480051-1.0	1	2nd BOOM		
157	5490054-1.0	1	1st EXTENSION		
158	7880394-1.0	1	Coupling (Hook)		
159	6210254-1.0	1	1st EXSTENSION HYDRAULIC (Hydraulic system)		
161	6210254-2.0	1	1st EXSTENSION HYDRAULIC (Hydraulic system)		
163	6410254-1.0	1	1st EXSTENSION HYDRAULIC		
164	5530022-1.0	1	2nd extension		
165	7880395-1.0	1	Coupling (Hook)		
166	6210255-1.0	1	HYDRAULIC SYSTEM (2nd EXTENSION HYDRAULIC JACK)		
167	6410255-1.0	1	2nd EXTENSION HYDRAULIC JACK		
168	5540022-1.0	1	3rd extension		
169	7880396-1.0	1	Coupling (Hook)		
170	6210256-1.0	1	HYDRAULIC SYSTEM (3rd extension Hydraulic jack)		
171	6410256-1.0	1	3rd and 4th extension hydraulic cylinder		
172	5560014-1.0	1	4th extension		

Table index

Logbook code

7880498.1

Sheet

4/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
173	6210257-1.0	1	HYDRAULIC SYSTEM (4th extension Hydraulic jack)		
174	5570005-1.0	1	5th extension		
175	6210258-1.0	1	5th extension Hydraulic jack (Hydraulic system)		
176	6410258-1.0	1	5th, 6th and 7th extension hydraulic cylinder		
177	5580004-1.0	1	6th extension		
178	6210259-1.0	1	6th extension Hydraulic jack (Hydraulic system)		
179	6410259-1.0	1	6th extension Hydraulic jack		
180	5590066-1.0	1	1st ACTIVATION FOR 1S		
182	5600051-1.0	1	2st ACTIVATION FOR 1S		
183	5590067-1.0	1	1st ADDITIONAL ACTUATION		
184	5600052-1.0	1	2nd ADDITIONAL ACTUATION		
185	7800293-1.0	1	Manual extension (1st)		
186	7800294-1.0	1	Manual extension (2nd)		
187	7800295-1.0	1	Manual extension (3 RD)		
188	7800296-1.0	1	Manual extension (1st)		
189	7800297-1.0	1	Manual extension (2nd)		
190	7800298-1.0	1	Manual extension (3 RD)		
191	7800299-1.0	1	Manual extension (1st)		
192	7800300-1.0	1	Manual extension (2nd)		
193	7800301-1.0	1	Manual extension (1st)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
194	7881825-1.0	1	LOAD INDICATION SYSTEM		
195	7880378-1.0	1	Assembly kit		
197		823 RDC			
198	5400288-1.0	1	CONTROLS		
199	5220720-1.0	1	Control valve (4 section)		
200	5430057-1.0	1	Moment limiting device (Remote control unit)		
202	7892053-1.0	1	Wireless control kit (24V)		
203	5400288-2.0	1	Wireless control kit		
204	5400382-2.0	1	Wireless control kit		
207		823 RDC EBB			
208	5400433-1.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
209	5401157-1.0	1	CONTROLS WITH THERMOFORMABLE		
211	5220373-1.0	1	Control valve (4 section)		
213	5400433-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
214	5400433-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
215	5400433-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
216	5400433-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
217	5400433-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
218	5400433-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
219	5400433-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		

Table index

Logbook code

7880498.1

Sheet

5/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
220	7885015-1.0	1	Pilot lamp		
221	5400433-8.1	1	CONTROLS (RDC EBB-X TCU-ECM4)		
222	5400433-9.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
223	7892109-1.0	1	Wireless control kit (Hz.EU)		
224	7892110-1.0	1	Wireless control kit (Hz.USA)		
225	7892048-1.0	1	Wireless control kit (Hz.PRC)		
226	5400244-3.0	1	High pressure filter		
227	5400244-1.0	1	High pressure filter		
228	3180159-1.0	1	High pressure filter		
229	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
231			823 EBB - EN 12999 - A3		
232	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
233	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
234	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
236	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
238	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
240	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
242	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
243	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
244	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
245	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
246	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
247	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
248	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
249	7892193-1.0	1	Wireless control kit (Hz.EU)		
250	7892194-1.0	1	Wireless control kit (Hz.USA)		
251	7892206-1.0	1	Wireless control kit (Hz.AUS)		
252	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
253			823 5S-JIB 2S		
254	5630006-1.0	1	JIB ARM		
256	5490007-1.0	1	1st EXTENSION (JIB)		
257	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
258	5590100-2.0	1	ACTUATIONS FOR 1S		
260	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
261	5530006-1.0	1	2nd EXTENSION		
262	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
263	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
264	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
265	5780017-1.0	1	Coupling (Articulated extension)		
266	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		

Table index

Logbook code

Sheet





7880498.1


6/6

Page	Table code	Q.ty	Table heading	Vers.	Validity
268	6430131-1.0	1	Articulation Hydraulic jack		
269	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
270	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
271	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
272	5400335-1.0	1	Support (Articulated extension)		
273	 823 CIA				
274	5590096-1.0	1	1st ACTIVATION FOR 1S		
275	5590096-2.0	1	1st ACTIVATION FOR 1S		

Page	Table code	Q.ty	Table heading	Vers.	Validity
------	------------	------	---------------	-------	----------


R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)






R	Pos.	Variant Code	Q.ty	Description
	1	5060142	1	Base
	2	5140731	1	Bushing (Lower)
	3	5140730	1	Bushing (Upper)
	4	5140729	1	Thrust bearing ring
	5	5090676	1	Balancer
	6	3070073	1	Seeger
	7	5000771	8	Adjusting screw [M20 L=35]
	8	3040089	8	Lock nut
	9	5000033	1	Clamp (Pipe)
	10	5000018	2	Stop (Rod)
	11	5090595	2	Driving slide (Flexible hose)
	12	3080501	5	Grease nipple [M8X1.25]
	13	3080500	2	Grease nipple
	14	5000966	2	Hook (Stabilizers rods)
	15	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	16	3190201	2	Knob
	17	3070148	4	Seeger
	18	5140714	4	Washer (Nylon)
	19	5150601	2	Pin assembly
	20	3060932	2	Spring (Hook (latch))


R	Pos.	Variant Code	Q.ty	Description
	21	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	22	3040519	2	Stopnut
	23	5001681	2	Handle (Hook)
	24	W102116	2	Spacer
	25	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	26	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	27	3060053	4	Split lock washer [D=6.4 C72 ZC]
	28	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]




VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5060142	1	Base
	2	5140731	1	Bushing (Lower)
	3	5140730	1	Bushing (Upper)
	4	5140729	1	Thrust bearing ring
	5	5090676	1	Balancer
	6	3070073	1	Seeger
	7	5000771	8	Adjusting screw [M20 L=35]
	8	3040089	8	Lock nut
	9	5000033	1	Clamp (Pipe)
	10	5090595	2	Driving slide (Flexible hose)
	11	3080501	5	Grease nipple [M8X1.25]
	12	5000966	2	Hook (Stabilizers rods)
	13	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	14	3190201	2	Knob
	15	3070148	4	Seeger
	16	5140714	4	Washer (Nylon)
	17	5150601	2	Pin assembly
	18	3060932	2	Spring (Hook (latch))
	19	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	20	3040519	2	Stopnut





R	Pos.	Variant Code	Q.ty	Description
	21	5001681	2	Handle (Hook)
	22	W102116	2	Spacer
	23	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	24	3010337	10	Hex screw [M8X16 8.8 ZC UNI 5739]
	25	5141131	2	
	26	3060918	8	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	27	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	28	3060053	4	Split lock washer [D=6.4 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5060142	1	Base
	2	5140731	1	Bushing (Lower)
	3	5140730	1	Bushing (Upper)
	4	5140729	1	Thrust bearing ring
	5	5090676	1	Balancer
	6	3070073	1	Seeger
	7	5000771	8	Adjusting screw [M20 L=35]
	8	3040089	8	Lock nut
	9	5000033	1	Clamp (Pipe)
	10	5090595	2	Driving slide (Flexible hose)
	11	3080501	5	Grease nipple [M8X1.25]
	12	5000966	2	Hook (Stabilizers rods)
	13	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	14	3190201	2	Knob
	15	3070148	4	Seeger
	16	5140714	4	Washer (Nylon)
	17	5150601	2	Pin assembly
	18	3060932	2	Spring (Hook (latch))
	19	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	20	3040519	2	Stopnut

R	Pos.	Variant Code	Q.ty	Description
	21	5001681	2	Handle (Hook)
	22	W102116	2	Spacer
	23	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	24	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	25	5141134	8	Button (Backlash)
	26	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]
	27	3060053	4	Split lock washer [D=6.4 C72 ZC]





R	Pos.	Variant Code	Q.ty	Description
	1	6070592	2	Cylinder (Slewing) [Fixed]
	2	3020110	20	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	3	3060058	20	Split lock washer [D=14 INOX]
	4	3400521	2	Seal
	5	6050280	2	Piston (Assembly)
	6	5050090	1	Toothed rack
	7	3060608	2	Spring pin
	8	3020893	1	TSEI screw [M12X30 8.8 ZC UNI 5933]
	9	5140732	1	Sliding block (Rack adjuster)
	10	4160381	1	Support (Slide shoe)
	11	3060919	1	Grub screw
	12	3040309	1	Stopnut [Dado Stop M20 Norm.]
	13	5140735	1	Plug (Nylon)
	14	5550745	1	Seal kit (Slewing)

VALIDO FINO A Ottobre 2013
VALID UNTIL October 2013


Slewing (Retaining ring)

Table code

Sheet

6240191-1.0

1/1



VALIDO DA Novembre 2013

VALID FROM November 2013

**Valido da Matricola / Valid from S/N
34190**

R	Pos.	Variant Code	Q.ty	Description
	1	6070706	2	Cylinder (Slewing) [Fixed]
	2	3020110	22	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	3	3060050	20	Split lock washer [D=14 C72 ZC]
	4	3400521	2	Seal
	5	6050279	2	Piston (Slewing)
	6	5050090	1	Toothed rack
	7	3060608	2	Spring pin
	8	3020893	1	TSEI screw [M12X30 8.8 ZC UNI 5933]
	9	5140732	1	Sliding block (Rack adjuster)
	10	4160381	1	Support (Slide shoe)
	11	3060919	1	Grub screw
	12	3040309	1	Stopnut [Dado Stop M20 Norm.]
	13	5140735	1	Plug (Nylon)
	14	5550745	1	Seal kit (Slewing)
	15	6050280	2	Piston (Assembly)
	16	5002437	2	Flange (Cylinder)
	17	W440201200	2	Retaining ring (Stop)


Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240083-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220666	1	Valve (Overcenter)
	2	5391800	1	Bonderized tube
	3	3101127	2	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5391799	1	Bonderized tube
	5	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	6	3190208	2	Collar (Pipe)
	7	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3010026	2	Hex screw [M6X80 8.8 ZC UNI 5737]
	10	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	11	5271385	2	Flexible hose
	12	3060055	2	Split lock washer [D=8.4 C72 ZC]


Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240083-3.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220666	1	Valve (Overcenter)
	2	5391800	1	Bonderized tube
	3	3101127	2	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5391799	1	Bonderized tube
	5	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	6	3190208	2	Collar (Pipe)
	7	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3010026	2	Hex screw [M6X80 8.8 ZC UNI 5737]
	10	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	11	5271385	1	Flexible hose
	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
	13	5272050	1	Flexible hose


Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240191-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220666	1	Valve (Overcenter)
	2	5391800	1	Bonderized tube
	3	3101127	2	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5391799	1	Bonderized tube
	5	3020902	2	Socket head cap screw [M8X10 ZC UNI 5931]
	6	3190208	2	Collar (Pipe)
	7	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3010026	2	Hex screw [M6X80 8.8 ZC UNI 5737]
	10	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	11	5272307	1	Flexible hose
	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
	13	5272308	1	Flexible hose


Rotation Pressure Limiting Device

Table code

Sheet

7885395-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220998	1	Pressure valve (Rotation limiting device)
	2	3060144	2	Sealing washer [BSP 3/8"]
	3	3110061	2	Plug [BSP 3/8"]
	4	5393522	1	Bonderized tube
	5	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	6	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	7	3120066	1	Straight pipe fitting [FJ3/4-16GIR. MJ3/8"]
	8	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]


Rotation Pressure Limiting Device

Table code

Sheet

7885482-1.0

1/1



Gru manuali e con Radiocomando
Manual crane and with radio remote control

R	Pos.	Variant Code	Q.ty	Description
	1	5220998	1	Pressure valve (Rotation limiting device)
	2	3060144	2	Sealing washer [BSP 3/8"]
	3	3110061	2	Plug [BSP 3/8"]
	4	5393809	1	Bonderized tube
	5	3120004	2	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	6	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	7	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	8	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]


Stabilizers rods (Hydraulic control)

Table code


Sheet

5760056-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
1	5070289	2	Stabilizers rods	
2	5090594	2	Hoses support	
3	3060057	4	Split lock washer [D=12 C72 ZC]	
4	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]	



**da Ottobre 2016
from October 2016**

R	Pos.	Variant Code	Q.ty	Description
	1	6400182	1	Stabilizer Hydraulic jack
	2	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	5220653	1	Holding valve
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	3070080	1	Seeger
	6	5391733	1	Bonderized tube
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	9	5391732	1	Bonderized tube
	10	4160391	1	Tang (Ball joint)
	11	3060939	1	Spring pin
	12	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3080512	1	Grease nipple
	16	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	17	5141234	1	Swash -plate (ARTICULATED JOINT TANG)
	18	5920052	1	ARTICULATED JOINT TANG (Stabilizers)



R	Pos.	Variant Code	Q.ty	Description
	1	6070289	1	Cylinder
	2	6030610	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	7	3450219	2	O-ring joint
	8	3460383	2	Anti-extrusion ring
	9	6040075	1	Guide (Rod)
	10	3400132	1	Seal
	11	3420034	1	W-ring
	12	6040074	1	Ring nut
	13	5550638	1	Seal kit


Stabilizers rods (hydraulic lengthening)

Table code

Sheet

5760057-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070290	2	
	2	3070063	2	Seeger
	3	5090594	2	Hoses support
	4	3060057	4	Split lock washer [D=12 C72 ZC]
	5	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]


Stabilizers rods (hydraulic lengthening)

Table code


Sheet

5760317-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070437	2	Stabilizer connecting rods (Revolving)
	2	3070065	2	Seeger
	3	5090594	2	Hoses support
	4	3060057	4	Split lock washer [D=12 C72 ZC]
	5	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]
	6	5002114	2	Hook (latch) (Cable)
	7	5001989	2	Handle (Hook)
	8	5001988	2	Hook (Rod)




VALIDO FINO A FEB. 2008

VALID UNTIL FEB. 2008

R	Pos.	Variant Code	Q.ty	Description
	1	6400201	1	Stabilizer Hydraulic jack
	2	5000018	1	Stop (Rod)
	3	3080500	2	Grease nipple
	4	3101127	2	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	5	5391621	1	Bonderized tube
	6	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	7	5220047	1	Valve (Cock)
	8	5391622	1	
	9	4160391	1	Tang (Ball joint)
	10	3060632	1	Spring pin
	11	3020875	4	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3080512	1	Grease nipple

R	Pos.	Variant Code	Q.ty	Description
	1	6400201	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	1	Grease nipple
	4	3101127	6	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5390032	1	Bonderized tube
	6	3080512	2	Grease nipple
	7	5220653	1	Holding valve
	8	5390033	1	Bonderized tube
	9	4160391	1	Tang (Ball joint)
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3060144	1	Sealing washer [BSP 3/8"]
	16	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	17	5225681	2	Rotary union
	18	5920052	1	ARTICULATED JOINT TANG (Stabilizers)
	19	5141234	1	Swash -plate (ARTICULATED JOINT TANG)

**da Ottobre 2016
from October 2016**



VERSIONE 2008

VERSION 2008


Stabilizer Hydraulic jack (ROTATING)

Table code

Sheet

6400201-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070274	1	
	2	6030611	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	7	3450219	2	O-ring joint
	8	3460383	2	Anti-extrusion ring
	9	6040075	1	Guide (Rod)
	10	3400132	1	Seal
	11	3420034	1	W-ring
	12	6040074	1	Ring nut
	13	5550638	1	Seal kit


STABILISER RAM (ROTATING)

Table code

Sheet

6200278-1.0


1/2



da Ottobre 2016
from October 2016

R	Pos.	Variant Code	Q.ty	Description
	1	6400278	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	1	Grease nipple
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5390551	2	Bonderized tube
	6	3080512	2	Grease nipple
	7	5220653	1	Holding valve
	8	W470424	2	90° Connection (Rotary)
	9	4160391	1	Tang (Ball joint)
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3060144	1	Sealing washer [BSP 3/8"]
	16	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	17	W470425	1	Throttle (fixed)
	18	W470427	1	Throttle (fixed)
	19	2091241	1	Plate (Valve support)
	20	3060053	2	Split lock washer [D=6.4 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	3010023	2	Hex screw [M6X40 8.8 ZC UNI 5739]
	22	3190024	2	Clamp [87-112 12.2 ABA]
	23	5225681	2	Rotary union
	24	5141234	1	Swash -plate (ARTICULATED JOINT TANG)
	25	5920052	1	ARTICULATED JOINT TANG (Stabilizers)



da Ottobre 2016
from October 2016

STABILISER RAM (ROTATING)

Table code


Sheet

6200278-2.0

1/2

LD

**AUTOMATIC
ROTATION**




R	Pos.	Variant Code	Q.ty	Description
	1	6400278	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	1	Grease nipple
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5390551	2	Bonderized tube
	6	3080512	2	Grease nipple
	7	5220653	1	Holding valve
	8	W470424	2	90° Connection (Rotary)
	9	5091264	1	Tang
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920011	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3060144	1	Sealing washer [BSP 3/8"]
	16	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	17	W470425	1	Throttle (fixed)
	18	W470427	1	Throttle (fixed)
	19	2091241	1	Plate (Valve support)
	20	3060053	2	Split lock washer [D=6.4 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	3010023	2	Hex screw [M6X40 8.8 ZC UNI 5739]
	22	3190024	2	Clamp [87-112 12.2 ABA]

LD

**AUTOMATIC
ROTATION**




STABILISER RAM (ROTATING)

Table code

6200286-1.0

Sheet


1/2



da Ottobre 2016
from October 2016

R	Pos.	Variant Code	Q.ty	Description
	1	6400278	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	1	Grease nipple
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5390550	1	Bonderized tube
	6	3080512	2	Grease nipple
	7	5220653	1	Holding valve
	8	W470424	2	90° Connection (Rotary)
	9	4160391	1	Tang (Ball joint)
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3060144	1	Sealing washer [BSP 3/8"]
	16	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	17	W470425	1	Throttle (fixed)
	18	W470427	1	Throttle (fixed)
	19	5390549	1	Bonderized tube
	20	2091241	1	Plate (Valve support)

R	Pos.	Variant Code	Q.ty	Description
	21	3060053	2	Split lock washer [D=6.4 C72 ZC]
	22	3010023	2	Hex screw [M6X40 8.8 ZC UNI 5739]
	23	5225681	2	Rotary union
	24	3190024	2	Clamp [87-112 12.2 ABA]
	25	5920052	1	ARTICULATED JOINT TANG (Stabilizers)
	26	5141234	1	Swash -plate (ARTICULATED JOINT TANG)



da Ottobre 2016
from October 2016


STABILISER RAM (ROTATING)

Table code

Sheet

6200286-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6400278	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	1	Grease nipple
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5390550	1	Bonderized tube
	6	3080512	2	Grease nipple
	7	5220653	1	Holding valve
	8	W470424	2	90° Connection (Rotary)
	9	5091264	1	Tang
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920011	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3060144	1	Sealing washer [BSP 3/8"]
	16	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	17	W470425	1	Throttle (fixed)
	18	W470427	1	Throttle (fixed)
	19	5390549	1	Bonderized tube
	20	2091241	1	Plate (Valve support)


STABILISER RAM (ROTATING)

Table code

Sheet


6200286-2.0

2/2




R	Pos.	Variant Code	Q.ty	Description
	21	3060053	2	Split lock washer [D=6.4 C72 ZC]
	22	3010023	2	Hex screw [M6X40 8.8 ZC UNI 5739]
	23	3190024	2	Clamp [87-112 12.2 ABA]


R	Pos.	Variant Code	Q.ty	Description
	1	6070625	1	Cylinder
	2	6030611	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	7	3450219	2	O-ring joint
	8	3460383	2	Anti-extrusion ring
	9	6040075	1	Guide (Rod)
	10	3400132	1	Seal
	11	3420034	1	W-ring
	12	6040074	1	Ring nut
	13	5550638	1	Seal kit
	14	5141115	2	Bushing
	15	5002131	1	Spacer (Bushing)




VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
1	5091299	2		
2	5002060	2		
3	3311311	4		Proximity switch (Position sensor)
4	5091300	2		
5	3060053	4		Split lock washer [D=6.4 C72 ZC]
6	3020035	4		Socket head cap screw [M6X20 8.8 ZC UNI 5931]
7	3060004	8		Flat washer [D.5 UNI 6592 ZC]
8	3020022	8		Socket head cap screw [M5X10 8.8 ZC UNI 5931]
9	3311312	1		Proximity switch
10	3311377	2		Electric wiring
11	3311372	1		Electric wiring
12	3311332	2		Electric wiring
13	3020034	4		Socket head cap screw [M6X16 8.8 ZC UNI 5931]
14	3060030	8		Flat washer [D.6.6X18 UNI 6593 ZC]
15	5000426	1		Support (Proximity switch)
16	3020895	2		Socket head cap screw [M4X10 8.8 ZC UNI 5931]




R	Pos.	Variant Code	Q.ty	Description
1	3311352	1	Electric wiring (Assembly)	
2	3311356	2	Wire assembly (Microswitch)	
3	3311353	1	Electric wiring	
4	3311354	1	Lighting (Audible alarm)	
5	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]	
6	3040518	4	Stopnut [STOP M4]	
7	3310431	1	Connector (Electric)	
8	3310432	1	Connector (Electric)	
9	3060003	4	Flat washer [D.4 UNI 6592 ZC]	




R	Pos.	Variant Code	Q.ty	Description
	1	5091395	2	Support (Proximity sensor)
	2	5002189	2	Guard (Proximity sensor)
	3	3311311	4	Proximity switch (Position sensor)
	4	5091300	2	
	5	3060053	8	Split lock washer [D=6.4 C72 ZC]
	6	3020035	4	Socket head cap screw [M6X20 8.8 ZC UNI 5931]
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	9	3311312	1	Proximity switch
	10	3311377	2	Electric wiring
	11	3311372	1	Electric wiring
	12	3311332	2	Electric wiring
	13	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	14	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	15	5002185	1	Support (Proximity switch)
	16	3190021	2	Clamp [104-138 12.2 ABA]
	17	3060052	8	Split lock washer [D=5.5 C72 ZC]

VALIDO DA Gennaio 2012
VALID FROM January 2012

VERSION 2012



R	Pos.	Variant Code	Q.ty	Description
1	3311352	1	Electric wiring (Assembly)	
2	3311356	2	Wire assembly (Microswitch)	
3	3311353	1	Electric wiring	
4	3311354	1	Lighting (Audible alarm)	
5	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]	
6	3040518	4	Stopnut [STOP M4]	
7	3310431	1	Connector (Electric)	
8	3310432	1	Connector (Electric)	
9	3060003	4	Flat washer [D.4 UNI 6592 ZC]	
10	5002186	2	Plate (Microswitch)	
11	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]	
12	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]	



R	Pos.	Variant Code	Q.ty	Description
	1	6400151	2	Extension jacks
	2	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	3	3040307	2	Stopnut [M16-70 ZC.NORM.8G]
	4	5150643	2	Pin assembly
	5	3070017	2	Seeger


HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC CYLINDER)

Table code

Sheet

6200151-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400151	1	Extension jacks
	2	5391473	1	Bonderized tube
	3	3190025	2	Clamp
	4	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	3060143	1	Sealing washer [BSP 1/4"]
	7	3110270	1	Straight pipe fitting
	8	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	10	3020040	1	Socket head cap screw [M6X40 8.8 ZC UNI 5931]


ROD EXTENSION HYDRAULIC CYLINDER

Table code


Sheet

6400151-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070397	1	Cylinder
	2	6030412	1	Rod unit
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
	12	5550709	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5070314	2	
	2	5070312	2	
	3	5090594	2	Hoses support
	4	3060057	4	Split lock washer [D=12 C72 ZC]
	5	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]
	6	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	7	5141131	2	

STABILITY CONTROL (Stabilizer connecting rods extra-extendible)


Table code

Sheet

5760300-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
1		3311333	2	
2		3311311	2	Proximity switch (Position sensor)
3		5070314	2	
4		5070312	2	
5		5141131	2	
6		3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]




Stabilizer Hydraulic jack "extra" (HYDRAULIC SYSTEM)

Table code

Sheet

6200255-1.0

1/1




da Ottobre 2016
from October 2016

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSÓN LARGA

R	Pos.	Variant Code	Q.ty	Description
	1	6400255	1	Stabilizer Hydraulic jack
	2	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	3	5220653	1	Holding valve
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	3070080	1	Seeger
	6	5391733	1	Bonderized tube
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	9	5392188	1	Bonderized tube
	10	4160391	1	Tang (Ball joint)
	11	3060939	1	Spring pin
	12	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3080512	1	Grease nipple
	16	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	17	5141234	1	Swash -plate (ARTICULATED JOINT TANG)
	18	5920052	1	ARTICULATED JOINT TANG (Stabilizers)

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA



R	Pos.	Variant Code	Q.ty	Description
	1	6070567	1	Cylinder
	2	6030818	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	7	3450219	2	O-ring joint
	8	3460383	2	Anti-extrusion ring
	9	6040075	1	Guide (Rod)
	10	3400132	1	Seal
	11	3420034	1	W-ring
	12	6040074	1	Ring nut
	13	5550638	1	Seal kit


ROD EXTENSION HYDRAULIC CYLINDER (Extra-extendible)

Table code

Sheet

5380016-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200160	2	Jacks (hydraulic lengthening)
	2	3060010	2	Flat washer [D.17X30X3 UNI 6592 ZC]
	3	3040307	2	Stopnut [M16-70 ZC.NORM.8G]
	4	5150666	2	
	5	3070017	4	Seeger


HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)

Table code

Sheet

6200160-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400160	1	Jacks (hydraulic lengthening)
	2	5391496	1	Bonderized tube
	3	3190025	2	Clamp
	4	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	5	5220559	1	Holding valve
	6	3060143	1	Sealing washer [BSP 1/4"]
	7	3110270	1	Straight pipe fitting
	8	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	10	3020040	1	Socket head cap screw [M6X40 8.8 ZC UNI 5931]
	11	3060053	1	Split lock washer [D=6.4 C72 ZC]
	12	5140133	2	Piping mounting


ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE

Table code

Sheet

6400160-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070409	1	
	2	6030439	1	
	3	3450006	1	O-ring joint
	4	6050142	1	Piston
	5	3400503	1	Seal
	6	3040306	1	Stopnut [Dado Stop M14-70 Norm]
	7	3450067	1	O-ring joint
	8	3460067	1	Anti-extrusion ring
	9	6040154	1	Close nipple
	10	3400029	1	Seal
	11	3420011	1	Seal
	12	5550709	1	Seal kit


Stabilizer connecting rods extra-extensible (Revolving)

Table code

Sheet

5760071-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070314	2	
	2	5070313	2	
	3	5090594	2	Hoses support
	4	3060057	4	Split lock washer [D=12 C72 ZC]
	5	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]
	6	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	7	5141131	2	


Stabilizer connecting rods extra-extensible (Revolving)

Table code

Sheet

5760318-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070314	2	
	2	5070439	2	
	3	5090594	2	Hoses support
	4	3060057	4	Split lock washer [D=12 C72 ZC]
	5	3010369	4	Hex screw [M12X25 8.8 ZC UNI 5739]
	6	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	7	5141131	2	
	8	5002114	2	Hook (latch) (Cable)
	9	3070065	2	Seeger

STABILITY CONTROL (Stabilizer connecting rods extra-extensible revolving)


Table code

Sheet

5760301-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
1		3311333	2	
2		3311311	2	Proximity switch (Position sensor)
3		5070314	2	
4		5070313	2	
5		5141131	2	
6		3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]




Stabilizer Hydraulic jack "extra" (ROTATING)

Table code

Sheet

6200257-1.0

1/1




da Ottobre 2016
from October 2016

VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSÓN LARGA

R	Pos.	Variant Code	Q.ty	Description
	1	6400257	1	Stabilizer Hydraulic jack
	2	5001198	1	System (Lock)
	3	3080500	2	Grease nipple
	4	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	5391621	1	Bonderized tube
	6	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	7	5220047	1	Valve (Cock)
	8	5392224	1	Bonderized tube
	9	4160391	1	Tang (Ball joint)
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3080512	1	Grease nipple
	16	5920052	1	ARTICULATED JOINT TANG (Stabilizers)
	17	5141234	1	Swash -plate (ARTICULATED JOINT TANG)

**VERSIONE LUNGA
LONG VERSION
VERSION LONGUE
LANGVERSION
VERSIÓN LARGA**



R	Pos.	Variant Code	Q.ty	Description
	1	6070578	1	
	2	6030839	1	
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	7	3450219	2	O-ring joint
	8	3460383	2	Anti-extrusion ring
	9	6040075	1	Guide (Rod)
	10	3400132	1	Seal
	11	3420034	1	W-ring
	12	6040074	1	Ring nut
	13	5550638	1	Seal kit


SLEWING ASS'Y (STABILISER RAM)

Table code


Sheet

5411117-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5091279		2	
2	5001990		2	
3	3040251		2	Lock nut [M24 8.G basso UNI 5589]
4	W420305400		2	
5	W610402600		2	Rack adjuster
6	3010015		4	Hex screw [M6X20 8.8 ZC UNI 5739]
7	3060053		6	Split lock washer [D=6.4 C72 ZC]
8	3070022		2	Seeger [Alberi d.25 mm]
9	3060938		2	Flat washer [D.25X39X4 UNI 1749 ZC]
10	5141076		2	Bushing
11	5001982		2	Threaded pin (Lock)
12	W694122		2	Schnorr washer [D=22 SP.1,5 C72]
13	W610401700		2	Gear wheel
14	W726016		8	Spring pin [D.8 L=60 ISO 8748]
15	5001987		2	
16	3060056		4	Split lock washer [D=10 C72 ZC]
17	3010047		4	Hex screw [M10X50 8.8 ZC UNI 5737]
18	W582002		4	Pipe clamp
19	W610402200		2	Rubber protective boot
20	W641011		2	Spring



R	Pos.	Variant Code	Q.ty	Description
	21	W610402100	2	Adjuster (Rod guide)
	22	3040055	2	Tall headed nut
	23	3040185	2	Nut [M18X1,5 norm. ZC UNI5588]
	24	3040088	2	Lock nut
	25	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	26	3010039	2	Hex screw [M8X80 8.8 ZC UNI 5737]
	27	3060055	2	Split lock washer [D=8.4 C72 ZC]
	28	5001991	2	Collar (Mobile)
	29	3040524	2	Stopnut
	30	W590306400	2	


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411302-1.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091353	2	Casing (Stabilizer)
	2	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	3	5091327	2	Rod (Toothed rack)
	4	W061333	2	Adjusting screw
	5	3040251	2	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	2	Rack adjuster
	7	3010015	4	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060053	6	Split lock washer [D=6.4 C72 ZC]
	9	5141076	2	Bushing
	10	3070022	2	Seeger [Alberi d.25 mm]
	11	W641011	2	Spring
	12	W610402100	2	Adjuster (Rod guide)
	13	3040216	2	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	2	Hex screw [M8X80 8.8 ZC UNI 5737]
	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5001991	2	Collar (Mobile)
	18	5141133	2	Guide bushing
	19	3010018	2	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	2	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411302-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
21	3040185		2	Nut [M18X1,5 norm. ZC UNI5588]
22	3190059		4	Clamp
23	3190113		0.5	Rubber protective boot
24	3040519		4	Stopnut
25	3060005		4	Flat washer [D.6.4 UNI 6592 ZC]
26	5141113		2	Sliding guide
27	3010016		4	Hex screw [M6X30 8.8 ZC UNI 5737]
28	5002729		2	Collar (Stabilizer Hydraulic jack)
29	3060056		4	Split lock washer [D=10 C72 ZC]
30	3010415		4	Hex screw [M10X55 8.8 ZC UNI 5737]
31	W726016		8	Spring pin [D.8 L=60 ISO 8748]
32	W610401700		2	Gear wheel
33	W694122		2	Schnorr washer [D=22 SP.1,5 C72]
34	5001982		2	Threaded pin (Lock)
35	5141114		2	Guide ring (Toothed rack)
36	3010044		4	Hex screw [M10X35 8.8 ZC UNI 5737]
37	3060958		16	Washer (Thickness)
38	3190308		4	Cap (Plastic material)
39	3190309		2	Cap (Plastic material)
40	3190307		2	Cap (Control board)

SLEWING ASS'Y (STABILISER RAM)


Table code

Sheet

5411302-1.0

3/3

R	Pos.	Variant Code	Q.ty	Description
	41	3060503	6	Grub screw [Grano M10X30 UNI 5923 ZC.]
	42	3040084	6	Lock nut [M10 basso UNI 5589]
	43	3080501	2	Grease nipple [M8X1.25]




SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414072-1.0

1/3



Fori per fissaggio pattino particolare 26
Holes for fixing particular wear pad 26

R	Pos.	Variant Code	Q.ty	Description
	1	5091353	1	Casing (Stabilizer)
	2	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	3	5090170	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060053	3	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
	15	3060055	1	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5001991	1	Collar (Mobile)
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414072-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
21	3040185		1	Nut [M18X1,5 norm. ZC UNI5588]
22	3190059		2	Clamp
23	3190113		0.5	Rubber protective boot
24	3040519		2	Stopnut
25	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
26	5141113		1	Sliding guide
27	3010016		2	Hex screw [M6X30 8.8 ZC UNI 5737]
28	5002729		1	Collar (Stabilizer Hydraulic jack)
29	3060056		2	Split lock washer [D=10 C72 ZC]
30	3010415		2	Hex screw [M10X55 8.8 ZC UNI 5737]
31	W726016		4	Spring pin [D.8 L=60 ISO 8748]
32	5050150		1	Gear wheel
33	W694122		1	Schnorr washer [D=22 SP.1,5 C72]
34	5001982		1	Threaded pin (Lock)
35	5141114		1	Guide ring (Toothed rack)
36	3010044		2	Hex screw [M10X35 8.8 ZC UNI 5737]
37	3060958		8	Washer (Thickness)
38	3190308		2	Cap (Plastic material)
39	3190309		1	Cap (Plastic material)
40	3190307		1	Cap (Control board)

SLEWING ASS'Y (STABILISER RAM)


Table code

Sheet

5414072-1.0

3/3

R	Pos.	Variant Code	Q.ty	Description
	41	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	42	3040084	3	Lock nut [M10 basso UNI 5589]
	43	3080501	1	Grease nipple [M8X1.25]




SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414072-2.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091353	1	Casing (Stabilizer)
	2	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	3	5090170	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]
	8	3060053	3	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
	15	3060055	1	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5001991	1	Collar (Mobile)
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414072-2.0

2/3



R	Pos.	Variant Code	Q.ty	Description
21	3040185		1	Nut [M18X1,5 norm. ZC UNI5588]
22	3190059		2	Clamp
23	3190113		0.5	Rubber protective boot
24	3040519		2	Stopnut
25	3060005		2	Flat washer [D.6.4 UNI 6592 ZC]
26	5141113		1	Sliding guide
27	3010016		2	Hex screw [M6X30 8.8 ZC UNI 5737]
28	5002729		1	Collar (Stabilizer Hydraulic jack)
29	3060056		2	Split lock washer [D=10 C72 ZC]
30	3010415		2	Hex screw [M10X55 8.8 ZC UNI 5737]
31	W726016		4	Spring pin [D.8 L=60 ISO 8748]
32	5050150		1	Gear wheel
33	W694122		1	Schnorr washer [D=22 SP.1,5 C72]
34	5001982		1	Threaded pin (Lock)
35	5141114		1	Guide ring (Toothed rack)
36	3010044		2	Hex screw [M10X35 8.8 ZC UNI 5737]
37	3060958		8	Washer (Thickness)
38	3190308		2	Cap (Plastic material)
39	3190309		1	Cap (Plastic material)
40	3190307		1	Cap (Control board)

SLEWING ASS'Y (STABILISER RAM)


Table code


Sheet

5414072-2.0

3/3

R	Pos.	Variant Code	Q.ty	Description
	41	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	42	3040084	3	Lock nut [M10 basso UNI 5589]
	43	3080501	1	Grease nipple [M8X1.25]





R	Pos.	Variant Code	Q.ty	Description
	1	5220346	1	Control valve ass'y
	2	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	3	5000207	3	Control lever
	4	3190006	4	Knob
	5	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	5090716	1	Distributor support
	8	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	3040045	9	Nut
	10	3300431	6	Fork
	11	3300451	6	Fork clip
	12	5090456	3	Rod (Dual control)
	13	5150647	1	Pin
	14	5091280	3	Control lever
	15	5140737	2	Bushing
	16	3190188	2	Knob
	17	3080500	3	Grease nipple
	18	5090717	1	Support (Control levers)
	19	3060936	2	Grub screw


HYDRAULIC SYSTEM (ROD EXTENSION HYDRAULIC CYLINDER)

Table code


Sheet

5400267-2.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001159	1	Exhaust manifold
	2	3060144	1	Sealing washer [BSP 3/8"]
	3	3110061	1	Plug [BSP 3/8"]
	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
	6	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	7	3101043	9	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	8	5391776	1	
	9	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	10	3110041	4	Female plug
	11	5271387	1	Flexible hose
	12	5260554	1	Flexible hose
	13	5271386	1	Flexible hose
	14	5260553	1	Flexible hose [Fixed]
	15	5391773	2	
	16	3101081	1	Tee fitting
	17	5260551	1	Flexible hose
	18	5260552	1	Flexible hose
	19	5390553	2	



R	Pos.	Variant Code	Q.ty	Description
	1	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	2	5271386	1	Flexible hose
	3	5271408	1	Flexible hose
	4	5271409	1	Flexible hose
	5	5391773	1	
	6	5271407	1	Flexible hose
	7	5271406	1	Flexible hose
	8	5390553	1	



R	Pos.	Variant Code	Q.ty	Description
	1	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	2	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	3	5391774	1	Bonderized tube
	4	5391775	1	Bonderized tube
	5	3120102	1	Straight pipe fitting (Nipple) [7/8-14 MJ+MJ]
	6	3120100	1	Straight pipe fitting (Nipple) [3/4-16 MJ+MJ]
	7	5271172	1	Flexible hose
	8	3101045	1	Straight pipe fitting [3/4-16 3/4"CIL. D12]
	9	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	10	5280522	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=700]
	11	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	12	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	13	5280521	1	Flexible hose
	14	5280527	1	Flexible hose



R	Pos.	Variant Code	Q.ty	Description
	1	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	2	3120012	2	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	3	5391774	1	Bonderized tube
	4	5391775	1	Bonderized tube
	5	3120102	1	Straight pipe fitting (Nipple) [7/8 -14 MJ+MJ]
	6	3120100	1	Straight pipe fitting (Nipple) [3/4 -16 MJ+MJ]
	7	3101045	1	Straight pipe fitting [3/4-16 3/4"CIL. D12]
	8	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	9	5280521	1	Flexible hose
	10	5280527	1	Flexible hose
	11	5280522	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=700]
	12	5271172	1	Flexible hose


Solenoid valve

Table code

Sheet

5440044-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220642	1	Solenoid valve
	2	3310238	1	Solenoid (12V)
	3	3310242	1	Solenoid (24V)
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	5	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	6	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]


Solenoid valve (STABILIZER CONTROL VALVE)

Table code

Sheet

5440101-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1		5220182	1	Solenoid valve
2		3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
3		3120066	1	Straight pipe fitting [FJ3/4-16GIR. MJ3/8"]
4		3120303	1	Tee fitting [RACC.T 3/4-16JIC MJ MGAS3/8]
5		5390548	1	
6		3310042	1	Solenoid (12V)
7		3310043	1	Solenoid (24V)


STABILIZER CONTROL VALVE

Table code


Sheet

5220346-1.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5220346	1	Control valve ass'y
	2	5225022	5	Rubber protective boot
	3	5225261	5	Unit (Control lever)
	4	5225258	4	Slider
	5	5225480	1	
	6	5225257	1	
	7	5225268	5	
	8	5225479	5	
	9	5225281	5	
	10	5225285	5	
	11	5225263	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5220292	1	Control valve ass'y
	2	5220224	4	Lever rod (CONTROLS)
	3	3190189	1	Knob
	4	3190010	3	Knob
	5	3010339	8	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	6	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	7	5000708	4	Small plate (remittal)
	8	3300431	8	Fork
	9	3300451	8	Fork clip
	10	5090456	4	Rod (Dual control)
	11	3040045	4	Nut
	12	3080500	4	Grease nipple
	13	5000670	2	Ring
	14	5150459	1	Pin (Dual control)
	15	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	16	5090433	4	Control lever
	17	3190006	3	Knob
	18	3190188	1	Knob
	19	5090460	1	Guard (Control levers)
	20	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	21	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	22	3060056	6	Split lock washer [D=10 C72 ZC]
	23	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	24	5090718	1	Distributor support
	25	5090459	1	Guard (Control levers)
	26	5090719	1	Protective guard
	27	3010323	6	Hex screw [M6X10 8.8 ZC UNI 5739]
	28	3060053	6	Split lock washer [D=6.4 C72 ZC]
	29	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	30	5091329	1	Support (Dual control)



R	Pos.	Variant Code	Q.ty	Description
	1	5220599	1	Flow diverter
	2	5001170	1	Pin (Switch)
	3	5813516	1	Name plate (Control)
	4	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	5	3060056	2	Split lock washer [D=10 C72 ZC]
	6	3300433	2	Fork
	7	3300453	2	Fork clip
	8	5090715	1	Lever rod (Dual control)
	9	3190214	1	Cable lead (Rubber)
	10	3040047	2	Nut
	11	3190213	2	Handle
	12	5090714	1	Lever rod (Dual control)
	13	5140738	1	Sliding block (Rod guide)
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]


DOUBLE CONTROLS (FOR CARTER THERMOFORMABLE)

Table code


Sheet

5401157-2.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220599	1	Flow diverter
	2	5001170	1	Pin (Switch)
	3	5813516	1	Name plate (Control)
	4	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	5	3060056	2	Split lock washer [D=10 C72 ZC]
	6	3300433	2	Fork
	7	3300453	2	Fork clip
	8	5091303	1	
	9	3190214	1	Cable lead (Rubber)
	10	3040047	2	Nut
	11	3190213	2	Handle
	12	5090714	1	Lever rod (Dual control)
	13	5140738	1	Sliding block (Rod guide)
	14	3060053	2	Split lock washer [D=6.4 C72 ZC]
	15	3010015	2	Hex screw [M6X20 8.8 ZC UNI 5739]




R	Pos.	Variant Code	Q.ty	Description
	1	5220465	1	Control valve ass'y
	2	5220224	4	Lever rod (CONTROLS)
	3	3190189	1	Knob
	4	3190010	3	Knob
	5	3010339	8	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	6	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	7	5000708	4	Small plate (remittal)
	8	3300431	8	Fork
	9	3300451	8	Fork clip
	10	5090456	4	Rod (Dual control)
	11	3040045	4	Nut
	12	3080500	4	Grease nipple
	13	5000670	2	Ring
	14	5150459	1	Pin (Dual control)
	15	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	16	5090433	4	Control lever
	17	3190006	3	Knob
	18	3190188	1	Knob
	19	5090460	1	Guard (Control levers)
	20	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]




VALIDO DA Gennaio 2011
VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	21	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	22	3060056	6	Split lock washer [D=10 C72 ZC]
	23	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	24	5091219	1	Distributor support
	25	5090459	1	Guard (Control levers)
	26	5002024	1	Support (Electric box)
	27	3060053	3	Split lock washer [D=6.4 C72 ZC]
	28	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	29	5091329	1	Support (Dual control)
	30	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	31	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	32	5002043	1	Bow (Electric cable)
	33	W340501400	2	Support (Clamp)
	34	3060005	5	Flat washer [D.6.4 UNI 6592 ZC]
	35	3020034	6	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	36	5091218	1	Bonnet (CONTROLS WITH THERMOFORMABLE)
	37	5813516	1	Name plate (Control)
	38	W573266	1	Small plate (CONTROL SYMBOLS)
	39	W573267	1	Small plate (CONTROL SYMBOLS)
	40	W573269	1	Small plate (CONTROL SYMBOLS)

R	Pos.	Variant Code	Q.ty	Description
	41	W573270	1	Small plate (CONTROL SYMBOLS)
	42	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	43	5813567	1	Small plate (Emergency button)




VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
1	3311421	1	Moment limiting device [SUPERATO]	
2	5160085	1	Electric wiring	
3	3311400	1	Electric wiring	
4	3311328	1	DIGITAL INSTRUMENT PANEL (Moment limiting device)	
5	5160084	1	Electric wiring	
6	3310612	1	Pressure sensor	
7	3020013	2	Socket head cap screw [M4X60 8.8 ZC UNI 5931]	
8	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]	
9	3040518	4	Stopnut [STOP M4]	
10	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]	


VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5160004	1	WIRING FOR WINCH
	2	5160013	1	Plug (Winch)
	3	3310663	1	

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring



VALIDO DA Gennaio 2011

VALID FROM January 2011


Moment limiting device (CE)

Table code


Sheet

5430049-1.0


1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5220578	1	Valve (Moment limiting device)
	2	3310238	1	Solenoid (12V)
	3	3310242	1	Solenoid (24V)
	4	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	5	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	6	3060143	1	Sealing washer [BSP 1/4"]
	7	3110062	1	Plug
	8	3100956	1	Ring (Tightening)
	9	3100952	1	Nut
	10	5260350	1	Flexible hose [Fixed]
	11	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	12	5260550	1	Flexible hose
	13	3101215	1	Tee fitting
	14	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	15	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	16	3120200	1	Reducing fitting
	17	3101175	1	Tee fitting
	18	5300050	1	Pipe (Pressure gauge)
	19	5260549	1	Flexible hose
	20	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]



R	Pos.	Variant Code	Q.ty	Description
	21	3110161	1	Reducing fitting
	22	3060145	1	Sealing washer [BSP 1/2"]
	23	5300049	1	Pipe (Pressure gauge)
	24	3101194	1	90° Connection [90° ORIENT. 7/16-20 -1/4"CIL.]
	25	5391767	1	Bonderized tube [7/16-20 D.6X1.5 L=565]
	26	5391778	2	Bonderized tube
	27	5391777	2	Bonderized tube
	28	3120001	5	Tee fitting
	29	3101034	5	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]



R	Pos.	Variant Code	Q.ty	Description
	1	W390502	1	Manual pump
	2	5700169	1	Control lever
	3	3101051	2	Straight pipe fitting [7/8-14 1/2" CIL. D16]
	4	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
	5	5280725	1	Flexible hose
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	7	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	W630504500	1	Support plate (Manual pump)
	10	3101176	1	Tee fitting
	11	3120356	1	Reducing fitting
	12	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	13	5280724	1	Flexible hose
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	15	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	16	W470206	1	Non-return valve [UNID. F/F 3/4"]
	17	3120386	1	
	18	3120072	1	Straight pipe fitting
	19	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	20	3120021	1	Tee fitting [7/8-14 JIC TUBO D16]



R	Pos.	Variant Code	Q.ty	Description
	21	3060145	1	Sealing washer [BSP 1/2"]
	22	3110161	1	Reducing fitting
	23	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	24	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	25	5220063	1	Cock
	26	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	27	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]


PUMP HAND KIT (High pressure filter)

Table code

Sheet

7880142-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W390502	1	Manual pump
	2	5700169	1	Control lever
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
	5	5280725	1	Flexible hose
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	7	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	W630504500	1	Support plate (Manual pump)
	10	3101176	1	Tee fitting
	11	3120356	1	Reducing fitting
	12	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	13	5280724	1	Flexible hose
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	15	3101134	2	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	16	W470206	1	Non-return valve [UNID. F/F 3/4"]
	17	3120080	1	Straight pipe fitting
	18	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	19	5280465	1	Flexible hose
	20	3120021	1	Tee fitting [7/8-14 JIC TUBO D16]


PUMP HAND KIT (High pressure filter)

Table code


Sheet

7880142-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060145	1	Sealing washer [BSP 1/2"]
	22	3110161	1	Reducing fitting
	23	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	24	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL.]
	25	5220063	1	Cock
	26	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	27	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	28	3120034	1	90° Connection [90° M/F JIC 7/8-14]




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	3180141	1	Oil filter
	2	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
RC	3	3180143	1	Filtering cartridge
	4	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	3180140	1	Clogging indicator
	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	8	5391825	1	
	9	5220639	1	Valve (A.V.P.S.)
	10	3310242	1	Solenoid (24V)
	11	3060055	2	Split lock washer [D=8.4 C72 ZC]
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	13	3310543	1	Dashboard (Electric)
	14	3310153	1	Pressure monitor [PPC300 ATTACCO MASCHIO]
	15	3101215	1	Tee fitting
	16	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	17	5280484	1	Flexible hose
	18	5280486	1	Flexible hose
	19	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]
	20	3120034	1	90° Connection [90° M/F JIC 7/8-14]


R	Pos.	Variant Code	Q.ty	Description
	21	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]



VALIDO FINO A Dicembre 2010


VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	3180159	1	Oil filter
	2	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	3	3180192	1	Pressure gauge (Clogging indicator)
	4	3120073	5	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	5160051	1	
	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	8	5391825	1	
	9	5220639	1	Valve (A.V.P.S.)
	10	3310242	1	Solenoid (24V)
	11	2091149	1	
	12	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	13	3311395	1	
	14	3310238	1	Solenoid (12V)
	15	5280484	1	Flexible hose
	16	5280486	1	Flexible hose
	17	3101191	1	Tee fitting
	18	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	19	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]




VALIDO DA Gennaio 2011
VALID FROM January 2011


R	Pos.	Variant Code	Q.ty	Description
	1	5000718	1	Exhaust manifold
	2	3060145	2	Sealing washer [BSP 1/2"]
	3	3110065	2	Plug [BSP 1/2"]
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	3060053	1	Split lock washer [D=6.4 C72 ZC]
	6	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	7	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3101132	1	90° Connection [90° ORIENT.1"1/16-12-1/2"CIL]
	9	5280527	1	Flexible hose
	10	5290067	1	Flexible hose
	11	5280521	1	Flexible hose
	12	5290068	1	Flexible hose




R	Pos.	Variant Code	Q.ty	Description
	1	5000718	1	Exhaust manifold
	2	3060145	3	Sealing washer [BSP 1/2"]
	3	3110065	3	Plug [BSP 1/2"]
	4	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	5	3060053	1	Split lock washer [D=6.4 C72 ZC]
	6	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3101132	1	90° Connection [90° ORIENT.1"1/16-12-1/2"CIL]
	9	5280527	1	Flexible hose
	10	5290067	1	Flexible hose
	11	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	12	5290068	1	Flexible hose

VALIDO DA Gennaio 2011
VALID FROM January 2011





R	Pos.	Variant Code	Q.ty	Description
1	5220291		1	Control valve ass'y
2	5220224		4	Lever rod (CONTROLS)
3	3190189		1	Knob
4	3190010		3	Knob
5	3010339		8	Hex screw [M8X25 8.8 ZC IF UNI 5739]
6	3060006		4	Flat washer [D.8 UNI 6592 ZC]
7	5000708		4	Small plate (remittal)
8	3300431		8	Fork
9	3300451		8	Fork clip
10	5090456		4	Rod (Dual control)
11	3040045		4	Nut
12	3080500		4	Grease nipple
13	5000670		2	Ring
14	5150459		1	Pin (Dual control)
15	3060234		4	Grub screw [Grano M6X10 UNI 5927 ZC.]
16	5090433		4	Control lever
17	3190006		3	Knob
18	3190188		1	Knob
19	5090460		1	Guard (Control levers)
20	3040303		7	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	21	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	22	3060056	6	Split lock washer [D=10 C72 ZC]
	23	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	24	5090718	1	Distributor support
	25	5090459	1	Guard (Control levers)
	26	5090719	1	Protective guard
	27	3010323	6	Hex screw [M6X10 8.8 ZC UNI 5739]
	28	3060053	6	Split lock washer [D=6.4 C72 ZC]
	29	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	30	5090455	1	


DOUBLE CONTROLS (CONTROLS WITH THERMOFORMABLE)

Table code

Sheet

5400287-1.1

1/2



VALIDO DA Gennaio 2013
VALID FROM January 2013

R	Pos.	Variant Code	Q.ty	Description
	1	5220291	1	Control valve ass'y
	2	5220224	4	Lever rod (CONTROLS)
	3	3190189	1	Knob
	4	3190010	3	Knob
	5	3010339	8	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	6	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	7	5000708	4	Small plate (remittal)
	8	3300431	8	Fork
	9	3300451	8	Fork clip
	10	5090456	4	Rod (Dual control)
	11	3040045	4	Nut
	12	3080500	4	Grease nipple
	13	5000670	2	Ring
	14	5150459	1	Pin (Dual control)
	15	3060234	4	Grub screw [Grano M6X10 UNI 5927 ZC.]
	16	5090433	4	Control lever
	17	3190006	3	Knob
	18	3190188	1	Knob
	19	5090460	1	Guard (Control levers)
	20	3040303	7	Stopnut [M8-70 UNI7473 NORM. ZC.]


DOUBLE CONTROLS (CONTROLS WITH THERMOFORMABLE)

Table code

Sheet

5400287-1.1

2/2



VALIDO DA Gennaio 2013
VALID FROM January 2013

R	Pos.	Variant Code	Q.ty	Description
	21	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	22	3060056	6	Split lock washer [D=10 C72 ZC]
	23	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	24	5091219	1	Distributor support
	25	5090459	1	Guard (Control levers)
	26	5091463	1	Bonnet (CONTROLS WITH THERMOFORMABLE)
	27	3020034	6	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	28	3060005	6	Flat washer [D.6.4 UNI 6592 ZC]
	29	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	30	5091329	1	Support (Dual control)
	31	W340501400	2	Support (Clamp)
	32	3060053	3	Split lock washer [D=6.4 C72 ZC]
	33	5002024	1	Support (Electric box)
	34	W573266	2	Small plate (CONTROL SYMBOLS)
	35	W573267	2	Small plate (CONTROL SYMBOLS)
	36	W573269	2	Small plate (CONTROL SYMBOLS)
	37	W573270	2	Small plate (CONTROL SYMBOLS)
	38	5813567	2	Small plate (Emergency button)
	39	5813516	1	Name plate (Control)


Moment limiting device (not CE)

Table code

Sheet


5430055-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3060143	1	Sealing washer [BSP 1/4"]
	3	3110270	1	Straight pipe fitting
	4	3111512	1	90° Connection
	5	3101215	1	Tee fitting
	6	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	7	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	8	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
	9	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	10	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	11	3100956	1	Ring (Tightening)
	12	3100952	1	Nut
	13	5280546	1	Flexible hose
	14	5260549	1	Flexible hose
	15	5260580	1	
	16	5260350	1	Flexible hose [Fixed]
	17	5280545	1	
	18	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]
	19	5220635	1	Non-return valve
	20	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]

R	Pos.	Variant Code	Q.ty	Description
	21	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]




Manifold (not CE)

Table code

Sheet

5400294-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5000718	1	Exhaust manifold
	2	3060145	1	Sealing washer [BSP 1/2"]
	3	3110065	1	Plug [BSP 1/2"]
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3010388	2	Hex screw [M6X60 ZC UNI 5737]
	7	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3101132	1	90° Connection [90° ORIENT.1"1/16-12-1/2"CIL]
	9	5280527	1	Flexible hose
	10	5290067	1	Flexible hose
	11	5280546	1	Flexible hose
	12	5290068	1	Flexible hose
	13	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]


5th extra function kit closed center spool (not CE)

Table code

Sheet

5400072-1.0

1/2



DA GENNAIO 2011 SOLO "NO CE"
FROM JANUARY 2011 ONLY "NO CE"

R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225213	4	5 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	2	Lever rod (CONTROLS)
	13	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
	15	5000708	2	Small plate (remittal)
	16	5225126	2	Unit (Control lever)
	17	5225128	2	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090456	2	Rod (Dual control)


5th extra function kit closed center spool (not CE)

Table code

Sheet

5400072-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3040045	2	Nut
	22	3080500	2	Grease nipple
	23	5090433	2	Control lever
	24	3190006	1	Knob
	25	5225031	1	Seal kit


5th extra function kit open center spool (not CE)

Table code

Sheet

5400072-3.0

1/2



DA GENNAIO 2011 SOLO "NO CE"
FROM JANUARY 2011 ONLY "NO CE"

R	Pos.	Variant Code	Q.ty	Description
	1	5225187	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225177	1	Slider (Control valve)
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225213	4	5 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	2	Lever rod (CONTROLS)
	13	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
	15	5000708	2	Small plate (remittal)
	16	5225126	2	Unit (Control lever)
	17	5225128	2	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090456	2	Rod (Dual control)

5th extra function kit open center spool (not CE)


Table code

Sheet

5400072-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3040045	2	Nut
	22	3080500	2	Grease nipple
	23	5090433	2	Control lever
	24	3190006	1	Knob
	25	5225031	1	Seal kit



DA GENNAIO 2011 SOLO "NO CE"
FROM JANUARY 2011 ONLY "NO CE"


5th extra function kit closed center spool (EN12999-A3)

Table code

Sheet

5212015-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225372	1	inspection (Electric)
	3	5225031	1	Seal kit
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225213	4	5 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	1	Split lock washer [D=8.4 C72 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090851	1	Rod (Dual control)


5th extra function kit closed center spool (EN12999-A3)

Table code

Sheet

5212015-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3040045	1	Nut
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
	28	5225130	1	Kit (Cover)


5th extra function kit open center spool (EN12999-A3)

Table code

Sheet

5212019-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225187	1	Control valve element
	2	5225372	1	inspection (Electric)
	3	5225031	1	Seal kit
	4	5225200	2	Antishock valve (Control valve)
	5	5225177	1	Slider (Control valve)
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225213	4	5 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	1	Split lock washer [D=8.4 C72 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090851	1	Rod (Dual control)


5th extra function kit open center spool (EN12999-A3)

Table code

Sheet

5212019-1.0

2/2



8	HC-D4/5
25	HC-D4/6
26	HC-D4/7
27	HC-D4/8

DA FEBBRAIO 2011 SOLO "CE"
FROM FEBRUARY 2011 ONLY "CE"

R	Pos.	Variant Code	Q.ty	Description
	21	3040045	1	Nut
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
	28	5225130	1	Kit (Cover)


6th extra function kit closed center spool (not CE)

Table code

Sheet

5400072-2.0

1/2



DA GENNAIO 2011 SOLO "NO CE"

FROM JANUARY 2011 ONLY "NO CE"

R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225214	4	6 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	2	Lever rod (CONTROLS)
	13	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	2	Split lock washer [D=8.4 C72 ZC]
	15	5000708	2	Small plate (remittal)
	16	5225126	2	Unit (Control lever)
	17	5225128	2	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090456	2	Rod (Dual control)


6th extra function kit closed center spool (not CE)

Table code

Sheet

5400072-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3040045	2	Nut
	22	3080500	2	Grease nipple
	23	5090433	2	Control lever
	24	3190006	1	Knob
	25	5225031	1	Seal kit

DA GENNAIO 2011 SOLO "NO CE"
FROM JANUARY 2011 ONLY "NO CE"


6th extra function kit closed center spool (EN12999-A3)

Table code

Sheet

5212015-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225372	1	inspection (Electric)
	3	5225031	1	Seal kit
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225213	4	5 elements unit fixing stud
	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	14	3060055	1	Split lock washer [D=8.4 C72 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	2	Fork
	19	3300451	2	Fork clip
	20	5090851	1	Rod (Dual control)


6th extra function kit closed center spool (EN12999-A3)

Table code

Sheet

5212015-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3040045	1	Nut
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
	28	5225130	1	Kit (Cover)

Control valve ass'y (CE)


Table code

Sheet


5220292-1.0


1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5225477	1	Exhaust manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225476	1	Control valve element
	5	5225130	1	Kit (Cover)
	6	5225461	1	
	7	5225463	1	
	8	5225200	4	Antishock valve (Control valve)
	9	5225311	3	Slider (Control valve)
	10	5225469	4	
	11	5225475	1	
	12	5225313	2	
	13	5225145	1	Antishock valve (Control valve)
	14	5225470	1	Cap
	15	5225474	1	
	16	5225473	1	
	17	5225312	1	
	18	5225177	1	Slider (Control valve)
	19	5225472	1	Inlet manifold
	20	5225428	1	Close nipple (Control valve)




R	Pos.	Variant Code	Q.ty	Description
	21	5225546	1	Max pressure valve
	22	3110161	1	Reducing fitting
	23	5225126	4	Unit (Control lever)
	24	5225128	4	Rubber protective boot
	25	5225224	4	4 elements unit fixing stud
	26	5225213	4	5 elements unit fixing stud
	27	5225214	4	6 elements unit fixing stud
	28	5225215	4	7 elements unit fixing stud
	29	5225216	4	8 elements unit fixing
	30	3060056	8	Split lock washer [D=10 C72 ZC]
	31	3040046	8	Nut [M10 8G UNI 5588 ZC.]
	32	5225310	1	Seal kit
	33	5225031	1	Seal kit





R	Pos.	Variant Code	Q.ty	Description
	1	5225477	1	Exhaust manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225698	1	Control valve element (Slewing)
	5	5225372	4	inspection (Electric)
	6	3311046	1	Solenoid (12V)
	7	3311047	1	Solenoid (24V)
	8	5225200	4	Antishock valve (Control valve)
	9	5225311	3	Slider (Control valve)
	10	5225865	4	Non-return valve (Control valve)
	11	5225699	1	Control valve element (Lifting)
	12	5225145	1	Antishock valve (Control valve)
	13	5225470	1	Cap
	14	5225860	1	Control valve element (Joint)
	15	5225861	1	Control valve element (Extension)
	16	5225177	1	Slider (Control valve)
	17	5225472	1	Inlet manifold
	18	5225429	1	Solenoid valve (Emergency)
	19	5225546	1	Max pressure valve
	20	3110161	1	Reducing fitting

R	Pos.	Variant Code	Q.ty	Description
	21	5225126	4	Unit (Control lever)
	22	5225128	4	Rubber protective boot
	23	5225224	4	4 elements unit fixing stud
	24	5225213	4	5 elements unit fixing stud
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
	28	3060056	8	Split lock washer [D=10 C72 ZC]
	29	3040046	8	Nut [M10 8G UNI 5588 ZC.]
	30	5225863	1	Seal kit
	31	5225324	1	Solenoid valve (Emergency)




Control valve ass'y (not CE)

Table code


Sheet

5220291-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5225477	1	Exhaust manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225476	1	Control valve element
	5	5225130	4	Kit (Cover)
	6	5225461	4	
	7	5225463	4	
	8	5225200	4	Antishock valve (Control valve)
	9	5225311	3	Slider (Control valve)
	10	5225469	4	
	11	5225484	1	Control valve element
	12	5225145	1	Antishock valve (Control valve)
	13	5225470	1	Cap
	14	5225483	1	Control valve element
	15	5225482	1	Control valve element
	16	5225177	1	Slider (Control valve)
	17	5225472	1	Inlet manifold
	18	5225428	1	Close nipple (Control valve)
	19	5225546	1	Max pressure valve
	20	3110161	1	Reducing fitting




**PER ELEMENTO AGGIUNTIVO
FOR EXTRA ELEMENT**

R	Pos.	Variant Code	Q.ty	Description
	1	3310543	1	Dashboard (Electric)
	2	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	3	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]



VALIDO FINO A FEBB. 2008


VALID UNTIL FEBB. 2008




R	Pos.	Variant Code	Q.ty	Description
	1	5090683	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	5	3180105	1	Oil filter
RC	6	3180110	1	Filtering cartridge
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180104	1	
	9	3190020	2	Sheath (Collar)
	10	5001164	2	
RC	11	3180099	2	Oil level indicator
	12	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
	13	3180097	1	Thermometer
	14	5220597	1	Bushing (Thermometer)
	15	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	16	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	17	3110161	1	Reducing fitting
	18	3060145	2	Sealing washer [BSP 1/2"]
	19	3110272	1	
	20	3140303	1	

VALIDO FINO A FEBB. 2008

VALID UNTIL FEBB. 2008




R	Pos.	Variant Code	Q.ty	Description
	21	3110065	1	Plug [BSP 1/2"]
	22	5090561	2	
	23	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	24	3060056	8	Split lock washer [D=10 C72 ZC]
	25	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]



VALIDO DA MAR. 2008

VALID FROM MAR. 2008

R	Pos.	Variant Code	Q.ty	Description
	1	5090017	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	5	3180196	1	Oil filter
RC	6	3180110	1	Filtering cartridge
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3190020	2	Sheath (Collar)
	10	5000521	2	
RC	11	3180099	2	Oil level indicator
	12	W449014	1	Tank cap
	13	3180097	1	Thermometer
	14	W449015	1	Filtering cartridge
	15	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	16	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	17	3110161	1	Reducing fitting
	18	3060145	2	Sealing washer [BSP 1/2"]
	19	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	20	3140304	1	Cock




VALIDO DA MAR. 2008

VALID FROM MAR. 2008

R	Pos.	Variant Code	Q.ty	Description
	21	3060056	8	Split lock washer [D=10 C72 ZC]
	22	3110065	1	Plug [BSP 1/2"]
	23	5090561	2	
	24	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	25	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]

VALIDO FINO A FEBB. 2008

VALID UNTIL FEBB. 2008





R	Pos.	Variant Code	Q.ty	Description
	1	5090683	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	5	3180105	1	Oil filter
RC	6	3180110	1	Filtering cartridge
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3190020	2	Sheath (Collar)
	10	5001164	2	
RC	11	3180099	2	Oil level indicator
	12	3110065	2	Plug [BSP 1/2"]
	13	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	14	3110161	1	Reducing fitting
	15	3060145	3	Sealing washer [BSP 1/2"]
	16	3110272	1	
	17	3140303	1	
	18	5090561	2	
	19	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	20	3060056	8	Split lock washer [D=10 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]

VALIDO FINO A FEBB. 2008

VALID UNTIL FEBB. 2008






VALIDO DA MAR. 2008

VALID FROM MAR. 2008

R	Pos.	Variant Code	Q.ty	Description
	1	5090017	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	5	3180196	1	Oil filter
RC	6	3180110	1	Filtering cartridge
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3190020	2	Sheath (Collar)
	10	5000521	2	
RC	11	3180099	2	Oil level indicator
	12	W449014	1	Tank cap
	13	W449015	1	Filtering cartridge
	14	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	15	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	16	3110161	1	Reducing fitting
	17	3060145	2	Sealing washer [BSP 1/2"]
	18	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	19	3140304	1	Cock
	20	3060056	8	Split lock washer [D=10 C72 ZC]



VALIDO DA MAR. 2008

VALID FROM MAR. 2008

R	Pos.	Variant Code	Q.ty	Description
	21	3110065	1	Plug [BSP 1/2"]
	22	5090561	2	
	23	3040304	4	Stopnut [M10-70 NORM.8G ZC.]


Oil filter

Table code

Sheet

3180105-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3180111	1	
RC	2	3180110	1	Filtering cartridge
	3	3180156	1	
	4	3180158	1	
	5	3180119	1	
	6	3180135	1	Oil filter


Oil filter

Table code


Sheet

3180196-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3180111	1	
RC	2	3180110	1	Filtering cartridge
	3	3180156	1	
	4	3180158	1	



Versione con filtro DONALDSON
DONALDSON filter version

VALIDO DA Febbraio 2008
VALID FROM February 2008


R	Pos.	Variant Code	Q.ty	Description
	1	5090017	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	5	3180118	1	Oil filter
	6	3110177	1	Reducing fitting
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3190020	mt.2	Sheath (Collar)
	10	5000521	2	
RC	11	3180099	2	Oil level indicator
	12	W449014	1	Tank cap
	13	3060148	1	Copper washer
	14	W449015	1	Filtering cartridge
	15	3020101	2	Socket head cap screw [M12X60 12.9 ZC UNI 5931]
	16	5150046	1	
	17	5090992	1	
	18	3060145	3	Sealing washer [BSP 1/2"]
	19	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	20	3140304	1	Cock



Versione con filtro DONALDSON
DONALDSON filter version

VALIDO DA Febbraio 2008
VALID FROM February 2008


R	Pos.	Variant Code	Q.ty	Description
	21	3060056	8	Split lock washer [D=10 C72 ZC]
	22	3110065	3	Plug [BSP 1/2"]
	23	5090561	2	
	24	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	25	5090018	1	
	26	3060031	2	Flat washer [D.13X20 UNI 6592 ZC]



Versione con filtro DONALDSON
DONALDSON filter version

VALIDO DA Giugno 2011
VALID FROM June 2011

R	Pos.	Variant Code	Q.ty	Description
	1	5090017	1	
	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]
	5	3180118	1	Oil filter
	6	3110177	1	Reducing fitting
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3190020	mt.2	Sheath (Collar)
	10	5000521	2	
RC	11	3180099	2	Oil level indicator
	12	W449014	1	Tank cap
	13	3060148	1	Copper washer
	14	W449015	1	Filtering cartridge
	15	3020101	2	Socket head cap screw [M12X60 12.9 ZC UNI 5931]
	16	5150047	1	
	17	5090992	1	
	18	3060145	3	Sealing washer [BSP 1/2"]
	19	3010355	8	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	20	3140304	1	Cock



Versione con filtro DONALDSON
DONALDSON filter version

VALIDO DA Giugno 2011
VALID FROM June 2011

R	Pos.	Variant Code	Q.ty	Description
	21	3060056	8	Split lock washer [D=10 C72 ZC]
	22	3110065	3	Plug [BSP 1/2"]
	23	5091348	2	
	24	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	25	5090018	1	
	26	3060031	2	Flat washer [D.13X20 UNI 6592 ZC]


Oil filter

Table code


Sheet

3180118-1.0


1/1




R	Pos.	Variant Code	Q.ty	Description
	1	3180118	1	Oil filter
	2	3180147	1	Pressure gauge (Clogging indicator)
	3	3180186	1	
	4	3180149	1	Filtering cartridge
	5	3180214	1	
	6	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	1	5710092	1	
	2	5710110	1	
	3	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	4	5290151	1	Flexible hose
	5	5001229	1	Support (Heat exchange unit)
	6	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	5290095	1	Flexible hose
	9	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	10	2091326	4	Spacer (Casing)
	11	W437005	1	Device (Ignition)
	12	W437101	1	Thermostat



R	Pos.	Variant Code	Q.ty	Description
1	5710092		1	
2	5710110		1	
3	3101057		2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
4	5290151		1	Flexible hose
5	5001229		1	Support (Heat exchange unit)
6	3010035		4	Hex screw [M8X60 8.8 ZC UNI 5737]
7	3060055		4	Split lock washer [D=8.4 C72 ZC]
8	5290095		1	Flexible hose
9	3101056		1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
10	2091326		4	Spacer (Casing)
11	3310062		1	Device (Ignition)



R	Pos.	Variant Code	Q.ty	Description
1	5710092		1	
2	5710110		1	
3	3101057		2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
4	5290151		1	Flexible hose
5	5001229		1	Support (Heat exchange unit)
6	3010035		4	Hex screw [M8X60 8.8 ZC UNI 5737]
7	3060055		4	Split lock washer [D=8.4 C72 ZC]
8	5290095		1	Flexible hose
9	3101056		1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
10	2091326		4	Spacer (Casing)
11	3311408		1	Thermostat (Wire assembly)


Heat exchange unit (24V)

Table code

Sheet

7888004-4.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710116	1	Heat exchange unit
	2	5710117	1	Electric fan (Heat exchange unit)
	3	3101057	2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	4	5290151	1	Flexible hose
	5	5001229	1	Support (Heat exchange unit)
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	5290095	1	Flexible hose
	9	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	10	3311408	1	Thermostat (Wire assembly)


Heat exchange unit (12V)

Table code

Sheet

7888010-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5710093		1	
2	5710097		1	
3	3101057		2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
4	5290151		1	Flexible hose
5	5001229		1	Support (Heat exchange unit)
6	3010035		4	Hex screw [M8X60 8.8 ZC UNI 5737]
7	3060055		4	Split lock washer [D=8.4 C72 ZC]
8	5290095		1	Flexible hose
9	3101056		1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
10	2091326		4	Spacer (Casing)
11	3311408		1	Thermostat (Wire assembly)


Heat exchange unit (12V)

Table code

Sheet

7888010-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
1	5710118		1	Heat exchange unit
2	5710119		1	Electric fan (Heat exchange unit)
3	3101057		2	Straight pipe fitting [1"1/16-12 1"CIL. D20]
4	5290151		1	Flexible hose
5	5001229		1	Support (Heat exchange unit)
6	3040303		4	Stopnut [M8-70 UNI7473 NORM. ZC.]
7	3060055		4	Split lock washer [D=8.4 C72 ZC]
8	5290095		1	Flexible hose
9	3101056		1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
10	3311408		1	Thermostat (Wire assembly)




LIFTING HYDRAULIC CYLINDER (Hydraulic system)

Table code

Sheet

6230134-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220670	1	Valve (Overcenter)
	2	3060053	4	Split lock washer [D=6.4 C72 ZC]
	3	3010399	4	Hex screw [M6X55 8.8 ZC UNI 5739]
	4	3101124	2	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	5220300	1	Hose burst valve (Sleeve)
	7	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	5391731	1	Bonderized tube
	10	3120209	2	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	11	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	12	6430122	1	Lifting jack [Fixed]
	13	5280524	1	Flexible hose
	14	5280539	1	Flexible hose [Fixed]
	15	5261008	1	Flexible hose
	16	3101119	1	90° Connection [90° ORIENT.9/16-18 - 1/2"G]
	17	3080501	2	Grease nipple [M8X1.25]


LIFTING HYDRAULIC CYLINDER

Table code

Sheet

6430122-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070463	1	Cylinder
	2	5550737	1	Seal kit
	3	5140694	4	Bushing
	4	3450399	1	O-ring joint
	5	3460362	1	Anti-extrusion ring
	6	3450175	1	O-ring joint
	7	6040266	1	Close nipple
	8	3350120	4	Seal
	9	3381000	1	Seal
	10	3370175	1	Seal
	11	3420049	1	W-ring
	12	6030556	1	Rod unit [Fixed]
	13	3450155	1	O-ring joint
	14	6050272	1	Piston
	15	3060210	1	Grub screw (Worm screw) [M8X12 ZC UNI5927 ZC COMPA]
	16	3400534	1	Seal


1ST BOOM

Table code

Sheet

5470051-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030253	1	Main boom
	2	5150731	3	Pin
	3	3061013	3	Pin [D=10 L=80 h11]
	4	3040508	3	Self-locking ringnut
	5	3010032	1	Hex screw [M8X45 8.8 ZC UNI 5737]
	6	3060055	1	Split lock washer [D=8.4 C72 ZC]
	7	5000047	2	Clamp (Rigid Pipe)
	8	3190100	1	Insulator
	9	5140694	2	Bushing
	10	3080501	1	Grease nipple [M8X1.25]


Articulation Hydraulic jack (Hydraulic system)

Table code


Sheet

6230123-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220665	1	Holding valve
	2	3101051	4	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	4	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	5	5391734	1	Bonderized tube
	6	5280525	2	Flexible hose
	7	5391768	1	Bonderized tube
	8	5391769	1	Bonderized tube
	9	5280523	2	Flexible hose
	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
	12	6430123	1	Articulation Hydraulic jack [Fixed]




R	Pos.	Variant Code	Q.ty	Description
	1	6070465	1	Cylinder
	2	3420049	1	W-ring
	3	3350120	4	Seal
	4	3370175	1	Seal
	5	3381000	1	Seal
	6	6040266	1	Close nipple
	7	3450175	1	O-ring joint
	8	3460362	1	Anti-extrusion ring
	9	3450399	1	O-ring joint
	10	6030562	1	Rod unit [Fixed]
	11	3450155	1	O-ring joint
	12	6050272	1	Piston
	13	3400534	1	Seal
	14	3060210	1	Grub screw (Worm screw) [M8X12 ZC UNI5927 ZC COMICAL]
	15	5550737	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5030254	1	Secondary boom
RC	2	5000827	2	Button
	3	5001253	2	Button (Sliding block)
	4	5140743	2	Slide shoe
	5	3060920	2	Tooth lock washer [D.10 TIPO A]
	6	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	7	5140757	2	Sliding block (Brass)
	8	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	9	5000869	2	Plate (Crane levelling)
	10	5000771	4	Adjusting screw [M20 L=35]
	11	3040089	4	Lock nut
	12	5000047	3	Clamp (Rigid Pipe)
	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
	14	3010390	1	Hex screw [M8X35 ZC UNI 5739]
	15	5150733	1	Threaded pin
	16	3040504	2	Self-locking ringnut [M20X1 NORMALE ZC]
	17	5001138	2	Keep plate
	18	3060057	4	Split lock washer [D=12 C72 ZC]
	19	3010368	4	Hex screw [M12X20 8.8 ZC UNI 5739]
	20	5150732	2	Pin

R	Pos.	Variant Code	Q.ty	Description
	21	3010032	1	Hex screw [M8X45 8.8 ZC UNI 5737]




1st EXTENSION

Table code

Sheet

5490054-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020403	1	Extension
RC	2	5000827	4	Button
	3	5140743	4	Slide shoe
	4	5001253	4	Button (Sliding block)
	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	6	3060056	4	Split lock washer [D=10 C72 ZC]
	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	4	Adjusting screw [M20 L=35]
	9	3040089	4	Lock nut
	10	5000674	1	Keep plate
	11	3060055	2	Split lock washer [D=8.4 C72 ZC]
	12	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	13	5150734	1	Pin


Coupling (Hook)

Table code

Sheet

7880394-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200028	1	Swivel hook [T8]
	2	3200067	1	Shackles [T6.5]
	3	5020411	1	Hook coupling
	4	5150034	1	Pin
	5	3190010	1	Knob
	6	3060753	1	Cotter pin (Locking ring)


1st EXSTENSION HYDRAULIC (Hydraulic system)

Table code

Sheet

6210254-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410254	1	Extension Hydraulic jack [Fixed]
	2	5391804	1	Bonderized tube
	3	3190023	2	Clamp
	4	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	5	3190022	2	Clamp
	6	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	7	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	8	5001196	1	Valve support
	9	3020901	1	Socket head cap screw [M8X60 ZC UNI 5931]
	10	3101131	4	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	11	5391801	1	Bonderized tube
	12	5391803	1	Bonderized tube
	13	5391770	2	Bonderized tube
	14	5000047	7	Clamp (Rigid Pipe)
	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	17	5280538	2	Flexible hose
	18	5391772	1	Bonderized tube
	19	5391771	1	Bonderized tube
	20	3190171	1	Pipes guard

1st EXSTENSION HYDRAULIC (Hydraulic system)


Table code

Sheet

6210254-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5280526	2	Flexible hose
	22	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	23	5220654	1	regenerative valve (Manual pump)
	24	5280376	2	Flexible hose




1st EXSTENSION HYDRAULIC (Hydraulic system)

Table code

Sheet

6210254-2.0

1/2



VALIDO DA Giugno 2014
VALID FROM June 2014

R	Pos.	Variant Code	Q.ty	Description
	1	6410254	1	Extension Hydraulic jack [Fixed]
	2	5391804	1	Bonderized tube
	3	3190023	2	Clamp
	4	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	5	3190022	2	Clamp
	6	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	7	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	8	5001196	1	Valve support
	9	3020901	1	Socket head cap screw [M8X60 ZC UNI 5931]
	10	3101131	4	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	11	5391801	1	Bonderized tube
	12	5391803	1	Bonderized tube
	13	5391770	2	Bonderized tube
	14	5000047	7	Clamp (Rigid Pipe)
	15	3060055	4	Split lock washer [D=8.4 C72 ZC]
	16	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	17	5280538	2	Flexible hose
	18	5391772	1	Bonderized tube
	19	5391771	1	Bonderized tube
	20	3190171	1	Pipes guard

1st EXSTENSION HYDRAULIC (Hydraulic system)


Table code

Sheet

6210254-2.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5280526	2	Flexible hose
	22	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	23	5220755	1	regenerative valve
	24	5280376	2	Flexible hose




1st EXSTENSION HYDRAULIC

Table code


Sheet

6410254-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070464	1	Cylinder
	2	3450136	1	O-ring joint
	3	3460136	1	Anti-extrusion ring
	4	6040257	1	Close nipple
	5	3370134	1	Seal
	6	3420026	1	W-ring
	7	3400510	1	Seal
	8	3060234	1	Grub screw [Grano M6X10 UNI 5927 ZC.]
	9	6050143	1	Piston
	10	3450069	1	O-ring joint
	11	6030560	1	Rod unit [Fixed]
RC	12	5550779	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020404	1	Extension
	2	3060941	4	Grub screw
	3	5001105	4	Ring (Reduction)
	4	5150443	1	Pin
	5	5000674	1	Keep plate
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
RC	10	5000827	4	Button
	11	5140743	4	Slide shoe
	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	3060056	4	Split lock washer [D=10 C72 ZC]
	14	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	5001253	4	Button (Sliding block)

Coupling (Hook)


Table code

Sheet

7880395-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200028	1	Swivel hook [T8]
	2	3200067	1	Shackles [T6.5]
	3	5020412	1	Hook coupling
	4	5150822	1	Pin (Handle)
	5	3190010	1	Knob
	6	3060753	1	Cotter pin (Locking ring)



HYDRAULIC SYSTEM (2nd EXTENSION HYDRAULIC JACK)


Table code

Sheet

6210255-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6410255	1	Extension Hydraulic jack [Fixed]
	2	5391802	1	Bonderized tube
	3	5140133	2	Piping mounting
	4	3190022	2	Clamp




2nd EXTENSION HYDRAULIC JACK

Table code

Sheet

6410255-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070468	1	Cylinder
	2	3420023	1	W-ring
	3	3400083	1	
	4	6040258	1	Close nipple
	5	3460136	1	Anti-extrusion ring
	6	3450136	1	O-ring joint
	7	6050255	1	Piston
	8	3400510	1	Seal
	9	3450047	1	O-ring joint
	10	3460047	2	Anti-extrusion ring
	11	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	12	6030581	1	Rod unit [Fixed]
	13	3070150	2	Seeger
RC	14	5550780	1	Seal kit


3rd extension

Table code

Sheet

5540022-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020405	1	Extension
	2	3040519	4	Stopnut
	3	3060941	4	Grub screw
	4	5001105	4	Ring (Reduction)
	5	5000674	1	Keep plate
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	8	5150741	1	Pin
	9	5000771	4	Adjusting screw [M20 L=35]
	10	3040089	4	Lock nut
RC	11	5000827	4	Button
	12	5140743	2	Slide shoe
	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3060056	4	Split lock washer [D=10 C72 ZC]
	15	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	16	5001253	4	Button (Sliding block)
	17	5140733	2	Slide shoe

Coupling (Hook)


Table code

Sheet

7880396-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200028	1	Swivel hook [T8]
	2	3200067	1	Shackles [T6.5]
	3	5020413	1	Hook coupling
	4	5150238	1	Pin
	5	3190010	1	Knob
	6	3060757	1	Cotter pin (Locking ring)




HYDRAULIC SYSTEM (3rd extension Hydraulic jack)

Table code

Sheet

6210256-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5391806	1	Bonderized tube
	2	5391805	1	Bonderized tube
	3	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3190022	2	Clamp
	5	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3101219	1	45° Connection
	7	6410256	1	Extension hydraulic jack [Fixed]


3rd and 4th extension hydraulic cylinder

Table code


Sheet

6410256-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070466	1	Cylinder
	2	5001161	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420021	1	W-ring
	5	3400067	1	Seal
	6	6040259	1	Close nipple
	7	3460132	1	Anti-extrusion ring
	8	3450132	1	O-ring joint
	9	6050275	1	Piston
	10	3400509	1	Seal
	11	3460047	1	Anti-extrusion ring
	12	3450047	1	O-ring joint
	13	6040269	1	Ring nut
	14	3060248	1	Grub screw
	15	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	16	6030563	1	Rod unit [Fixed]
RC	17	5550781	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020406	1	Extension
	2	3040519	4	Stopnut
	3	3060941	4	Grub screw
	4	5001105	4	Ring (Reduction)
	5	5000674	1	Keep plate
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	8	5150443	1	Pin
RC	9	5000827	4	Button
	10	5140733	4	Slide shoe
	11	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	12	3060056	4	Split lock washer [D=10 C72 ZC]
	13	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	14	5001253	4	Button (Sliding block)
	15	5000771	4	Adjusting screw [M20 L=35]
	16	3040089	4	Lock nut


HYDRAULIC SYSTEM (4th extension Hydraulic jack)

Table code


Sheet

6210257-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410256	1	Extension hydraulic jack [Fixed]
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5391808	1	Bonderized tube
	4	5391807	1	Bonderized tube
	5	3101219	1	45° Connection
	6	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	7	3190022	3	Clamp



R	Pos.	Variant Code	Q.ty	Description
	1	5020407	1	Extension
	2	3040519	4	Stopnut
	3	3060941	4	Grub screw
	4	5001105	4	Ring (Reduction)
	5	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	6	3060911	1	Cotter pin
	7	5150649	1	Pin
RC	8	5000827	4	Button
	9	5140733	4	Slide shoe
	10	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3060056	4	Split lock washer [D=10 C72 ZC]
	12	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	13	5001253	4	Button (Sliding block)
	14	5000771	4	Adjusting screw [M20 L=35]
	15	3040089	4	Lock nut


5th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210258-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410258	1	Extension Hydraulic jack [Fixed]
	2	5391809	1	Bonderized tube
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	5140133	2	Piping mounting
	5	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	6	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	7	5391810	1	Bonderized tube
	8	3190022	3	Clamp


5th, 6th and 7th extension hydraulic cylinder

Table code


Sheet

6410258-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070467	1	Cylinder
	2	5001106	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420018	1	W-ring
	5	3370137	1	Seal
	6	6040254	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050290	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400507	1	Seal
	12	3460047	2	Anti-extrusion ring
	13	3450047	1	O-ring joint
	14	6040269	1	Ring nut
	15	3060248	1	Grub screw
	16	6030624	1	Rod unit [Fixed]
RC	17	5550783	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020408	1	Extension
	2	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	3	3060911	1	Cotter pin
	4	5150649	1	Pin
RC	5	5000827	2	Button
	6	5140733	2	Slide shoe
	7	5001253	2	Button (Sliding block)
	8	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	9	3060056	2	Split lock washer [D=10 C72 ZC]
	10	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	11	3040089	2	Lock nut
	12	5000771	2	Adjusting screw [M20 L=35]


6th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210259-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410259	1	Extension Hydraulic jack [Fixed]
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5391812	1	Bonderized tube
	4	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	5	5391811	1	Bonderized tube
	6	3190022	3	Clamp
	7	5140133	3	Piping mounting

6th extension Hydraulic jack


Table code


Sheet

6410259-1.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6070467	1	Cylinder
	2A	6030619	1	Rod unit [Fixed]
	2B	6030657	1	Rod unit [Marine]
	3	3070150	2	Seeger
	4	3420015	1	W-ring
	5	3370138	1	Seal
	6	6040270	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050289	1	Piston
	10	3400507	1	Seal
	11	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
RC	12	5550784	1	Seal kit





R	Pos.	Variant Code	Q.ty	Description
	1	5271403	2	Flexible hose
	2	5001187	1	Clamp (Set of hoses)
	3	5391820	1	Bonderized tube (Pipe)
	4	5391821	1	Bonderized tube (Pipe)
	5	3020899	1	TSEI screw [M8X20 10.9 ZC UNI 5933]
	6	5001334	1	Slide (Actuations)
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	9	5271401	2	Flexible hose
	10	5140742	2	Hydraulic hose guide
	11	5141000	1	Spacer (Rigid Pipe)
	12	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	13	5001333	1	Slide (ACTUATION)
	14	3020903	1	TSEI screw [M8X30 ZC UNI 5933]
	15	5001193	1	Plate (Hose clamp)
	16	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	17	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	18	5001596	1	Piping mounting
	19	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	20	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	21	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
	22	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	23	3110420	2	Quick coupling
	24	3110429	1	Female plug
	25	3110428	1	Male plug
	26	5391770	2	Bonderized tube
	27	5000047	6	Clamp (Rigid Pipe)
	28	3060055	4	Split lock washer [D=8.4 C72 ZC]
	29	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	30	3190221	1	Small plate (Collar)
	31	3190222	2	Collar (Flexible hose)
	32	5280538	2	Flexible hose
	33	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	34	5001576	2	


2st ACTIVATION FOR 1S

Table code

Sheet

5600051-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5271403	2	Flexible hose
	2	5391822	1	Bonderized tube (Pipe)
	3	5391823	1	Bonderized tube (Pipe)
	4	5271401	2	Flexible hose
	5	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	6	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	7	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	8	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	9	3110420	2	Quick coupling
	10	W734035	1	
	11	W734034	1	
	12	5391770	2	Bonderized tube
	13	5000047	6	Clamp (Rigid Pipe)
	14	3060055	4	Split lock washer [D=8.4 C72 ZC]
	15	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	16	3190221	1	Small plate (Collar)
	17	3190222	2	Collar (Flexible hose)
	18	5280538	2	Flexible hose
	19	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]

Schema di montaggio
con due attivazioni

Mounting with two
extra functions


1st ADDITIONAL ACTUATION

Table code

Sheet



5590067-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001187	1	Clamp (Set of hoses)
	2	5391820	1	Bonderized tube (Pipe)
	3	5391821	1	Bonderized tube (Pipe)
	4	3020899	1	TSEI screw [M8X20 10.9 ZC UNI 5933]
	5	5001334	1	Slide (Actuations)
	6	3010389	2	Hex screw [M10X35 ZC UNI 5739]
	7	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	8	5271401	2	Flexible hose
	9	5140742	2	Hydraulic hose guide
	10	5141000	1	Spacer (Rigid Pipe)
	11	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	12	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]

R	Pos.	Variant Code	Q.ty	Description
1		5391823	1	Bonderized tube (Pipe)
2		5391822	1	Bonderized tube (Pipe)
3		5271401	2	Flexible hose




**Schema di montaggio
con due attivazioni**


**Mounting with two
extra functions**



R	Pos.	Variant Code	Q.ty	Description
	1	5010300	1	Manual extension
	2	3190010	1	Knob
	3	5150238	1	Pin
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	4	Button
	6	5140733	2	Slide shoe
	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	10	5001253	4	Button (Sliding block)
RC	11	5140701	2	Slide shoe
	12	3080500	1	Grease nipple
	13	5000640	1	Lock (Manual extension)
	14	3200067	1	Shackles [T6.5]
	15	3200028	1	Swivel hook [T8]




R	Pos.	Variant Code	Q.ty	Description
	1	5010301	1	Manual extension
	2	3190010	1	Knob
	3	5150238	1	Pin
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	4	Button
	6	5140733	4	Slide shoe
	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	10	5001253	4	Button (Sliding block)
	11	3080500	1	Grease nipple
	12	5000640	1	Lock (Manual extension)




R	Pos.	Variant Code	Q.ty	Description
	1	5010302	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
	5	5140733	2	Slide shoe
RC	6	5000827	2	Button
	7	5001253	2	Button (Sliding block)
	8	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	9	3060056	2	Split lock washer [D=10 C72 ZC]
	10	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	11	3080500	1	Grease nipple
	12	5000640	1	Lock (Manual extension)

PER VERSIONE 3S
FOR VERSION 3S




R	Pos.	Variant Code	Q.ty	Description
	1	5010301	1	Manual extension
	2	3190010	1	Knob
	3	5150822	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	4	Button
	6	5140733	4	Slide shoe
	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	10	5001253	4	Button (Sliding block)
	11	3080500	1	Grease nipple
	12	5000640	1	Lock (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]




R	Pos.	Variant Code	Q.ty	Description
	1	5010302	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	4	Button
	6	5140733	4	Slide shoe
	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	10	5001253	4	Button (Sliding block)
	11	3080500	1	Grease nipple
	12	5000640	1	Lock (Manual extension)


R	Pos.	Variant Code	Q.ty	Description
	1	5010303	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
	5	3080500	1	Grease nipple
	6	5000640	1	Lock (Manual extension)



PER VERSIONE 4S
FOR VERSION 4S



R	Pos.	Variant Code	Q.ty	Description
	1	5010302	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	4	Button
	6	5140733	4	Slide shoe
	7	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	10	5001253	4	Button (Sliding block)
	11	3080500	1	Grease nipple
	12	5000640	1	Lock (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]



R	Pos.	Variant Code	Q.ty	Description
	1	5010303	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
	5	3080500	1	Grease nipple
	6	5000640	1	Lock (Manual extension)

Manual extension (1st)


Table code

Sheet

7800301-1.0


1/1


R	Pos.	Variant Code	Q.ty	Description
	1	5010303	1	Manual extension
	2	3190010	1	Knob
	3	5150395	1	Pin (Handle)
	4	3060757	1	Cotter pin (Locking ring)
	5	3080500	1	Grease nipple
	6	5000640	1	Lock (Manual extension)
	7	3200067	1	Shackles [T6.5]
	8	3200028	1	Swivel hook [T8]



PER VERSIONE 6S
FOR VERSION 6S

R	Pos.	Variant Code	Q.ty	Description
	1	5730507	1	
	2	3200050	1	Shackles
	3	W236510	1	
	4	3311542	1	






R	Pos.	Variant Code	Q.ty	Description
1	3040188	16	Hexagonal nut [M24X2 8G NORMALE UNI 5588]	
2	5000085	4	Plate (Upper)	
3	5150656	4	Threaded rod	
4	5000202	2	Plate (Lower)	
5	3040190	16	Nut	
6	5000090	8	Plate (Upper)	
7	5150661	4	Threaded rod	
8	5001204	2	Fixing plate (Tie rod)	
9	3190291	4	Tip (Rubber protection)	
10	3190292	4	Tip (Rubber protection)	





823 RDC

SCANRECO
RC 400



R	Pos.	Variant Code	Q.ty	Description
	1	5090636	1	Guard (Control levers)
	2	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	3010325	8	Hex screw [M6X16 8.8 ZC UNI 5739]
	5	3060053	8	Split lock washer [D=6.4 C72 ZC]
	6	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	7	5090637	1	Protective guard
	8	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
	10	5090739	1	
	11	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	12	5090744	1	


Control valve (4 section)

Table code

Sheet

5220720-1.0

1/1



	11
	12
	13
	14
	13
	14
	15
	15
	13

R	Pos.	Variant Code	Q.ty	Description
	1	5225545	4	Electric control (PVEA PER PVG32)
	2	5225398	4	Form (PVB DISTR. DANFOSS 157B6203)
	3	5225512	1	Outlet manifold
	4	5225511	1	Inlet manifold
	5	5225510	1	Solenoid valve (24V)
	6	3310238	1	Solenoid (12V)
	7	3310242	1	Solenoid (24V)
	8	5225533	1	Solenoid valve (12V)
	9	5225859	4	lever kit new PVG32 11046724
	10	5225397	4	MECHANICAL CONTROL LEVER SIDE
	11	5225558	1	Slider (PVG32 157B7131)
	12	5225536	1	Slider (PVG32 157B7472)
	13	5225368	1	Slider (PVG32 157B7122)
	14	5225340	1	Slider (PVG32 CA A40-B100 157B9505)
	15	5225508	1	Slider (PVG32 157B7022)
	16	5225858	4	LEVER KIT OLD PVG32 11046146


Moment limiting device (Remote control unit)

Table code


Sheet

5430057-1.0


1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5220631	1	Outlet valve (Limiting device)
	2	3010026	4	Hex screw [M6X80 8.8 ZC UNI 5737]
	3	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	4	3101034	5	Straight pipe fitting [7/16-20 1/4"CIL. D6 DIR.]
	5	5225405	1	Cartridge (Solenoid valve)
	6	3310021	1	Connector (Electric)
	7	5225678	1	Reel (12V)
	8	3310383	1	Reel (24V)
	9	5225415	1	Solenoid valve
	10	3101194	5	90° Connection [90° ORIENT.7/16-20 -1/4"CIL.]
	11	5260672	5	Flexible hose [Fixed]
	12	5220720	1	Control valve ass'y
	13	3180150	1	Pressure gauge
	14	5300035	1	Connecting pipe (Pressure gauge)
	15	5260350	1	Flexible hose [Fixed]
	16	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	17	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	18	3100952	1	Nut
	19	3100956	1	Ring (Tightening)
	20	3110062	1	Plug



R	Pos.	Variant Code	Q.ty	Description
	21	3060143	1	Sealing washer [BSP 1/4"]
	22	3010388	1	Hex screw [M6X60 ZC UNI 5737]
	23	3310238	1	Solenoid (12V)
	24	3310242	1	Solenoid (24V)
	25	3310153	2	Pressure monitor [PPC300 ATTACCO MASCHIO]
	26	5260549	1	Flexible hose
	27	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	28	3101215	2	Tee fitting
	29	3120200	2	Reducing fitting
	30	3101175	1	Tee fitting
	31	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	32	5260600	1	Flexible hose [Fixed]
	33	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	34	3110161	1	Reducing fitting
	35	3060145	1	Sealing washer [BSP 1/2"]
	36	5220578	1	Valve (Moment limiting device)
	37	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	38	5271436	1	Flexible hose [Fixed]
	39	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]




R	Pos.	Variant Code	Q.ty	Description
	1	3310534	1	
	2	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	3	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	4	3310535	1	
	5	3320026	1	
	6	3190226	1	Belt (Transmitter)
	7	3310483	2	Battery
	8	3310471	1	Battery charger
	9	3310536	1	
	10	3310445	8	Control lever
	11	3310683	1	
	12	3310850	1	
	13	3190259	1	



R	Pos.	Variant Code	Q.ty	Description
	1	3310602	1	Electric wiring
	2	3020023	12	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3310533	1	
	4	3310532	1	
	5	3310361	1	
	6	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	7	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	10	5001184	1	
	11	3310368	1	
	12	3310364	1	
	13	3310369	2	
	14	3310365	1	
	15	3310366	1	
	16	3310373	1	
	17	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	18	3310362	1	

**FUORI PRODUZIONE
SOLO COME PARTI RICAMBIO**

**OUT OF PRODUCTION
ONLY AS SPARE PARTS**




TWS

R	Pos.	Variant Code	Q.ty	Description
1	3310598	1		
2	3310595	1		
3	3310594	1		
4	3310593	1		
5	3310597	1		
6	3310610	2		
7	3310596	2		
8	3020023	4		Socket head cap screw [M5X16 8.8 ZC UNI 5931]
9	3310625	1		
10	3310592	1		
11	3040392	4		Stopnut [Dado Stop M5-70 norm.]
12	5001184	1		
13	3010034	2		Hex screw [M8X55 8.8 UNI 5737 ZC]
14	3020040	4		Socket head cap screw [M6X40 8.8 ZC UNI 5931]
15	3040303	2		Stopnut [M8-70 UNI7473 NORM. ZC.]
16	3020909	4		Socket head cap screw
17	3310601	1		
18	3310533	1		
19	3310602	1		Electric wiring
20	3310361	1		

R	Pos.	Variant Code	Q.ty	Description
	21	3310555	1	
	22	3310603	1	
	23	3310626	1	

**FUORI PRODUZIONE
SOLO COME PARTI RICAMBIO**


**OUT OF PRODUCTION
ONLY AS SPARE PARTS**







823 RDC EBB




R	Pos.	Variant Code	Q.ty	Description
	1	5090636	1	Guard (Control levers)
	2	3040045	2	Nut
	3	3010339	2	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	4	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	5	3060056	3	Split lock washer [D=10 C72 ZC]
	6	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	7	5090890	1	
	8	3020022	4	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	9	3060149	4	Tooth lock washer [D.5 TIPO A]
	10	5001414	1	
	11	3190178	6	Flat washer
	12	2091326	3	Spacer (Casing)
	13	3060053	3	Split lock washer [D=6.4 C72 ZC]
	14	3010018	3	Hex screw [M6X40 8.8 ZC UNI 5737]

VALIDO FINO a Giugno 2010

VALID UNTIL June 2010

VALIDO DA Luglio 2010

VALID FROM July 2010




VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5090636	1	Guard (Control levers)
	2	3040045	2	Nut
	3	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	5091219	1	Distributor support
	5	5220373	1	Control valve
	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	8	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	3060056	3	Split lock washer [D=10 C72 ZC]
	10	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3060005	5	Flat washer [D.6.4 UNI 6592 ZC]
	13	3020034	10	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	14	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	15	W340501400	2	Support (Clamp)
	16	5002043	1	Bow (Electric cable)
	17	5091218	1	Bonnet (CONTROLS WITH THERMOFORMABLE)
	18	5002024	1	Support (Electric box)
	19	5002028	2	
	20	5813516	1	Name plate (Control)

VALIDO DA Luglio 2010

VALID FROM July 2010



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	21	W573266	1	Small plate (CONTROL SYMBOLS)
	22	W573267	1	Small plate (CONTROL SYMBOLS)
	23	W573269	1	Small plate (CONTROL SYMBOLS)
	24	W573270	1	Small plate (CONTROL SYMBOLS)
	25	3020439	6	TSEI screw [M6X16 ZC UNI 5933]
	26	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	27	3310853	1	Electric box
	28	3060053	3	Split lock washer [D=6.4 C72 ZC]


Control valve (4 section)

Table code

Sheet

5220373-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5225398	4	Form (PVB DISTR. DANFOSS 157B6203)
	3	5225512	1	Outlet manifold
	4	5225511	1	Inlet manifold
	5	5225533	1	Solenoid valve (12V)
	6	5225510	1	Solenoid valve (24V)
	7	3310238	1	Solenoid (12V)
	8	3310242	1	Solenoid (24V)
	9	5225859	4	lever kit new PVG32 11046724
	10	5225397	4	MECHANICAL CONTROL LEVER SIDE
	11	5225558	1	Slider (PVG32 157B7131)
	12	5225536	1	Slider (PVG32 157B7472)
	13	5225368	1	Slider (PVG32 157B7122)
	14	5225340	1	Slider (PVG32 CA A40-B100 157B9505)
	15	5225508	1	Slider (PVG32 157B7022)
	16	5225858	4	LEVER KIT OLD PVG32 11046146
	17	5225570	4	Seal kit (Control valve)
	18	5225568	1	Seal kit (Control valve)
	19	5225572	1	Seal kit (Control valve)
	20	5225571	4	Seal kit (Control valve)

Control valve (4 section)


Table code

Sheet

5220373-1.0


2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5225569	3	Seal kit (Control valve)
	22	5226006	4	KIT LEVA PVG32 11107587 New2014



VALIDO FINO A Dicembre 2010


VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5160001	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160049	1	Electric wiring
	5	3310606	1	Moment limiting device


VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010




R	Pos.	Variant Code	Q.ty	Description
	1	3310541	1	Inclination sensor ON-OFF
	2	5160002	1	Electric wiring
	3	3310723	1	Inclination sensor ON-OFF

R	Pos.	Variant Code	Q.ty	Description
	1	3310541	1	Inclination sensor ON-OFF
	2	5160016	1	Electric wiring
	3A	5160015	1	Electric wiring
	3B	5160019	1	Electric wiring
	4	3310723	1	Inclination sensor ON-OFF



VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010




R	Pos.	Variant Code	Q.ty	Description
2		5160001	1	Electric wiring
3		3310612	1	Pressure sensor
1A		5160015	1	Electric wiring
1B		5160019	1	Electric wiring


1A per/for 6S m26
1B per/for 4S m21

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5160004	1	WIRING FOR WINCH
	2	5160013	1	Plug (Winch)
	3	3310663	1	




R	Pos.	Variant Code	Q.ty	Description
1	5160009	2	Electric wiring	
2	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]	
3	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]	
4	3040392	4	Stopnut [Dado Stop M5-70 norm.]	
5	W610504600	1	Support (Microswitch)	
6	3020024	4	Socket head cap screw [M5X35 8.8 ZC UNI 5931]	
7	5001173	1		
8	3060056	2	Split lock washer [D=10 C72 ZC]	
9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]	

VALIDO FINO A Dicembre 2010

VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5160003	1	Electric wiring
	2	5001657	1	
	3	3310819	1	
	4	3310809	1	
	5	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	6	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]




Pilot lamp

Table code

Sheet


7885015-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001662	1	
	2	3310811	1	
	3	3310812	1	
	4	3310810	1	
	5	3310818	3	
	6	3310813	3	
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	9	3310911	1	

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring





Valido da Matricola / Valid from S/N
27611

Valido da Matricola / Valid from S/N
99888


Valido da Matricola / Valid from S/N
200712

R	Pos.	Variant Code	Q.ty	Description
	1	5160006	1	






R	Pos.	Variant Code	Q.ty	Description
	1	3310772	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310775	1	Aerial (Wireless control)
	13	3310771	1	Receiver
	14	3310912	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]



R	Pos.	Variant Code	Q.ty	Description
	1	3310808	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310775	1	Aerial (Wireless control)
	13	3310807	1	Receiver
	14	3310912	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]




R	Pos.	Variant Code	Q.ty	Description
	1	3311116	1	
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001730	1	Support (Receiver)
	12	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	13	3060056	3	Split lock washer [D=10 C72 ZC]
	14	3010349	3	Hex screw [M10X20 10.9 ZC UNI 5739]
	15	3310775	1	Aerial (Wireless control)
	16	3311115	1	
	17	3310912	1	Electric wiring

R	Pos.	Variant Code	Q.ty	Description
	1	3180141	1	Oil filter
	2	3180140	1	Clogging indicator
RC	3	3180143	1	Filtering cartridge
	4	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	8	3110050	1	Female plug [TAPPO F JIC 7/8"-14]

VALIDO FINO a Marzo 2007

VALID UNTIL March 2007



High pressure filter

Table code

Sheet


5400244-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3180159	1	Oil filter
	2	3180192	1	Pressure gauge (Clogging indicator)
	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]

VALIDO DA Aprile 2007

VALID FROM April 2007




High pressure filter

Table code

Sheet


3180159-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3180159	1	Oil filter
	2	3180192	1	Pressure gauge (Clogging indicator)
	3	3450080	1	O-ring joint
	4	3460080	1	Anti-extrusion ring
	5	3180160	1	Filtering cartridge

R	Pos.	Variant Code	Q.ty	Description
1		5730507	1	
2		3200050	1	Shackles
3		W236508	1	
4		3311542	1	








823 EBB - EN 12999 - A3

VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
1		5091299	2	
2		5002060	2	
3		3311311	2	Proximity switch (Position sensor)
4		3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
5		3311313	2	
6		3040518	6	Stopnut [STOP M4]
7		3060004	8	Flat washer [D.5 UNI 6592 ZC]
8		3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
9		3311312	1	Proximity switch
10		3311377	1	Electric wiring
11		3311372	1	Electric wiring
12		3311332	1	Electric wiring
13		3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
14		3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
15		3311398	1	
16		3311325	2	
17		5000436	2	
18		5000426	1	Support (Proximity switch)
19		3020895	2	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
20		5002114	2	Hook (latch) (Cable)

VALIDO DA Gennaio 2011

VALID FROM January 2011

VALIDO FINO A Settembre 2011


VALID UNTIL September 2011



R	Pos.	Variant Code	Q.ty	Description
1	5091301		1	
2	3020080		2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
3	3060030		2	Flat washer [D.6.6X18 UNI 6593 ZC]
4	5141080		1	
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020019		3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
7	3040518		3	Stopnut [STOP M4]
8	3311313		1	
9	3311327		1	Connector (Electric)
10	3311325		1	
11	5141079		1	
12	3060056		2	Split lock washer [D=10 C72 ZC]
13	3060914		2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
14	3311326		1	
15	3190295		mt2.5	
16	3190036		1	
17	3190301		2	
18	3010022		2	Hex screw [M6X25 8.8 ZC UNI 5739]
19	5002124		1	
20	3060005		4	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011

VALID FROM October 2011




**BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE**


R	Pos.	Variant Code	Q.ty	Description
1	5091301		1	
2	3020080		2	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
3	3060030		2	Flat washer [D.6.6X18 UNI 6593 ZC]
4	5141080		1	
5	3040372		3	Stopnut [M6-70 UNI7473 NORM. ZC.]
6	3020019		3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
7	3040518		3	Stopnut [STOP M4]
8	3311313		1	
9	3311327		1	Connector (Electric)
10	3311325		1	
11	5141120		2	Half ring
12	3060056		2	Split lock washer [D=10 C72 ZC]
13	3060914		2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
14	3311326		1	
15	3190295		mt2.5	
16	5000454		1	
17	3190301		2	
18	3010022		1	Hex screw [M6X25 8.8 ZC UNI 5739]
19	5002124		1	
20	3060005		3	Flat washer [D.6.4 UNI 6592 ZC]

VALIDO DA Ottobre 2011
VALID FROM October 2011


R	Pos.	Variant Code	Q.ty	Description
	21	3020907	1	TSEI screw [M6X25 10.9 ZC UNI 5933]
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	6	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	6	Flat washer [D.5 UNI 6592 ZC]



BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE



R	Pos.	Variant Code	Q.ty	Description
	1	5091395	2	Support (Proximity sensor)
	2	5002189	2	Guard (Proximity sensor)
	3	3311311	2	Proximity switch (Position sensor)
	4	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	5	3060053	4	Split lock washer [D=6.4 C72 ZC]
	6	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	7	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	8	3060052	8	Split lock washer [D=5.5 C72 ZC]
	9	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	10	5002184	2	Support (Encoder)
	11	3311313	2	
	12	5091392	2	Support
	13	5002181	4	Cables guard
	14	5002175	2	Brush
	15	3190039	4	Insulator
	16	5002114	2	Hook (latch) (Cable)
	17	5002183	2	Hook (latch) (Cable)
	18	5002185	1	Support (Proximity switch)
	19	3311312	1	Proximity switch
	20	3190021	2	Clamp [104-138 12.2 ABA]




R	Pos.	Variant Code	Q.ty	Description
	21	3020019	4	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	22	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	23	3040518	4	Stopnut [STOP M4]
	24	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	25	3311372	1	Electric wiring
	26	3311325	2	
	27	3311323	1	
	28	3311377	1	Electric wiring
	29	3311332	1	Electric wiring

VERSION 2012

VALIDO DA Gennaio 2012

VALID FROM January 2012

BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE




R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
	2	3020080	4	Socket head cap screw [M10X16 12.9 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
	8	3311313	1	
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141120	2	Half ring
	12	3060056	4	Split lock washer [D=10 C72 ZC]
	13	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5091376	1	Guard (Half ring)
	19	5002177	1	Cover (Encoder)
	20	3060052	10	Split lock washer [D=5.5 C72 ZC]

VERSION 2012

VALIDO DA Gennaio 2012

VALID FROM January 2012



R	Pos.	Variant Code	Q.ty	Description
	21	3190178	2	Flat washer
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	16	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	16	Flat washer [D.5 UNI 6592 ZC]
	26	5091374	1	Guard (Half ring)
	27	3190039	2	Insulator
	28	3311398	1	

CONTROLS WITH THERMOFORMABLE (RDC EBB-X TCU-ECM4)

Table code


Sheet

5401218-1.0

1/2

VALIDO DA Gennaio 2011

VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5090636	1	Guard (Control levers)
	2	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	3	3010339	6	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	4	5091219	1	Distributor support
	5	5220373	1	Control valve
	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	8	3010355	3	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	3060056	3	Split lock washer [D=10 C72 ZC]
	10	3060914	3	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	12	3060005	5	Flat washer [D.6.4 UNI 6592 ZC]
	13	3020034	10	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	14	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	15	W340501400	2	Support (Clamp)
	16	5002043	1	Bow (Electric cable)
	17	5091218	1	Bonnet (CONTROLS WITH THERMOFORMABLE)
	18	5002024	1	Support (Electric box)
	19	5002028	2	
	20	5813516	1	Name plate (Control)

CONTROLS WITH THERMOFORMABLE (RDC EBB-X TCU-ECM4)

Table code


Sheet

5401218-1.0

2/2

VALIDO DA Gennaio 2011


VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	21	W573266	1	Small plate (CONTROL SYMBOLS)
	22	W573267	1	Small plate (CONTROL SYMBOLS)
	23	W573269	1	Small plate (CONTROL SYMBOLS)
	24	W573270	1	Small plate (CONTROL SYMBOLS)
	25	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	26	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	27	3311405	1	
	28	3020436	2	TSEI screw [M6X10 ZC UNI 5933]
	29	3060053	3	Split lock washer [D=6.4 C72 ZC]
	30	5813567	1	Small plate (Emergency button)

VALIDO DA Gennaio 2011
VALID FROM January 2011


No CE
Not CE



R	Pos.	Variant Code	Q.ty	Description
	1	3311150	1	Inclination sensor 360°
	2	5160002	1	Electric wiring
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	5160053	1	Electric wiring
	11	5160049	1	Electric wiring


VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5160084	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160072	1	Electric wiring
	5	3311421	1	Moment limiting device [SUPERATO]
	6	3111512	1	90° Connection
	7	3110266	1	Straight pipe fitting
	8	3060143	1	Sealing washer [BSP 1/4"]

VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

R	Pos.	Variant Code	Q.ty	Description
	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)




VALIDO DA Gennaio 2011
VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
1 A	5160077		1	
1 B	5160078		1	
2	5160079		1	Electric wiring
3	3310612		1	Pressure sensor
4	5160080		1	Plug (Electric components)

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5160004	1	WIRING FOR WINCH
	2	5160013	1	Plug (Winch)
	3	3310663	1	

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring
	3	3311131	1	Electric cable




VALIDO DA Gennaio 2011

VALID FROM January 2011

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311429	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310861	1	Aerial (Wireless control)
	13	3311433	1	Receiver
	14	3311432	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311431	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310861	1	Aerial (Wireless control)
	13	3311435	1	Receiver
	14	3311432	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]

CAN-BUS

EN - 12999 - A3




R	Pos.	Variant Code	Q.ty	Description
	1	3311430	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3311131	1	Electric cable
	12	3310861	1	Aerial (Wireless control)
	13	3311434	1	
	14	3311432	1	Electric wiring
	15	3310924	1	Key (Red)
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]

SCANRECO
RC 400 G2B

CAN-BUS


EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311529	1	
	2	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3311242	1	Extension terminal (Aerial)
	5	3311528	1	
	6	3190226	1	Belt (Transmitter)
	7	3310483	2	Battery
	8	3310471	1	Battery charger
	9	3311279	1	Electric cable (PROGRAMMING)
	10	3310445	6	Control lever
	11	3311275	1	Aerial (RADIO)
	12	3311532	1	Display
	13	3311531	1	Electric wiring (Wireless control)
	14	3060052	4	Split lock washer [D=5.5 C72 ZC]
	15	3060004	4	Flat washer [D.5 UNI 6592 ZC]




823 5S-JIB 2S



R	Pos.	Variant Code	Q.ty	Description
1	5030263		1	JIB ARM
2	5150684		1	Threaded pin
3	3040502		1	Self-locking ringnut [M25X1.5 NORMALE ZC]
4	3060608		1	Spring pin
5	5150435		1	Threaded pin
6	3040504		2	Self-locking ringnut [M20X1 NORMALE ZC]
7	5000685		6	Plate (Thickness)
8	3060006		8	Flat washer [D.8 UNI 6592 ZC]
9	3010027		2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
10	5001087		2	Button (Control board)
11	3060918		2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
12	3010336		2	Hex screw [M8X12 8.8 ZC UNI 5739]
13	5140656		2	Button (Backlash)
14	5140977		2	Slide shoe
15	5000077		2	Clamp (Rigid Pipe)
16	3060055		10	Split lock washer [D=8.4 C72 ZC]
17	3010029		2	Hex screw [M8X30 8.8 ZC UNI 5737]
18	3080501		1	Grease nipple [M8X1.25]
19	5140122		2	Bushing
20	3010031		2	Hex screw [M8X40 8.8 ZC UNI 5737]

R	Pos.	Variant Code	Q.ty	Description
	21	3190204	2	Plate (Collar)
	22	3190172	4	Clamp (Set of hoses)
	23	5001581	1	Guard (Valve)
	24	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]




1st EXTENSION (JIB)

Table code

Sheet

5490007-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020316	1	Extension
	2	5150432	2	Threaded pin
	3	3040504	4	Self-locking ringnut [M20X1 NORMALE ZC]
	4	5000685	2	Plate (Thickness)
	5	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	8	5001087	4	Button (Control board)
	9	5140977	4	Slide shoe
	10	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	11	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	12	5140656	4	Button (Backlash)


HYDRAULIC SYSTEM (1th extension hydraulic cylinder)

Table code


Sheet

6210343-1.0

1/1





R	Pos.	Variant Code	Q.ty	Description
	1	5220122	1	Valve
	2	3010017	2	Hex screw [M6X35 8.8 ZC UNI 5737]
	3	3060053	2	Split lock washer [D=6.4 C72 ZC]
	4	5000693	1	Valve support
	5	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	6	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	7	3060144	1	Sealing washer [BSP 3/8"]
	8	3110112	1	Straight pipe fitting [M/F BSP 3/8"H=26]
	9	3120303	1	Tee fitting [RACC.T 3/4-16JIC MJ MGAS3/8]
	10	5392074	1	Bonderized tube
	11	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	12	5392072	1	Bonderized tube
	13	6410160	1	Extension Hydraulic jack
	14	3190029	4	Clamp
	15	5140133	2	Piping mounting
	16	5271000	2	Flexible hose
	17	5391894	2	Bonderized tube
	18	3190172	2	Clamp (Set of hoses)
	19	3060055	2	Split lock washer [D=8.4 C72 ZC]
	20	3010030	2	Hex screw [M8X35 8.8 ZC UNI 5737]



R	Pos.	Variant Code	Q.ty	Description
	1	5271463	1	Flexible hose
	2	5001193	2	Plate (Hose clamp)
	3	3020903	2	TSEI screw [M8X30 ZC UNI 5933]
	4	5271402	2	Flexible hose
	5	3010389	12	Hex screw [M10X35 ZC UNI 5739]
	6	3040304	12	Stopnut [M10-70 NORM.8G ZC.]
	7	5001333	1	Slide (ACTUATION)
	8	3020899	5	TSEI screw [M8X20 10.9 ZC UNI 5933]
	9	5001344	5	
	10	3010414	5	Hex screw [M8X90 8.8 ZC UNI 5737]
	11	5140742	8	Hydraulic hose guide
	12	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	13	5001187	5	Clamp (Set of hoses)
	14	5391820	10	Bonderized tube (Pipe)
	15	5391821	5	Bonderized tube (Pipe)
	16	5271401	8	Flexible hose
	17	5271403	2	Flexible hose
	18	5000047	6	Clamp (Rigid Pipe)
	19	3060055	3	Split lock washer [D=8.4 C72 ZC]
	20	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]

R	Pos.	Variant Code	Q.ty	Description
	21	5391770	2	Bonderized tube
	22	5280538	2	Flexible hose
	23	3101051	2	Straight pipe fitting [7/8-14 1/2"Cl. D16]





R	Pos.	Variant Code	Q.ty	Description
	1	6070347	1	Cylinder
	2	6030339	1	Rod unit
	3	6050234	1	Piston
	4	6040248	1	Close nipple
	5	3400506	1	Seal
	6	3450062	1	O-ring joint
	7	3460067	1	Anti-extrusion ring
	8	3450077	1	O-ring joint
	9	3460077	1	Anti-extrusion ring
	10	3400067	1	Seal
	11	3420021	1	W-ring
	12	5550682	1	Seal kit


2nd EXTENSION

Table code

Sheet

5530006-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020317	1	Extension
	2	5140977	2	Slide shoe
	3	5150434	1	Threaded pin
	4	3040498	2	Self-locking ringnut
	5	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	6	3200050	1	Shackles
	7	3200027	1	Swivel hook [T5.4]
	8	5140656	2	Button (Backlash)
	9	5001087	2	Button (Control board)
	10	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	11	3060006	2	Flat washer [D.8 UNI 6592 ZC]

2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)


Table code

Sheet

6210344-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6410161	1	Extension Hydraulic jack
	2	5391261	1	Bonderized tube
	3	5392073	1	Bonderized tube
	4	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	5	5220556	1	Sequence valve
	6	3120066	1	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	7	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	8	5140133	2	Piping mounting
	9	3190029	2	Clamp




2nd EXTENSION HYDRAULIC JACK

Table code

Sheet

6410161-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070348	1	Cylinder
	2	3040377	1	Stopnut
	3	6050025	1	Piston
	4	3400505	1	Seal
	5	3450050	1	O-ring joint
	6	3450117	1	O-ring joint
	7	3460255	1	Anti-extrusion ring
	8	6040153	1	Close nipple
	9	3400043	1	Seal
	10	3420015	1	W-ring
	11	6030340	1	Rod unit
	12	5550683	1	Seal kit


KIT CONNECTING ROD (JIB)

Table code

Sheet

5360013-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090753	2	Rod Strut
	2	5140124	2	Bushing
	3	5150682	1	Threaded pin
	4	3060608	2	Spring pin
	5	3040502	2	Self-locking ringnut [M25X1.5 NORMALE ZC]
	6	3080501	2	Grease nipple [M8X1.25]
	7	5090752	2	Link rod (Tie rod)
	8	5150683	1	Pin assembly
	9	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	10	5001138	1	Keep plate
	11	3020874	2	Socket head cap screw [M12X20 ZC UNI 5931]
	12	3060057	2	Split lock washer [D=12 C72 ZC]
	13	5150685	1	Threaded pin


Coupling (Articulated extension)

Table code

Sheet

5780017-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090830	1	
	2	5150682	1	Threaded pin
	3	3060608	1	Spring pin
	4	5140122	4	Bushing
	5	5001305	2	
	6	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	7	3190172	2	Clamp (Set of hoses)
	8	3190204	2	Plate (Collar)
	9	3080501	2	Grease nipple [M8X1.25]
	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
	12	3190010	1	Knob
	13	5150396	1	Pin (Handle)
	14	3060750	1	Cotter pin (Ring)
	15	5140656	4	Button (Backlash)
	16	5000771	4	Adjusting screw [M20 L=35]
	17	3040089	4	Lock nut


Articulation Hydraulic jack (Hydraulic system)

Table code

Sheet

6230131-3.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6430131	1	Articulation Hydraulic jack
	2	5391047	1	Bonderized tube
	3	5220674	1	Valve (Overcenter)
	4	3060055	4	Split lock washer [D=8.4 C72 ZC]
	5	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
	6	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	7	5271433	1	Flexible hose
	8	5271432	1	Flexible hose
	9	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	10	3110420	2	Quick coupling
	11	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	12	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	13	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	14	5001596	1	Piping mounting
	15	3020903	1	TSEI screw [M8X30 ZC UNI 5933]
	16	W440500800	2	Bonderized tube () [Tubo FE 12x1.5 zc]
	17	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	18	5001193	2	Plate (Hose clamp)
	19	5271401	12	Flexible hose
	20	3020899	5	TSEI screw [M8X20 10.9 ZC UNI 5933]

Articulation Hydraulic jack (Hydraulic system)


Table code


Sheet

6230131-3.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5001187	5	Clamp (Set of hoses)
	22	5391822	12	Bonderized tube (Pipe)
	23	5391823	12	Bonderized tube (Pipe)
	24	5271563	2	Flexible hose
	25	5000047	6	Clamp (Rigid Pipe)
	26	3010031	3	Hex screw [M8X40 8.8 ZC UNI 5737]
	27	5391935	2	Bonderized tube
	28	5280600	2	Flexible hose
	29	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]





R	Pos.	Variant Code	Q.ty	Description
	1	6070344	1	Cylinder
	2	6030605	1	Rod unit
	3	5140122	4	Bushing
	4	3400090	1	Seal
	5	3420026	1	W-ring
	6	6040103	1	Close nipple
	7	6050231	1	Piston
	8	3040501	1	Self-locking ringnut [M35X1.5 NORMALE ZC]
	9	3400512	1	Seal
	10	3450210	1	O-ring joint
	11	3460329	1	Anti-extrusion ring
	12	3450114	1	O-ring joint
	13	3080501	2	Grease nipple [M8X1.25]
	14	5550699	1	Seal kit

Kit activation hydraulic input (Articulated extension)


Table code

Sheet

5590083-1.0


1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3101125	1	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	2	5260617	1	Flexible hose
	3	5260623	1	Flexible hose
	4	5260731	3	Flexible hose
	5	5391985	4	Bonderized tube
	6	5260619	1	Flexible hose



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)

Kit activation hydraulic input (Articulated extension)

Table code

Sheet


5401467-5.0

1/1


R	Pos.	Variant Code	Q.ty	Description
	1	3310612	1	Pressure sensor
	2	5160079	1	Electric wiring
	3 A	5160077	1	
	3 B	5160078	1	
	4	5160080	1	Plug (Electric components)

VALIDO DA Gennaio 2011

VALID FROM January 2011




R	Pos.	Variant Code	Q.ty	Description
	1	5090837	1	
	2	3190100	3	Insulator
	3	3190010	1	Knob
	4	3040047	2	Nut
	5	5150475	1	
	6	3040306	3	Stopnut [Dado Stop M14-70 Norm]
	7	3060753	1	Cotter pin (Locking ring)
	8	3010092	1	Hex screw [M14X140 8.8 ZC UNI 5737]
	9	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
	10	3060056	4	Split lock washer [D=10 C72 ZC]
	11	5001278	1	







823 CIA

R	Pos.	Variant Code	Q.ty	Description
	1	5281058	2	
	2	5391770	2	Bonderized tube
	3	5271470	2	Flexible hose





R	Pos.	Variant Code	Q.ty	Description
	1	5271470	2	Flexible hose
	2	5001187	1	Clamp (Set of hoses)
	3	5391820	1	Bonderized tube (Pipe)
	4	5391821	1	Bonderized tube (Pipe)
	5	3020899	1	TSEI screw [M8X20 10.9 ZC UNI 5933]
	6	5001334	1	Slide (Actuations)
	7	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	8	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	9	5271401	2	Flexible hose
	10	5140742	2	Hydraulic hose guide
	11	5141000	1	Spacer (Rigid Pipe)
	12	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	13	5001333	1	Slide (ACTUATION)
	14	3020903	1	TSEI screw [M8X30 ZC UNI 5933]
	15	5001193	1	Plate (Hose clamp)
	16	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]
	17	W440500800	2	Bonderized tube () [Tubo FE 12x1.5 zc]
	18	5001596	1	Piping mounting
	19	3120310	2	Wall-through pipe fitting [MJ 3/4 -16]
	20	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	21	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]
	22	3120066	2	Straight pipe fitting [FJ3/4 -16GIR. MJ3/8"]
	23	3110420	2	Quick coupling
	24	3110429	1	Female plug
	25	3110428	1	Male plug