



Model
2 ARTICULATED BOOM
929

Logbook code
7845500.0
Edition
06/2020



INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A The number of the catalog page.

B The code of the table.

C The title of the table.

D Section of the model variant.

Table index

Logbook code

7880484.1

5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215	820 EBB - EN 12000 - A3				
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237	820 5S - JIB 2S				

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257	820 CIA				
258	5550096-1.0	1	1st ACTIVATION FOR 1S		
259	5550096-2.0	1	1st ACTIVATION FOR 1S		

7

A

B

C

D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with: RE 217XXXX
17 - indicate the year XXXX - is a progressive number

Table code

5402956-3.0

1/1

R	Pos.	Code Variant	Qty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]




Table index

Logbook code

7845500.0

Sheet

1/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
9	5502000-3.0	1	Plate kit (Generic Gru)		
10	5501870-1.0	1	Plate kit (Version)		
11	7885265-1.0	1	Greasing kit		
12	5420135-1.0	1	Base		
13	6240158-1.0	1	Slewing		
14	6240222-1.0	1	SLEWING ASS'Y (Split locking ring)		
15	6240222-2.0	1	SLEWING ASS'Y (Double Flange)		
16	6240158-2.0	1	Slewing Hydraulic jack (Hydraulic system)		
17	7885484-1.0	1	Rotation Pressure Limiting Device		
18	5760348-1.0	1	Stabilizer connecting rods extra-extensible		
19	6200287-1.0	1	Hydraulic system (STABILISER RAM)		
20	6400287-1.0	1	STABILISER RAM		
21	5760348-2.0	1	Stabilizer with mechanical stop (Slewing)		
22	5760362-1.0	1	Stabilizer connecting rods extra-extensible (Revolving)		
24	6200289-1.0	1	STABILISER RAM (ROTATING)		
26	6400289-1.0	1	Stabilizer Hydraulic jack		
27	6200330-1.0	1	STABILISER RAM (ROTATING)		
28	6400330-1.0	1	Stabilizer Hydraulic jack		
29	5402704-3.0	1	CLOSING CONTROL KIT STABILIZERS		
30	5411370-1.0	1	SLEWING ASS'Y (STABILISER RAM)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
33	5411491-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
36	5414070-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
39	5414071-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
42	5380049-1.0	1	ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE		
43	6200271-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Hydraulic system)		
44	6400271-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER (Extra-extensible)		
45	5380049-2.0	1	hydraulic lengthening (Stabilizer connecting rods extra-extensible)		
47	5380049-3.0	1	hydraulic lengthening (Stabilizer connecting rods extra-extensible)		
49	5402692-1.0	1	CONTROLS (stabilizers)		
51	5220883-1.0	1	STABILIZER CONTROL VALVE (4 section)		
52	5402699-1.0	1	DOUBLE CONTROLS (not CE)		
55	5220493-1.0	1	Control valve (5 section)		
57	5212056-1.0	1	6th extra function kit closed center spool		
59	5212058-1.0	1	6th extra function kit open center spool		
61	5212057-1.0	1	7th extra function kit closed center spool		
63	5430223-1.0	1	Moment limiting device		
65	7920089-1.0	1	Kit (Pressure gauge)		
66	5440131-1.0	1	A.V.P.S. (Hydraulic system)		
68	5402691-1.0	1	DOUBLE CONTROLS (EN12999-A3)		
71	5220489-1.0	1	Control valve (5 section)		

Table index

Logbook code

Sheet

7845500.0
2/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
73	5440130-1.0	1	Solenoid valve (STABILIZER CONTROL VALVE)		
74	5402691-2.0	1	DOUBLE CONTROLS (EN12999-A3)		
75	5402691-3.0	1	DOUBLE CONTROLS (EN12999-A3)		
76	5402691-4.0	1	DOUBLE CONTROLS (EN12999-A3)		
77	5401818-1.0	1	Hydraulic oil tank		
79	3180196-1.0	1	Oil filter (RFA220)		
80	3180159-1.0	1	High pressure filter		
81	7885199-1.0	1	Rotation limiting device (Electric)		
82	5460124-1.0	1	Column		
83	6230187-1.0	1	Hydraulic system (Lifting hydraulic cylinder)		
84	5450083-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
85	5450090-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
86	6430187-1.0	1	Lifting hydraulic cylinder		
87	5470116-1.0	1	1st Boom		
88	5360022-1.0	1	COLUMN CONNECTING RODS		
89	6230188-1.0	1	Articulation Hydraulic jack (Hydraulic system)		
90	6430188-1.0	1	Articulation Hydraulic jack		
91	5360023-1.0	1	Linkage 1th e 2nd boom		
92	5480121-1.0	1	2nd Boom		
93	5490109-1.0	1	1st Extension		

Page	Table code	Q.ty	Table heading	Vers.	Validity
95	6210493-1.0	1	1st Extension hydraulic (Hydraulic system)		
96	6410493-1.0	1	1th and 2nd extension hydraulic cylinder		
97	5530073-1.0	1	2nd Extension		
99	6210494-1.0	1	2nd EXTENSION HYDRAULIC JACK (Hydraulic system)		
100	5411371-1.0	1	HOOK KIT (2nd Extension)		
101	7800382-1.0	1	MANUAL EXTENSION		
102	5540087-1.0	1	3rd EXTENSION		
104	6210495-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
105	6410495-1.0	1	3rd and 4th extension hydraulic cylinder		
106	5411372-1.0	1	HOOK KIT (3rd EXTENSION)		
107	7800383-1.0	1	MANUAL EXTENSION		
108	5560066-1.0	1	4th EXTENSION		
110	6210496-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
111	7800384-1.0	1	MANUAL EXTENSION		
112	5570033-1.0	1	5th EXTENSION		
114	6210434-1.0	1	5th extension Hydraulic jack (Hydraulic system)		
115	6410434-1.0	1	5th and 6th extension hydraulic cylinder		
116	7800385-1.0	1	MANUAL EXTENSION		
117	5580028-1.0	1	6th EXTENSION		
118	5580032-1.0	1	6th EXTENSION		

Table index

Logbook code

Sheet

7845500.0
3/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
120	6210435-1.0	1	6th extension Hydraulic jack (Hydraulic system)		
121	7800386-1.0	1	MANUAL EXTENSION		
122	7900058-1.0	1	ATTACHEMENT FOR WINCH		
123	5330014-1.0	1	7th EXTENSION		
125	6210497-1.0	1	7th extension Hydraulic jack (Hydraulic system)		
126	6410497-1.0	1	7th extension Hydraulic jack		
127	7800387-1.0	1	MANUAL EXTENSION		
128	5320012-1.0	1	8th EXTENSION		
129	6210498-1.0	1	8th extension Hydraulic jack (Hydraulic system)		
130	6410498-1.0	1	8th extension Hydraulic jack		
131	7800388-1.0	1	MANUAL EXTENSION		
132	7900057-1.0	1	ATTACHEMENT FOR WINCH		
133	7882580-1.0	1	GUIDE ROPE KIT		
134	5740289-1.0	1	ACTUATION FOR WINCH		
135	7834304-1.0	1	WINCH KIT		
137	7888037-1.0	1	Heat exchange unit		
138	5590376-1.0	1	1st ACTIVATION FOR 2S		
140	5590376-2.0	1	1st ACTIVATION FOR 2S		
142	5600133-1.0	1	2st ACTIVATION FOR 2S		
143	5600133-2.0	1	2st ACTIVATION FOR 2S		

Page	Table code	Q.ty	Table heading	Vers.	Validity
144	5590377-1.0	1	1st ACTIVATION FOR 4S		
145	5590104-1.0	1	1st Additional actuation		
146	5600083-1.0	1	2nd ADDITIONAL ACTUATION		
147	5590378-1.0	1	1st ACTIVATION FOR 6S		
149	5600135-1.0	1	2st ACTIVATION FOR 6S		
150	5590391-1.0	1	FOUR-WAY HOSE WINDER KIT		
151	5590391-2.0	1	FOUR-WAY HOSE WINDER KIT		
153	7880377-1.0	1	Assembly kit		
155			929 6S JIB 4S		
156	5780019-1.0	1	ATTACHEMENT FOR (JIB)		
157	5360021-1.0	1	KIT CONNECTING ROD (JIB)		
158	5630011-1.0	1	JIB ARM		
160	6230526-1.0	1	ARTICULATION HYDRAULIC JACK (JIB)		
161	6230526-2.0	1	ARTICULATION HYDRAULIC JACK (JIB)		
162	6430526-1.0	1	ARTICULATION HYDRAULIC JACK		
163	5490090-1.0	1	1st Extension		
164	6210543-1.0	1	Hydraulic system (1st Extension hydraulic)		
165	6410415-1.0	1	1st Extension hydraulic		
166	5530051-1.0	1	2nd Extension		
167	6210415-1.0	1	Hydraulic system (2nd EXTENSION HYDRAULIC JACK)		

Table index

Logbook code

7845500.0

Sheet

4/4

Page	Table code	Q.ty	Table heading	Vers.	Validity
168	5540056-1.0	1	3rd EXTENSION		
169	6210400-1.0	1	Hydraulic system (3rd extension Hydraulic jack)		
170	5560044-1.0	1	4th EXTENSION		
171	6210401-1.0	1	Hydraulic system (4th extension Hydraulic jack)		
172	6410414-1.0	1	Extension Hydraulic jack		
173	5790074-1.0	1	HOOK KIT (JIB-4S)		
174	5402762-1.0	1	Unit (ELECTRICS CONTROLS)		
175	5402762-2.0	1	Unit (ELECTRICS CONTROLS)		
177			929 RDC EBB EN12999-A3		
178	5220490-1.0	1	Proportional control valve (4 section)		
179	5402704-4.0	1	FITTINGS (Proportional control valve)		
180	5402704-1.0	1	CONTROLS (RDC-EBB)		
182	5402704-6.0	1	CONTROLS (RDC-EBB)		
183	5405079-1.0	1	ROTATION CONTROL (EN12999-A3)		
185	5405060-1.0	1	STABILITY CONTROL (EN12999-A3)		
187	5402704-2.0	1	STABILITY CONTROL (EN12999-A3)		
188	5402704-5.0	1	STABILITY CONTROL (EN12999-A3)		
189	5402704-7.0	1	CONTROLS (RDC-EBB)		
190	5402692-2.0	1	CONTROLS (stabilizers)		
192	5402712-1.0	1	High pressure filter		

Page	Table code	Q.ty	Table heading	Vers.	Validity
193	7885208-1.0	1	Rotation limiting device (Electric)		
194	7892292-1.0	1	Wireless control kit (CAN BUS)		
195	7892299-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		

Plate kit (Generic Gru)

Table code
5502000-3.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
1		5502000	1	kit Standard instructions sticker
2		5813851	4	Label (Stabilizer connecting rods)








Plate kit (Version)

Table code
5501870-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	2	5501870	1	
	2 A	5814054	2	
	3	5501871	1	
	3 A	5814055	2	
	4	5501872	1	
	4 A	5814056	2	
	5	5501873	1	
	5 A	5814057	2	
	6	5501874	1	
	6 A	5814058	2	
	7	5501875	1	
	7 A	5814059	2	
	8	5501876	1	
	8 A	5814060	2	
	9	5501891	1	
	9 A	5814096	2	


Greasing kit

Table code


Sheet

7885265-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3080015	5	Grease nipple [M10X1]
	3	3080004	5	Coupling (Flexible hose)
	4	3190012	30	Clamp
	5	3060053	2	Split lock washer [D=6.4 C72 ZC]
	6	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	7	3080012	5	Coupling (Flexible hose)
	8	3080007	1	Pipe (Greasing)
	9	3080010	1	Pipe (Greasing)
	10	3080008	1	Pipe (Greasing)
	11	3080005	1	Pipe (Greasing)
	12	3080006	1	Pipe (Greasing)



R	Pos.	Variant Code	Q.ty	Description
	1	5060178	1	Base
RC	2	5141060	1	Bushing
RC	3	5141059	1	Thrust bearing ring
RC	4	5141061	1	Bushing
	5	5090676	1	Balancer
	6	3070073	1	Seeger
	7	5000771	8	Adjusting screw [M20 L=35]
	8	3040089	8	Lock nut
	9	3080501	2	Grease nipple [M8X1.25]
	10	3080512	2	Grease nipple [M8X1.25 (45°)]
	11	5141131	2	
	12	3010337	8	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	13	3060006	8	Flat washer [D.8 UNI 6592 ZC]
	14	5091497	1	
	15	3010355	1	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	16	3060056	1	Split lock washer [D=10 C72 ZC]
RC	17	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	18	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]

RONDELLE NL20D "NORD-LOCK"
WASHER NL20D "NORD-LOCK"




R	Pos.	Variant Code	Q.ty	Description
	1	6070603	2	
	2	3020131	16	Socket head cap screw [M16X50 12.9 ZC UNI 5931]
	3	3060059	16	Split lock washer [D=16 C72 ZC]
	4	3400523	2	Seal
	5	6050226	2	Piston (Slewing)
	6	5050115	1	Toothed rack
	7	3060605	2	Spring pin
	8	3020893	1	TSEI screw [M12X30 8.8 ZC UNI 5933]
RC	9	5140732	1	Sliding block (Rack adjuster)
	10	4160381	1	Support (Slide shoe)
	11	3060919	1	Grub screw [Grano M20X90 UNI 5923 ZC.]
	12	3040089	2	Lock nut
	13	5140735	1	Plug (Nylon)
RC	14	5550694	1	Seal kit
	15	6050248	2	Piston (Assembly)
	16	3060066	1	Lock washer [Nord-Lock]

SLEWING ASS'Y (Split locking ring)

Table code
6240222-1.0

Sheet
1/1



VALIDO DA Giugno 2014
VALID FROM June 2014

Valido da Matricola / Valid from S/N
35062 / 205460


R	Pos.	Variant Code	Q.ty	Description
	1	6070745	2	Cylinder (Slewing)
	2	3020131	16	Socket head cap screw [M16X50 12.9 ZC UNI 5931]
	3	3060059	16	Split lock washer [D=16 C72 ZC]
	4	3400523	2	Seal
	5	6050226	2	Piston (Slewing)
	6	5050115	1	Toothed rack
	7	3060605	2	Spring pin
	8	3020893	1	TSEI screw [M12X30 8.8 ZC UNI 5933]
RC	9	5140732	1	Sliding block (Rack adjuster)
	10	4160381	1	Support (Slide shoe)
	11	3060919	1	Grub screw [Grano M20X90 UNI 5923 ZC.]
	12	3040089	2	Lock nut
	13	5140735	1	Plug (Nylon)
RC	14	5550694	1	Seal kit
	15	6050248	2	Piston (Assembly)
	16	3060066	1	Lock washer [Nord-Lock]
	17	3070220	2	Snap ring
	18	5002655	2	Flange (Cylinder)

SLEWING ASS'Y (Double Flange)

Table code
6240222-2.0

Sheet
1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002655	4	Flange (Cylinder)
	2	3070220	2	Snap ring
	3	3060059	16	Split lock washer [D=16 C72 ZC]
	4	3020883	16	Socket head cap screw [M16X70 12.9 ZC UNI 5931]




Slewing Hydraulic jack (Hydraulic system)

Table code

Sheet

6240158-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220666	1	Valve (Overcenter)
	2	5392490	1	
	3	3101127	3	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	4	5392491	1	
	5	W390505500	1	Tube thickness (Nylon)
	6	3101043	3	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	7	3060053	2	Split lock washer [D=6.4 C72 ZC]
	8	3010026	2	Hex screw [M6X80 8.8 ZC UNI 5737]
	9	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	10	5272104	2	
	11	5000693	1	Valve support
	12	3190026	3	Clamp
	13	5140133	1	Piping mounting

Rotation Pressure Limiting Device


Table code

Sheet

7885484-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5220998	1	Pressure valve (Rotation limiting device)
	2	3060144	2	Sealing washer [BSP 3/8"]
	3	3110061	2	Plug [BSP 3/8"]
	4	5000693	1	Valve support
	5	3060005	1	Flat washer [D.6.4 UNI 6592 ZC]
	6	3060053	1	Split lock washer [D=6.4 C72 ZC]
	7	3010023	1	Hex screw [M6X40 8.8 ZC UNI 5739]
	8	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	9	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	10	3190026	2	Clamp
	11	5393814	1	Bonderized tube
	12	3120303	1	Tee fitting [RACC.T 3/4-16JIC MJ MGAS3/8]
	13	3120112	1	Tee fitting [RACC.T 3/4-16JIC M/F/M]
	14	5393815	1	Bonderized tube
	15	5393816	1	Bonderized tube




Stabilizer connecting rods extra-extensible

Table code

Sheet

5760348-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002649	2	
RC	2	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	3	3190201	2	Knob
	4	3070148	4	Seeger
	5	5140714	4	Washer (Nylon)
	6	5150601	2	Pin assembly
	7	3060932	2	Spring (Hook (latch))
	8	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	9	3040519	2	Stopnut
	10	5001681	2	Handle (Hook)
	11	W102116	2	Spacer
RC	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
	13	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	14	5070414	2	
	15	5070413	2	
	16	5141131	2	
	17	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	18	5002113	2	


Hydraulic system (STABILISER RAM)

Table code


Sheet

6200287-1.0

1/1



**da Ottobre 2016
from October 2016**



R	Pos.	Variant Code	Q.ty	Description
	1	6400287	1	Stabilizer Hydraulic jack
	2	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	5220653	1	Holding valve
	4	3120371	2	45° Connection
	5	3070080	1	Seeger
	6	5392425	1	Bonderized tube
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	9	5392513	1	Bonderized tube
	10	4160391	1	Tang (Ball joint)
	11	3060939	1	Spring pin
	12	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	4160392	1	Locking ring (Ball joint)
	14	5090778	1	Support base
	15	3080512	1	Grease nipple [M8X1.25 (45°)]
	16	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	17	2091241	1	Plate (Valve support)
	18	3190021	2	Clamp [104-138 12.2 ABA]
	19	5920052	1	ARTICULATED JOINT TANG (Stabilizers)
	20	5141234	1	Swash -plate (ARTICULATED JOINT TANG)


STABILISER RAM

Table code

Sheet

6400287-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070646	1	
	2	3420036	1	
	3	3370160	1	Seal
	4	6040305	1	Close nipple
	5	3460154	1	Anti-extrusion ring
	6	3450154	1	O-ring joint
	7	6030997	1	
	8	3450072	1	O-ring joint
	9	3400516	1	Seal
	10	6050349	1	Piston (Stabilizer Hydraulic jack)
	11	3020315	1	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
RC	12	5550814	1	Seal kit
	13	3361029	4	Seal

Stabilizer with mechanical stop (Slewing)


Table code

Sheet

5760348-2.0

1/1

R	Pos.	Variant Code	Q.ty	Description
0		6200287	0	Stabilizer Hydraulic jack




Stabilizer connecting rods extra-extensible (Revolving)

Table code

Sheet

5760362-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5002649	2	
RC	2	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	3	3190201	2	Knob
	4	3070148	4	Seeger
	5	5140714	4	Washer (Nylon)
	6	5150601	2	Pin assembly
	7	3060932	2	Spring (Hook (latch))
	8	3020898	2	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	9	3040519	2	Stopnut
	10	5001681	2	Handle (Hook)
	11	W102116	2	Spacer
RC	12	3060055	2	Split lock washer [D=8.4 C72 ZC]
	13	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	14	5070463	2	
	15	5070413	2	
	16	5141131	2	
	17	3020452	8	TSEI screw [M8X16 10.9 ZC UNI 5933]
	18	5150981	2	
	19	3190010	2	Knob
	20	3070164	2	Seeger

Stabilizer connecting rods extra-extensible (Revolving)


Table code

Sheet

5760362-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3060757	2	Cotter pin (Locking ring)
	22	5002113	2	




STABILISER RAM (ROTATING)

Table code

Sheet

6200289-1.0

1/2




R	Pos.	Variant Code	Q.ty	Description
	1	6400289	1	Stabilizer Hydraulic jack
	2	3080500	1	Grease nipple
	3	5000018	1	Stop (Rod)
	4	3120371	2	45° Connection
	5	5220653	1	Holding valve
	6	5392452	1	Bonderized tube
	7	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	8	5392426	1	Bonderized tube
	9	2091241	1	Plate (Valve support)
	10	3060053	2	Split lock washer [D=6.4 C72 ZC]
	11	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	12	3190021	2	Clamp [104-138 12.2 ABA]
	13	3060939	1	Spring pin
	14	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	15	4160392	1	Locking ring (Ball joint)
	16	5090778	1	Support base
	17	3080512	1	Grease nipple [M8X1.25 (45°)]
	18	5920001	1	ARTICULATED JOINT TANG (Stabilizers)
	19	4160391	1	Tang (Ball joint)
	20	W470424	2	90° Connection (Rotary)

STABILISER RAM (ROTATING)

Table code
6200289-1.0

Sheet
2/2


R	Pos.	Variant Code	Q.ty	Description
	21	W470425	1	Throttle (fixed)
	22	W470427	1	Throttle (fixed)
	23	5920052	1	ARTICULATED JOINT TANG (Stabilizers)
	24	5141234	1	Swash -plate (ARTICULATED JOINT TANG)



Stabilizer Hydraulic jack

Table code
6400289-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070648	1	Cylinder
	2	6030999	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060247	1	Grub screw (Worm screw)
	7	3450154	1	O-ring joint
	8	3460154	1	Anti-extrusion ring
	9	3361029	4	Seal
	10	6040305	1	Close nipple
	11	3370160	1	Seal
	12	3420036	1	
RC	13	5550815	1	Seal kit (Stabilizer Hydraulic jack)


STABILISER RAM (ROTATING)

Table code

Sheet

6200330-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400330	1	Stabilizer Hydraulic jack
	2	3120371	2	45° Connection
	3	5220653	1	Holding valve
	4	5392452	1	Bonderized tube
	5	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	6	5392426	1	Bonderized tube
	7	3060053	2	Split lock washer [D=6.4 C72 ZC]
	8	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	9	5091264	1	Tang
	10	3060939	1	Spring pin
	11	3020452	4	TSEI screw [M8X16 10.9 ZC UNI 5933]
	12	4160392	1	Locking ring (Ball joint)
	13	5090778	1	Support base
	14	3080512	1	Grease nipple [M8X1.25 (45°)]
	15	5920011	1	ARTICULATED JOINT TANG (Stabilizers)
	16	W470424	2	90° Connection (Rotary)
	17	W470425	1	Throttle (fixed)
	18	W470427	1	Throttle (fixed)


Stabilizer Hydraulic jack

Table code

Sheet

6400330-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070754	1	Cylinder
	2	6030999	1	Rod unit
	3	3400516	1	Seal
	4	3450127	1	O-ring joint
	5	6050026	1	Piston
	6	3060247	1	Grub screw (Worm screw)
	7	3450154	1	O-ring joint
	8	3460154	1	Anti-extrusion ring
	9	3361029	4	Seal
	10	6040305	1	Close nipple
	11	3370160	1	Seal
	12	3420036	1	
RC	13	5550815	1	Seal kit (Stabilizer Hydraulic jack)

CLOSING CONTROL KIT STABILIZERS


Table code

Sheet

5402704-3.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311356	2	Wire assembly (Microswitch)
	2	3311645	1	
	3	3310666	1	
	4	3310667	1	
	5	5002324	2	
	6	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3040518	4	Stopnut [STOP M4]
	9	3040089	2	Lock nut




SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411370-1.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091353	1	Casing (Stabilizer)
	2	5091697	1	Strut (Safety device)
	3	5091431	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	8	3060053	1	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
RC	15	3060055	3	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5002169	1	Collar
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411370-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3040185	1	Nut [M18X1,5 norm. ZC UNI5588]
	22	3190059	2	Clamp
	23	3190113	0.5	Rubber protective boot
	24	3040519	2	Stopnut
	25	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	26	5141113	1	Sliding guide
	27	3010016	2	Hex screw [M6X30 8.8 ZC UNI 5737]
	28	5002729	1	Collar (Stabilizer Hydraulic jack)
RC	29	3060056	4	Split lock washer [D=10 C72 ZC]
	30	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
	31	W726016	4	Spring pin [D.8 L=60 ISO 8748]
	32	W610401700	1	Gear wheel
	33	W694122	1	Schnorr washer [D=22 SP.1,5 C72]
	34	5001982	1	Threaded pin (Block)
	35	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	36	3190307	1	Cap (Control board)
	37	3190309	1	Cap (Plastic material)
	38	3190308	2	Cap (Plastic material)
	39	5091698	1	centering strut
	40	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411370-1.0

3/3



R	Pos.	Variant Code	Q.ty	Description
	41	3010360	2	Hex screw [M10X50 8.8 ZC UNI 5739]
	42	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
RC	43	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	44	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	45	3040084	3	Lock nut [M10 basso UNI 5589]
	46	3080501	1	Grease nipple [M8X1.25]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411491-1.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091355	1	Casing (stabilizers)
	2	5091696	1	Strut (Safety device)
	3	5091431	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	8	3060053	1	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
RC	15	3060055	3	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5002169	1	Collar
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411491-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3040185	1	Nut [M18X1,5 norm. ZC UNI5588]
	22	3190059	2	Clamp
	23	3190113	0.5	Rubber protective boot
	24	3040519	2	Stopnut
	25	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	26	5141113	1	Sliding guide
	27	3010016	2	Hex screw [M6X30 8.8 ZC UNI 5737]
	28	5002729	1	Collar (Stabilizer Hydraulic jack)
RC	29	3060056	4	Split lock washer [D=10 C72 ZC]
	30	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	31	W726016	4	Spring pin [D.8 L=60 ISO 8748]
	32	W610401700	1	Gear wheel
	33	W694122	1	Schnorr washer [D=22 SP.1,5 C72]
	34	5001982	1	Threaded pin (Block)
	35	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	36	3190307	1	Cap (Control board)
	37	3190309	1	Cap (Plastic material)
	38	3190308	2	Cap (Plastic material)
	39	5091698	1	centering strut
	40	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5411491-1.0

3/3



R	Pos.	Variant Code	Q.ty	Description
	41	3010360	2	Hex screw [M10X50 8.8 ZC UNI 5739]
	42	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
RC	43	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	44	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	45	3040084	3	Lock nut [M10 basso UNI 5589]
	46	3080501	1	Grease nipple [M8X1.25]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414070-1.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091353	1	Casing (Stabilizer)
	2	5091697	1	Strut (Safety device)
	3	5092993	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	8	3060053	1	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
RC	15	3060055	3	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5002169	1	Collar
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414070-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3040185	1	Nut [M18X1,5 norm. ZC UNI5588]
	22	3190059	2	Clamp
	23	3190113	0.5	Rubber protective boot
	24	3040519	2	Stopnut
	25	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	26	5141113	1	Sliding guide
	27	3010016	2	Hex screw [M6X30 8.8 ZC UNI 5737]
	28	5002729	1	Collar (Stabilizer Hydraulic jack)
RC	29	3060056	4	Split lock washer [D=10 C72 ZC]
	30	3010415	4	Hex screw [M10X55 8.8 ZC UNI 5737]
	31	W726016	4	Spring pin [D.8 L=60 ISO 8748]
	32	5050150	1	Gear wheel
	33	W694122	1	Schnorr washer [D=22 SP.1,5 C72]
	34	5001982	1	Threaded pin (Block)
	35	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	36	3190307	1	Cap (Control board)
	37	3190309	1	Cap (Plastic material)
	38	3190308	2	Cap (Plastic material)
	39	5091698	1	centering strut
	40	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]

SLEWING ASS'Y (STABILISER RAM)


Table code

Sheet

5414070-1.0

3/3

R	Pos.	Variant Code	Q.ty	Description
	41	3010360	2	Hex screw [M10X50 8.8 ZC UNI 5739]
	42	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
RC	43	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	44	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	45	3040084	3	Lock nut [M10 basso UNI 5589]
	46	3080501	1	Grease nipple [M8X1.25]




SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414071-1.0

1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5091355	1	Casing (stabilizers)
	2	5091696	1	Strut (Safety device)
	3	5092993	1	Rod (Toothed rack)
	4	W061333	1	Adjusting screw
	5	3040251	1	Lock nut [M24 8.G basso UNI 5589]
	6	W610402600	1	Rack adjuster
	7	3020439	2	TSEI screw [M6X16 ZC UNI 5933]
	8	3060053	1	Split lock washer [D=6.4 C72 ZC]
	9	5141076	1	Bushing
	10	3070022	1	Seeger [Alberi d.25 mm]
	11	W641011	1	Spring
	12	W610402100	1	Adjuster (Rod guide)
	13	3040216	1	Lock nut [M20X1,5 basso ZC UNI5589]
	14	3010039	1	Hex screw [M8X80 8.8 ZC UNI 5737]
RC	15	3060055	3	Split lock washer [D=8.4 C72 ZC]
	16	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5002169	1	Collar
	18	5141133	1	Guide bushing
	19	3010018	1	Hex screw [M6X40 8.8 ZC UNI 5737]
	20	5000137	1	Extension shaft (Pusher)


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414071-1.0

2/3



R	Pos.	Variant Code	Q.ty	Description
	21	3040185	1	Nut [M18X1,5 norm. ZC UNI5588]
	22	3190059	2	Clamp
	23	3190113	0.5	Rubber protective boot
	24	3040519	2	Stopnut
	25	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	26	5141113	1	Sliding guide
	27	3010016	2	Hex screw [M6X30 8.8 ZC UNI 5737]
	28	5002729	1	Collar (Stabilizer Hydraulic jack)
RC	29	3060056	4	Split lock washer [D=10 C72 ZC]
	30	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	31	W726016	4	Spring pin [D.8 L=60 ISO 8748]
	32	5050150	1	Gear wheel
	33	W694122	1	Schnorr washer [D=22 SP.1,5 C72]
	34	5001982	1	Threaded pin (Block)
	35	3060938	1	Flat washer [D.25X39X4 UNI 1749 ZC]
	36	3190307	1	Cap (Control board)
	37	3190309	1	Cap (Plastic material)
	38	3190308	2	Cap (Plastic material)
	39	5091698	1	centering strut
	40	3010339	3	Hex screw [M8X25 8.8 ZC IF UNI 5739]


SLEWING ASS'Y (STABILISER RAM)

Table code

Sheet

5414071-1.0

3/3




R	Pos.	Variant Code	Q.ty	Description
	41	3010360	2	Hex screw [M10X50 8.8 ZC UNI 5739]
	42	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
RC	43	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	44	3060503	3	Grub screw [Grano M10X30 UNI 5923 ZC.]
	45	3040084	3	Lock nut [M10 basso UNI 5589]
	46	3080501	1	Grease nipple [M8X1.25]

ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE

Table code
5380049-1.0

Sheet
1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6200271	2	Extension Hydraulic jack
	2	5141063	2	Roller
	3	3070017	8	Seeger
	4	5150983	2	
	5	3190025	2	Clamp
	6	5140133	2	Piping mounting
	7	5150484	2	
	8	5000077	4	Clamp (Rigid Pipe)
RC	9	3060055	4	Split lock washer [D=8.4 C72 ZC]
	10	3010029	4	Hex screw [M8X30 8.8 ZC UNI 5737]
	11	5391134	4	Bonderized tube
	12	3020045	4	Socket head cap screw [M6X45 8.8 ZC UNI 5931]
	13	3060053	4	Split lock washer [D=6.4 C72 ZC]

ROD EXTENSION HYDRAULIC CYLINDER (Hydraulic system)

Table code	Sheet
6200271-1.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6400271	1	Extension Hydraulic jack
	2	3101039	3	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	3	5220559	1	Holding valve
	4	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	5	5392492	1	




ROD EXSTENSION HYDRAULIC CYLINDER (Extra- extensible)

Table code

Sheet

6400271-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6070616	1	
	2	6030926	1	
	3	3450110	1	O-ring joint
	4	3370800	1	Seal
	5	6040314	1	Close nipple
	6	3420400	1	Seal (Scraper)
	7	3450008	1	O-ring joint
	8	6050355	1	Piston (ROD EXSTENSION HYDRAULIC CYLINDER)
	9	3363003	1	Seal
	10	3380010	1	Seal
RC	11	5550813	1	Seal kit


hydraulic lengthening (Stabilizer connecting rods extra-extensible)

Table code
5380049-2.0

Sheet
1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5002322	4	Plate (Hose clamp)
	2	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]
	3	5091480	1	
	4	5091481	1	
	5	5091479	1	
	6	3010356	4	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	7	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	9	5272107	4	
	10	3010029	4	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	11	3060055	6	Split lock washer [D=8.4 C72 ZC]
	12	5000077	2	Clamp (Rigid Pipe)
RC	13	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	14	5392514	1	
	15	5392515	1	
	16	5261374	2	
	17	5261376	4	
	18	5261375	2	
	19	5392517	1	
	20	5392516	1	




R	Pos.	Variant Code	Q.ty	Description
	21	3060144	4	Sealing washer [BSP 3/8"]
	22	3110114	4	Straight pipe fitting [M/F BSP 3/8"H=32]
	23	3101127	4	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	24	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]

hydraulic lengthening (Stabilizer connecting rods extra-extensible)

Table code
5380049-3.0

Sheet
1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5002322	4	Plate (Hose clamp)
	2	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]
	3	5091480	1	
	4	5091481	1	
	5	5091479	1	
	6	3010356	4	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	7	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	9	5272107	2	
	10	3010029	4	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	11	3060055	6	Split lock washer [D=8.4 C72 ZC]
	12	5000077	2	Clamp (Rigid Pipe)
RC	13	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	14	5392514	1	
	15	5392515	1	
	16	5261374	2	
	17	5261376	4	
	18	5261375	2	
	19	5392517	1	
	20	5392516	1	

hydraulic lengthening (Stabilizer connecting rods extra-extensible)

Table code
5380049-3.0

Sheet
2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060144	4	Sealing washer [BSP 3/8"]
	22	3110114	4	Straight pipe fitting [M/F BSP 3/8"H=32]
	23	3101127	4	90° Connection [90° ORIENT. 3/4-16-3/8"CIL.]
	24	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	25	5272105	2	Flexible hose


CONTROLS (stabilizers)

Table code

Sheet


5402692-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220883	2	STABILIZER CONTROL VALVE
	2	3060144	13	Sealing washer [BSP 3/8"]
	3	3110114	4	Straight pipe fitting [M/F BSP 3/8"H=32]
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6	3110153	1	Reducing fitting
	7	3120012	4	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	8	3110061	8	Plug [BSP 3/8"]
	9	5220209	8	Lever rod [ASTA LEVA L=210 mm]
	10	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]
	11	5280992	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=1600]
	12	5281181	1	Flexible hose
	13	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	14	5281183	1	Flexible hose
	15	3120306	1	Tee fitting
	16	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	17	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	18	3010035	6	Hex screw [M8X60 8.8 ZC UNI 5737]
	19	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]
	20	5225240	1	Carry-over

R	Pos.	Variant Code	Q.ty	Description
	21	5281182	1	



STABILIZER CONTROL VALVE (4 section)


Table code

Sheet

5220883-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5220883	1	STABILIZER CONTROL VALVE
	2	5225022	4	Rubber protective boot
	3	5225261	4	Unit (Control lever)
	4	5225259	4	Slider
	5	5225257	1	Valve
	6	5225262	4	cover with spring
RC	7	5225927	1	Seal kit (Control valve)
	8	3110061	8	Plug [BSP 3/8"]
	9	3060144	8	Sealing washer [BSP 3/8"]




DOUBLE CONTROLS (not CE)

Table code


Sheet

5402699-1.0


1/3



R	Pos.	Variant Code	Q.ty	Description
	1	5220493	1	Oleo-hydraulic distributor
	2	3230008	5	cable flexball
	3	5002281	1	
	4	3230009	10	Fork (Fork clip)
	5	3300431	5	Fork
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	7	5002299	1	
RC	8	3060006	9	Flat washer [D.8 UNI 6592 ZC]
	9	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	10	5000708	4	Small plate (remittal)
	11	3010339	5	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	5091433	1	
	13	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	14	3060056	7	Split lock washer [D=10 C72 ZC]
RC	15	3060914	7	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	16	3040047	2	Nut
	17	5002307	1	Control lever
	18	3190213	2	Handle
RC	19	3010354	1	Hex screw [M10X20 8.8 ZC UNI 5739]
	20	5220224	4	Lever rod (CONTROLS)



R	Pos.	Variant Code	Q.ty	Description
	21	3190189	1	Knob
	22	3190010	3	Knob
	23	W573266	2	Small plate (CONTROL SYMBOLS)
	24	W573267	2	Small plate (CONTROL SYMBOLS)
	25	W573269	2	Small plate (CONTROL SYMBOLS)
	26	W573270	2	Small plate (CONTROL SYMBOLS)
	27	5813516	2	Name plate (Control)
	28	W573265	2	Small plate (CONTROL SYMBOLS)
	29	W573335	2	Small plate (CONTROL SYMBOLS)
	30	3020960	10	TCC screw [M6X15 4.8 ZC]
	31	3060053	6	Split lock washer [D=6.4 C72 ZC]
	32	3060030	10	Flat washer [D.6.6X18 UNI 6593 ZC]
	33	5091554	1	
	34	5002320	1	
	35	5091475	1	
	36	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	37	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	38	5091434	1	
	39	5151013	1	
	40	5000670	3	Ring



R	Pos.	Variant Code	Q.ty	Description
	41	3060232	3	Grub screw [Grano M6X6 UNI 5927 ZC.]
	42	3080500	4	Grease nipple
RC	43	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	44	5090433	4	Control lever
	45	3190006	3	Knob
	46	3190188	1	Knob
	47	5002300	1	
	48	5091468	1	Control lever
	49	3060145	1	Sealing washer [BSP 1/2"]
	50	3110065	1	Plug [BSP 1/2"]
	51	5002318	1	
	52	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	53	5813566	2	Small plate (Emergency STOP button)
	54	5814147	2	Small plate (CONTROL SYMBOLS)
	55	5814146	2	Small plate (CONTROL SYMBOLS)


Control valve (5 section)

Table code

Sheet

5220493-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225472	1	Inlet manifold
	2	3110065	2	Plug [BSP 1/2"]
	3	3060145	3	Sealing washer [BSP 1/2"]
	4	5225476	1	Control valve element
	5	5225130	5	Kit (Cover)
	6	5225928	1	Control valve element
	7	5225505	2	Antishock valve (Control valve)
	8	5225200	2	Antishock valve (Control valve)
	9	5225311	3	Slider (Control valve)
	10	5225865	5	Non-return valve (Control valve)
	11	5225484	1	Control valve element
	12	5225145	1	Antishock valve (Control valve)
	13	5225470	5	Cap
	14	5225483	1	Control valve element
	15	5225482	1	Control valve element
	16	5225177	1	Slider (Control valve)
	17	5225477	1	Exhaust manifold
	18	5225428	1	Close nipple (Control valve)
	19	5225546	1	Max pressure valve
	20	3110161	1	Reducing fitting


Control valve (5 section)

Table code

Sheet

5220493-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225126	5	Unit (Control lever)
	22	5225128	5	Rubber protective boot
	23	5225224	4	4 elements unit fixing stud
	24	5225213	4	5 elements unit fixing stud
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
RC	28	3060056	4	Split lock washer [D=10 C72 ZC]
	29	3040046	4	Nut [M10 8G UNI 5588 ZC.]
RC	30	5225081	1	Seal kit (Control valve)
RC	31	5225031	1	Seal kit


6th extra function kit closed center spool

Table code

Sheet

5212056-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225214	4	6 elements unit fixing stud
RC	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230008	1	cable flexball


6th extra function kit closed center spool

Table code

Sheet

5212056-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob


6th extra function kit open center spool

Table code

Sheet

5212058-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225187	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225177	1	Slider (Control valve)
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225214	4	6 elements unit fixing stud
RC	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230008	1	cable flexball


6th extra function kit open center spool

Table code

Sheet

5212058-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob


7th extra function kit closed center spool

Table code

Sheet

5212057-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5225190	1	Control valve element
	2	5225130	1	Kit (Cover)
	3	5225462	1	Spring (Slider)
	4	5225200	2	Antishock valve (Control valve)
	5	5225143	1	Slider
	6	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3110050	2	Female plug [TAPPO F JIC 7/8"-14]
	8	5225215	4	7 elements unit fixing stud
RC	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3040046	4	Nut [M10 8G UNI 5588 ZC.]
	11	3190010	1	Knob
	12	5220224	1	Lever rod (CONTROLS)
	13	3010339	1	Hex screw [M8X25 8.8 ZC IF UNI 5739]
RC	14	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	15	5000708	1	Small plate (remittal)
	16	5225126	1	Unit (Control lever)
	17	5225128	1	Rubber protective boot
	18	3300431	1	Fork
	19	3230009	2	Fork (Fork clip)
	20	3230008	1	cable flexball


7th extra function kit closed center spool

Table code

Sheet

5212057-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	5225031	1	Seal kit
	22	3080500	1	Grease nipple
	23	5090433	1	Control lever
	24	3190006	1	Knob


Moment limiting device

Table code

Sheet

5430223-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220135	1	Limiting device (Hydraulic)
	2	3111523	2	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	3	3101124	1	90° Connection [90° ORIENT. 9/16-18 - 1/4"CIL.]
RC	4	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	5	3060055	2	Split lock washer [D=8.4 C72 ZC]
	6	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
	7	5261373	1	
	8	3101131	1	90° Connection [90° ORIENT. 7/8-14-1/2"CIL.]
	9	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL.]
	10	5261372	1	
	11	3120209	2	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	12	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	13	3101058	3	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	14	5220635	1	Non-return valve
	15	5290251	1	Flexible hose
	16	3120331	1	Tee fitting [RACC.T 1"1/16 -12JIC M/M/F]
	17	5290249	1	
	18	5290250	1	
	19	3101133	1	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL.]
	20	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]


Moment limiting device

Table code

Sheet

5430223-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060143	1	Sealing washer [BSP 1/4"]
	22	3110270	1	Straight pipe fitting
	23	3111512	1	90° Connection
	24	3101215	1	Tee fitting
	25	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	26	5261393	1	
	27	5220063	1	Cock
	28	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]

Kit (Pressure gauge)


Table code

Sheet

7920089-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
RC	1	3180150	2	Pressure gauge
	2	3040516	6	Stopnut [STOP M3]
	3	3020880	6	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
	4	5300057	1	Small pipe (Pressure gauge)
	5	3120111	1	Tee fitting [7/16-20 MJ/FJ/MJ]
	6	3120076	1	90° Connection
	7	3120382	1	
	8	5300090	1	Pipe (Pressure gauge)




A.V.P.S. (Hydraulic system)

Table code

Sheet


5440131-1.0


1/2




R	Pos.	Variant Code	Q.ty	Description
	1	5220639	1	Valve (A.V.P.S.)
	2	3101133	3	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	3	3180192	1	Pressure gauge (Clogging indicator)
	4	3120333	1	Straight pipe fitting [F1"1/16-12 M3/4"CIL.D20]
RC	5	3180159	1	Oil filter
	6	3110046	1	Female plug [TAPPO F JIC 1"1/16]
	7	3310238	1	Solenoid (12V)
	8	3310242	1	Solenoid (24V)
	9	3310388	1	Electric wiring
RC	10	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	11	3060055	2	Split lock washer [D=8.4 C72 ZC]
	12	3020452	2	TSEI screw [M8X16 10.9 ZC UNI 5933]
	13	5290254	1	Flexible hose
	14	3120331	1	Tee fitting [RACC.T 1"1/16 -12JIC M/M/F]
	15	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	16	5290252	1	
	17	3060143	1	Sealing washer [BSP 1/4"]
	18	3110270	1	Straight pipe fitting
	19	3111512	1	90° Connection
	20	3101215	1	Tee fitting

R	Pos.	Variant Code	Q.ty	Description
	21	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	22	3310153	1	Pressure monitor [PPC300 ATTACCO MASCHIO]






R	Pos.	Variant Code	Q.ty	Description
	1	5220489	1	Oleo-hydraulic distributor
	2	3230008	5	cable flexball
	3	5002281	1	
	4	3230009	10	Fork (Fork clip)
	5	3300431	5	Fork
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	7	5002299	1	
RC	8	3060006	9	Flat washer [D.8 UNI 6592 ZC]
	9	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	10	5000708	4	Small plate (remittal)
	11	3010339	5	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	12	5091433	1	
	13	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	14	3060056	7	Split lock washer [D=10 C72 ZC]
RC	15	3060914	7	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	16	3040047	2	Nut
	17	5002307	1	Control lever
	18	3190213	2	Handle
RC	19	3010354	1	Hex screw [M10X20 8.8 ZC UNI 5739]
	20	5220224	4	Lever rod (CONTROLS)



R	Pos.	Variant Code	Q.ty	Description
21	3190189		1	Knob
22	3190010		3	Knob
23	W573270		2	Small plate (CONTROL SYMBOLS)
24	W573269		2	Small plate (CONTROL SYMBOLS)
25	W573267		2	Small plate (CONTROL SYMBOLS)
26	W573266		2	Small plate (CONTROL SYMBOLS)
27	5813516		2	Name plate (Control)
28	W573265		2	Small plate (CONTROL SYMBOLS)
29	W573335		2	Small plate (CONTROL SYMBOLS)
30	3020960		10	TCC screw [M6X15 4.8 ZC]
31	3060053		6	Split lock washer [D=6.4 C72 ZC]
32	3060030		10	Flat washer [D.6.6X18 UNI 6593 ZC]
33	5091474		1	
34	5002320		1	
35	5091475		1	
36	3010325		4	Hex screw [M6X16 8.8 ZC UNI 5739]
37	3040372		4	Stopnut [M6-70 UNI7473 NORM. ZC.]
38	5091434		1	
39	5151013		1	
40	5000670		3	Ring



R	Pos.	Variant Code	Q.ty	Description
	41	3060232	3	Grub screw [Grano M6X6 UNI 5927 ZC.]
	42	3080500	4	Grease nipple
RC	43	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	44	5090433	4	Control lever
	45	3190006	3	Knob
	46	3190188	1	Knob
	47	5002300	1	
	48	5091468	1	Control lever
	49	3060145	1	Sealing washer [BSP 1/2"]
	50	3110065	1	Plug [BSP 1/2"]
	51	5002318	1	
	52	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	53	5813566	2	Small plate (Emergency STOP button)
	54	5814147	2	Small plate (CONTROL SYMBOLS)
	55	5814146	2	Small plate (CONTROL SYMBOLS)


Control valve (5 section)

Table code

Sheet

5220489-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5225862		1	Inlet manifold
2	3110065		2	Plug [BSP 1/2"]
3	3060145		3	Sealing washer [BSP 1/2"]
4	5225698		1	Control valve element (Slewing)
5	5225130		1	Kit (Cover)
6	5225928		1	Control valve element
7	5225200		2	Antishock valve (Control valve)
8	5225509		2	Antishock valve (Control valve)
9	5225311		3	Slider (Control valve)
10	5225865		5	Non-return valve (Control valve)
11	5225699		1	Control valve element (Lifting)
12	5225145		1	Antishock valve (Control valve)
13	5225470		5	Cap
14	5225860		1	Control valve element (Joint)
15	5225861		1	Control valve element (Extension)
16	5225177		1	Slider (Control valve)
17	5225477		1	Exhaust manifold
18	5225429		1	Solenoid valve (Emergency)
19	5225546		1	Max pressure valve
20	3110161		1	Reducing fitting


Control valve (5 section)

Table code

Sheet

5220489-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5225126	5	Unit (Control lever)
	22	5225128	5	Rubber protective boot
	23	5225224	4	4 elements unit fixing stud
	24	5225213	4	5 elements unit fixing stud
	25	5225214	4	6 elements unit fixing stud
	26	5225215	4	7 elements unit fixing stud
	27	5225216	4	8 elements unit fixing
RC	28	3060056	4	Split lock washer [D=10 C72 ZC]
	29	3040046	4	Nut [M10 8G UNI 5588 ZC.]
RC	30	5225081	1	Seal kit (Control valve)
RC	31	5225031	1	Seal kit
	32	5225372	4	inspection (Electric)
	33	3311046	1	Solenoid (12V)
	34	3311047	1	Solenoid (24V)


Solenoid valve (STABILIZER CONTROL VALVE)

Table code


Sheet

5440130-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220182	1	Solenoid valve
	2	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	3	5280992	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=1600]
	4	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	5	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	3310042	1	Solenoid (12V)
	8	3310043	1	Solenoid (24V)
	9	5281181	1	Flexible hose




R	Pos.	Variant Code	Q.ty	Description
	1	3311797	1	Moment limiting device (WITH RESINING)
	2	5160105	1	Electric wiring
	3	3311400	1	Electric wiring
	4	3311328	1	DIGITAL INSTRUMENT PANEL (Moment limiting device)
	5	5160084	1	Electric wiring
RC	6	3312200	1	Pressure sensor [4-20mA 600bar]
	7	3020013	2	Socket head cap screw [M4X60 8.8 ZC UNI 5931]
	8	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	9	3040518	4	Stopnut [STOP M4]
	10	3020885	2	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	11	5160113	1	
	12	3311792	1	Electrical connection
	13	3311602	1	Electric box



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3060065	2	Split lock washer [D=4.1 C72 ZC]
	7	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
1	3311159	1	Signal Columns	
2	5160003	1	Electric wiring	



Hydraulic oil tank




Table code		Sheet
5401818-1.0		1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5091371	1	Oil tank
RC	2	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	3	3060055	2	Split lock washer [D=8.4 C72 ZC]
	4	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
RC	5	3180196	1	Oil filter
RC	6	3180110	1	Filtering cartridge
	7	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
RC	8	3180147	1	Pressure gauge (Clogging indicator)
	9	3020880	1	TSC screw [M3X15 UNI 7688 ZC TAGLIO CR.]
RC	10	3180221	1	Thermometer
RC	11	3180099	2	Oil level indicator
	12	W449014	1	Tank cap
	13	W449015	1	Filtering cartridge
	14	5091372	1	Support (Tank)
	15	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
	16	3010355	10	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	17	3060056	6	Split lock washer [D=10 C72 ZC]
	18	3140304	1	Cock
	19	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	20	3110065	2	Plug [BSP 1/2"]


Hydraulic oil tank

Table code

Sheet

5401818-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060145	2	Sealing washer [BSP 1/2"]
	22	3060144	2	Sealing washer [BSP 3/8"]
	23	3110061	2	Plug [BSP 3/8"]
RC	24	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	25	W605006	1.2 m	Adhesive tape


Oil filter (RFA220)

Table code

Sheet

3180196-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3180111	1	Cover (Oil filter)
RC	2	3180110	1	Filtering cartridge
	3	3180156	1	Oil seal (Oil filter)
	4	3180158	1	Rubber gasket (Oil filter)


High pressure filter

Table code


Sheet

3180159-1.0


1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180159	1	Oil filter
	2	3180192	1	Pressure gauge (Clogging indicator)
	3	3450080	1	O-ring joint
	4	3460080	1	Anti-extrusion ring
RC	5	3180160	1	Filtering cartridge



R	Pos.	Variant Code	Q.ty	Description
	1	5002428	1	Support
RC	2	3060056	2	Split lock washer [D=10 C72 ZC]
RC	3	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	4	3310540	1	Electric cable
	5	3311162	1	Electric box
	6	5220642	1	Solenoid valve
	7	3310242	1	Solenoid (24V)
	8	3310238	1	Solenoid (12V)
	9	5225372	1	inspection (Electric)
	10	5160009	2	Electric wiring
	11	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	12	3060053	2	Split lock washer [D=6.4 C72 ZC]
	13	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	14	3040518	4	Stopnut [STOP M4]
	15	5001642	1	Microswitch support
	16	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	17	3020961	4	TCC screw [M4X20 8.8 ZC UNI 7687]
	18	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL.]
	19	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]
	20	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]



R	Pos.	Variant Code	Q.ty	Description
	1	5040120	1	Column
	2	3070128	1	Seeger
	3	3040508	1	Self-locking ringnut [M55X2 NORMALE ZC]
	4	3061013	1	Pin [D=10 L=80 h11]
	5	5150964	1	
	6	3080501	1	Grease nipple [M8X1.25]
	7	5002198	1	
	8	5140694	2	Bushing
	9	5001898	1	Clamp (Flexible hose)
RC	10	3060055	3	Split lock washer [D=8.4 C72 ZC]
	11	3010031	1	Hex screw [M8X40 8.8 ZC UNI 5737]
	12	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]
	13	3190222	4	Collar (Flexible hose) [Semicoll. PP 2tubi CF3 20]
	14	3190221	2	Small plate (Collar)
	15	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]


Hydraulic system (Lifting hydraulic cylinder)

Table code

Sheet

6230187-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5221070	1	Valve (Overcenter)
	2	3060053	4	Split lock washer [D=6.4 C72 ZC]
	3	3010399	4	Hex screw [M6X55 8.8 ZC UNI 5739]
	4	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	3060143	1	Sealing washer [BSP 1/4"]
	6	3110062	1	Plug
	7	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	5392453	1	
	10	3120209	2	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	11	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	12	6430187	1	Lifting hydraulic cylinder
	13	5281004	1	
	14	5281005	1	
	15	5261381	1	Flexible hose
	16	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	17	3080501	2	Grease nipple [M8X1.25]

Lifting hydraulic cylinder (Hydraulic system)


Table code

Sheet

5450083-1.0

1/1

" NO CE "



R	Pos.	Variant Code	Q.ty	Description
	1	5002329	1	Manifold
	2	W410706	1	Bolt (banjo bolt)
	3	3060143	4	Sealing washer [BSP 1/4"]
	4	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	5	5220300	1	Hose burst valve (Sleeve)
	6	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	7	3110062	1	Plug
	8	6230187	1	Lifting hydraulic cylinder
	9	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]

Lifting hydraulic cylinder (Hydraulic system)


Table code

Sheet

5450090-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002329	1	Manifold
	2	W410706	1	Bolt (banjo bolt)
	3	3060143	3	Sealing washer [BSP 1/4"]
	4	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
RC	5	3312200	1	Pressure sensor [4-20mA 600bar]
	6	3110062	1	Plug
	7	6230187	1	Lifting hydraulic cylinder
	8	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]




Lifting hydraulic cylinder

Table code

Sheet

6430187-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070605	1	Cylinder
	2	3080501	2	Grease nipple [M8X1.25]
	3	5140699	4	Bushing
	4	3450401	1	O-ring joint
	5	3460401	1	Anti-extrusion ring
	6	6040261	1	Close nipple
	7	3350120	4	Seal
	8	3381000	1	Seal
	9	3370175	1	Seal
	10	3420049	1	W-ring
	11	6030900	1	
	12	3450155	1	O-ring joint
	13	6050259	1	Piston
	14	3060247	1	Grub screw (Worm screw)
	15	3400537	1	Seal
	16	5140060	2	Bushing
RC	17	5550807	1	Seal kit


1st Boom

Table code

Sheet

5470116-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030298	1	Main boom
	2	5140694	6	Bushing
	3	5150967	2	
	4	3061013	3	Pin [D=10 L=80 h11]
	5	3080501	3	Grease nipple [M8X1.25]
	6	3040508	3	Self-locking ringnut [M55X2 NORMALE ZC]
	7	5150964	1	
	8	5002200	1	
	9	5002201	1	
	10	5002202	1	Spacer (Bushing)
	11	5000047	8	Clamp (Rigid Pipe)
	12	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
RC	13	3060055	4	Split lock washer [D=8.4 C72 ZC]


COLUMN CONNECTING RODS

Table code

Sheet

5360022-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091245	1	
	2	5091222	1	
	3	3040508	2	Self-locking ringnut [M55X2 NORMALE ZC]
	4	3040511	1	Self-locking ringnut [M75X2 H=15.3 ZC]
	5	5091223	2	
	6	3080501	2	Grease nipple [M8X1.25]
	7	5140699	2	Bushing
	8	5150966	1	
	9	5150964	1	
	10	5150965	1	
	11	3061013	2	Pin [D=10 L=80 h11]
	12	5001959	1	
	13	3060057	2	Split lock washer [D=12 C72 ZC]
	14	3020075	2	Socket head cap screw [M12X25 12.9 ZC UNI 5931]


Articulation Hydraulic jack (Hydraulic system)

Table code

Sheet

6230188-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220571	1	Holding valve
	2	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5280731	1	Flexible hose [Fixed]
	4	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	5	5392454	1	
	6	5280413	1	
	7	5392486	1	
	8	5392487	1	
	9	5281003	2	
RC	10	3060055	3	Split lock washer [D=8.4 C72 ZC]
	11	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	12	6430188	1	Articulation Hydraulic jack


Articulation Hydraulic jack

Table code

Sheet

6430188-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070606	1	
	2	3420049	1	W-ring
	3	3350120	4	Seal
	4	3370175	1	Seal
	5	3381000	1	Seal
	6	6040261	1	Close nipple
	7	3460401	1	Anti-extrusion ring
	8	3450401	1	O-ring joint
	9	5140060	2	Bushing
	10	6030901	1	
	11	3450155	1	O-ring joint
	12	6050259	1	Piston
	13	3400537	1	Seal
	14	3060247	1	Grub screw (Worm screw)
RC	15	5550807	1	Seal kit
	16	5140699	2	Bushing


Linkage 1th e 2nd boom

Table code

Sheet

5360023-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091243	1	
	2	5091225	1	
	3	3040508	2	Self-locking ringnut [M55X2 NORMALE ZC]
	4	3040511	1	Self-locking ringnut [M75X2 H=15.3 ZC]
	5	5091226	2	
	6	3080501	2	Grease nipple [M8X1.25]
	7	5140699	2	Bushing
	8	5150969	1	
	9	5150967	1	
	10	5150968	1	
	11	3061013	2	Pin [D=10 L=80 h11]
	12	5001959	1	
	13	3060057	2	Split lock washer [D=12 C72 ZC]
	14	3020075	2	Socket head cap screw [M12X25 12.9 ZC UNI 5931]


2nd Boom

Table code

Sheet

5480121-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030299	1	Secondary boom
	2	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	3	5140974	2	Slide shoe
RC	4	5000827	2	Button
RC	5	5140743	2	Slide shoe
RC	6	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	7	3060056	2	Split lock washer [D=10 C72 ZC]
	8	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	9	5001253	2	Button (Sliding block)
	10	5000771	4	Adjusting screw [M20 L=35]
	11	3040089	4	Lock nut
	12	5140753	1	Roller
	13	3070041	1	Seeger
	14	5140997	1	Spacer
	15	3080501	2	Grease nipple [M8X1.25]
	16	5140694	4	Bushing
	17	5002204	1	
	18	5002203	1	
	19	5141116	1	Bushing


1st Extension

Table code

Sheet

5490109-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020543	1	Extension
RC	2	5000827	4	Button
RC	3	5140743	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	3070027	2	Seeger [Seeger x alberi D.30]
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5150970	1	
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3020054	8	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	4	
	17	5002268	2	
	18	3061000	4	Grub screw
	19	3040084	4	Lock nut [M10 basso UNI 5589]
	20	W370400700	2	Button (Coupling backlash)

1st Extension


Table code

Sheet

5490109-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060055	8	Split lock washer [D=8.4 C72 ZC]
RC	22	3060006	8	Flat washer [D.8 UNI 6592 ZC]




1st Extension hydraulic (Hydraulic system)

Table code

Sheet

6210493-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410493	1	
	2	5001196	1	Valve support
	3	3190023	4	Clamp
	4	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	5	5392496	1	
	6	5392495	1	
	7	5140133	2	Piping mounting
	8	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	3101131	6	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	10	5220755	1	regenerative valve
	11	3020901	2	Socket head cap screw [M8X60 ZC UNI 5931]
	12	5281001	1	
	13	5281184	1	
	14	5392493	2	
	15	5281003	2	


1th and 2nd extension hydraulic cylinder

Table code

Sheet

6410493-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030903	1	
	2	3420028	1	W-ring
	3	3361004	5	Seal
	4	3370132	1	Seal
	5	6040295	1	Close nipple
	6	3460142	1	Anti-extrusion ring
	7	3450142	1	O-ring joint
	8	6050363	1	
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400510	1	Seal
	11	3361008	1	Seal
	12	3460049	2	Anti-extrusion ring
	13	3450049	1	O-ring joint
	14	6070670	1	
RC	15	5550820	1	Seal kit


2nd Extension

Table code

Sheet


5530073-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020544	1	Extension
RC	2	5000827	4	Button
RC	3	5140743	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	3070027	2	Seeger [Seeger x alberi D.30]
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5150970	1	
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002268	1	
	18	3061000	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
	20	W370400700	2	Button (Coupling backlash)

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	22	3060006	4	Flat washer [D.8 UNI 6592 ZC]




2nd EXTENSION HYDRAULIC JACK (Hydraulic system)

Table code

Sheet

6210494-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410493	1	
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392497	1	
	4	5392498	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3190023	4	Clamp
	7	5140133	4	Piping mounting


HOOK KIT (2nd Extension)

Table code

Sheet

5411371-1.0

1/1




PER VERSIONE 2S
FOR VERSION 2S

R	Pos.	Variant Code	Q.ty	Description
	1	5020580	1	Hook coupling
RC	2	5000827	2	Button
RC	3	5140743	2	Slide shoe
RC	4	5001253	2	Button (Sliding block)
RC	5	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	2	Split lock washer [D=10 C72 ZC]
RC	7	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	W370400700	2	Button (Coupling backlash)
	11	5150822	1	Pin (Handle)
	12	3190010	1	Knob
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3060757	3	Cotter pin (Locking ring)
	16	5150973	1	Pin
	17	5131086	1	Bushing (Hook coupling)
	18	3200070	1	Shackles
	19	3200008	1	Swivel hook [T11.5]

MANUAL EXTENSION

Table code
7800382-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010370	1	Manual extension
	2	5150822	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5140974	2	Slide shoe
RC	9	5140743	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	W370400700	2	Button (Coupling backlash)
	16	3200067	1	Shackles [T6.5]
	17	3200027	1	Swivel hook [T5.4]


3rd EXTENSION

Table code

Sheet

5540087-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020545	1	Extension
RC	2	5000827	4	Button
RC	3	5140743	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	3070027	2	Seeger [Seeger x alberi D.30]
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5150970	1	
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002268	1	
	18	3061000	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
	20	W370400700	2	Button (Coupling backlash)

3rd EXTENSION


Table code

Sheet

5540087-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
RC	21	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	22	3060006	4	Flat washer [D.8 UNI 6592 ZC]




3rd extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210495-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410495	1	
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392499	1	
	4	5392500	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	7	3190023	2	Clamp
	8	5140133	2	Piping mounting


3rd and 4th extension hydraulic cylinder

Table code

Sheet

6410495-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030906	1	
	2	3420026	1	W-ring
	3	3361003	5	Seal
	4	3390503	1	Seal
	5	6040296	1	Close nipple
	6	3460142	1	Anti-extrusion ring
	7	3450142	1	O-ring joint
	8	6050364	1	
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400510	1	Seal
	11	3361008	1	Seal
	12	3460382	2	Anti-extrusion ring
	13	3450050	1	O-ring joint
	14	6070672	1	
RC	15	5550821	1	Seal kit


HOOK KIT (3rd EXTENSION)

Table code

Sheet


5411372-1.0

1/1



PER VERSIONE 3S
FOR VERSION 3S

R	Pos.	Variant Code	Q.ty	Description
	1	5020581	1	Hook coupling
RC	2	5000827	2	Button
RC	3	5140743	2	Slide shoe
RC	4	5001253	2	Button (Sliding block)
RC	5	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	2	Split lock washer [D=10 C72 ZC]
RC	7	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	W370400700	2	Button (Coupling backlash)
	11	5150238	1	Pin
	12	3190010	1	Knob
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3060757	3	Cotter pin (Locking ring)
	16	5150973	1	Pin
	17	5131086	1	Bushing (Hook coupling)
	18	3200070	1	Shackles
	19	3200008	1	Swivel hook [T11.5]



R	Pos.	Variant Code	Q.ty	Description
	1	5010371	1	Manual extension
	2	5150238	1	Pin
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5140974	2	Slide shoe
RC	9	5140743	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	3060902	2	Cotter pin
	16	5150973	1	Pin
	17	5131086	1	Bushing (Hook coupling)
	18	3200028	1	Swivel hook [T8]
	19	W370400700	2	Button (Coupling backlash)


4th EXTENSION

Table code

Sheet

5560066-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020546	1	Extension
RC	2	5000827	4	Button
RC	3	5140743	2	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	6	Adjusting screw [M20 L=35]
	9	3040089	6	Lock nut
	10	3070027	2	Seeger [Seeger x alberi D.30]
	11	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5150970	1	
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002268	1	
	18	3061000	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
RC	20	5140733	2	Slide shoe


4th EXTENSION

Table code

Sheet

5560066-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3060757	2	Cotter pin (Locking ring)
	22	5150973	1	Pin
	23	5131086	1	Bushing (Hook coupling)
	24	3200070	1	Shackles
	25	3200008	1	Swivel hook [T11.5]
RC	26	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	27	3060006	4	Flat washer [D.8 UNI 6592 ZC]

4th extension Hydraulic jack (Hydraulic system)


Table code


Sheet

6210496-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6410495	1	
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392501	1	
	4	5392502	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3190023	2	Clamp
	7	5140133	2	Piping mounting





R	Pos.	Variant Code	Q.ty	Description
	1	5010372	1	Manual extension
	2	5150806	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5140974	2	Slide shoe
RC	9	5140733	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	3060902	2	Cotter pin
	16	5150973	1	Pin
	17	5131086	1	Bushing (Hook coupling)
	18	3200028	1	Swivel hook [T8]


5th EXTENSION

Table code

Sheet

5570033-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020547	1	Extension
RC	2	5000827	4	Button
RC	3	5140733	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	6	Adjusting screw [M20 L=35]
	9	3040089	6	Lock nut
	10	3070022	2	Seeger [Alberi d.25 mm]
	11	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150972	1	Pin
	13	3020051	4	Socket head cap screw [M8X12 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002142	1	Collar (Mobile)
	18	3060507	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
	20	3060757	2	Cotter pin (Locking ring)


5th EXTENSION

Table code

Sheet

5570033-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5150973	1	Pin
	22	5131086	1	Bushing (Hook coupling)
	23	3200070	1	Shackles
	24	3200008	1	Swivel hook [T11.5]
RC	25	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	26	3060006	4	Flat washer [D.8 UNI 6592 ZC]


5th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210434-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410434	1	Extension Hydraulic jack
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392503	1	
	4	5392504	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3190023	2	Clamp
	7	5140133	2	Piping mounting


5th and 6th extension hydraulic cylinder

Table code


Sheet

6410434-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6030911	1	
	2	3420023	1	W-ring
	3	3361002	5	Seal
	4	3370135	1	Seal
	5	6040313	1	Close nipple
	6	3460136	1	Anti-extrusion ring
	7	3450136	1	O-ring joint
	8	6050352	1	
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400510	1	Seal
	11	3361008	1	Seal
	12	3460047	2	Anti-extrusion ring
	13	3450047	1	O-ring joint
	14	6070611	1	
RC	15	5550810	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5010373	1	Manual extension
	2	5150806	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5141125	2	Slide shoe
RC	9	5140733	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	3060902	2	Cotter pin
	16	5150973	1	Pin
	17	5131086	1	Bushing (Hook coupling)
	18	3200028	1	Swivel hook [T8]

Solo per 6S
Only for 6S



R	Pos.	Variant Code	Q.ty	Description
	1	5020548	1	Extension
RC	2	5000827	2	Button
RC	3	5140733	2	Slide shoe
RC	4	5001253	2	Button (Sliding block)
RC	5	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	2	Split lock washer [D=10 C72 ZC]
RC	7	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	2	Adjusting screw [M20 L=35]
	9	3040089	2	Lock nut
	10	3070022	2	Seeger [Alberi d.25 mm]
	11	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150972	1	Pin
	13	3060757	2	Cotter pin (Locking ring)
	14	3200070	1	Shackles
	15	3200008	1	Swivel hook [T11.5]
	16	5131086	1	Bushing (Hook coupling)
	17	5150973	1	Pin


6th EXTENSION

Table code

Sheet

5580032-1.0

1/2



**Solo per 7S/8S
Only for 7S/8S**

R	Pos.	Variant Code	Q.ty	Description
	1	5020599	1	Extension
RC	2	5000827	4	Button
RC	3	5140733	4	Slide shoe
RC	4	5001253	4	Button (Sliding block)
RC	5	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	4	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	6	Adjusting screw [M20 L=35]
	9	3040089	6	Lock nut
	10	3070022	2	Seeger [Alberi d.25 mm]
	11	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150972	1	Pin
RC	13	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	14	5141125	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002142	1	Collar (Mobile)
	18	3061000	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
	20	3060757	2	Cotter pin (Locking ring)

6th EXTENSION


Table code

Sheet

5580032-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3200070	1	Shackles
	22	3200008	1	Swivel hook [T11.5]
	23	5131086	1	Bushing (Hook coupling)
	24	5150973	1	Pin
RC	25	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	26	3060055	4	Split lock washer [D=8.4 C72 ZC]



Solo per 7S/8S
Only for 7S/8S


6th extension Hydraulic jack (Hydraulic system)

Table code


Sheet

6210435-1.0

1/1




R	Pos.	Variant Code	Q.ty	Description
	1	6410434	1	Extension Hydraulic jack
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392505	1	
	4	5392506	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	7	5140133	2	Piping mounting
	8	3190023	2	Clamp



3° SFILO PER VERSIONE 4S
3rd MN. EXT. FOR VERSION 4S
2° SFILO PER VERSIONE 5S
2nd MN. EXT. FOR VERSION 5S
1° SFILO PER VERSIONE 6S
1th MN. EXT. FOR VERSION 6S

R	Pos.	Variant Code	Q.ty	Description
	1	5010374	1	Manual extension
	2	5150977	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5141125	2	Slide shoe
RC	9	5140733	2	Slide shoe
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
	15	3060902	2	Cotter pin
	16	5150974	1	Pin
	17	5131085	1	Bushing (Hook coupling)
	18	3200028	1	Swivel hook [T8]



R	Pos.	Variant Code	Q.ty	Description
	1	5091494	1	Support (Top Roller)
	2	3040220	2	Lock nut
	3	5151045	1	Pin assembly
	4	3190010	2	Knob
	5	5151048	1	Pin (Handle)
	6	3060924	2	Cotter pin (B)
	7	5151050	1	Pin (Handle)
	8	5091495	1	Link rod (Top Roller)
	9	5002333	2	Spacer

**Per versione 4S/6S
4S/6S version**

7th EXTENSION




Table code		Sheet
5330014-1.0		1/2

R	Pos.	Variant Code	Q.ty	Description
	1	5020600	1	Extension
RC	2	5000827	2	Button
RC	3	5140977	2	Slide shoe
RC	4	5001253	2	Button (Sliding block)
RC	5	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	6	3060056	2	Split lock washer [D=10 C72 ZC]
RC	7	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	8	5000771	6	Adjusting screw [M20 L=35]
	9	3040089	6	Lock nut
	10	3070022	2	Seeger [Alberi d.25 mm]
	11	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	12	5150972	1	Pin
RC	13	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	14	5141125	2	Slide shoe
	15	3020054	4	Socket head cap screw [M8X25 ZC UNI 5931]
	16	5001930	2	
	17	5002142	1	Collar (Mobile)
	18	3060507	2	Grub screw
	19	3040084	2	Lock nut [M10 basso UNI 5589]
RC	20	5140733	2	Slide shoe


7th EXTENSION

Table code

Sheet

5330014-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
RC	21	5001087	2	Button (Control board)
RC	22	5140656	2	Button (Backlash)
	23	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	24	3060055	6	Split lock washer [D=8.4 C72 ZC]
RC	25	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	26	3060757	2	Cotter pin (Locking ring)
	27	3200070	1	Shackles
	28	3200008	1	Swivel hook [T11.5]
	29	5131085	1	Bushing (Hook coupling)
	30	5150974	1	Pin


7th extension Hydraulic jack (Hydraulic system)

Table code

Sheet

6210497-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410497	1	
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392507	1	
	4	5392508	1	
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	7	5140133	3	Piping mounting
	8	3190023	2	Clamp


7th extension Hydraulic jack

Table code

Sheet

6410497-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030921	1	
	2	3420021	1	W-ring
	3	3370136	1	Seal
	4	6040320	1	
	5	3460136	1	Anti-extrusion ring
	6	3450136	1	O-ring joint
	7	6050365	1	
	8	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	9	3400510	1	Seal
	10	3361008	1	Seal
	11	3460047	2	Anti-extrusion ring
	12	3450047	1	O-ring joint
	13	6070673	1	
RC	14	5550822	1	Seal kit


MANUAL EXTENSION

Table code

Sheet

7800387-1.0

1/1



3° SFILO PER VERSIONE 5S

3rd MN. EXT. FOR VERSION 5S

2° SFILO PER VERSIONE 6S

2nd MN. EXT. FOR VERSION 6S

1° SFILO PER VERSIONE 7S

1th MN. EXT. FOR VERSION 7S

R	Pos.	Variant Code	Q.ty	Description
	1	5010375	1	Manual extension
	2	5150978	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	5000771	2	Adjusting screw [M20 L=35]
	6	3040089	2	Lock nut
RC	7	3020495	4	TSEI screw [M8X10 ZC UNI 5933]
RC	8	5141125	2	Slide shoe
RC	9	5140977	2	Slide shoe
RC	10	5140656	2	Button (Backlash)
RC	11	5001087	2	Button (Control board)
RC	12	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	13	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	15	3060902	2	Cotter pin
	16	5150974	1	Pin
	17	5131085	1	Bushing (Hook coupling)
	18	3200028	1	Swivel hook [T8]


8th EXTENSION

Table code

Sheet


5320012-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020550	1	Extension
RC	2	5001087	2	Button (Control board)
RC	3	5140977	2	Slide shoe
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	4	Split lock washer [D=8.4 C72 ZC]
	7	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	8	5000771	1	Adjusting screw [M20 L=35]
	9	3040089	1	Lock nut
	10	5150443	1	Pin
	11	5000674	1	Keep plate
	12	3060757	2	Cotter pin (Locking ring)
	13	3200070	1	Shackles
	14	3200008	1	Swivel hook [T11.5]
	15	5131085	1	Bushing (Hook coupling)
	16	5150974	1	Pin

R	Pos.	Variant Code	Q.ty	Description
1	6410498	1		
2	3101051	1		Straight pipe fitting [7/8-14 1/2"CIL. D16]
3	5392509	1		
4	5392510	1		
5	3101131	2		90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
6	3120034	2		90° Connection [90° M/F JIC 7/8-14]
7	5140133	2		Piping mounting
8	3190023	2		Clamp




8th extension Hydraulic jack

Table code

Sheet

6410498-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030923	1	
	2	3420021	1	W-ring
	3	3370136	1	Seal
	4	6040320	1	
	5	3460136	1	Anti-extrusion ring
	6	3450136	1	O-ring joint
	7	6050366	1	
	8	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	9	3400510	1	Seal
	10	3361008	1	Seal
	11	6070673	1	
RC	12	5550823	1	Seal kit


MANUAL EXTENSION

Table code


Sheet

7800388-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010376	1	Manual extension
	2	5150979	1	Pin (Handle)
	3	3190010	1	Knob
	4	3060757	1	Cotter pin (Locking ring)
	5	3200067	1	Shackles [T6.5]
	6	3200027	1	Swivel hook [T5.4]



R	Pos.	Variant Code	Q.ty	Description
	1	5091494	1	Support (Top Roller)
	2	3040220	2	Lock nut
	3	5151045	1	Pin assembly
	4	3190010	2	Knob
	5	5151048	1	Pin (Handle)
	6	3060924	2	Cotter pin (B)
	7	5151046	1	Pin assembly (Handle)
	8	5091495	1	Link rod (Top Roller)

**Per versione 7S/8S
7S/8S version**


GUIDE ROPE KIT

Table code

Sheet

7882580-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5002660	2	Support (Pulley)
	2	5141022	2	Pulley (GUIDE ROPE KIT)
	3	5150851	2	Pin (Handle)
	4	3190188	2	Knob
	5	5141052	4	Bushing
	6	3060753	2	Cotter pin (Locking ring)
	7	5141251	2	Spacer (Pulley)
	8	3060704	1	Cotter pin
	9	5150973	1	Pin
	10	3060902	1	Cotter pin

ACTUATION FOR WINCH


Table code

Sheet

5740289-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	2	5281003	2	
	3	3010035	1	Hex screw [M8X60 8.8 ZC UNI 5737]
RC	4	3060055	3	Split lock washer [D=8.4 C72 ZC]
	5	3190222	2	Collar (Flexible hose) [Semicoll. PP 2tubi CF3 20]
	6	3190221	1	Small plate (Collar)
	7	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
	9	5000047	4	Clamp (Rigid Pipe)
	10	5392493	2	
	11	5160107	1	
	12	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	13	3020319	2	Socket head cap screw [M4X16 8.8 ZC UNI 5931]
	14	3311578	1	
	15	5091540	1	
	16	3040518	2	Stopnut [STOP M4]
	17	3060030	3	Flat washer [D.6.6X18 UNI 6593 ZC]
	18	3060053	3	Split lock washer [D=6.4 C72 ZC]
	19	3020034	3	Socket head cap screw [M6X16 8.8 ZC UNI 5931]




WINCH KIT

Table code

Sheet


7834304-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5720139	1	Winch
	2	5090743	1	Winch support
	3	3020076	2	Socket head cap screw [M12X30 8.8 ZC UNI 5931]
	4	5730140	1	Top Roller
	5	5730076	1	Counterweight
	6	3200028	1	Swivel hook [T8]
	7	3060057	6	Split lock washer [D=12 C72 ZC]
	8	5150824	1	Pin
	9	3070151	2	Seeger
	10	3010065	4	Hex screw [M12X55 8.8 ZC UNI 5737]
	11	5261390	1	Flexible hose
	12	5392494	1	
	13	5261391	1	Flexible hose
	14	3101041	1	Straight pipe fitting [9/16-18 1/2"CIL. D10]
	15	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	16	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	17	5281168	1	
	18	5000077	4	Clamp (Rigid Pipe)
RC	19	3060055	2	Split lock washer [D=8.4 C72 ZC]
	20	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]

R	Pos.	Variant Code	Q.ty	Description
	21	5281190	1	




Heat exchange unit

Table code

Sheet

7888037-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710116	1	Heat exchange unit
	2	5710117	1	Electric fan (Heat exchange unit)
	3	3101057	1	Straight pipe fitting [1"1/16-12 1"CIL. D20]
	4	3101122	1	90° Connection [90° ORIENT.1"1/16-12 1"G]
	5	3311408	1	Thermostat (Wire assembly)
	6	5392527	1	Bonderized tube
	7	5290255	1	Flexible hose
	8	5290256	1	Flexible hose
	9	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	10	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	11	3060055	4	Split lock washer [D=8.4 C72 ZC]
	12	5091545	1	
	13	5091521	1	
	14	3010015	4	Hex screw [M6X20 8.8 ZC UNI 5739]
	15	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	5710118	1	Heat exchange unit
	18	5710119	1	Electric fan (Heat exchange unit)


1st ACTIVATION FOR 2S

Table code

Sheet

5590376-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5001595	1	Plate (Pipes guard)
	2	3060057	2	Split lock washer [D=12 C72 ZC]
	3	3010368	2	Hex screw [M12X20 8.8 ZC UNI 5739]
	4	5001334	1	Slide (Actuations)
	5	5001216	1	Support bracket (Actuations)
	6	5272114	2	Flexible hose
	7	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	8	3010349	2	Hex screw [M10X20 10.9 ZC UNI 5739]
RC	9	3060056	4	Split lock washer [D=10 C72 ZC]
	10	3010389	2	Hex screw [M10X35 ZC UNI 5739]
	11	3010032	4	Hex screw [M8X45 8.8 ZC UNI 5737]
	12	3190204	3	Plate (Collar)
	13	3190172	6	Clamp (Set of hoses)
RC	14	3060055	5	Split lock washer [D=8.4 C72 ZC]
	15	5000077	4	Clamp (Rigid Pipe)
	16	3010035	1	Hex screw [M8X60 8.8 ZC UNI 5737]
	17	5392494	2	
	18	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	19	5272112	2	Flexible hose
	20	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]


1st ACTIVATION FOR 2S

Table code

Sheet

5590376-1.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	5141000	1	Spacer (Rigid Pipe)
	22	5140742	2	Hydraulic hose guide
	23	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	24	5391823	1	Bonderized tube (Pipe)
	25	5391822	1	Bonderized tube (Pipe)
	26	5001187	1	Clamp (Set of hoses)
	27	3020903	1	TSEI screw [M8X30 ZC UNI 5933]


1st ACTIVATION FOR 2S

Table code

Sheet

5590376-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]	
2	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]	
3	W440500900	2	Bonderized tube () [Tubo FE 12x1.5 zc]	
4	3110411	2	Quick coupling	
5	3110249	2	Straight pipe fitting	
6	3120402	2	Wall-through pipe fitting	
7	3010358	2	Hex screw [M10X40 8.8 ZC UNI 5739]	
8	5001187	1	Clamp (Set of hoses)	
9	5391822	1	Bonderized tube (Pipe)	
10	5391823	1	Bonderized tube (Pipe)	
11	3020899	1	TSEI screw [M8X20 10.9 ZC UNI 5933]	
12	5001334	1	Slide (Actuations)	
13	3010389	4	Hex screw [M10X35 ZC UNI 5739]	
14	3040304	6	Stopnut [M10-70 NORM.8G ZC.]	
15	5271401	4	Flexible hose	
16	5140742	2	Hydraulic hose guide	
17	5141000	1	Spacer (Rigid Pipe)	
18	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]	
19	5001333	1	Slide (ACTUATION)	
20	5001214	1	Support (Slide)	


1st ACTIVATION FOR 2S

Table code

Sheet

5590376-2.0

2/2



R	Pos.	Variant Code	Q.ty	Description
	21	3020903	2	TSEI screw [M8X30 ZC UNI 5933]
	22	5001193	2	Plate (Hose clamp)
	23	5001596	1	Piping mounting
	24	3110429	2	Female plug
	25	3110428	2	Male plug
	26	3010337	1	Hex screw [M8X16 8.8 ZC UNI 5739]


2st ACTIVATION FOR 2S

Table code

Sheet

5600133-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5272114	2	Flexible hose
	2	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
	3	3190204	3	Plate (Collar)
	4	3190172	6	Clamp (Set of hoses)
RC	5	3060055	5	Split lock washer [D=8.4 C72 ZC]
	6	5000077	4	Clamp (Rigid Pipe)
	7	3010037	1	Hex screw [M8X70 8.8 UNI 5737 ZC]
	8	5392494	2	
	9	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
	10	5272112	2	Flexible hose
	11	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	12	5391821	1	Bonderized tube (Pipe)
	13	5391820	1	Bonderized tube (Pipe)
	14	3010035	2	Hex screw [M8X60 8.8 ZC UNI 5737]


2st ACTIVATION FOR 2S

Table code

Sheet

5600133-2.0

1/1



**Schema di montaggio
con due attivazioni
Mounting with two
extra functions**

R	Pos.	Variant Code	Q.ty	Description
1	3110411	2	Quick coupling	
2	3110249	2	Straight pipe fitting	
3	3120402	2	Wall-through pipe fitting	
4	5271401	4	Flexible hose	
5	5391821	1	Bonderized tube (Pipe)	
6	3110016	2	Plug	
7	3110015	2	Plug	
8	W440500800	1	Bonderized tube () [Tubo FE 12x1.5 zc]	
9	W440500900	1	Bonderized tube () [Tubo FE 12x1.5 zc]	
10	5391820	1	Bonderized tube (Pipe)	

1st ACTIVATION FOR 4S


Table code

Sheet

5590377-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5002157	2	Support (Slide)
	2	3010389	4	Hex screw [M10X35 ZC UNI 5739]
	3	3040304	4	Stopnut [M10-70 NORM.8G ZC.]



1st Additional actuation


Table code

Sheet

5590104-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5001187	1	Clamp (Set of hoses)
	2	5391822	1	Bonderized tube (Pipe)
	3	5391823	1	Bonderized tube (Pipe)
	4	3020903	1	TSEI screw [M8X30 ZC UNI 5933]
	5	5001334	1	Slide (Actuations)
	6	3010389	2	Hex screw [M10X35 ZC UNI 5739]
	7	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	8	5271401	2	Flexible hose
	9	5140742	2	Hydraulic hose guide
	10	5141000	1	Spacer (Rigid Pipe)
	11	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	12	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]



2nd ADDITIONAL ACTUATION



Table code

Sheet

5600083-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
1		5391821	1	Bonderized tube (Pipe)
2		5391820	1	Bonderized tube (Pipe)
3		5271401	2	Flexible hose



**Schema di montaggio
con due attivazioni**

**Mounting with two
extra functions**


1st ACTIVATION FOR 6S

Table code

Sheet

5590378-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
1	5002158		1	Support (Slide)
2	3040304		6	Stopnut [M10-70 NORM.8G ZC.]
3	3010389		4	Hex screw [M10X35 ZC UNI 5739]
4	5272311		2	Flexible hose
5	5001193		2	Plate (Hose clamp)
6	3020903		1	TSEI screw [M8X30 ZC UNI 5933]
7	3010358		2	Hex screw [M10X40 8.8 ZC UNI 5739]
8	3110411		2	Quick coupling
9	3110249		2	Straight pipe fitting
10	3120402		2	Wall-through pipe fitting
11	5002155		1	Hoses support
12	3120388		2	45° Connection
13	3110428		2	Male plug
14	3110429		2	Female plug
15	5272118		2	Flexible hose
16	5001333		1	Slide (ACTUATION)
17	3020914		1	TSEI screw [M8X35 10.9 ZC UNI 5933]
18	5091732		1	Guide (Hoses support)
19	3190208		2	Collar (Pipe)
20	3040303		2	Stopnut [M8-70 UNI7473 NORM. ZC.]

1st ACTIVATION FOR 6S


Table code

Sheet

5590378-1.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	5002923	1	Clamp (Hose clamp)
	22	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	23	3020915	1	TSEI screw [M6X40 10.9 ZC UNI 5933]




2st ACTIVATION FOR 6S

Table code

Sheet

5600135-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5272311	1	Flexible hose
	2	3110411	2	Quick coupling
	3	3110249	2	Straight pipe fitting
	4	3120402	2	Wall-through pipe fitting
	5	3110015	2	Plug
	6	3110016	2	Plug
	7	5272118	2	Flexible hose
	8	3120388	2	45° Connection


FOUR-WAY HOSE WINDER KIT

Table code

Sheet

5590391-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001595	1	Plate (Pipes guard)
	2	3060057	2	Split lock washer [D=12 C72 ZC]
	3	3010368	2	Hex screw [M12X20 8.8 ZC UNI 5739]
	4	3010356	4	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	5	3060056	6	Split lock washer [D=10 C72 ZC]
	6	5272198	4	Flexible hose
	7	3040335	4	Stopnut
	8	5002160	1	Fixing plate
RC	9	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
	10	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	11	3020057	4	Socket head cap screw [M8X35 ZC UNI 5931]
	12	3190204	6	Plate (Collar)
	13	3190172	12	Clamp (Set of hoses)
RC	14	3060006	6	Flat washer [D.8 UNI 6592 ZC]
	15	5000077	8	Clamp (Rigid Pipe)
	16	3010035	4	Hex screw [M8X60 8.8 ZC UNI 5737]
	17	5392494	4	
	18	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	19	5272112	4	Flexible hose
	20	3101044	4	Straight pipe fitting [3/4-16 1/2"CIL. D12]


FOUR-WAY HOSE WINDER KIT

Table code

Sheet

5590391-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5721125	1	Hose reels
	2	5090963	3	Hoses support
	3	3010102	3	Hex screw [M8X170 8.8GEOMET UNI5737PF]
	4	5140704	24	Roller
	5	5002159	1	Hoses support
	6	2013195	6	Spacer
	7	5002162	1	Hoses support
	8	5002429	1	Support (Roller)
	9	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]
	10	3040335	6	Stopnut
	11	3010356	3	Hex screw [M10X30 8.8 ZC UNI 5739]
RC	12	3010354	2	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
	14	5002163	1	Plate (Wall-through pipe fitting)
	15	3120011	4	90° Connection [90° M/F JIC 9/16-18]
	16	3120309	4	Wall-through pipe fitting [MJ 9/16-18]
	17	3120064	4	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	18	3110410	4	Quick coupling
	19	3110427	2	Female plug (Blue)
	20	3110426	2	Male plug (Blue)

FOUR-WAY HOSE WINDER KIT


Table code

Sheet

5590391-2.0

2/2

R	Pos.	Variant Code	Q.ty	Description
	21	3110093	2	Male plug (Yellow)
	22	3110094	2	Female plug (Yellow)




Assembly kit

Table code

Sheet

7880377-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001204	4	Fixing plate (Tie rod)
	2	3040190	32	Nut
	3	5000090	16	Plate (Upper)
	4	5150659	2	Tie rod (Threaded rod)
	5	5150661	6	Threaded rod
	6	3190292	8	Tip (Rubber protection)





929 6S JIB 4S


ATTACHEMENT FOR (JIB)

Table code

Sheet

5780019-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091401	1	Plates (JIB)
	2	5000771	4	Adjusting screw [M20 L=35]
	3	3040089	4	Lock nut
RC	4	5001253	6	Button (Sliding block)
	5	3060757	1	Cotter pin (Locking ring)
	6	5150395	1	Pin (Handle)
	7	3190010	1	Knob
	8	3080501	2	Grease nipple [M8X1.25]
	9	3070045	1	Seeger
	10	3040506	1	Self-locking ringnut [M45X1.5 NORMALE ZC]
	11	5140695	4	Bushing
	12	5001117	1	Spacer
	13	5002045	1	Spacer
	14	5150923	1	Threaded pin
	15	3060632	2	Spring pin
	16	5150922	1	Pin
	17	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	18	3060055	2	Split lock washer [D=8.4 C72 ZC]
	19	3190204	2	Plate (Collar)
	20	3190172	4	Clamp (Set of hoses)


KIT CONNECTING ROD (JIB)

Table code

Sheet

5360021-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090653	2	Long connecting rod
	2	5090652	2	Short connecting rod
	3	3080501	2	Grease nipple [M8X1.25]
	4	3040508	2	Self-locking ringnut [M55X2 NORMALE ZC]
	5	3040500	2	Self-locking ringnut [M40X1.5 NORMALE ZC]
	6	5140723	2	Bushing
	7	5150924	1	Threaded pin
	8	5150953	1	Threaded pin


JIB ARM

Table code


Sheet

5630011-1.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5030308	1	JIB ARM
	2	5002044	2	SUPPORT ARM FOR JIB
	3	5140695	2	Bushing
	4	3080501	1	Grease nipple [M8X1.25]
	5	5002042	1	Spacer
	6	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3190204	2	Plate (Collar)
	9	3190172	4	Clamp (Set of hoses)
	10	3010369	8	Hex screw [M12X25 8.8 ZC UNI 5739]
	11	3060057	12	Split lock washer [D=12 C72 ZC]
	12	3060018	12	Flat washer [D.12 UNI 6592 ZC]
	13	3010373	4	Hex screw [M12X16 8.8 GEOMET UNI 5739]
	14	3070041	2	Seeger
	15	5150954	1	Pin
	16	3040389	2	Stopnut
	17	5000771	2	Adjusting screw [M20 L=35]
RC	18	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	19	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	20	5000685	6	Plate (Thickness)




R	Pos.	Variant Code	Q.ty	Description
RC	21	5001087	2	Button (Control board)
RC	22	5140722	2	Slide shoe
RC	23	5140656	2	Button (Backlash)
RC	24	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	25	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	26	5002472	1	Protective cover (Strip)

ARTICULATION HYDRAULIC JACK (JIB)

Table code
6230526-1.0

Sheet
1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430526	1	Articulation Hydraulic jack
	2	5393325	1	Bonderized tube
	3	5220548	1	Holding valve
	4	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	5	3060055	6	Split lock washer [D=8.4 C72 ZC]
	6	3101127	3	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	7	3111512	1	90° Connection
RC	8	3312200	1	Pressure sensor [4-20mA 600bar]
	9	5271462	1	Flexible hose
	10	5271962	1	Flexible hose
	11	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
	12	3190204	2	Plate (Collar)
	13	3190172	4	Clamp (Set of hoses)
	14	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]
	15	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	16	3120356	1	Reducing fitting
	17	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]

ARTICULATION HYDRAULIC JACK (JIB)




Table code	Sheet
6230526-2.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	6430526	1	Articulation Hydraulic jack
	2	5393325	1	Bonderized tube
	3	5220548	1	Holding valve
	4	3010033	4	Hex screw [M8X50 8.8 ZC UNI 5737]
RC	5	3060055	6	Split lock washer [D=8.4 C72 ZC]
	6	3101127	3	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	7	3111512	1	90° Connection
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	5271462	1	Flexible hose
	10	5271962	1	Flexible hose
	11	3010036	3	Hex screw [M8X65 8.8 ZC UNI 5739]
	12	3190204	3	Plate (Collar)
	13	3190172	6	Clamp (Set of hoses)
RC	14	5220300	1	Hose burst valve (Sleeve)
	15	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	16	5261396	1	Flexible hose
	17	5001644	3	Spacer (Pipe)
	18	3120356	1	Reducing fitting
	19	3120031	1	90° Connection [90° ORIENT.3/4-16-MJ/FJ]
	20	3120004	1	Tee fitting [RACC.T 3/4-16JIC M/M/F]


ARTICULATION HYDRAULIC JACK

Table code

Sheet

6430526-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070618	1	Cylinder
	2	5140124	2	Bushing
	3	6030930	1	Rod unit
	4	5140723	2	Bushing
	5	3080501	2	Grease nipple [M8X1.25]
RC	6	5550681	1	Seal kit (Lifting hydraulic cylinder)
	7	6050237	1	Piston
	8	6040106	1	Close nipple
	9	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]


1st Extension

Table code

Sheet

5490090-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020526	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140722	4	Slide shoe
RC	11	3010336	2	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	3190040	4	Cap
RC	14	5000780	2	Plate (Thickness)


Hydraulic system (1st Extension hydraulic)

Table code

Sheet

6210543-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3040381	1	Stopnut
	3	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	4	5001365	1	Lock washer (Control board)
	5	3040510	1	Self-locking ringnut
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	5392237	1	Bonderized tube (Iron)
	8	3101125	2	90° Connection [90° ORIENT.9/16-18 - 3/8"CIL.]
	9	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5392091	1	Bonderized tube (Iron)
	12	5220122	1	Valve
	13	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	14	5000693	1	Valve support
	15	3060053	2	Split lock washer [D=6.4 C72 ZC]
	16	3190025	4	Clamp
	17	5272312	2	Flexible hose
	18	3190244	1	Plug (Guard)
	19	5140133	2	Piping mounting

1st Extension hydraulic

Table code

Sheet

6410415-1.0

1/1

Cilindro 1° sfilo per 2S - 3S - 4S


Cilindro 2° sfilo per 3S - 4S

Cilindro 3° sfilo per 4S

1st cylinder extension for 2S - 3S - 4S

2nd cylinder extension for 3S - 4S

3rd cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420018	1	W-ring
	3	3400055	1	Seal
	4	6040290	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030862	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550760	1	Seal kit


2nd Extension

Table code

Sheet

5530051-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020527	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140656	4	Button (Backlash)
RC	10	5140722	2	Slide shoe
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5000780	2	Plate (Thickness)
RC	16	5140783	2	Slide shoe
	17	5002218	4	Washer


Hydraulic system (2nd EXTENSION HYDRAULIC JACK)

Table code

Sheet

6210415-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3040510	1	Self-locking ringnut
	4	5001365	1	Lock washer (Control board)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	8	5392094	1	Bonderized tube (Iron)
	9	5392248	1	Bonderized tube (Iron)
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Versione 3S - 4S
3S - 4S Version


3rd EXTENSION

Table code

Sheet

5540056-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020528	1	Extension
	2	3040519	1	Stopnut
	3	3060505	1	Grub screw
RC	4	5000685	4	Plate (Thickness)
RC	5	3060006	8	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5001087	4	Button (Control board)
RC	9	5140783	4	Slide shoe
RC	10	5140656	4	Button (Backlash)
RC	11	3010336	6	Hex screw [M8X12 8.8 ZC UNI 5739]
RC	12	3060918	6	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	13	5001462	2	Insert (Backlash)
	14	3190040	4	Cap
RC	15	5000780	2	Plate (Thickness)
	16	5002218	4	Washer


Hydraulic system (3rd extension Hydraulic jack)

Table code

Sheet

6210400-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410415	1	Extension jacks [Fixed]
	2	3190025	2	Clamp
	3	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	4	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	5	5392238	1	Bonderized tube (Iron)
	6	5392096	1	Bonderized tube (Iron)
	7	3040510	1	Self-locking ringnut
	8	5001365	1	Lock washer (Control board)
	9	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	10	3040390	1	Stopnut
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)


4th EXTENSION

Table code

Sheet

5560044-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020529	1	Extension
RC	2	5140978	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	7	3010336	4	Hex screw [M8X12 8.8 ZC UNI 5739]
	8	5001462	2	Insert (Backlash)
	9	5002218	4	Washer


Hydraulic system (4th extension Hydraulic jack)

Table code

Sheet

6210401-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410414	1	Extension hydraulic jack [Fixed]
	2	3101124	3	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	3	3040510	1	Self-locking ringnut
	4	5001575	1	Washer (Extension)
	5	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]
	6	3040390	1	Stopnut
	7	5392239	1	Bonderized tube (Iron)
	8	5392098	1	Bonderized tube (Iron)
	9	3190025	2	Clamp
	10	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	11	5140133	2	Piping mounting
	12	3190244	1	Plug (Guard)

Extension Hydraulic jack

Table code

Sheet

6410414-1.0

1/1

Cilindro 1° sfilo per 1S

Cilindro 2° sfilo per 2S

Cilindro 3° sfilo per 3S


Cilindro 4° sfilo per 4S

1st cylinder extension for 1S

2rd cylinder extension for 2S

3th cylinder extension for 3S

4th cylinder extension for 4S



R	Pos.	Variant Code	Q.ty	Description
	1	6070583	1	Cylinder
	2	3420015	1	W-ring
	3	3400043	1	Seal
	4	6040291	1	Close nipple
	5	3460119	1	Anti-extrusion ring
	6	3450118	1	O-ring joint
	7	6030860	1	Rod unit [Fixed]
	8	3400505	1	Seal
RC	9	5550761	1	Seal kit

HOOK KIT (JIB-4S)


Table code

Sheet

5790074-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3200027	1	Swivel hook [T5.4]
	2	W390301000	1	Guide bushing (Lifting hook)
	3	3060938	2	Flat washer [D.25X39X4 UNI 1749 ZC]
	4	5151099	1	Pin
	5	3060902	4	Cotter pin
	6	5002482	1	Block (Extensions)



Unit (ELECTRICS CONTROLS)


Table code

Sheet

5402762-1.0

1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5160108	1	Electric wiring
	2	5160079	1	Electric wiring
RC	3	3312200	1	Pressure sensor [4-20mA 600bar]
	4	5160080	1	Plug (Electric components)




Unit (ELECTRICS CONTROLS)

Table code

Sheet

5402762-2.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3	5160108	1	Electric wiring
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3060065	2	Split lock washer [D=4.1 C72 ZC]
	7	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	8	3020037	2	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	9	3060053	2	Split lock washer [D=6.4 C72 ZC]
	10	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)
	12	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]





929 RDC EBB EN12999-A3


Proportional control valve (4 section)

Table code

Sheet

5220490-1.0

1/1



	11
	7
	6
	5
	6
	5
	8
	8
	6

R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5225398	4	Form (PVB DISTR. DANFOSS 157B6203)
	3	5225954	1	Outlet manifold (PVG32 PLUG PVP)
	4	5225942	1	Slider (PVG32 ELEM.PVSK 11140846)
	5	5225340	1	Slider (PVG32 CA A40-B100 157B9505)
	6	5225368	1	Slider (PVG32 157B7122 CA40L/MIN)
	7	5225536	1	Slider (PVG32 157B7472)
	8	5225508	1	Slider (PVG32 157B7022)
	9	5225859	5	lever kit new PVG32 11046724
	10	5225397	5	MECHANICAL CONTROL LEVER SIDE
	11	5225558	1	Slider (PVG32 157B7131)
	12	5225932	1	Inlet manifold PVG32 X ELEM. PVSK 157B6961
	13	5225952	1	Electric control (PVEO 12V PVG32)
	14	5225953	1	Electric control (PVEO 24V PVG32)
	15	5226006	5	KIT LEVA PVG32 11107587 New2014


FITTINGS (Proportional control valve)

Table code


Sheet

5402704-4.0


1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	2	3101051	6	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	4	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	3101056	2	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]




R	Pos.	Variant Code	Q.ty	Description
	1	5220490	1	
	2	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	3	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	4	5002299	1	
RC	5	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	6	3010029	2	Hex screw [M8X30 8.8 ZC UNI 5737]
	7	5091433	1	
	8	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
RC	9	3060056	6	Split lock washer [D=10 C72 ZC]
RC	10	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	11	W573270	1	Small plate (CONTROL SYMBOLS)
	12	W573269	1	Small plate (CONTROL SYMBOLS)
	13	W573267	1	Small plate (CONTROL SYMBOLS)
	14	W573266	1	Small plate (CONTROL SYMBOLS)
	15	W573265	2	Small plate (CONTROL SYMBOLS)
	16	W573335	2	Small plate (CONTROL SYMBOLS)
	17	3020960	10	TCC screw [M6X15 4.8 ZC]
	18	3060053	6	Split lock washer [D=6.4 C72 ZC]
	19	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	20	5091474	1	



R	Pos.	Variant Code	Q.ty	Description
	21	5002320	1	
	22	5091475	1	
	23	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	24	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	25	5091434	1	
	26	5002319	1	
	27	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
RC	28	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	29	3060055	6	Split lock washer [D=8.4 C72 ZC]
	30	5091547	1	
	31	5813566	2	Small plate (Emergency STOP button)
	32	5814147	2	Small plate (CONTROL SYMBOLS)
	33	5814146	2	Small plate (CONTROL SYMBOLS)

Table code	Sheet
5402704-6.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311797	1	Moment limiting device (WITH RESINING)
	2	5160084	1	Electric wiring
	3	5160110	1	Electric wiring
RC	4	3312200	1	Pressure sensor [4-20mA 600bar]



ROTATION CONTROL (EN12999-A3)


Table code

Sheet

5405079-1.0


1/2

BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE




R	Pos.	Variant Code	Q.ty	Description
	1	5091487	2	
RC	2	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	3	3060056	4	Split lock washer [D=10 C72 ZC]
RC	4	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
	5	5141154	2	
	6	3010399	1	Hex screw [M6X55 8.8 ZC UNI 5739]
	7	3040372	7	Stopnut [M6-70 UNI7473 NORM. ZC.]
	8	5141138	3	Wheel (Cable guide)
	9	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
	10	3010023	1	Hex screw [M6X40 8.8 ZC UNI 5739]
	11	5002418	1	
RC	12	3311538	1	Sensor unit (Encoder)
	13	3060003	3	Flat washer [D.4 UNI 6592 ZC]
	14	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	15	3311792	1	Electrical connection
	16	5091528	1	
	17	3010325	5	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3060053	5	Split lock washer [D=6.4 C72 ZC]
RC	19	3060006	5	Flat washer [D.8 UNI 6592 ZC]
	20	3311791	1	Electric cable (CAN BUS)

**BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE**





R	Pos.	Variant Code	Q.ty	Description
	21	5091529	1	
	22	3010316	8	Hex screw [M5X16 8.8 ZC UNI 5739]
	23	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	24	5091530	1	
	25	3311327	1	Connector (Electric)
	26	5002780	1	Support (remittal)
	27	3010022	1	Hex screw [M6X25 8.8 ZC UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
	1	5091370	2	
	2	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	3	3060030	8	Flat washer [D.6.6X18 UNI 6593 ZC]
RC	4	3311574	2	Proximity switch (Position sensor)
	5	3020026	4	Socket head cap screw [M5X45 8.8 ZC UNI 5931]
	6	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3040518	10	Stopnut [STOP M4]
	9	5002324	2	
	10	3311356	2	Wire assembly (Microswitch)
	11	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	12	5141128	4	Roller (Cable guide)
	13	5002175	2	Brush
	14	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	15	5091368	2	
RC	16	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	17	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	18	3311372	1	Electric wiring
RC	19	3311312	1	Proximity switch
	20	5002185	1	Support (Proximity switch)


R	Pos.	Variant Code	Q.ty	Description
	21	3190026	2	Clamp






R	Pos.	Variant Code	Q.ty	Description
	1	5232525	1	
	2	3190208	4	Collar (Pipe)
	3	5140133	1	Piping mounting
	4	3190026	1	Clamp
RC	5	3311538	2	Sensor unit (Encoder)
	6	3311792	3	Electrical connection
RC	7	3311574	2	Proximity switch (Position sensor)
	8	3311791	2	Electric cable (CAN BUS)
	9	3310665	2	

R	Pos.	Variant Code	Q.ty	Description
	1	3311602	1	Electric box
	2	3020023	4	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3060004	4	Flat washer [D.5 UNI 6592 ZC]





R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	3311131	1	Electric cable
	3	5160003	1	Electric wiring


CONTROLS (stabilizers)

Table code

Sheet


5402692-2.0

1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5220883	2	STABILIZER CONTROL VALVE
	2	3060144	13	Sealing washer [BSP 3/8"]
	3	3110114	4	Straight pipe fitting [M/F BSP 3/8"H=32]
	4	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	5	3101040	4	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	6	3110153	1	Reducing fitting
	7	3120012	4	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	8	3110061	8	Plug [BSP 3/8"]
	9	5220209	8	Lever rod [ASTA LEVA L=210 mm]
	10	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]
	11	5280992	1	Flexible hose [Tubo 1/2" F90 +F7/8J L=1600]
	12	5281181	1	Flexible hose
	13	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	14	5281183	1	Flexible hose
	15	3120306	1	Tee fitting
	16	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	17	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	18	3010035	6	Hex screw [M8X60 8.8 ZC UNI 5737]
	19	3040303	6	Stopnut [M8-70 UNI7473 NORM. ZC.]
	20	5225240	1	Carry-over

R	Pos.	Variant Code	Q.ty	Description
	21	5281182	1	




High pressure filter

Table code

Sheet

5402712-1.0

1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180159	1	Oil filter
	2	3101133	2	90° Connection [90° ORIENT. 1"1/16-12-3/4"CIL]
	3	3180192	1	Pressure gauge (Clogging indicator)
	4	3110046	1	Female plug [TAPPO F JIC 1"1/16]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	6	3060055	2	Split lock washer [D=8.4 C72 ZC]
	7	5290164	1	
	8	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]

Rotation limiting device (Electric)


Table code

Sheet

7885208-1.0

1/1

RDC-EBB



R	Pos.	Variant Code	Q.ty	Description
	1	5160112	1	Electric wiring
RC	2	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	3	3060056	2	Split lock washer [D=10 C72 ZC]
	4	5002428	1	Support
RC	5	3311311	3	Proximity switch (Position sensor)
	6	5002558	1	Support (Proximity sensor)
	7	3020034	2	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]

Wireless control kit (CAN BUS)

Table code



Sheet

7892292-1.0


1/1

CAN BUS

EN - 12999 - A3



R	Pos.	Variant Code	Q.ty	Description
	1	3311429	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	3310861	1	Aerial (Wireless control)
	12	3311433	1	Receiver
	13	3311432	1	Electric wiring
	14	3310924	1	Key (Red)
	15	3311131	1	Electric cable
	16	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	17	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	19	3060053	4	Split lock washer [D=6.4 C72 ZC]
	20	3010323	4	Hex screw [M6X10 8.8 ZC UNI 5739]



R	Pos.	Variant Code	Q.ty	Description
	1	3311529	1	
	2	3040392	4	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	4	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3311242	1	Extension terminal (Aerial)
	5	3311528	1	
	6	3190226	1	Belt (Transmitter)
RC	7	3310483	2	Battery (Wireless control)
	8	3310471	1	Battery charger
	9	3311279	1	Electric cable (PROGRAMMING)
	10	3310445	6	Control lever
	11	3311275	1	Aerial (RADIO)
	12	3311532	1	Display
	13	3311531	1	Electric wiring (Wireless control)
	14	3060052	4	Split lock washer [D=5.5 C72 ZC]
	15	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	16	3311048	1	Extension terminal (Electrical)





RECOMMENDED SPARE PARTS

Recommended Spare Parts

Logbook code

7845500.0

Sheet

1/1

Code	Description	Code	Description	Code	Description
3010027	Hex screw	5225081	Seal kit (Control valve)		
3010336	Hex screw	5225927	Seal kit (Control valve)		
3010353	Hex screw	5550681	Seal kit (Lifting hydraulic cylinder)		
3010354	Hex screw	5550694	Seal kit		
3020495	TSEI screw	5550760	Seal kit		
3020875	Socket head cap screw	5550761	Seal kit		
3060006	Flat washer	5550807	Seal kit		
3060055	Split lock washer	5550810	Seal kit		
3060056	Split lock washer	5550813	Seal kit		
3060914	Flat washer	5550814	Seal kit		
3060918	Tooth lock washer	5550815	Seal kit (Stabilizer Hydraulic jack)		
3180099	Oil level indicator	5550820	Seal kit		
3180110	Filtering cartridge	5550821	Seal kit		
3180147	Pressure gauge (Clogging indicator)	5550822	Seal kit		
3180150	Pressure gauge	5550823	Seal kit		
3180159	Oil filter	W605006	Adhesive tape		
3180160	Filtering cartridge				
3180196	Oil filter				
3180221	Thermometer				
3310483	Battery (Wireless control)				
3310641	Battery (Wireless control)				
3311150	Inclination sensor 360°				
3311311	Proximity switch (Position sensor)				
3311312	Proximity switch				
3311538	Sensor unit (Encoder)				
3311574	Proximity switch (Position sensor)				
3312200	Pressure sensor				
5000685	Plate (Thickness)				
5000780	Plate (Thickness)				
5000827	Button				
5001087	Button (Control board)				
5001253	Button (Sliding block)				
5140656	Button (Backlash)				
5140722	Slide shoe				
5140732	Sliding block (Rack adjuster)				
5140733	Slide shoe				
5140743	Slide shoe				
5140783	Slide shoe				
5140974	Slide shoe				
5140977	Slide shoe				
5140978	Slide shoe				
5141059	Thrust bearing ring				
5141060	Bushing				
5141061	Bushing				
5141125	Slide shoe				
5220300	Hose burst valve (Sleeve)				
5225031	Seal kit				