AMCO VEBA
LIFTING BEYOND HORIZONS

SPARE PARTS CATALOGUE



Model

2 ARTICULATED BOOM
946 950

Logbook code

7880576.1

Edition

11/2019

Realizzato con CrEasy©

INSTRUCTIONS FOR USE OF THE SPARE PARTS CATALOGUE

The catalog has been produced to allow the research and ordering of spare parts and to check their mounting position.

To facilitate the research for spare parts the machine has been divided into functional groups.

The index of the tables is divided into two columns.

Each column shows :

A **The number of the catalog page.**

B **The code of the table.**

C **The title of the table.**

D **Section of the model variant.**



Table index

Logbook code **7880484.1** 5/5

Page	Table code	Q.ty	Table heading		Validity
213	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
215			**820 EBB - EN 12999 - A3**		
216	5411204-7.0	1	STABILITY CONTROL (EN12999-A3)		
217	5411205-1.0	1	ROTATION CONTROL (EN12999-A3)		
218	5411205-1.1	1	ROTATION CONTROL (EN12999-A3)		
220	5411204-14.0	1	STABILITY CONTROL (EN12999-A3)		
222	5411367-1.0	1	ROTATION CONTROL (EN12999-A3)		
224	5401218-1.0	1	CONTROLS WITH THERMOFORMABLE (RDC EBB-X		
226	5401218-8.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
227	5401218-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
228	5401218-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
229	5401218-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
230	5401218-5.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
231	5401218-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
232	5401218-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
233	7892193-1.0	1	Wireless control kit (Hz.EU)		
234	7892194-1.0	1	Wireless control kit (Hz.USA)		
235	7892206-1.0	1	Wireless control kit (Hz.AUS)		
236	7892227-1.0	1	Wireless control kit (RDC-EBB -FR. EU-)		
237			**820 5S - JIB 2S**		

7

Page	Table code	Q.ty	Table heading		Validity
238	5630006-1.0	1	JIB ARM		
240	5490007-1.0	1	1st EXTENSION (JIB)		
241	6210343-1.0	1	HYDRAULIC SYSTEM (1th extension hydraulic cylinder)		
242	5590100-2.0	1	ACTUATIONS FOR 1S		
244	6410160-1.0	1	1st EXSTENSION HYDRAULIC		
245	5530006-1.0	1	2nd EXTENSION		
246	6210344-1.0	1	2nd extension hydraulic cylinder (HYDRAULIC SYSTEM)		
247	6410161-1.0	1	2nd EXTENSION HYDRAULIC JACK		
248	5360013-1.0	1	KIT CONNECTING ROD (JIB)		
249	5780017-1.0	1	Coupling (Articulated extension)		
250	6230131-3.0	1	Articulation Hydraulic jack (Hydraulic system)		
252	6430131-1.0	1	Articulation Hydraulic jack		
253	5590083-1.0	1	Kit activation hydraulic input (Articulated extension)		
254	5401467-4.0	1	Kit activation hydraulic input (Articulated extension)		
255	5401467-5.0	1	Kit activation hydraulic input (Articulated extension)		
256	5400335-1.0	1	Support (Articulated extension)		
257			**820 CIA**		
258	55[illegible]0096-1.0	1	1st ACTIVATION FOR 1S		
259	55[illegible]0096-2.0	1	1st ACTIVATION FOR 1S		

A B C D

INSTRUCTIONS TO ORDER SPARE PARTS

This is only a code used for our internal purpose to organize the spare parts manual.

DO NOT USE THIS CODE TO ORDER SPARE PARTS AND IN THE RESTRICTED AREA OF THE WEBSITE.

The following are the list of spare parts you can insert in the restricted area of the website.

The order confirmation for spare parts are indicated with:RE 217XXXX
17 - indicate the year XXXX - is a progressive number



Table code **5402956-3.0** 1/1

R	Pos.	Code Variant	Q.ty	Description
	1	3010036	4	Hex screw [M8X65 8.8 ZC UNI 5739]
	2	3060006	4	Flat washer [D.8 UNI 6592 ZC]
	3	5220493	1	Oleo-hydraulic distributor
	4	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	6	3101044	8	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	9	3120314	1	Pipe fitting (Extension shaft) [RACC. FJ/FGAS 7/8-14 1/4"]
	10	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	11	3101179	1	Tee fitting [T 7/8-14 1/2"CIL. MJ/MJ/MGAS]

Page	Table code	Q.ty	Table heading	Vers.	Validity
11	5502000-3.0	1	Plate kit (Generic Gru)		
12	5500990-1.0	1	Plate kit (Version)		
13	5500961-1.0	1	Plate kit (Version)		
14	5420059-1.0	1	Base		
15	5420059-1.1	1	Base		
17	5420059-1.2	1	Base		
19	6240106-1.0	1	SLEWING ASS'Y		
20	6240106-2.0	1	Hydraulic system (Slewing Hydraulic jack)		
21	5400596-1.0	1	Greasing kit		
22	5411204-1.0	1	STABILITY CONTROL (EN12999-A3)		
23	5411385-5.0	1	STABILITY CONTROL (EN12999-A3)		
25	5411209-1.0	1	ROTATION CONTROL (EN12999-A3)		
26	5411402-1.0	1	ROTATION CONTROL (EN12999-A3)		
28	5411204-2.0	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
29	5411204-2.1	1	CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS		
30	5400403-1.0	1	CONTROLS (stabilizers standard)		
32	5220346-1.0	1	STABILIZER CONTROL VALVE		
33	5400403-2.0	1	Switch (stabilizers standard)		
34	5400403-3.0	1	Hydraulic system (Rod extension valve bank)		
35	5440103-1.0	1	HYDRAULIC SYSTEM SOLENOID VALVE		
36	3180159-1.0	1	High pressure filter		
37	5760123-1.0	1	STABILIZER ROD		
38	5400403-6.0	1	Hydraulic system (ROD EXSTENSION HYDRAULIC		
40	5760123-3.0	1	Hydraulic system (stabilizers standard)		
41	5760123-4.0	1	Hydraulic system (stabilizers standard)		
42	5760088-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
43	5760088-2.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
44	5760088-3.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)		
45	5760088-4.0	1	HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)		
46	5400403-4.0	1	Hydraulic system (CONTROLS FOR STABILIZERS)		
48	5380022-1.0	1	Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-		
49	6400221-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
50	6400219-1.0	1	ROD EXSTENSION HYDRAULIC CYLINDER		
51	5760156-1.0	1	Stabilizer connecting rods extra-extensible (hydraulic lengthening)		
52	5411060-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
53	5411060-2.0	1	SLEWING ASS'Y (STABILISER RAM)		
54	5411042-1.0	1	SLEWING ASS'Y (STABILISER RAM)		
56	5411042-2.0	1	SLEWING ASS'Y (STABILISER RAM)		
57	6200220-1.0	1	Hydraulic system (STABILISER RAM)		
58	6400220-1.0	1	Stabilizer Hydraulic jack		

Page	Table code	Q.ty	Table heading	Vers.	Validity
59	5410936-1.0	1	ARTICULATED JOINT TANG (STABILISER RAM)		
60	6200258-1.0	1	Hydraulic system (STABILISER RAM)		
61	6400258-1.0	1	Stabilizer Hydraulic jack		
62	5411078-1.0	1	ARTICULATED JOINT TANG (STABILISER RAM)		
63	5400399-1.0	1	Hydraulic oil tank		
65	3180176-1.0	1	Oil filter		
66	7888008-1.0	1	Heat exchange unit		
67	7888008-2.0	1	Heat exchange unit		
68	7888008-3.0	1	Heat exchange unit		
69	7888045-1.0	1	Heat exchange unit		
70	5460051-1.0	1	Column		
71	5360014-1.0	1	COLUMN CONNECTING RODS		
72	6230149-1.0	1	Lifting hydraulic cylinder (Hydraulic system)		
73	6430149-1.0	1	Lifting hydraulic cylinder		
74	5470071-1.0	1	1st Boom		
75	5360015-1.0	1	Linkage 1th e 2nd boom		
76	6230153-1.0	1	Articulation Hydraulic jack (Hydraulic system)		
78	6430153-1.0	1	Articulation Hydraulic jack		
79	5480074-1.0	1	2nd Boom		
81	5490075-1.0	1	1st Extension		
83	6210327-1.0	1	1st Extension hydraulic (Hydraulic system)		
85	6210018-2.0	1	1st Extension hydraulic (Hydraulic system)		
87	6410327-1.0	1	1st Extension hydraulic		
88	5370033-1.0	1	2nd Extension		
90	5750303-1.0	1	Coupling (Hook)		
91	6210328-1.0	1	2nd EXTENSION HYDRAULIC JACK (Hydraulic system)		
92	6410328-1.0	1	2nd EXTENSION HYDRAULIC JACK		
93	5540042-1.0	1	3rd extension		
95	5750302-1.0	1	Coupling (Hook)		
96	6210329-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
97	6410329-1.0	1	3rd and 4th extension hydraulic cylinder		
98	5560034-1.0	1	4th extension		
100	7880891-1.0	1	Coupling (Hook)		
101	6210333-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
102	5570014-1.0	1	5th extension		
104	5750300-1.0	1	Coupling (Hook)		
105	6210330-1.0	1	5th extension Hydraulic jack (Hydraulic system)		
106	6410330-1.0	1	5th and 6th extension hydraulic cylinder		
107	5580009-1.0	1	6th extension		
108	5580010-1.0	1	6th extension		

Page	Table code	Q.ty	Table heading	Vers.	Validity
110	5750299-1.0	1	Coupling (Hook)		
111	6210334-1.0	1	6th extension Hydraulic jack (Hydraulic system)		
112	5330005-1.0	1	7th extension		
114	6210331-1.0	1	7th extension Hydraulic jack (Hydraulic system)		
115	6210019-1.0	1	7th extension Hydraulic jack (Hydraulic system)		
117	6410331-1.0	1	7th extension Hydraulic jack		
118	5320004-1.0	1	8th extension		
119	6210332-1.0	1	8th extension Hydraulic jack (Hydraulic system)		
120	6410332-1.0	1	8th extension Hydraulic jack		
121	7800344-1.0	1	MANUAL EXTENSION (1st)		
122	7800343-1.0	1	MANUAL EXTENSION (2nd)		
123	7800341-1.0	1	MANUAL EXTENSION (3 RD)		
124	7800342-1.0	1	MANUAL EXTENSION (1st)		
125	7800340-1.0	1	MANUAL EXTENSION (2nd)		
126	7800338-1.0	1	MANUAL EXTENSION (3 RD)		
127	7800339-1.0	1	MANUAL EXTENSION (1st)		
128	7800337-1.0	1	MANUAL EXTENSION (2nd)		
129	7800335-1.0	1	MANUAL EXTENSION (3 RD)		
130	7800336-1.0	1	MANUAL EXTENSION (1st)		
131	7800334-1.0	1	MANUAL EXTENSION (2nd)		
132	7800332-1.0	1	MANUAL EXTENSION (3 RD)		
133	7800333-1.0	1	MANUAL EXTENSION (1st)		
134	7800331-1.0	1	MANUAL EXTENSION (2nd)		
135	7800330-1.0	1	MANUAL EXTENSION (1st)		
136	7881785-1.0	1	LOAD INDICATION SYSTEM (RDC-EBB)		
137	5741003-1.0	1	ACTUATIONS FOR		
139	5741003-2.0	1	1st ACTIVATION FOR 6S		
141	7880377-1.0	1	Assembly kit		
142	7880142-1.0	1	PUMP HAND KIT		
144	7880142-2.0	1	PUMP HAND KIT (High pressure filter)		
146	5740193-1.0	1	Winch (Hydraulic system)		
147	7900276-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
148	7900291-1.0	1	SUPPORT FOR WINCH'S PULLEY KIT		
149			946 - 950 6S - JIB4		
150	5780041-1.0	1	ATTACHEMENT FOR (JIB)		
151	5360010-1.0	1	KIT CONNECTING ROD (JIB)		
152	5630005-1.0	1	JIB ARM		
153	6230154-1.0	1	Articulation Hydraulic jack (Hydraulic system)		
154	6230154-1.1	1	Articulation Hydraulic jack (Hydraulic system)		
155	6430154-1.0	1	Articulation Hydraulic jack (Articulated extension)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
156	5490052-1.0	1	1st Extension (JIB)		
158	6210242-1.0	1	Hydraulic system (1th extension hydraulic cylinder)		
159	6410242-1.0	1	1st Extension hydraulic		
160	5650004-1.0	1	2nd Extension (JIB)		
162	6210243-1.0	1	Hydraulic system (2nd extension hydraulic cylinder)		
163	6410243-1.0	1	2nd and 3rd extension hydraulic cylinder		
164	5660002-1.0	1	3rd extension (JIB)		
165	6210244-1.0	1	3rd extension Hydraulic jack (Hydraulic system)		
166	5560013-1.0	1	4th extension (JIB)		
167	6210245-1.0	1	4th extension Hydraulic jack (Hydraulic system)		
168	6410245-1.0	1	4th extension Hydraulic jack		
169	5400328-1.0	1	Support (Articulated extension)		
171			WINCH KIT - WINCH IN THE JIB TIP		
172	7834173-1.0	1	WINCH KIT		
174	7834173-2.0	1	Winch (Electrical equipment)		
175	7834173-3.0	1	Winch (Hydraulic system)		
177	7834173-4.0	1	Winch (Electrical equipment)		
178	7834173-5.0	1	Winch (Electrical equipment)		
179			946 - 950 EBB		
180	5400631-2.0	1	Protective guard (Control unit)		
181	5220373-1.0	1	Control valve (4 section)		
183	7892101-1.0	1	Wireless control kit		
184	7892100-1.0	1	Wireless control kit		
185	7892140-1.0	1	Wireless control kit (CAN BUS)		
186	7892139-1.0	1	Wireless control kit (CAN BUS)		
187	7892134-1.0	1	Wireless control kit		
188	7892087-1.0	1	Wireless control kit		
189	5400602-1.0	1	CONTROLS (ECM4 EBB - X TCU)		
190	5400602-2.0	1	CONTROLS (ECM4 EBB - X TCU)		
191	5400602-3.0	1	CONTROLS (ECM4 EBB - X TCU)		
192	5400602-4.0	1	CONTROLS (ECM4 EBB - X TCU)		
193	5400602-5.0	1	CONTROLS (ECM4 EBB - X TCU)		
194	5400602-6.0	1	Rotation limiting device (ECM4 EBB - X TCU)		
195	5400602-7.0	1	CONTROLS (ECM4 EBB - X TCU)		
196	7885015-1.0	1	Pilot lamp		
197	5400602-8.0	1	CONTROLS (ECM4 EBB - X TCU)		
198	5400602-9.0	1	CONTROLS (ECM4 EBB - X TCU)		
199			946 - 950 EBB - EN 12999-A3		
200	5401258-1.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
201	5401258-2.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		

Page	Table code	Q.ty	Table heading	Vers.	Validity
202	5401258-3.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
203	5401258-4.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
204	5401258-6.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
205	5401258-7.0	1	CONTROLS (RDC EBB-X TCU-ECM4)		
206	7892191-1.0	1	Wireless control kit (CAN BUS)		
208	7892192-1.0	1	Wireless control kit (CAN BUS)		
210	7892205-1.0	1	Wireless control kit (CAN BUS)		

Page	Table code	Q.ty	Table heading	Vers.	Validity

Plate kit (Generic Gru)

Table code	Sheet
5502000-3.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	5502000	1	kit Standard instructions sticker
	2	5813851	4	Label (Stabilizer connecting rods)



946

















R	Pos.	Variant Code	Q.ty	Description
	2	5500990	1	
	2 A	5812404	2	
	3	5500989	1	
	3 A	5812405	2	
	4	5500988	1	
	4 A	5812406	2	
	5	5500987	1	
	5 A	5812407	2	
	6	5500986	1	
	6 A	5812408	2	
	7	5500985	1	
	7 A	5812409	2	
	8	5500831	1	
	8 A	5812410	2	
	9	5501305	1	
	9 A	5812856	2	

950

















R	Pos.	Variant Code	Q.ty	Description
	2	5500961	1	
	2 A	5812397	2	
	3	5500962	1	
	3 A	5812398	2	
	4	5500963	1	
	4 A	5812399	2	
	5	5500964	1	
	5 A	5812400	2	
	6	5500965	1	
	6 A	5812401	2	
	7	5500966	1	
	7 A	5812402	2	
	8	5500967	1	
	8 A	5812385	2	
	9	5501304	1	
	9 A	5812526	2	

Base

Table code	Sheet
5420059-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5060155	1	Base
	2	5140785	1	
RC	3	5140786	1	Bushing (Lower)
	4	5140795	2	Insert (Turnsbasket)
	5	5001444	7	Adjuster (Narrow)
	6	5001582	1	Adjuster (Up)
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	9	5000077	4	Clamp (Rigid Pipe)
	10	5090891	1	
	11	3070083	1	Seeger



R	Pos.	Variant Code	Q.ty	Description
	1	5060155	1	Base
RC	2	5141018	1	Bushing (Upper)
RC	3	5141019	1	Thrust bearing ring
RC	4	5140786	1	Bushing (Lower)
	5	5140795	2	Insert (Turnsbasket)
	6	5001444	7	Adjuster (Narrow)
	7	5001582	1	Adjuster (Up)
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5000077	4	Clamp (Rigid Pipe)
	11	5090891	1	
	12	3070083	1	Seeger
RC	13	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	14	5001681	2	Handle (Hook)
	15	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	16	3070148	4	Seeger
	17	3060932	2	Spring (Hook (latch))
	18	5000966	2	Hook (Stabilizers rods)
	19	5150601	2	Pin assembly
	20	3040519	2	Stopnut



R	Pos.	Variant Code	Q.ty	Description
	21	3020925	1	TSEI screw [M6X50 10.9 ZC UNI 5933]
RC	22	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	23	3190283	2	Knob (Ball)
	24	W102116	2	Spacer
	25	3020898	1	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	26	3040529	8	Ring nut



R	Pos.	Variant Code	Q.ty	Description
	1	5060155	1	Base
RC	2	5141018	1	Bushing (Upper)
RC	3	5141136	1	Thrust bearing ring
RC	4	5140786	1	Bushing (Lower)
	5	5140795	2	Insert (Turnsbasket)
	6	5001444	7	Adjuster (Narrow)
	7	5001582	1	Adjuster (Up)
RC	8	3060055	4	Split lock washer [D=8.4 C72 ZC]
	9	3010339	4	Hex screw [M8X25 8.8 ZC IF UNI 5739]
	10	5000077	4	Clamp (Rigid Pipe)
	11	5090891	1	
	12	3070083	1	Seeger
RC	13	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
	14	5001681	2	Handle (Hook)
	15	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	16	3070148	4	Seeger
	17	3060932	2	Spring (Hook (latch))
	18	5000966	2	Hook (Stabilizers rods)
	19	5150601	2	Pin assembly
	20	3040519	2	Stopnut



R	Pos.	Variant Code	Q.ty	Description
	21	3020925	1	TSEI screw [M6X50 10.9 ZC UNI 5933]
RC	22	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	23	3190283	2	Knob (Ball)
	24	W102116	2	Spacer
	25	3020898	1	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	26	3040529	8	Ring nut
	27	3020034	2	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	28	3060053	2	Split lock washer [D=6.4 C72 ZC]
	29	3040081	2	Lock nut [M6 6S UNI 5589 ZC]

SLEWING ASS'Y

Table code	Sheet
6240106-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070522	2	Cylinder [Fixed]
	2	3020129	20	Socket head cap screw [M16X60 12.9 ZC UNI 5931]
	3	3060059	20	Split lock washer [D=16 C72 ZC]
	4	3400528	2	Seal
	5	6050302	2	Piston
	6	3060625	2	Spring pin
	7	5050102	1	Toothed rack
RC	8	5140787	2	Sliding block (Toothed rack)
	9	4160409	2	Support (Sliding block)
	10	5001418	1	Pusher (Sliding block)
	11	5001417	1	
	12	3040507	2	Self-locking ringnut
RC	13	5550789	1	Seal kit

Hydraulic system (Slewing Hydraulic jack)

Table code	Sheet
6240106-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220707	1	Valve (Slewing)
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	3101043	6	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3010026	2	Hex screw [M6X80 8.8 ZC UNI 5737]
	6	5271733	2	Flexible hose [Fixed]
	7	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	8	5220185	2	Rotating joint
	9	5271732	2	
	10	5392126	1	
	11	5392127	1	
	12	5091017	1	Support (Rotating joint)
	13	3010349	3	Hex screw [M10X20 10.9 ZC UNI 5739]
RC	14	3060056	3	Split lock washer [D=10 C72 ZC]

Greasing kit

Table code	Sheet
5400596-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001441	1	Manifold (Greasing)
	2	3080015	7	Grease nipple [M10X1]
	3	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	4	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	5	3080004	7	Coupling (Flexible hose)
	6	3080012	7	Coupling (Flexible hose)
	7	3080028	1	Pipe (Greasing)
	8	3080027	2	
	9	3080025	1	
	10	3080024	1	
	11	3080026	2	

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5091299	2	
	2	5002060	2	
RC	3	3311311	2	Proximity switch (Position sensor)
RC	4	3311313	2	Sensor unit (Encoder)
	5	3020019	6	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	6	3040518	6	Stopnut [STOP M4]
	7	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	8	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	9	3311325	2	
	10	3311398	1	
	11	3311377	1	Electric wiring
	12	3311372	1	Electric wiring
	13	3311332	1	Electric wiring
	14	3020034	4	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	15	3060030	6	Flat washer [D.6.6X18 UNI 6593 ZC]
	16	3010323	2	Hex screw [M6X10 8.8 ZC UNI 5739]
	17	5002051	1	Support (Proximity switch)
RC	18	3311312	1	Proximity switch



R	Pos.	Variant Code	Q.ty	Description
	1	5091395	2	Support (Proximity sensor)
	2	5002189	2	Guard (Proximity sensor)
RC	3	3311311	2	Proximity switch (Position sensor)
	4	3020034	8	Socket head cap screw [M6X16 8.8 ZC UNI 5931]
	5	3060053	8	Split lock washer [D=6.4 C72 ZC]
	6	3060030	4	Flat washer [D.6.6X18 UNI 6593 ZC]
	7	3020022	8	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	8	3060052	8	Split lock washer [D=5.5 C72 ZC]
	9	3060004	8	Flat washer [D.5 UNI 6592 ZC]
	10	5002210	2	
RC	11	3311313	2	Sensor unit (Encoder)
	12	5091392	2	Support
	13	5002181	4	Cables guard
	14	5002175	2	Brush
	15	3190039	4	Insulator
	16	5002182	2	Plate (Support)
	17	5002185	1	Support (Proximity switch)
RC	18	3311312	1	Proximity switch
	19	3190027	2	Clamp
	20	3020019	4	Socket head cap screw [M4X40 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	3060003	8	Flat washer [D.4 UNI 6592 ZC]
	22	3040518	4	Stopnut [STOP M4]
	23	3020895	4	Socket head cap screw [M4X10 8.8 ZC UNI 5931]
	24	3311372	1	Electric wiring
	25	3311325	2	
	26	3311323	1	
	27	3311377	1	Electric wiring
	28	3311332	1	Electric wiring

ROTATION CONTROL (EN12999-A3)

Table code	Sheet
5411209-1.0	1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



BASAMENTO LATO DISTRIBUTORE
BASE SIDE CONTROL VALVE

R	Pos.	Variant Code	Q.ty	Description
	1	5091301	1	
	2	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
	3	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141080	1	
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	2012440	2	
	7	3020019	3	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	8	3040518	3	Stopnut [STOP M4]
RC	9	3311313	1	Sensor unit (Encoder)
	10	3311327	1	Connector (Electric)
	11	3311325	1	
	12	5141088	1	
	13	5002022	2	Extension shaft (Grease nipple)
	14	3311326	1	
	15	3190295	mt2.5	



R	Pos.	Variant Code	Q.ty	Description
	1	5091398	1	Support (Encoder)
	2	3020058	2	Socket head cap screw [M8X40 8.8 ZC UNI 5931]
	3	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	4	5141135	1	Wheel (Cable guide)
	5	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	6	3020019	2	Socket head cap screw [M4X40 8.8 ZC UNI 5931]
	7	3040518	2	Stopnut [STOP M4]
RC	8	3311313	1	Sensor unit (Encoder)
	9	3311327	1	Connector (Electric)
	10	3311325	1	
	11	5141088	1	
RC	12	3060055	4	Split lock washer [D=8.4 C72 ZC]
RC	13	3060029	4	Flat washer [D.8.5X24 UNI 6593 ZC]
	14	3311326	1	
	15	3190295	mt2.5	
	16	5002193	1	Anchoring bracket
	17	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	18	5091411	1	
	19	5002177	1	Cover (Encoder)
	20	3060052	10	Split lock washer [D=5.5 C72 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	3190178	2	Flat washer
	22	3190185	2	Collar
	23	3020039	2	Socket head cap screw [M6X35 8.8 ZC UNI 5931]
	24	3020022	12	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	25	3060004	12	Flat washer [D.5 UNI 6592 ZC]
	26	5091410	1	
	27	3190039	2	Insulator
	28	3311398	1	
	29	5141170	1	
	30	5091412	1	
RC	31	3020875	2	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411204-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311352	1	Electric wiring (Assembly)
	2	3311356	2	Wire assembly (Microswitch)
	3	3311353	1	Electric wiring
RC	4	3311354	1	Lighting (Audible alarm)
	5	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	6	3040518	4	Stopnut [STOP M4]
	7	3310431	1	Connector (Electric)
	8	3310432	1	Connector (Electric)
	9	3060003	4	Flat washer [D.4 UNI 6592 ZC]

CONTROL DEVICES LOCKING FOR OUTRIGGERS LEGS

Table code	Sheet
5411204-2.1	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311352	1	Electric wiring (Assembly)
	2	3311356	2	Wire assembly (Microswitch)
	3	3311353	1	Electric wiring
RC	4	3311354	1	Lighting (Audible alarm)
	5	3020014	4	Socket head cap screw [M4X25X0.7 8.8 ZC UNI 5931]
	6	3040518	4	Stopnut [STOP M4]
	7	3310431	1	Connector (Electric)
	8	3310432	1	Connector (Electric)
	9	3060003	4	Flat washer [D.4 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	1	5090959	1	
	2	3190197	4	Knob (Black)
	3	5220209	3	Lever rod [ASTA LEVA L=210 mm]
	4	3190217	2	Knob (Red)
	5	3020022	2	Socket head cap screw [M5X10 8.8 ZC UNI 5931]
	6	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	7	5220346	1	Control valve ass'y
	8	3010035	3	Hex screw [M8X60 8.8 ZC UNI 5737]
	9	3040045	6	Nut [M8 NORM.6S UNI5588 GEOMET]
	10	3300431	6	Fork
	11	3300451	6	Fork clip
	12	5090956	3	Rod (Dual control)
RC	13	3060056	4	Split lock washer [D=10 C72 ZC]
	14	3010355	4	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	15	5090952	1	Distributor support
	16	3040303	3	Stopnut [M8-70 UNI7473 NORM. ZC.]
	17	5000670	2	Ring
	18	3060233	2	Grub screw
	19	3080500	3	Grease nipple
	20	5140737	2	Bushing



R	Pos.	Variant Code	Q.ty	Description
	21	5090433	3	Control lever
	22	5150787	1	Pin
	23	5090957	1	Support
	24	5090958	1	Protective guard
	25	3060053	3	Split lock washer [D=6.4 C72 ZC]
	26	3010325	4	Hex screw [M6X16 8.8 ZC UNI 5739]
	27	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	28	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]

STABILIZER CONTROL VALVE

Table code	Sheet
5220346-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220346	1	Control valve ass'y
	2	5225022	5	Rubber protective boot
	3	5225261	5	Unit (Control lever)
	4	5225258	4	Slider
	5	5225480	1	
	6	5225257	1	
	7	5225268	5	
	8	5225479	5	
	9	5225281	5	
	10	5225285	5	
RC	11	5225263	1	Seal kit

Switch (stabilizers standard)

Table code	Sheet
5400403-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220599	1	Flow diverter
	2	5001170	1	Pin (Switch)
	3	3190214	2	Cable lead (Rubber)
RC	4	3060056	2	Split lock washer [D=10 C72 ZC]
	5	3010415	2	Hex screw [M10X55 8.8 ZC UNI 5737]
	6	3300433	2	Fork
	7	3300453	2	Fork clip
	8	5090954	1	Rod (Short)
	9	5090955	1	Rod (Long)
	10	3190213	2	Handle
	11	3040047	2	Nut

Hydraulic system (Rod extension valve bank)

Table code	Sheet
5400403-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101056	3	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	2	3101133	3	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	3	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	4	5392145	1	
	5	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	6	5290128	1	
	7	3110046	1	Female plug [TAPPO F JIC 1"1/16]
	8	5220186	1	Rotating joint
	9	5290127	1	
	10	3111525	1	Straight pipe fitting [M/F BSP 3/4"H=32]
	11	3180192	1	Pressure gauge (Clogging indicator)
	12	3060146	1	Sealing washer [BSP 3/4"]
RC	13	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	15	3180159	1	Oil filter

HYDRAULIC SYSTEM SOLENOID VALVE

Table code	Sheet
5440103-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5220642	1	Solenoid valve
	2	3310238	1	Solenoid (12V)
	3	3310242	1	Solenoid (24V)
	4	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	5	3120067	1	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	6	5280805	1	Flexible hose [Fixed]
	7	5280953	1	
	8	3120008	2	Tee fitting [7/8-14 JIC TUBO D16]
	9	3120012	1	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	10	3101213	1	Straight pipe fitting [7/8-14 3/8"CIL. D16]
	11	5271731	1	Flexible hose
	12	3101134	1	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]

VALIDO DA Gennaio 2011
VALID FROM January 2011

High pressure filter

Table code	Sheet
3180159-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180159	1	Oil filter
	2	3180192	1	Pressure gauge (Clogging indicator)
	3	3450080	1	O-ring joint
	4	3460080	1	Anti-extrusion ring
RC	5	3180160	1	Filtering cartridge

STABILIZER ROD

Table code	Sheet
5760123-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070349	1	Stabilizer rod
	2	5150770	2	Pin
	3	3190189	2	Knob
	4	3060703	2	Cotter pin
RC	5	5140777	8	Button (Backlash)
	6	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]

Hydraulic system (ROD EXSTENSION HYDRAULIC CYLINDER)

Table code	Sheet
5400403-6.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5392118	1	
	2	5392117	1	
	3	5392119	1	
	4	5392115	1	
	5	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	3101176	2	Tee fitting
	7	3110108	2	Reducing fitting
	8	3060143	2	Sealing washer [BSP 1/4"]
	9	3101124	8	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	W470076	2	
	11	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	14	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	5001159	1	Exhaust manifold
	17	3110061	1	Plug [BSP 3/8"]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	20	5392114	1	



R	Pos.	Variant Code	Q.ty	Description
	21	5392111	2	
	22	5392110	2	
	23	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	24	3020029	4	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	25	6200221	2	Extension Hydraulic jack

Hydraulic system (stabilizers standard)

Table code	Sheet
5760123-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101044	1	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	2	5271744	1	
	3	5271745	1	
	4	5000077	3	Clamp (Rigid Pipe)
	5	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]
	6	5392162	1	
	7	5392163	1	
	8	3120310	1	Wall-through pipe fitting [MJ 3/4 -16]
	9	3120323	1	Wall-through pipe fitting
	10	5271738	2	
	11	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Hydraulic system (stabilizers standard)

Table code	Sheet
5760123-4.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5000077	3	Clamp (Rigid Pipe)
	2	3010029	3	Hex screw [M8X30 8.8 ZC UNI 5737]
	3	5271735	1	
	4	5271734	1	
	5	5392163	1	
	6	5392162	1	
	7	5392116	1	
	8	3101127	1	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	9	3120310	1	Wall-through pipe fitting [MJ 3/4 -16]
	10	3120323	1	Wall-through pipe fitting
	11	5271738	2	
	12	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760088-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070344	1	
	2	5070345	1	Stabilizer rod
	3	5150770	2	Pin
	4	3190189	2	Knob
	5	3060703	2	Cotter pin
RC	6	5140777	12	Button (Backlash)
	7	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760088-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091013	1	Piping mounting (Internal)
	2	3020081	2	Socket head cap screw [M10X35 12.9 ZC UNI 5931]
	3	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	4	3070017	2	Seeger
	5	5150784	1	Pin
	6	5140999	1	Roller (Turnsbasket)
	7	3020021	4	Socket head cap screw [M5X12X0.8 8.8 ZC UNI 5931]
	8	3060052	4	Split lock washer [D=5.5 C72 ZC]
	9	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	10	3310752	1	Pipes carrier
	11	3040392	2	Stopnut [Dado Stop M5-70 norm.]

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)

Table code	Sheet
5760088-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	2	5392147	1	
	3	5392146	1	
	4	5271736	1	
	5	5271734	1	
	6	3020914	4	TSEI screw [M8X35 10.9 ZC UNI 5933]
	7	5000077	4	Clamp (Rigid Pipe)
	8	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	9	5271738	2	
	10	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	11	3120323	4	Wall-through pipe fitting

HYDRAULIC SYSTEM EXTRA-EXTENSIBLE (STABILISER RAM)

Table code	Sheet
5760088-4.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101128	1	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	2	5392116	1	
	3	5271734	1	
	4	5271735	1	
	5	5392146	1	
	6	5392147	1	
	7	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	5000077	4	Clamp (Rigid Pipe)
	9	3020914	4	TSEI screw [M8X35 10.9 ZC UNI 5933]
	10	3120323	4	Wall-through pipe fitting
	11	5271738	2	
	12	3101043	4	Straight pipe fitting [3/4-16 3/8"CIL. D12]



R	Pos.	Variant Code	Q.ty	Description
	1	5392118	1	
	2	5392117	1	
	3	5392119	1	
	4	5392115	1	
	5	3101039	2	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	6	3101176	2	Tee fitting
	7	3110108	2	Reducing fitting
	8	3060143	2	Sealing washer [BSP 1/4"]
	9	3101124	8	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	10	W470076	2	
	11	3101040	2	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	12	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	13	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	14	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
RC	15	3060055	2	Split lock washer [D=8.4 C72 ZC]
	16	5001159	1	Exhaust manifold
	17	3110061	1	Plug [BSP 3/8"]
	18	3060144	1	Sealing washer [BSP 3/8"]
	19	3101043	2	Straight pipe fitting [3/4-16 3/8"CIL. D12]
	20	5392114	1	



R	Pos.	Variant Code	Q.ty	Description
	21	5392111	2	
	22	5392110	2	
	23	3060004	4	Flat washer [D.5 UNI 6592 ZC]
	24	3020029	4	Socket head cap screw [M5X30 8.8 ZC UNI 5931]
	25	6200221	2	Extension Hydraulic jack
	26	6200219	2	Extension Hydraulic jack

Hydraulic system (ROD EXTENSION HYDRAULIC CYLINDER EXTRA-EXTENSIBLE)

Table code	Sheet
5380022-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6200221	1	Extension Hydraulic jack
	2	6200219	1	Extension Hydraulic jack
	3	5392113	1	Bonderized tube
	4	5150784	1	Pin
	5	3070017	4	Seeger
	6	3040502	1	Self-locking ringnut [M25X1.5 NORMALE ZC]
	7	3190025	2	Clamp
	8	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
	9	5392112	1	Bonderized tube
	10	5150785	1	Pin assembly
	11	3010016	1	Hex screw [M6X30 8.8 ZC UNI 5737]
	12	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	13	3040372	1	Stopnut [M6-70 UNI7473 NORM. ZC.]
	14	3060014	1	Flat washer [D.25X44X4 UNI 6592 ZC]

ROD EXSTENSION HYDRAULIC CYLINDER

Table code	Sheet
6400221-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070538	1	
	2	3450117	1	O-ring joint
	3	3460255	1	Anti-extrusion ring
	4	6040298	1	Close nipple
	5	3400055	1	Seal
	6	3420018	1	W-ring
	7	6030744	1	
	8	6050312	1	Piston
	9	3450078	1	
	10	3460078	2	
	11	3400505	1	Seal
RC	12	5550772	1	Seal kit

ROD EXSTENSION HYDRAULIC CYLINDER

Table code	Sheet
6400219-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070537	1	
	2	3450067	1	O-ring joint
	3	3460067	1	Anti-extrusion ring
	4	6040302	1	Close nipple
	5	3400029	1	Seal
	6	3420011	1	Seal
	7	6030740	1	
	8	3450006	1	O-ring joint
	9	6050142	1	Piston
	10	3400503	1	Seal
	11	3040306	1	Stopnut [Dado Stop M14-70 Norm]
RC	12	5550709	1	Seal kit

Stabilizer connecting rods extra-extensible (hydraulic lengthening)

Table code	Sheet
5760156-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5070399	1	
	2	5070388	1	
	3	5150833	1	Pin
	4	5000674	1	Keep plate
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	7	5150770	1	Pin
	8	3060703	1	Cotter pin
	9	3190189	1	Knob
RC	10	5140777	12	Button (Backlash)
	11	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]

SLEWING ASS'Y (STABILISER RAM)

Table code	Sheet
5411060-1.0	1/1

LDC

VALIDO FINO A MAT.	25026	99225
VALID TO S/N	25026	99225



LD



R	Pos.	Variant Code	Q.ty	Description
	1	5091237	1	
	2	3070017	2	Seeger
	3	5091163	2	
	4	5150902	2	
	5	3060996	2	Grub screw
	6	3040089	2	Lock nut
	7	5001851	2	
	8	3190284	2	Clamp
	9	3040534	2	Ring nut
	10	3040505	2	Self-locking ringnut [M30X1.5 NORMALE ZC]
	11	5001939	1	
	12	5001938	1	
	13	5091238	1	

SLEWING ASS'Y (STABILISER RAM)

Table code	Sheet
5411060-2.0	1/1

VALIDO FINO A MAT.	25026	99225
VALID TO S/N	25026	99225



R	Pos.	Variant Code	Q.ty	Description
	1	3010356	2	Hex screw [M10X30 8.8 ZC UNI 5739]
	2	5001850	1	
	3	3040304	6	Stopnut [M10-70 NORM.8G ZC.]
	4	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	5	5001834	2	
	6	3190210	4	Insulator
	7	3040084	8	Lock nut [M10 basso UNI 5589]
	8	5001849	1	
	9	3010358	2	Hex screw [M10X40 8.8 ZC UNI 5739]

SLEWING ASS'Y (STABILISER RAM)

Table code	Sheet
5411042-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5091240	2	
	2	3070017	2	Seeger
	3	5091241	2	
	4	5150902	2	
	5	3060996	2	Grub screw
	6	3040089	2	Lock nut
	7	5001851	2	
	8	3190284	2	Clamp
	9	5141065	2	Bushing [D=30 L=20]
	10	3040505	2	Self-locking ringnut [M30X1.5 NORMALE ZC]
	11	W270401103	2	
	12	5140989	8	
	13	5001969	2	Link rod
	14	3060929	2	Ring
	15	5150912	2	
	16	3060908	2	Cotter pin [D.3.7 L.30 UNI1336]
	17	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	18	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]
	19	5150913	2	
	20	3060706	2	Cotter pin



R	Pos.	Variant Code	Q.ty	Description
	21	5091250	1	
	22	5141066	2	Bushing [D=25 L=20]
	23	5150921	2	Pin (Strut)
RC	24	3060055	2	Split lock washer [D=8.4 C72 ZC]
	25	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
	26	5091251	2	
	27	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	28	3060006	2	Flat washer [D.8 UNI 6592 ZC]

SLEWING ASS'Y (STABILISER RAM)

Table code	Sheet
5411042-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3010356	2	Hex screw [M10X30 8.8 ZC UNI 5739]
	2	5001850	1	
	3	3040304	6	Stopnut [M10-70 NORM.8G ZC.]
	4	3010355	2	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	5	5001834	2	
	6	3190210	4	Insulator
	7	3040084	8	Lock nut [M10 basso UNI 5589]
	8	5001849	1	
	9	3010358	2	Hex screw [M10X40 8.8 ZC UNI 5739]

Hydraulic system (STABILISER RAM)

Table code	Sheet
6200220-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6400220	1	Stabilizer Hydraulic jack
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	5392124	1	
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	6	5220653	1	Holding valve
	7	5392123	1	Bonderized tube
	8	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Stabilizer Hydraulic jack

Table code	Sheet
6400220-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070534	1	Cylinder
	2	3400228	1	
	3	3450229	1	O-ring joint
	4	6040297	1	Close nipple
	5	3400169	1	
	6	3420046	1	
	7	3020315	1	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	8	3400521	1	Seal
	9	6050311	1	Piston
	10	3450208	1	O-ring joint
	11	6030737	1	Rod unit
RC	12	5550771	1	Seal kit

ARTICULATED JOINT TANG (STABILISER RAM)

Table code	Sheet
5410936-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	4160489	1	Tang
	2	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	3	5920004	1	ARTICULATED JOINT TANG
	4	4160490	1	Locking ring
	5	5091207	1	Support base
	6	3080512	1	Grease nipple [M8X1.25 (45°)]
	7	3060627	1	Spring pin

Hydraulic system (STABILISER RAM)

Table code	Sheet
6200258-1.0	1/1



LATO COLONNA	Mod. 950
COLUMN SIDE	Mod. 950
CÖTE COLONNE	Mod. 950
SAEULE SEITE	Mod. 950
LADO COLUMNA	Mod. 950

R	Pos.	Variant Code	Q.ty	Description
	1	6400258	1	
	2	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	3	5392329	1	
	4	3060053	2	Split lock washer [D=6.4 C72 ZC]
	5	3010019	2	Hex screw [M6X45 8.8 ZC UNI 5737]
	6	5220653	1	Holding valve
	7	5392123	1	Bonderized tube
	8	3101043	1	Straight pipe fitting [3/4-16 3/8"CIL. D12]

Stabilizer Hydraulic jack

Table code	Sheet
6400258-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070595	1	
	2	3400228	1	
	3	3450229	1	O-ring joint
	4	6040297	1	Close nipple
	5	3400169	1	
	6	3420046	1	
	7	3020315	1	Socket head cap screw [M20X50 8.8 ZC UNI 5931]
	8	3400521	1	Seal
	9	6050311	1	Piston
	10	3450208	1	O-ring joint
	11	6030737	1	Rod unit
RC	12	5550771	1	Seal kit

ARTICULATED JOINT TANG (STABILISER RAM)

Table code	Sheet
5411078-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	4160511	1	Tang
	2	3020899	4	TSEI screw [M8X20 10.9 ZC UNI 5933]
	3	5920009	1	ARTICULATED JOINT TANG
	4	4160490	1	Locking ring
	5	5091207	1	Support base
	6	3080512	1	Grease nipple [M8X1.25 (45°)]
	7	3060627	1	Spring pin



R	Pos.	Variant Code	Q.ty	Description
	1	5090916	1	Oil tank
	2	5220710	1	Draincock (Ball)
	3	5090914	1	Support (Tank)
RC	4	3060056	12	Split lock washer [D=10 C72 ZC]
	5	3010355	12	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	7	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	8	3020077	4	Socket head cap screw [M10X50 8.8 ZC UNI 5931]
	9	3020881	1	[M3X8 UNI7687 ZC TAGLIO CR.]
RC	10	3180221	1	Thermometer
RC	11	3180099	4	Oil level indicator
	12	3060145	1	Sealing washer [BSP 1/2"]
	13	3110065	1	Plug [BSP 1/2"]
	14	3101119	1	90° Connection [90° ORIENT.9/16-18 - 1/2"G]
	15	3060150	1	Sealing washer [BSP 1"]
	16	3110064	1	Close nipple
	17	3101223	1	Straight pipe fitting [1"5/16-12 1"CIL. D25]
	18	3110507	1	Reducing fitting
	19	3060153	1	Sealing washer [BSP 1"1/2]
RC	20 A	3180176	1	Oil filter



R	Pos.	Variant Code	Q.ty	Description
RC	20 B	3180070	1	Oil filter
	21	3180102	1	Tank cap
	22	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
RC	23	3060007	4	Flat washer [D.10X40X2.5 UNI 6593 ZC]
	24	3190361	4	Washer (Insulator)

Oil filter

Table code	Sheet
3180176-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
RC	1	3180176	1	Oil filter
RC	2	3180203	1	Filtering cartridge
	3	3180189	1	Clogging indicator (Pressure gauge)
RC	4	3180070	1	Oil filter
RC	5	3180071	1	Filtering cartridge

Heat exchange unit

Table code	Sheet
7888008-1.0	1/1

VALIDO FINO A Mat. 20912
VALID TO S/N 20912



R	Pos.	Variant Code	Q.ty	Description
	1	5710063	1	
	2	5710069	1	
	3	3101223	2	Straight pipe fitting [1"5/16-12 1"CIL. D25]
	4	3310556	1	
	5	5001229	1	Support (Heat exchange unit)
RC	6	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3310508	1	
	9	5290134	1	Flexible hose
	10	5290135	1	Flexible hose
	11	3101232	2	Straight pipe fitting [1"5/16-J 3/4"G]
	12	5220186	1	Rotating joint
	13	5290131	1	Flexible hose
	14	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	15	2091326	4	Spacer (Casing)

Heat exchange unit

Table code	Sheet
7888008-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W437003	1	Heat exchanger - Oil tank
	2	5710095	1	Electric fan (24V)
	3	3101223	2	Straight pipe fitting [1"5/16-12 1"CIL. D25]
	4	W437101	1	Thermostat
	5	5001715	1	Support (Heat exchange unit)
RC	6	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	W437005	1	Device (Ignition)
	9	5290134	1	Flexible hose
	10	5290135	1	Flexible hose
	11	3101232	1	Straight pipe fitting [1"5/16-J 3/4"G]
	12	5220186	1	Rotating joint
	13	5290131	1	Flexible hose
	14	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	15	2091326	4	Spacer (Casing)
	16	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]

Heat exchange unit

Table code	Sheet
7888008-3.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	W437003	1	Heat exchanger - Oil tank
	2	5710095	1	Electric fan (24V)
	3	3101223	2	Straight pipe fitting [1"5/16-12 1"CIL. D25]
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	5001715	1	Support (Heat exchange unit)
RC	6	3010027	4	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3310062	1	Device (Ignition)
	9	5290134	1	Flexible hose
	10	5290135	1	Flexible hose
	11	3101232	1	Straight pipe fitting [1"5/16-J 3/4"G]
	12	5220186	1	Rotating joint
	13	5290131	1	Flexible hose
	14	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	15	2091326	4	Spacer (Casing)

Heat exchange unit

Table code	Sheet
7888045-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5710133	1	Heat exchange unit
	2	5710135	1	Electric fan (24V)
	3	3101223	2	Straight pipe fitting [1"5/16-12 1"CIL. D25]
	4	3101056	1	Straight pipe fitting [1"1/16-12 3/4"CIL. D20]
	5	5001715	1	Support (Heat exchange unit)
	6	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	7	3060055	4	Split lock washer [D=8.4 C72 ZC]
	8	3311408	1	Thermostat (Wire assembly)
	9	5310058	1	Flexible hose
	10	5310059	1	Flexible hose
	11	3101232	1	Straight pipe fitting [1"5/16-J 3/4"G]
	12	5220186	1	Rotating joint
	13	5290131	1	Flexible hose
	14	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	15	5710136	1	Electric fan (12V)
	16	5710134	1	Heat exchange unit

Column

Table code	Sheet
5460051-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5040097	1	Column
	2	3070111	1	Seeger
	3	3040503	1	Self-locking ringnut [M70X2 NORMALE ZC]
	4	5150761	1	Pin
	5	3060631	1	Spring pin
	6	5140973	2	
RC	7	3060055	2	Split lock washer [D=8.4 C72 ZC]
	8	3010414	2	Hex screw [M8X90 8.8 ZC UNI 5737]
	9	3080501	1	Grease nipple [M8X1.25]
	10	5001451	1	Spacer
	11	5140793	2	Bushing

COLUMN CONNECTING RODS

Table code	Sheet
5360014-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150762	1	Pin
	2	3061016	1	Cylindrical pin
	3	5150767	1	Pin
	4	5090895	1	Long connecting rod
	5	3020110	2	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	6	3060050	2	Split lock washer [D=14 C72 ZC]
	7	5001456	1	Retainer (Pin)
	8	5140979	2	Bushing
	9	3080501	2	Grease nipple [M8X1.25]
	10	5090897	2	Short connecting rod
	11	5090896	1	Long connecting rod
	12	3040511	1	Self-locking ringnut [M75X2 H=15.3 ZC]
	13	3040510	1	Self-locking ringnut

Lifting hydraulic cylinder (Hydraulic system)

Table code	Sheet
6230149-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6430149	1	Lifting hydraulic cylinder
	2	5220670	1	Valve (Overcenter)
	3	3110062	1	Plug
	4	3060143	1	Sealing washer [BSP 1/4"]
	5	3020898	4	Socket head cap screw [M6X50 8.8 ZC UNI 5931]
	6	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	7	3101040	1	Straight pipe fitting [9/16-18 3/8"CIL. D10]
	8	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	9	5392125	1	Bonderized tube
	10	3120209	1	Reducing fitting [RACC. FJ/MJ 7/8-14 9/16-18]
	11	3120008	1	Tee fitting [7/8-14 JIC TUBO D16]
	12	3060145	1	Sealing washer [BSP 1/2"]
	13	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	14	5280726	1	Flexible hose [Fixed]
	15	5280727	1	Flexible hose [Fixed]
	16	5260858	1	Flexible hose
	17	3101119	1	90° Connection [90° ORIENT.9/16-18 - 1/2"G]

Lifting hydraulic cylinder

Table code	Sheet
6430149-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070525	1	Cylinder
	2	5140794	2	Bushing
	3	5001458	1	Spacer
	4	3080501	2	Grease nipple [M8X1.25]
	5	3400545	1	Seal
	6	6050303	1	Piston
	7	3450412	1	O-ring joint
	8	3460412	1	Anti-extrusion ring
	9	3450187	1	O-ring joint
	10	6040292	1	Close nipple
	11	3381500	1	Seal
	12	3390500	1	Seal
	13	3420308	1	W-ring
	14	3361028	5	Seal
	15	5001457	1	Spacer
	16	5140975	2	Bushing
	17	6030710	1	Rod unit [Fixed]
	18	3460170	1	Anti-extrusion ring
	19	3450170	1	O-ring joint
RC	20	5550764	1	Seal kit

1st Boom

Table code	Sheet
5470071-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030277	1	Main boom
	2	5140794	6	Bushing
	3	3080501	2	Grease nipple [M8X1.25]
	4	5001453	1	Spacer
	5	5150763	1	Pin
	6	3060631	3	Spring pin
	7	5150850	1	Pin
	8	5001452	1	Spacer
	9	5150764	1	Pin
	10	3040503	2	Self-locking ringnut [M70X2 NORMALE ZC]
	11	3040510	1	Self-locking ringnut
	12	5001454	1	Spacer

Linkage 1th e 2nd boom

Table code	Sheet
5360015-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090899	1	Long connecting rod
	2	5150765	1	Pin
	3	3061016	1	Cylindrical pin
	4	3060050	2	Split lock washer [D=14 C72 ZC]
	5	3020110	2	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	6	3040503	1	Self-locking ringnut [M70X2 NORMALE ZC]
	7	5090900	1	Long connecting rod
	8	3040511	1	Self-locking ringnut [M75X2 H=15.3 ZC]
	9	5140979	2	Bushing
	10	5090898	2	Short connecting rod
	11	3080501	2	Grease nipple [M8X1.25]
	12	5150768	1	Pin
	13	5001456	1	Retainer (Pin)

Articulation Hydraulic jack (Hydraulic system)

Table code	Sheet
6230153-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6430153	1	Articulation Hydraulic jack [Fixed]
	2	5392122	1	Bonderized tube
	3	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	4	5220665	1	Holding valve
RC	5	3060055	7	Split lock washer [D=8.4 C72 ZC]
	6	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	7	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	5280729	1	Flexible hose [Fixed]
	9	5280728	1	Flexible hose [Fixed]
	10	5392134	1	Bonderized tube
	11	5392121	1	Bonderized tube
	12	3190172	6	Clamp (Set of hoses)
	13	3190204	3	Plate (Collar)
	14	3010414	3	Hex screw [M8X90 8.8 ZC UNI 5737]
	15	5280730	2	Flexible hose [Fixed]
	16	3060145	1	Sealing washer [BSP 1/2"]
	17	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	18	3080029	1	Pipe (Greasing)
	19	3080004	2	Coupling (Flexible hose)
	20	3190012	2	Clamp



R	Pos.	Variant Code	Q.ty	Description
	21	3190032	1	Clamp
	22	5140133	2	Piping mounting
	23	3080015	2	Grease nipple [M10X1]
	24	3040303	1	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	25	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	26	5000102	1	Pipe (Greasing)
	27	5000045	2	Clamp (Rigid Pipe)
	28	3010031	1	Hex screw [M8X40 8.8 ZC UNI 5737]

AMCO VEBA
LIFTING BEYOND HORIZONS

Articulation Hydraulic jack

Table code	Sheet
6430153-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070528	1	Cylinder
	2	5140793	2	Bushing
	3	5001463	1	Spacer
	4	3080501	2	Grease nipple [M8X1.25]
	5	3400541	1	Seal
	6	6050305	1	Piston
	7	3450406	1	O-ring joint
	8	3460406	1	Anti-extrusion ring
	9	3450181	1	O-ring joint
	10	6040293	1	Close nipple
	11	3381300	1	Seal
	12	3390501	1	Seal
	13	3420060	1	W-ring
	14	3361021	5	Seal
	15	5001464	1	Spacer
	16	5140975	2	Bushing
	17	6030719	1	Rod unit [Fixed]
	18	3460164	1	Anti-extrusion ring
	19	3450164	1	O-ring joint
RC	20	5550765	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5030278	1	Secondary boom
	2	3020141	1	Socket head cap screw [M18X70 10.9 ZC UNI 5931]
	3	3080501	2	Grease nipple [M8X1.25]
	4	5001582	2	Adjuster (Up)
	5	3040529	6	Ring nut
	6	3070045	1	Seeger
	7	5001445	1	Roller (Secondary boom)
	8	5001503	1	Roller (Secondary boom)
	9	5001444	4	Adjuster (Narrow)
RC	10	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	11	3060056	4	Split lock washer [D=10 C72 ZC]
RC	12	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	13	5001253	2	Button (Sliding block)
RC	14	5141015	1	Slide shoe
RC	15	5000827	4	Button
RC	16	5141014	1	Slide shoe
RC	17	5140974	2	Slide shoe
RC	18	3060055	4	Split lock washer [D=8.4 C72 ZC]
	19	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]
	20	3040510	2	Self-locking ringnut



R	Pos.	Variant Code	Q.ty	Description
	21	5140793	4	Bushing
	22	5001455	2	Spacer
	23	5150766	1	Pin
	24	3061016	2	Cylindrical pin
	25	5150764	1	Pin
	26	3060902	2	Cotter pin
	27	3060962	2	Flat washer [D.34X60X5 UNI 6592 ZC]
	28	5150828	1	Pin

1st Extension

Table code	Sheet
5490075-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020465	1	Extension
	2	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	3	5001446	2	Cover
	4	5001450	2	Slide
	5	3020450	8	TSEI screw [M8X12 10.9 ZC UNI 5933]
	6	5150769	1	Pin (Extensions)
	7	3060956	1	Grub screw
	8	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	2	Ring nut
	10	5001582	1	Adjuster (Up)
RC	11	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	12	3060056	12	Split lock washer [D=10 C72 ZC]
RC	13	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	14	5001253	4	Button (Sliding block)
RC	15	5141015	2	Slide shoe
RC	16	5000827	8	Button
RC	17	5141014	2	Slide shoe
RC	18	5140974	2	Slide shoe
	19	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	20	5001443	2	Block (Extension Hydraulic jack)



R	Pos.	Variant Code	Q.ty	Description
	21	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	22	5001442	2	Slide
	23	5001444	1	Adjuster (Narrow)

1st Extension hydraulic (Hydraulic system)

Table code	Sheet
6210327-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410327	1	Extension Hydraulic jack [Fixed]
	2	5220755	1	regenerative valve
RC	3	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
	5	3010036	2	Hex screw [M8X65 8.8 ZC UNI 5739]
	6	5001196	1	Valve support
	7	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	8	3190024	2	Clamp [87-112 12.2 ABA]
	9	5392139	1	Bonderized tube
	10	5392138	1	Bonderized tube
	11	3101131	1	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	12	3101132	2	90° Connection [90° ORIENT.1"1/16-12-1/2"CIL]
	13	3101133	1	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	14	5290133	1	Flexible hose [Fixed]
	15	5280731	1	Flexible hose [Fixed]
	16	3010414	3	Hex screw [M8X90 8.8 ZC UNI 5737]
	17	3190221	3	Small plate (Collar)
	18	3190222	6	Collar (Flexible hose)
	19	5392350	1	Bonderized tube
	20	5392351	1	Bonderized tube



R	Pos.	Variant Code	Q.ty	Description
	21	5290132	1	Flexible hose [Fixed]
	22	5280730	1	Flexible hose [Fixed]
	23	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	24	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	25	3060145	1	Sealing washer [BSP 1/2"]
	26	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	27	5220654	1	regenerative valve (Manual pump)

1st Extension hydraulic (Hydraulic system)

Table code	Sheet
6210018-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410327	1	Extension Hydraulic jack [Fixed]
	2	5220699	1	Valve
	3	5140133	1	Piping mounting
RC	4	3060055	5	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	5002048	1	Valve support
	7	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	8	3190024	3	Clamp [87-112 12.2 ABA]
	9	5392435	1	
	10	5392138	1	Bonderized tube
	11	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	12	3101133	3	90° Connection [90° ORIENT.1"1/16-12-3/4"CIL]
	13	5290232	1	
	14	5280946	1	
	15	3010414	3	Hex screw [M8X90 8.8 ZC UNI 5737]
	16	3190221	3	Small plate (Collar)
	17	3190222	6	Collar (Flexible hose)
	18	5392350	1	Bonderized tube
	19	5392351	1	Bonderized tube
	20	5290132	1	Flexible hose [Fixed]



R	Pos.	Variant Code	Q.ty	Description
	21	5280730	1	Flexible hose [Fixed]
	22	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	23	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	24	3310238	1	Solenoid (12V)
	25	3310242	1	Solenoid (24V)
	26	3311273	1	Electric wiring
	27	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	28	3060145	1	Sealing washer [BSP 1/2"]

1st Extension hydraulic

Table code	Sheet
6410327-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030721	1	Rod unit [Fixed]
	2	3420032	1	W-ring
	3	3361008	1	Seal
	4	3370144	1	Seal
	5	6040294	1	Plug
	6	3460253	1	Anti-extrusion ring
	7	3450150	1	O-ring joint
	8	6050306	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400514	1	Seal
	11	3360012	1	Seal
	12	3450049	1	O-ring joint
	13	3460049	2	Anti-extrusion ring
	14	5001572	1	Spacer
	15	6070529	1	Cylinder
RC	16	5550766	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020466	1	Extension
	2	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	3	5001446	2	Cover
	4	5001450	2	Slide
	5	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	6	5150769	1	Pin (Extensions)
	7	3060956	1	Grub screw
	8	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	4	Ring nut
	10	5001582	1	Adjuster (Up)
RC	11	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	12	3060056	12	Split lock washer [D=10 C72 ZC]
RC	13	3010353	8	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	14	5001253	4	Button (Sliding block)
RC	15	5140995	2	Slide shoe
RC	16	5000827	8	Button
	17	5140994	2	Sliding block
	18	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	19	5001443	2	Block (Extension Hydraulic jack)
	20	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	5001444	3	Adjuster (Narrow)
RC	22	5140789	4	Button
RC	23	5141014	1	Slide shoe
RC	24	5141015	1	Slide shoe

Coupling (Hook)

Table code	Sheet
5750303-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200009	1	Swivel hook
	2	3200070	1	Shackles
	3	5020474	1	Hook coupling
	4	5150830	1	Handle
	5	3190010	1	Knob
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

2nd EXTENSION HYDRAULIC JACK (Hydraulic system)

Table code	Sheet
6210328-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410328	1	Extension Hydraulic jack [Fixed]
	2	5392140	1	Bonderized tube
	3	5392141	1	Bonderized tube
	4	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	5	3190024	2	Clamp [87-112 12.2 ABA]
	6	5140133	2	Piping mounting
	7	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]

2nd EXTENSION HYDRAULIC JACK

Table code	Sheet
6410328-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030723	1	Rod unit [Fixed]
	2	3420032	1	W-ring
	3	3361008	1	Seal
	4	3370144	1	Seal
	5	6040294	1	Plug
	6	3460253	1	Anti-extrusion ring
	7	3450150	1	O-ring joint
	8	5001572	1	Spacer
	9	6050306	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400514	1	Seal
	12	3360012	1	Seal
	13	3450049	1	O-ring joint
	14	3460049	2	Anti-extrusion ring
	15	6070530	1	Cylinder
RC	16	5550766	1	Seal kit

3rd extension

Table code	Sheet
5540042-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020467	1	Extension
	2	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	3	5001446	2	Cover
	4	5001450	2	Slide
	5	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	6	5150769	1	Pin (Extensions)
	7	3060956	1	Grub screw
	8	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	9	3040529	4	Ring nut
	10	5001582	2	Adjuster (Up)
RC	11	3060914	6	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	12	3060056	10	Split lock washer [D=10 C72 ZC]
RC	13	3010353	6	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	14	5001253	4	Button (Sliding block)
RC	15	5140995	2	Slide shoe
RC	16	5000827	6	Button
	17	5140994	2	Sliding block
	18	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	19	5001443	2	Block (Extension Hydraulic jack)
	20	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]



R	Pos.	Variant Code	Q.ty	Description
	21	5001444	2	Adjuster (Narrow)
RC	22	5140789	4	Button
RC	23	5141016	1	Slide shoe
RC	24	5141017	1	Slide shoe

Coupling (Hook)

Table code	Sheet
5750302-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200009	1	Swivel hook
	2	3200070	1	Shackles
	3	5020476	1	Hook coupling
	4	5150830	1	Handle
	5	3190010	1	Knob
	6	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

3rd extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210329-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410329	1	Extension Hydraulic jack [Fixed]
	2	5392128	1	Bonderized tube
	3	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	4	5232129	1	
	5	5140133	2	Piping mounting
	6	3190024	2	Clamp [87-112 12.2 ABA]
	7	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	5220688	1	Sequence valve
	9	5392130	1	Bonderized tube

3rd and 4th extension hydraulic cylinder

Table code	Sheet
6410329-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030725	1	Rod unit [Fixed]
	2	3420030	1	W-ring
	3	3361006	4	Seal
	4	3390502	1	Seal
	5	6040299	1	Close nipple (Hydraulic jack)
	6	3460149	1	Anti-extrusion ring
	7	3450149	1	O-ring joint
	8	5001683	1	Spacer
	9	6050307	1	Piston (Hydraulic jack)
	10	3060249	1	Grub screw
	11	3400513	1	Seal (Piston)
	12	3361011	1	Seal
	13	3460049	2	Anti-extrusion ring
	14	3450049	1	O-ring joint
	15	6070531	1	Cylinder
RC	16	5550767	1	Seal kit



R	Pos.	Variant Code	Q.ty	Description
	1	5020468	1	Extension
	2	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	3	5001446	2	Cover
	4	5001450	2	Slide
	5	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	6	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	7	3060956	1	Grub screw
	8	5150769	1	Pin (Extensions)
	9	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	10	5001582	2	Adjuster (Up)
	11	3040529	4	Ring nut
RC	12	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	13	3060056	8	Split lock washer [D=10 C72 ZC]
RC	14	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	15	5001253	4	Button (Sliding block)
RC	16	5000827	4	Button
RC	17	5140996	2	Slide shoe
	18	5140993	2	Sliding block
	19	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	20	5001443	2	Block (Extension Hydraulic jack)



R	Pos.	Variant Code	Q.ty	Description
RC	21	5141016	1	Slide shoe
RC	22	5141017	1	Slide shoe
RC	23	5140789	4	Button
	24	5001444	2	Adjuster (Narrow)

Coupling (Hook)

Table code	Sheet
7880891-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200009	1	Swivel hook
	2	3200070	1	Shackles
	3	5020477	1	Hook coupling
	4	5150838	1	Pin (Handle)
	5	3190010	1	Knob
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060750	1	Cotter pin (Ring)
	8	W370400700	6	Button (Coupling backlash)

4th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210333-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410329	1	Extension Hydraulic jack [Fixed]
	2	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5392436	1	Bonderized tube
	4	5392132	1	Bonderized tube
	5	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	6	5140133	2	Piping mounting
	7	3190024	2	Clamp [87-112 12.2 ABA]
	8	3060145	1	Sealing washer [BSP 1/2"]
	9	3110103	1	Straight pipe fitting [M/F BSP 1/2"H=46]



R	Pos.	Variant Code	Q.ty	Description
	1	5020469	1	Extension
	2	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	3	5001446	2	Cover
	4	5001450	2	Slide
	5	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	6	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	7	3060956	1	Grub screw
	8	5150769	1	Pin (Extensions)
	9	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	10	5001582	4	Adjuster (Up)
	11	3040529	4	Ring nut
RC	12	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	13	3060056	8	Split lock washer [D=10 C72 ZC]
RC	14	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	15	5001253	4	Button (Sliding block)
RC	16	5000827	4	Button
RC	17	5140996	4	Slide shoe
	18	5140993	2	Sliding block
	19	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
	20	5001443	2	Block (Extension Hydraulic jack)



R	Pos.	Variant Code	Q.ty	Description
RC	21	5140789	4	Button
	22	5001444	2	Adjuster (Narrow)

Coupling (Hook)

Table code	Sheet
5750300-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200009	1	Swivel hook
	2	3200070	1	Shackles
	3	5020478	1	Hook coupling
	4	5150829	1	Pin (Handle)
	5	3190010	1	Knob
	6	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

5th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210330-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410330	1	Extension Hydraulic jack [Fixed]
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5392380	1	Bonderized tube
	4	5392135	1	Bonderized tube
	5	5140133	2	Piping mounting
	6	3190024	2	Clamp [87-112 12.2 ABA]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	5220688	1	Sequence valve
	9	5392130	1	Bonderized tube
	10	3110117	1	Straight pipe fitting [M/F BSP 1/2"H=35]
	11	3060145	1	Sealing washer [BSP 1/2"]

5th and 6th extension hydraulic cylinder

Table code	Sheet
6410330-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030727	1	Rod unit [Fixed]
	2	3420028	1	W-ring
	3	3361004	5	Seal
	4	3370132	1	Seal
	5	6040295	1	Close nipple
	6	3460142	1	Anti-extrusion ring
	7	3450142	1	O-ring joint
	8	6050308	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400511	1	Seal
	11	3361009	1	Seal
	12	3460049	2	Anti-extrusion ring
	13	3450049	1	O-ring joint
	14	6070532	1	
RC	15	5550768	1	Seal kit

6th extension

Table code	Sheet
5580009-1.0	1/1



Solo per versione 6S
6S version only

R	Pos.	Variant Code	Q.ty	Description
	1	5020475	1	Extension
	2	5001582	4	Adjuster (Up)
	3	3040529	4	Ring nut
	4	5001444	2	Adjuster (Narrow)
	5	5150769	1	Pin (Extensions)
	6	3060956	1	Grub screw
	7	3040046	1	Nut [M10 8G UNI 5588 ZC.]
RC	8	5140789	4	Button
RC	9	5140998	2	Sliding block
RC	10	5001253	2	Button (Sliding block)
RC	11	5000827	2	Button
RC	12	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	13	3060056	2	Split lock washer [D=10 C72 ZC]
RC	14	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]



Solo per versione 8S
8S version only

R	Pos.	Variant Code	Q.ty	Description
	1	5020470	1	Extension
	2	5001582	4	Adjuster (Up)
	3	3040529	4	Ring nut
	4	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	5	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	6	5001446	2	Cover
	7	5001450	2	Slide
	8	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	9	3040046	2	Nut [M10 8G UNI 5588 ZC.]
	10	3060956	1	Grub screw
	11	5150769	1	Pin (Extensions)
	12	5001443	2	Block (Extension Hydraulic jack)
	13	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
RC	15	5140998	4	Sliding block
RC	16	5000827	4	Button
RC	17	5001253	4	Button (Sliding block)
RC	18	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060056	8	Split lock washer [D=10 C72 ZC]
RC	20	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]

R	Pos.	Variant Code	Q.ty	Description
	21	5001444	2	Adjuster (Narrow)
RC	22	5140789	4	Button



Solo per versione 8S
8S version only

Coupling (Hook)

Table code	Sheet
5750299-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3200009	1	Swivel hook
	2	3200070	1	Shackles
	3	5020479	1	Hook coupling
	4	5150034	1	Pin
	5	3190010	1	Knob
	6	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	7	3060753	1	Cotter pin (Locking ring)

6th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210334-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410330	1	Extension Hydraulic jack [Fixed]
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5392136	1	Bonderized tube
	4	5392137	1	Bonderized tube
	5	5140133	2	Piping mounting
	6	3190024	2	Clamp [87-112 12.2 ABA]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]



R	Pos.	Variant Code	Q.ty	Description
	1	5020471	1	Extension
	2	5001582	4	Adjuster (Up)
	3	3040529	4	Ring nut
	4	3020450	4	TSEI screw [M8X12 10.9 ZC UNI 5933]
	5	3020439	8	TSEI screw [M6X16 ZC UNI 5933]
	6	5001446	4	Cover
	7	5001450	2	Slide
	8	3020079	2	Socket head cap screw [M10X60 8.8 ZC UNI 5931]
	9	3040046	3	Nut [M10 8G UNI 5588 ZC.]
	10	3060956	1	Grub screw
	11	5150679	1	Pin assembly
	12	5001443	2	Block (Extension Hydraulic jack)
	13	3020071	4	Socket head cap screw [M10X30 ZC UNI 5931]
RC	14	5140974	2	Slide shoe
RC	15	5140998	4	Sliding block
RC	16	5000827	4	Button
RC	17	5001253	4	Button (Sliding block)
RC	18	3010353	4	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	19	3060056	4	Split lock washer [D=10 C72 ZC]
RC	20	3060914	4	Flat washer [D.10.5X21X2 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	5001444	2	Adjuster (Narrow)
RC	22	5140789	4	Button
RC	23	3060920	4	Tooth lock washer [D.10 TIPO A]

7th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210331-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410331	1	Extension Hydraulic jack [Fixed]
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5392168	1	Bonderized tube
	4	5392167	1	Bonderized tube
	5	5140133	2	Piping mounting
	6	3190024	2	Clamp [87-112 12.2 ABA]
	7	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	8	5220688	1	Sequence valve
	9	5392130	1	Bonderized tube

7th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210019-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	6410331	1	Extension Hydraulic jack [Fixed]
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5392168	1	Bonderized tube
	4	5390609	1	
	5	5140133	2	Piping mounting
	6	3190024	4	Clamp [87-112 12.2 ABA]
	7	3101058	1	Straight pipe fitting [1"1/16-12 1/2"CIL. D20]
	8	3120333	1	Straight pipe fitting [F1"1/16-12 M3/4"CIL.D20]
	9	5220960	1	Valve (Stop)
	10	3120073	1	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	11	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
RC	12	3060006	2	Flat washer [D.8 UNI 6592 ZC]
	13	W102116	2	Spacer
	14	5001807	1	Pusher
	15	3010037	2	Hex screw [M8X70 8.8 UNI 5737 ZC]
	16	5000196	1	
	17	5150870	1	Pin
	18	3061001	1	Spring
RC	19	3060056	2	Split lock washer [D=10 C72 ZC]
	20	3010356	2	Hex screw [M10X30 8.8 ZC UNI 5739]

R	Pos.	Variant Code	Q.ty	Description
	21	5000195	1	
	22	3060012	1	Flat washer [D.21X37X3 UNI 6592 ZC]
	23	3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]



7th extension Hydraulic jack

Table code	Sheet
6410331-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030729	1	Rod unit [Fixed]
	2	3420026	1	W-ring
	3	3361003	5	Seal
	4	3390503	1	Seal
	5	6040296	1	Close nipple
	6	3460142	1	Anti-extrusion ring
	7	3450142	1	O-ring joint
	8	6050309	1	Piston
	9	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	10	3400511	1	Seal
	11	3361009	1	Seal
	12	3460382	2	Anti-extrusion ring
	13	3450050	1	O-ring joint
	14	6070533	1	Cylinder
RC	15	5550769	1	Seal kit

8th extension

Table code	Sheet
5320004-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020472	1	Extension
	2	5150769	1	Pin (Extensions)
	3	3060956	1	Grub screw
	4	3040046	1	Nut [M10 8G UNI 5588 ZC.]
	5	5001444	2	Adjuster (Narrow)
	6	3040529	2	Ring nut
RC	7	5140789	4	Button
RC	8	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	9	3060056	2	Split lock washer [D=10 C72 ZC]
RC	10	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	11	5000827	2	Button
RC	12	5140998	2	Sliding block
RC	13	5001253	2	Button (Sliding block)

8th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210332-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410332	1	Extension Hydraulic jack [Fixed]
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5392169	1	Bonderized tube
	4	5392170	1	Bonderized tube
	5	5140133	2	Piping mounting
	6	3190024	2	Clamp [87-112 12.2 ABA]
	7	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]

8th extension Hydraulic jack

Table code	Sheet
6410332-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6030731	1	Rod unit [Fixed]
	2	3060249	1	Grub screw
	3	5001491	1	Hydraulic jack connection
	4	3420026	1	W-ring
	5	3361003	5	Seal
	6	3390503	1	Seal
	7	6040296	1	Close nipple
	8	3460142	1	Anti-extrusion ring
	9	3450142	1	O-ring joint
	10	3400511	1	Seal
	11	3361009	1	Seal
	12	6070533	1	Cylinder
RC	13	5550770	1	Seal kit

MANUAL EXTENSION (1st)

Table code	Sheet
7800344-1.0	1/1



PER VERSIONE 3S
FOR VERSION 3S

R	Pos.	Variant Code	Q.ty	Description
	1	5010335	1	Manual extension
	2	3190010	1	Knob
	3	5150830	1	Handle
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140996	2	Slide shoe
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]
	15	5002256	2	Strip (Thickness)
	16	3020455	4	TSEI screw [M8X25 ZC UNI 5933]
RC	17	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	18	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]

MANUAL EXTENSION (2nd)

Table code	Sheet
7800343-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010334	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140996	2	Slide shoe
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

AMCO VEBA
LIFTING BEYOND HORIZONS

MANUAL EXTENSION (3 RD)

Table code	Sheet
7800341-1.0	1/1



PER VERSIONE 3S
FOR VERSION 3S

R	Pos.	Variant Code	Q.ty	Description
	1	5010333	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (1st)

Table code	Sheet
7800342-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010334	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140996	2	Slide shoe
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]
	15	5002255	2	Strip (Thickness)
	16	3020455	2	TSEI screw [M8X25 ZC UNI 5933]
RC	17	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	18	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]

MANUAL EXTENSION (2nd)

Table code	Sheet
7800340-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010333	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (3 RD)

Table code	Sheet
7800338-1.0	1/1



PER VERSIONE 4S
FOR VERSION 4S

R	Pos.	Variant Code	Q.ty	Description
	1	5010332	1	Manual extension
	2	3190010	1	Knob
	3	5150034	1	Pin
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (1st)

Table code	Sheet
7800339-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010333	1	Manual extension
	2	3190010	1	Knob
	3	5150838	1	Pin (Handle)
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]
	15	5002255	2	Strip (Thickness)
	16	3020455	2	TSEI screw [M8X25 ZC UNI 5933]
RC	17	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	18	3040045	2	Nut [M8 NORM.6S UNI5588 GEOMET]

MANUAL EXTENSION (2nd)

Table code	Sheet
7800337-1.0	1/1



PER VERSIONE 5S
FOR VERSION 5S

R	Pos.	Variant Code	Q.ty	Description
	1	5010332	1	Manual extension
	2	3190010	1	Knob
	3	5150034	1	Pin
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (3 RD)

Table code	Sheet
7800335-1.0	1/1



PER VERSIONE 5S
FOR VERSION 5S

R	Pos.	Variant Code	Q.ty	Description
	1	5010331	1	Manual extension
	2	3190010	1	Knob
	3	5150238	1	Pin
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	5000640	1	Block (Manual extension)
	12	3200067	1	Shackles [T6.5]
	13	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (1st)

Table code	Sheet
7800336-1.0	1/1



PER VERSIONE 6S
FOR VERSION 6S

R	Pos.	Variant Code	Q.ty	Description
	1	5010332	1	Manual extension
	2	3190010	1	Knob
	3	5150034	1	Pin
	4	3060750	1	Cotter pin (Ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	3060016	1	Flat washer [D.31X56X4 UNI 6592 ZC]
	12	5000640	1	Block (Manual extension)
	13	3200067	1	Shackles [T6.5]
	14	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (2nd)

Table code	Sheet
7800334-1.0	1/1



PER VERSIONE 6S
FOR VERSION 6S

R	Pos.	Variant Code	Q.ty	Description
	1	5010331	1	Manual extension
	2	3190010	1	Knob
	3	5150238	1	Pin
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	5000640	1	Block (Manual extension)
	12	3200067	1	Shackles [T6.5]
	13	3200028	1	Swivel hook [T8]

MANUAL EXTENSION (3 RD)

Table code	Sheet
7800332-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010330	1	Manual extension
	2	3190010	1	Knob
	3	5150837	1	Pin (Handle)
	4	3060704	1	Cotter pin
	5	5000640	1	Block (Manual extension)
	6	3200067	1	Shackles [T6.5]
	7	3200028	1	Swivel hook [T8]

PER VERSIONE 6S
FOR VERSION 6S

AMCO VEBA
LIFTING BEYOND HORIZONS

MANUAL EXTENSION (1st)

Table code	Sheet
7800333-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010331	1	Manual extension
	2	3190010	1	Knob
	3	5150238	1	Pin
	4	3060757	1	Cotter pin (Locking ring)
RC	5	5000827	2	Button
RC	6	5140998	2	Sliding block
RC	7	3060914	2	Flat washer [D.10.5X21X2 UNI 6592 ZC]
RC	8	3060056	2	Split lock washer [D=10 C72 ZC]
RC	9	3010353	2	Hex screw [M10X16 8.8 ZC UNI 5739]
RC	10	5001253	2	Button (Sliding block)
	11	5000640	1	Block (Manual extension)
	12	3200067	1	Shackles [T6.5]
	13	3200028	1	Swivel hook [T8]

PER VERSIONE 7S
FOR VERSION 7S

MANUAL EXTENSION (2nd)

Table code	Sheet
7800331-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010330	1	Manual extension
	2	3190010	1	Knob
	3	5150837	1	Pin (Handle)
	4	3060704	1	Cotter pin
	5	5000640	1	Block (Manual extension)
	6	3200067	1	Shackles [T6.5]
	7	3200028	1	Swivel hook [T8]

PER VERSIONE 7S
FOR VERSION 7S

MANUAL EXTENSION (1st)

Table code	Sheet
7800330-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5010330	1	Manual extension
	2	3190010	1	Knob
	3	5150837	1	Pin (Handle)
	4	3060707	1	Cotter pin
	5	5000640	1	Block (Manual extension)
	6	3200067	1	Shackles [T6.5]
	7	3200028	1	Swivel hook [T8]

PER VERSIONE 8S
FOR VERSION 8S

LOAD INDICATION SYSTEM (RDC-EBB)

Table code	Sheet
7881785-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5730507	1	
	2	3200050	1	Shackles
	3	W236508	1	
	4	3311542	1	



R	Pos.	Variant Code	Q.ty	Description
	1	5090940	1	Slide (Actuations)
	2	3040303	4	Stopnut [M8-70 UNI7473 NORM. ZC.]
	3	5001676	1	Pipe (Spacer)
	4	3010102	1	Hex screw [M8X170 8.8GEOMET UNI5737PF]
	5	3020030	12	Socket head cap screw [M5X25 8.8 ZC UNI 5931]
	6	3040392	12	Stopnut [Dado Stop M5-70 norm.]
RC	7	3060056	6	Split lock washer [D=10 C72 ZC]
	8	3010355	6	Hex screw [M10X25 8.8 ZC IF UNI 5739]
	9	5140980	2	Ring (Spacer)
	10	3020903	6	TSEI screw [M8X30 ZC UNI 5933]
	11	3310633	1	Pipes carrier
	12	5090941	1	
	13	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
	14	3040304	2	Stopnut [M10-70 NORM.8G ZC.]
	15	3310634	1	
	16	5090942	1	
	17	5090944	1	
	18	3310635	1	Pipes carrier
	19	3010346	1	Hex screw [M10X70 8.8 ZC UNI 5737]
RC	20	3060914	1	Flat washer [D.10.5X21X2 UNI 6592 ZC]



R	Pos.	Variant Code	Q.ty	Description
	21	5001645	1	
	22	3060608	1	Spring pin
	23	3040504	1	Self-locking ringnut [M20X1 NORMALE ZC]
	24	3070153	2	Seeger
	25	5091034	1	
	26	5141005	1	
	27	5001646	1	
	28	3040089	2	Lock nut
	29	5091033	1	
RC	30	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	31	5090943	1	



R	Pos.	Variant Code	Q.ty	Description
	1	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	2	3110113	2	Straight pipe fitting [M/F BSP 1/2"H=25]
	3	3060145	1	Sealing washer [BSP 1/2"]
	4	3190222	2	Collar (Flexible hose)
	5	3190221	1	Small plate (Collar)
RC	6	3060055	1	Split lock washer [D=8.4 C72 ZC]
	7	3010041	1	Hex screw [M8X100 8.8 ZC UNI 5737]
	8	5280736	2	Flexible hose [Fixed]
	9	5392353	1	Bonderized tube
	10	5392352	1	Bonderized tube
	11	3010414	3	Hex screw [M8X90 8.8 ZC UNI 5737]
	12	5000047	7	Clamp (Rigid Pipe)
	13	5280735	2	Flexible hose [Fixed]
	14	5392143	2	Bonderized tube
	15	3010038	1	Hex screw [M8X75 8.8 ZC UNI 5737]
	16	5280749	2	
	17	3010450	2	Hex screw [M14X20 8.8 ZC UNI 5739]
	18	3060058	2	Split lock washer [D=14 INOX]
	19	3060009	2	Flat washer [D.15X28X2.5 UNI 6592 ZC]
	20	5001634	1	Guard (Flexible hose)



R	Pos.	Variant Code	Q.ty	Description
	21	3040372	2	Stopnut [M6-70 UNI7473 NORM. ZC.]
	22	5001502	8	Keep plate (Flexible hose)
	23	3020915	18	TSEI screw [M6X40 10.9 ZC UNI 5933]
	24	5280750	4	
	25	3120313	2	Wall-through pipe fitting [MJ 7/8 -14]
	26	3120067	2	Straight pipe fitting [F7/8-14GIR. M1/2"CIL]
	27	3110541	2	Quick coupling

Assembly kit

Table code	Sheet
7880377-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001204	4	Fixing plate (Tie rod)
	2	3040190	32	Nut
	3	5000090	16	Plate (Upper)
	4	5150659	2	Tie rod (Threaded rod)
	5	5150661	6	Threaded rod
	6	3190292	8	Tip (Rubber protection)

PUMP HAND KIT

Table code	Sheet
7880142-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W390502	1	Manual pump
	2	5700169	1	Control lever
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
	5	5280725	1	Flexible hose
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	7	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	W630504500	1	Support plate (Manual pump)
	10	3101176	1	Tee fitting
	11	3120356	1	Reducing fitting
	12	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	13	5280724	1	Flexible hose
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	15	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	16	W470206	1	Non-return valve [UNID. F/F 3/4"]
	17	3120386	1	
	18	3120072	1	Straight pipe fitting [F7/8-14GIR. M3/8" CIL]
	19	3120034	1	90° Connection [90° M/F JIC 7/8-14]
	20	3120021	1	Tee fitting [7/8-14 JIC TUBO D16]



R	Pos.	Variant Code	Q.ty	Description
	21	3060145	1	Sealing washer [BSP 1/2"]
	22	3110161	1	Reducing fitting
	23	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	24	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	25	5220063	1	Cock
	26	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	27	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]

PUMP HAND KIT (High pressure filter)

Table code	Sheet
7880142-2.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	W390502	1	Manual pump
	2	5700169	1	Control lever
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3010358	4	Hex screw [M10X40 8.8 ZC UNI 5739]
	5	5280725	1	Flexible hose
	6	3040304	4	Stopnut [M10-70 NORM.8G ZC.]
RC	7	3010354	4	Hex screw [M10X20 8.8 ZC UNI 5739]
RC	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	W630504500	1	Support plate (Manual pump)
	10	3101176	1	Tee fitting
	11	3120356	1	Reducing fitting
	12	3111523	1	Pipe fitting (Tapping point) [RACC. MILITES 16X2-1/4"G]
	13	5280724	1	Flexible hose
	14	3110050	1	Female plug [TAPPO F JIC 7/8"-14]
	15	3101134	2	90° Connection [90° ORIENT.7/8-14-3/4"CIL.]
	16	W470206	1	Non-return valve [UNID. F/F 3/4"]
	17	3120080	1	Straight pipe fitting [F7/8-14GIR. M3/4"G.CIL]
	18	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	19	5280465	1	Flexible hose
	20	3120021	1	Tee fitting [7/8-14 JIC TUBO D16]



R	Pos.	Variant Code	Q.ty	Description
	21	3060145	1	Sealing washer [BSP 1/2"]
	22	3110161	1	Reducing fitting
	23	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	24	3120064	1	Straight pipe fitting [F9/16 -18GIR. M1/4"CIL]
	25	5220063	1	Cock
	26	3101039	1	Straight pipe fitting [9/16-18 1/4"CIL. D10]
RC	27	3060914	8	Flat washer [D.10.5X21X2 UNI 6592 ZC]
	28	3120034	1	90° Connection [90° M/F JIC 7/8-14]

Winch (Hydraulic system)

Table code	Sheet
5740193-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	2	3060145	2	Sealing washer [BSP 1/2"]
	3	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	4	3190204	3	Plate (Collar)
RC	5	3060055	7	Split lock washer [D=8.4 C72 ZC]
	6	5280738	2	Flexible hose [Fixed]
	7	5392353	1	Bonderized tube
	8	5392352	1	Bonderized tube
	9	3190172	6	Clamp (Set of hoses)
	10	3010032	3	Hex screw [M8X45 8.8 ZC UNI 5737]
	11	5280735	2	Flexible hose [Fixed]
	12	3010038	2	Hex screw [M8X75 8.8 ZC UNI 5737]
	13	5392143	2	Bonderized tube
	14	5000047	4	Clamp (Rigid Pipe)
	15	5280638	2	
	16	3120073	2	Straight pipe fitting [RACC.M / M 7/8J-3/4"CIL.]
	17	3060058	4	Split lock washer [D=14 INOX]
	18	3010402	4	Hex screw [M14X60 10.9 ZC UNI 5737]
	19	3020110	4	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	20	5001692	1	Winch support

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900276-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091015	1	Plates (Pulley)
	2	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	3	3060750	1	Cotter pin (Ring)
	4	5150610	1	Pin (Handle)
	5	3190010	1	Knob
	6	3020907	16	TSEI screw [M6X25 10.9 ZC UNI 5933]
	7	5140770	8	Slide shoe

SUPPORT FOR WINCH'S PULLEY KIT

Table code	Sheet
7900291-1.0	1/1









R	Pos.	Variant Code	Q.ty	Description
	1	5091053	1	
	2	3060707	1	Cotter pin
	3	3190010	1	Knob
	4	5150837	1	Pin (Handle)
	5	3020907	16	TSEI screw [M6X25 10.9 ZC UNI 5933]
	6	5140770	8	Slide shoe

AMCO VEBA
LIFTING BEYOND HORIZONS

946 - 950 6S - JIB4

ATTACHEMENT FOR (JIB)

Table code	Sheet
5780041-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090948	1	
RC	2	5140681	4	Button (Slide shoe)
	3	3060016	2	Flat washer [D.31X56X4 UNI 6592 ZC]
	4	5150610	1	Pin (Handle)
	5	3190010	1	Knob
	6	3060753	1	Cotter pin (Locking ring)
	7	3190172	4	Clamp (Set of hoses)
	8	3190204	2	Plate (Collar)
RC	9	3060055	2	Split lock washer [D=8.4 C72 ZC]
	10	3010031	2	Hex screw [M8X40 8.8 ZC UNI 5737]
	11	5001505	1	Spacer
	12	5140695	4	Bushing
	13	3040506	1	Self-locking ringnut [M45X1.5 NORMALE ZC]
	14	5150626	1	Threaded pin
	15	3060632	2	Spring pin
	16	5150627	1	Pin
	17	5001504	1	Spacer
	18	3070045	1	Seeger

KIT CONNECTING ROD (JIB)

Table code	Sheet
5360010-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5150625	1	Pin (Fulcrum)
	2	5140723	2	Bushing
	3	3080501	2	Grease nipple [M8X1.25]
	4	5090652	2	Short connecting rod
	5	5090653	2	Long connecting rod
	6	3040508	3	Self-locking ringnut [M55X2 NORMALE ZC]

JIB ARM

Table code	Sheet
5630005-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5030276	1	JIB ARM
	2	3060632	1	Spring pin
	3	3040506	2	Self-locking ringnut [M45X1.5 NORMALE ZC]
	4	5140695	4	Bushing
	5	5150628	1	Pin
	6	5150520	1	Pin
	7	3020037	4	Socket head cap screw [M6X25 8.8 ZC UNI 5931]
	8	5001109	4	Block (Extension Hydraulic jack)
	9	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	10	3040089	2	Lock nut
	11	5000771	2	Adjusting screw [M20 L=35]
RC	12	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	13	3060055	6	Split lock washer [D=8.4 C72 ZC]
RC	14	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
RC	15	5140656	2	Button (Backlash)
RC	16	5140783	2	Slide shoe
RC	17	5001087	2	Button (Control board)
RC	18	5140609	2	Slide shoe
	19	3010337	4	Hex screw [M8X16 8.8 ZC UNI 5739]

Articulation Hydraulic jack (Hydraulic system)

Table code	Sheet
6230154-1.0	1/1



VALIDO FINO A Novembre 2012
VALID UNTIL November 2012

R	Pos.	Variant Code	Q.ty	Description
	1	6430154	1	Articulation Hydraulic jack
	2	5000693	1	Valve support
	3	3101051	2	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	4	3060143	2	Sealing washer [BSP 1/4"]
	5	3110062	2	Plug
	6	5391797	1	Bonderized tube
	7	3120012	2	90° Connection [90° ORIENT.7/8-14-3/8"CIL.]
	8	3101127	2	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	9	5220646	1	Valve
	10	3010031	1	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	11	3060055	1	Split lock washer [D=8.4 C72 ZC]
RC	12	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	13	5392176	1	
	14	5271432	1	Flexible hose
	15	5271433	1	Flexible hose
	16	3101128	2	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	17	3190026	2	Clamp

Articulation Hydraulic jack (Hydraulic system)

Table code	Sheet
6230154-1.1	1/1



VALIDO DA Dicembre 2012
VALID FROM December 2012

R	Pos.	Variant Code	Q.ty	Description
	1	6430154	1	Articulation Hydraulic jack
	2	5000693	1	Valve support
	3	3101044	2	Straight pipe fitting [3/4-16 1/2"CIL. D12]
	4	3060143	2	Sealing washer [BSP 1/4"]
	5	3110062	2	Plug
	6	5392457	1	
	7	3101127	4	90° Connection [90° ORIENT.3/4-16-3/8"CIL.]
	8	5220646	1	Valve
	9	3010031	1	Hex screw [M8X40 8.8 ZC UNI 5737]
RC	10	3060055	1	Split lock washer [D=8.4 C72 ZC]
RC	11	3060006	1	Flat washer [D.8 UNI 6592 ZC]
	12	5390604	1	Bonderized tube
	13	5271432	1	Flexible hose
	14	5271433	1	Flexible hose
	15	3101128	2	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	16	3190026	2	Clamp

Articulation Hydraulic jack (Articulated extension)

Table code	Sheet
6430154-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070539	1	Cylinder
	2	5140124	2	Bushing
	3	6030703	1	Rod unit
	4	5140689	2	Bushing
	5	3080501	2	Grease nipple [M8X1.25]
RC	6	5550741	1	Seal kit
	7	3060226	1	Grub screw [Grano M6X16 UNI 5927 ZC.]
	8	6050274	1	Piston
	9	6040268	1	Close nipple
	10	3040507	1	Self-locking ringnut

1st Extension (JIB)

Table code	Sheet
5490052-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020399	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	10	Split lock washer [D=8.4 C72 ZC]
	5	3010337	8	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	5000771	2	Adjusting screw [M20 L=35]
	7	3040089	2	Lock nut
	8	3060941	4	Grub screw
	9	3040519	4	Stopnut
	10	5001105	4	Ring (Reduction)
RC	11	5000685	4	Plate (Thickness)
RC	12	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	13	5001087	4	Button (Control board)
RC	14	5140783	4	Slide shoe
RC	15	5140656	4	Button (Backlash)
	16	5001738	2	Plate (Thickness)
RC	17	5141037	4	Button (Backlash)
	18	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	19	3060053	4	Split lock washer [D=6.4 C72 ZC]
	20	5001106	1	Collar (Mobile)

R	Pos.	Variant Code	Q.ty	Description
	21	3070150	4	Seeger



Hydraulic system (1th extension hydraulic cylinder)

Table code	Sheet
6210242-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410242	1	Extension Hydraulic jack
	2	3190022	2	Clamp
	3	5001237	1	Valve support
	4	3040303	2	Stopnut [M8-70 UNI7473 NORM. ZC.]
	5	3101051	3	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	6	5391702	1	Bonderized tube
	7	5391703	1	Bonderized tube
	8	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	9	5220641	1	Valve (Overcenter)
	10	3101128	4	90° Connection [90° ORIENT.3/4-16-1/2"CIL.]
	11	3060145	1	Sealing washer [BSP 1/2"]
	12	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	13	3010033	2	Hex screw [M8X50 8.8 ZC UNI 5737]
	14	5271434	2	Flexible hose

1st Extension hydraulic

Table code	Sheet
6410242-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070458	1	Cylinder
	2	6030549	1	Rod unit
	3	3420021	1	W-ring
	4	3370136	1	Seal
	5	6040259	1	Close nipple
	6	3460132	1	Anti-extrusion ring
	7	3450132	1	O-ring joint
	8	6050275	1	Piston
	9	3400509	1	Seal
	10	3460047	2	Anti-extrusion ring
	11	3450047	1	O-ring joint
	12	6040269	1	Ring nut
	13	3060248	1	Grub screw
	14	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	15	5001106	1	Collar (Mobile)
	16	3070150	1	Seeger
RC	17	5550781	1	Seal kit

2nd Extension (JIB)

Table code	Sheet
5650004-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5020400	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	10	Split lock washer [D=8.4 C72 ZC]
	5	3010337	8	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	5000771	2	Adjusting screw [M20 L=35]
	7	3040089	2	Lock nut
	8	3040519	4	Stopnut
	9	3060941	4	Grub screw
	10	5001105	4	Ring (Reduction)
RC	11	5000685	4	Plate (Thickness)
RC	12	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	13	5001087	4	Button (Control board)
RC	14	5140783	4	Slide shoe
RC	15	5140656	4	Button (Backlash)
	16	3060053	4	Split lock washer [D=6.4 C72 ZC]
RC	17	5141037	4	Button (Backlash)
	18	5001738	2	Plate (Thickness)
	19	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	20	5001106	1	Collar (Mobile)

R	Pos.	Variant Code	Q.ty	Description
	21	3070150	4	Seeger



Hydraulic system (2nd extension hydraulic cylinder)

Table code	Sheet
6210243-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410243	1	Extension Hydraulic jack
	2	3101051	5	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	3	5391818	1	Bonderized tube
	4	5391704	1	Bonderized tube
	5	5220629	1	Sequence valve
	6	5391705	1	Bonderized tube
	7	3190022	2	Clamp
	8	5140133	2	Piping mounting

2nd and 3rd extension hydraulic cylinder

Table code	Sheet
6410243-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070459	1	Cylinder
	2	5001106	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420018	1	W-ring
	5	3370137	1	Seal
	6	6040254	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050290	1	Piston
	10	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	11	3400507	1	Seal
	12	3460047	2	Anti-extrusion ring
	13	3450047	1	O-ring joint
	14	6040269	1	Ring nut
	15	3060248	1	Grub screw
	16	6030623	1	Rod unit
RC	17	5550783	1	Seal kit

3rd extension (JIB)

Table code	Sheet
5660002-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020401	1	Extension
	2	5150443	1	Pin
	3	5000674	1	Keep plate
RC	4	3060055	6	Split lock washer [D=8.4 C72 ZC]
	5	3010337	8	Hex screw [M8X16 8.8 ZC UNI 5739]
	6	3040519	4	Stopnut
	7	3060941	4	Grub screw
	8	5001105	4	Ring (Reduction)
RC	9	5000685	4	Plate (Thickness)
RC	10	3060006	6	Flat washer [D.8 UNI 6592 ZC]
RC	11	5001087	4	Button (Control board)
RC	12	5140783	4	Slide shoe
RC	13	5140656	4	Button (Backlash)
RC	14	3060918	4	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
RC	15	5141037	4	Button (Backlash)
	16	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	17	3060101	4	Tooth lock washer [D.6 TIPO A]
	18	5001738	2	Plate (Thickness)

3rd extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210244-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410243	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5391707	1	Bonderized tube
	4	5391706	1	Bonderized tube
	5	3190022	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	7	5140133	2	Piping mounting

4th extension (JIB)

Table code	Sheet
5560013-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5020402	1	Extension
RC	2	5140783	2	Slide shoe
RC	3	5001087	2	Button (Control board)
RC	4	5140656	2	Button (Backlash)
RC	5	3060006	2	Flat washer [D.8 UNI 6592 ZC]
RC	6	3060918	2	Tooth lock washer [D.8 TIPO A UNI8842 ZC]
	7	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	8	5141037	4	Button (Backlash)
	9	5000674	1	Keep plate
RC	10	3060055	2	Split lock washer [D=8.4 C72 ZC]
	11	5150443	1	Pin
	12	3010324	4	Hex screw [M6X12 8.8 ZC UNI 5739]
	13	3060101	4	Tooth lock washer [D.6 TIPO A]
	14	5001738	2	Plate (Thickness)

4th extension Hydraulic jack (Hydraulic system)

Table code	Sheet
6210245-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6410245	1	Extension Hydraulic jack
	2	3101131	2	90° Connection [90° ORIENT.7/8-14-1/2"CIL.]
	3	5391709	1	
	4	5391708	1	
	5	3190022	2	Clamp
	6	3101051	1	Straight pipe fitting [7/8-14 1/2"CIL. D16]

4th extension Hydraulic jack

Table code	Sheet
6410245-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	6070460	1	Cylinder
	2	5001106	1	Collar (Mobile)
	3	3070150	4	Seeger
	4	3420015	1	W-ring
	5	3370138	1	Seal
	6	6040270	1	Close nipple
	7	3460126	1	Anti-extrusion ring
	8	3450126	1	O-ring joint
	9	6050289	1	Piston
	10	3400507	1	Seal
	11	3060232	1	Grub screw [Grano M6X6 UNI 5927 ZC.]
	12	6030618	1	Rod unit
RC	13	5550784	1	Seal kit

Support (Articulated extension)

Table code	Sheet
5400328-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5090655	1	
	2	3190100	3	Insulator
	3	3040305	3	Stopnut [M12-70 NORM. ZC]
	4	3010394	6	Hex screw [M12X35 8.8 ZC UNI 5739]
	5	3060057	6	Split lock washer [D=12 C72 ZC]

WINCH KIT - WINCH IN THE JIB TIP

AMCO VEBA
LIFTING BEYOND HORIZONS

WINCH KIT

Table code	Sheet
7834173-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5720149	1	
	2	5730128	1	
	3	5140760	1	Pulley
	4	5150663	1	
	5	3070151	2	Seeger
	6	5090726	1	
	7	3060753	4	Cotter pin (Locking ring)
	8	5150840	1	
	9	W664019	4	
	10	5730044	1	Pulley
	11	3070150	1	Seeger
	12	5141034	1	
	13	3060703	1	Cotter pin
	14	3060997	1	Washer
	15	5150841	1	
	16	3040500	1	Self-locking ringnut [M40X1.5 NORMALE ZC]
	17	3200100	1	Eye bolt
	18	5091043	1	
	19	5150193	1	
	20	5150842	2	



R	Pos.	Variant Code	Q.ty	Description
	21	W317004	1	Pulley
	22	5730066	1	Counterweight
	23	3200009	1	Swivel hook



R	Pos.	Variant Code	Q.ty	Description
	1	3310090	1	
	2	5090836	1	
	3	3010337	2	Hex screw [M8X16 8.8 ZC UNI 5739]
RC	4	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	5	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	6	236010	1	
	7	3310432	2	Connector (Electric)
	8	3310431	2	Connector (Electric)
	9	5001769	4	
	10	3040045	4	Nut [M8 NORM.6S UNI5588 GEOMET]
	11	3310321	1	
	12	3020025	2	Socket head cap screw [M5X40 8.8 ZC UNI 5931]
	13	3310396	1	Control lever
	14	3060931	1	
	15	3000007	1	GENOVESE CHAIN
	16	5001770	1	
	17	3060030	1	Flat washer [D.6.6X18 UNI 6593 ZC]
	18	3010325	1	Hex screw [M6X16 8.8 ZC UNI 5739]

Winch (Hydraulic system)

Table code	Sheet
7834173-3.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	5720149	1	
	2	5001634	1	Guard (Flexible hose)
	3	5091042	1	
	4	3010065	4	Hex screw [M12X55 8.8 ZC UNI 5737]
	5	3040305	4	Stopnut [M12-70 NORM. ZC]
	6	3060050	4	Split lock washer [D=14 C72 ZC]
	7	3020110	4	Socket head cap screw [M14X40 8.8 ZC UNI 5931]
	8	3101124	1	90° Connection [90° ORIENT.9/16-18 - 1/4"CIL.]
	9	3101119	1	90° Connection [90° ORIENT.9/16-18 - 1/2"G]
	10	5260863	1	Flexible hose [Fixed]
	11	3101051	4	Straight pipe fitting [7/8-14 1/2"CIL. D16]
	12	5280787	1	
	13	5280788	1	
	14	5392143	2	Bonderized tube
	15	5000047	4	Clamp (Rigid Pipe)
RC	16	3060055	4	Split lock washer [D=8.4 C72 ZC]
	17	3010038	2	Hex screw [M8X75 8.8 ZC UNI 5737]
	18	5280735	2	Flexible hose [Fixed]
	19	5392142	1	
	20	5392120	1	



R	Pos.	Variant Code	Q.ty	Description
	21	3190173	2	Hex screw
	22	3190204	2	Plate (Collar)
	23	3010032	2	Hex screw [M8X45 8.8 ZC UNI 5737]
	24	5280738	2	Flexible hose [Fixed]
	25	3110113	1	Straight pipe fitting [M/F BSP 1/2"H=25]
	26	3060145	1	Sealing washer [BSP 1/2"]

Winch (Electrical equipment)

Table code	Sheet
7834173-4.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3310751	1	
	2	3310662	1	



VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5160077	1	
	2	5160079	1	Electric wiring
	3	5160076	1	Wire assembly (Tiltmeter)
	4	5160080	1	Plug (Electric components)
RC	5	3311150	2	Inclination sensor 360°
	6	5002108	2	Support plate (Tiltmeter)
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3060065	4	Split lock washer [D=4.1 C72 ZC]
	9	3020018	4	Socket head cap screw [M4X30 8.8 ZC UNI 5931]

AMCO VEBA
LIFTING BEYOND HORIZONS

946 - 950 EBB

Protective guard (Control unit)

Table code	Sheet
5400631-2.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5091046	1	Protective guard (CONTROLS)
	2	3011000	4	Handwheel
	3	5091059	1	Cover (Casing)
RC	4	3060029	9	Flat washer [D.8.5X24 UNI 6593 ZC]
RC	5	3060055	11	Split lock washer [D=8.4 C72 ZC]
RC	6	3020875	5	Socket head cap screw [M8X20 8.8 GEOMET UNI5931]
RC	7	3060007	4	Flat washer [D.10X40X2.5 UNI 6593 ZC]
RC	8	3060056	4	Split lock washer [D=10 C72 ZC]
	9	3010349	4	Hex screw [M10X20 10.9 ZC UNI 5739]
	10	5001679	1	Distributor support
	11	5001719	1	Collar (Hydraulic hose guide)
RC	12	3010027	6	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	13	5812785	1	Small plate (CONTROL SYMBOLS)
	14	5812786	1	Small plate (CONTROL SYMBOLS)
	15	5812787	1	Small plate (CONTROL SYMBOLS)
	16	5812788	1	Small plate (CONTROL SYMBOLS)
	17	5812791	1	Small plate (CONTROL SYMBOLS)



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	5225398	4	Form (PVB DISTR. DANFOSS 157B6203)
	3	5225512	1	Outlet manifold
	4	5225511	1	Inlet manifold
	5	5225533	1	Solenoid valve (12V)
	6	5225510	1	Solenoid valve (24V)
	7	3310238	1	Solenoid (12V)
	8	3310242	1	Solenoid (24V)
	9	5225859	4	lever kit new PVG32 11046724
	10	5225397	4	MECHANICAL CONTROL LEVER SIDE
	11	5225558	1	Slider (PVG32 157B7131)
	12	5225536	1	Slider (PVG32 157B7472)
	13	5225368	1	Slider (PVG32 157B7122 CA40L/MIN)
	14	5225340	1	Slider (PVG32 CA A40-B100 157B9505)
	15	5225508	1	Slider (PVG32 157B7022)
	16	5225858	4	LEVER KIT OLD PVG32 11046146
RC	17	5225570	4	Seal kit (Control valve)
RC	18	5225568	1	Seal kit (Control valve)
RC	19	5225572	1	Seal kit (Control valve)
RC	20	5225571	4	Seal kit (Control valve)

R	Pos.	Variant Code	Q.ty	Description
RC	21	5225569	3	Seal kit (Control valve)
	22	5226006	4	KIT LEVA PVG32 11107587 New2014



Wireless control kit

Table code	Sheet
7892101-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310772	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310775	1	Aerial (Wireless control)
	14	3310771	1	Receiver
	15	3310875	1	Electric wiring
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	18	W340501400	4	Support (Clamp)
	19	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]

Wireless control kit

Table code	Sheet
7892100-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310808	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3311029	1	Switch
	8	3310799	1	Belt
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310775	1	Aerial (Wireless control)
	14	3310807	1	Receiver
	15	3310875	1	Electric wiring
	16	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	17	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	18	W340501400	4	Support (Clamp)
	19	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]

Wireless control kit (CAN BUS)

Table code	Sheet
7892140-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311057	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3310057	1	Receiver
	15	3311382	1	Electric wiring
	16	3310924	1	Key (Red)
	17	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	19	W340501400	4	Support (Clamp)
	20	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]

Wireless control kit (CAN BUS)

Table code	Sheet
7892139-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311030	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3310056	1	Receiver
	15	3311382	1	Electric wiring
	16	3310924	1	Key (Red)
	17	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]
	18	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	19	W340501400	4	Support (Clamp)
	20	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]

Wireless control kit

Table code	Sheet
7892134-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310578	1	
	2	3310581	6	Control lever
	3	3310455	1	
	4	3310454	2	
	5	3310836	1	
	6	3310583	1	
	7	3310766	1	
	8	3190105	1	
	9	3310582	2	
	10	3190102	4	
	11	3060005	8	Flat washer [D.6.4 UNI 6592 ZC]
	12	3040372	12	Stopnut [M6-70 UNI7473 NORM. ZC.]
	13	3010015	4	Hex screw [M6X20 8.8 ZC UNI 5739]
	14	5001826	1	
	15	3190106	1	

Wireless control kit

Table code	Sheet
7892087-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3310534	1	
	2	3040392	8	Stopnut [Dado Stop M5-70 norm.]
	3	3020028	8	Socket head cap screw [M5X20 8.8 ZC UNI 5931]
	4	3310535	1	
	5	3320026	1	
	6	3190226	1	Belt (Transmitter)
RC	7	3310483	2	Battery (Wireless control)
	8	3310471	1	Battery charger
	9	3310536	1	
	10	3310445	8	Control lever
	11	3310683	1	
	12	5001680	1	
	13	3310850	1	
	14	3190259	1	

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-1.0	1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

No CE
Not CE



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	3310612	1	Pressure sensor
	3	5160001	1	Electric wiring
	4	5160043	1	Electric wiring
	5	3310606	1	Moment limiting device

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-2.0	1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3310541	1	Inclination sensor ON-OFF
	2	5160002	1	Electric wiring

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-3.0	1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	3310541	1	Inclination sensor ON-OFF
	2	5160016	1	Electric wiring
	3	5160015	1	Electric wiring
	4	5160020	1	Plug (Electrical connection)

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-4.0	1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5160015	1	Electric wiring
	2	5160001	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160026	1	Electrical connection

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-5.0	1/1

VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010



R	Pos.	Variant Code	Q.ty	Description
	1	5160004	1	WIRING FOR WINCH
	2	5160013	1	Plug (Winch)
	3	3310663	1	

Rotation limiting device (ECM4 EBB - X TCU)

Table code	Sheet
5400602-6.0	1/1



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	5001643	1	Stop (Microswitch)
RC	2	3060055	2	Split lock washer [D=8.4 C72 ZC]
RC	3	3010027	2	Hex screw [M8X20 8.8 ZC IF UNI 5739]
	4	5160009	2	Electric wiring
	5	3020961	2	TCC screw [M4X20 8.8 ZC UNI 7687]
	6	3040518	2	Stopnut [STOP M4]
	7	5001642	1	Microswitch support
	8	3010325	2	Hex screw [M6X16 8.8 ZC UNI 5739]
	9	3060030	2	Flat washer [D.6.6X18 UNI 6593 ZC]

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-7.0	1/1



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	3310819	1	
	2	3310809	1	
	3	5001682	1	

Pilot lamp

Table code	Sheet
7885015-1.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	5001662	1	
	2	3310811	1	
	3	3310812	1	
	4	3310810	1	
	5	3310818	3	
	6	3310813	3	
	7	3060003	4	Flat washer [D.4 UNI 6592 ZC]
	8	3020885	4	Socket head cap screw [M4X20 8.8 ZC UNI 5931]
	9	3310911	1	

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-8.0	1/1



VALIDO FINO A Dicembre 2010
VALID UNTIL December 2010

R	Pos.	Variant Code	Q.ty	Description
	1	3310853	1	Electric box

CONTROLS (ECM4 EBB - X TCU)

Table code	Sheet
5400602-9.0	1/1

R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns



Valido da Matricola / Valid from S/N
27611
Valido da Matricola / Valid from S/N
99888
Valido da Matricola / Valid from S/N
200712

VALIDO FINO A Dicembre 2010
VALID UNTİL December 2010

AMCO VEBA
LIFTING BEYOND HORIZONS

946 - 950 EBB - EN 12999-A3

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401258-1.0	1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5225534	4	Electric control (PVEA-DI PER PVG32)
	2	3310612	1	Pressure sensor
	3	5160084	1	Electric wiring
	4	5160071	1	Electric wiring (Assembly)
	5	3311421	1	Moment limiting device [SUPERATO]
	6	3060004	2	Flat washer [D.5 UNI 6592 ZC]
	7	3060052	2	Split lock washer [D=5.5 C72 ZC]
	8	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401258-2.0	1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160076	1	Wire assembly (Tiltmeter)
	3	5002108	1	Support plate (Tiltmeter)
	4	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401258-3.0	1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
RC	1	3311150	1	Inclination sensor 360°
	2	5160079	1	Electric wiring
	3	5160077	1	
	4	5160080	1	Plug (Electric components)
	5	3020018	2	Socket head cap screw [M4X30 8.8 ZC UNI 5931]
	6	3020033	2	Socket head cap screw [M6X10 8.8 ZC UNI 5931]
	7	3060005	2	Flat washer [D.6.4 UNI 6592 ZC]
	8	3060053	2	Split lock washer [D=6.4 C72 ZC]
	9	3060065	2	Split lock washer [D=4.1 C72 ZC]
	10	3060003	2	Flat washer [D.4 UNI 6592 ZC]
	11	5002108	1	Support plate (Tiltmeter)

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401258-4.0	1/1

VALIDO DA Gennaio 2011
VALID FROM January 2011



R	Pos.	Variant Code	Q.ty	Description
	1	5160077	1	
	2	5160079	1	Electric wiring
	3	3310612	1	Pressure sensor
	4	5160080	1	Plug (Electric components)



VALIDO DA Gennaio 2011

VALID FROM January 2011

R	Pos.	Variant Code	Q.ty	Description
	1	3311405	1	
	2	3020023	2	Socket head cap screw [M5X16 8.8 ZC UNI 5931]
	3	3060004	2	Flat washer [D.5 UNI 6592 ZC]

CONTROLS (RDC EBB-X TCU-ECM4)

Table code	Sheet
5401258-7.0	1/1



R	Pos.	Variant Code	Q.ty	Description
	1	3311159	1	Signal Columns
	2	5160003	1	Electric wiring
	3	3311131	1	Electric cable

VALIDO DA Gennaio 2011
VALID FROM January 2011

Wireless control kit (CAN BUS)

Table code	Sheet
7892191-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3311429	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3311433	1	Receiver
	15	3311432	1	Electric wiring
	16	3310924	1	Key (Red)
	17	3311131	1	Electric cable
	18	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	19	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	20	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	W340501400	4	Support (Clamp)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]



R	Pos.	Variant Code	Q.ty	Description
	1	3311431	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3311435	1	Receiver
	15	3311432	1	Electric wiring
	16	3310924	1	Key (Red)
	17	3311131	1	Electric cable
	18	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	19	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	20	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	W340501400	4	Support (Clamp)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]

Wireless control kit (CAN BUS)

Table code	Sheet
7892205-1.0	1/2



R	Pos.	Variant Code	Q.ty	Description
	1	3311430	1	Transmitter
	2	3310795	1	Key (Black)
	3	3310796	8	Joystick
	4	3310788	1	Emergency STOP button
	5	3310786	2	Selector
	6	3310785	1	Selector
	7	3310787	2	Selector
	8	3311031	1	Belt (Transmitter)
RC	9	3310641	2	Battery (Wireless control)
	10	3310797	1	Battery charger
	11	5001699	1	Support plate (Wireless control)
	12	3020405	4	TSEI screw [M6X20 10.9 ZC UNI 5933]
	13	3310861	1	Aerial (Wireless control)
	14	3311434	1	Receiver
	15	3311432	1	Electric wiring
	16	3310924	1	Key (Red)
	17	3311131	1	Electric cable
	18	3020024	2	Socket head cap screw [M5X35 8.8 ZC UNI 5931]
	19	3040392	2	Stopnut [Dado Stop M5-70 norm.]
	20	3020907	4	TSEI screw [M6X25 10.9 ZC UNI 5933]



R	Pos.	Variant Code	Q.ty	Description
	21	W340501400	4	Support (Clamp)
	22	3060005	4	Flat washer [D.6.4 UNI 6592 ZC]
	23	3040372	4	Stopnut [M6-70 UNI7473 NORM. ZC.]

RECOMMENDED SPARE PARTS

Code	Description
3010027	Hex screw
3010353	Hex screw
3010354	Hex screw
3020875	Socket head cap screw
3060006	Flat washer
3060007	Flat washer
3060029	Flat washer
3060055	Split lock washer
3060056	Split lock washer
3060914	Flat washer
3060918	Tooth lock washer
3060920	Tooth lock washer
3180070	Oil filter
3180071	Filtering cartridge
3180099	Oil level indicator
3180159	Oil filter
3180160	Filtering cartridge
3180176	Oil filter
3180203	Filtering cartridge
3180221	Thermometer
3310483	Battery (Wireless control)
3310641	Battery (Wireless control)
3311150	Inclination sensor 360°
3311311	Proximity switch (Position sensor)
3311312	Proximity switch
3311313	Sensor unit (Encoder)
3311354	Lighting (Audible alarm)
5000685	Plate (Thickness)
5000827	Button
5001087	Button (Control board)
5001253	Button (Sliding block)
5140609	Slide shoe
5140656	Button (Backlash)
5140681	Button (Slide shoe)
5140777	Button (Backlash)
5140783	Slide shoe
5140786	Bushing (Lower)
5140787	Sliding block (Toothed rack)
5140789	Button
5140974	Slide shoe
5140995	Slide shoe
5140996	Slide shoe
5140998	Sliding block
5141014	Slide shoe
5141015	Slide shoe
5141016	Slide shoe
5141017	Slide shoe
5141018	Bushing (Upper)
5141019	Thrust bearing ring
5141037	Button (Backlash)
5141136	Thrust bearing ring
5225263	Seal kit
5225568	Seal kit (Control valve)
5225569	Seal kit (Control valve)
5225570	Seal kit (Control valve)
5225571	Seal kit (Control valve)
5225572	Seal kit (Control valve)
5550709	Seal kit
5550741	Seal kit
5550764	Seal kit
5550765	Seal kit
5550766	Seal kit
5550767	Seal kit
5550768	Seal kit
5550769	Seal kit
5550770	Seal kit
5550771	Seal kit
5550772	Seal kit
5550781	Seal kit
5550783	Seal kit
5550784	Seal kit
5550789	Seal kit

Code	Description